

Journal of Quantitative Criminology

Security Crisis or Qualitative Change? Evidence from Violent Property Crimes in Chile, 2013 - 2025. --Manuscript Draft--

Manuscript Number:	
Full Title:	Security Crisis or Qualitative Change? Evidence from Violent Property Crimes in Chile, 2013 - 2025.
Article Type:	Original Paper
Keywords:	Property crimes; Violent robberies; Structural break; Poisson-QMLE; Chile
Corresponding Author:	Ariel Valdebenito, M.D. Instituto Nacional de Estadísticas CHILE
Corresponding Author Secondary Information:	
Corresponding Author's Institution:	Instituto Nacional de Estadísticas
Corresponding Author's Secondary Institution:	
First Author:	Ariel Valdebenito, M.D.
First Author Secondary Information:	
Order of Authors:	Ariel Valdebenito, M.D. Cristóbal Cares
Order of Authors Secondary Information:	
Funding Information:	
Abstract:	Purpose: This article examines whether the trajectory of property crimes in Chile (2013–2025) reflects a change in total crime volume or a transformation in its composition—whether the perceived "security crisis" stems from more violent offenses in absolute terms or from a greater proportion of coercive events within a declining aggregate. Methods: Using a balanced region-month panel of police reports from Carabineros de Chile (16 regions, 156 months), we estimate Poisson-QMLE models with restricted cubic splines and Wild Cluster Bootstrap inference, complemented by regional CUSUM-GLM structural stability tests with Benjamini-Hochberg correction and Bai-Perron multiple break detection on the seasonally adjusted national ratio. A trichotomous classification (C3) distinguishes violent, surprise, and non-violent robberies. Results: The two dominant subtypes of violent robbery—robbery with intimidation and robbery with violence—account for 93% of the category and record post-pandemic rates below their historical baseline. The aggregate rate peaked in 2023 (343 per 100,000 inhabitants) and exhibits a downward inflection in the most recent period (Spline 4, 2022–2025: IRR = 0.868, $p = 0.057$). The ratio of violent robberies to (violent + non-violent) property crimes—excluding surprise robberies, whose mobility-sensitive dynamics would mask the compositional signal—reached a historical peak of 21.6% in January 2024, driven not by a surge in the numerator but by the steeper structural decline of non-violent robberies (Spline 4: IRR = 0.648, $p < 0.001$). Conclusions: The debate surrounding the "security crisis" captures something qualitatively real—the probability of direct victimization rises even as total crime volume declines—but overestimates the phenomenon by conflating volume with composition. Effective crime policy requires distinguishing between compositional shifts and volumetric increases.

Security Crisis or Qualitative Change? Evidence from Violent Property Crimes in Chile, 2013–2025

Ariel Valdebenito^{1,*} and Cristóbal Cares²

¹ Instituto Nacional de Estadísticas de Chile, Santiago, Chile

² Universidad de Santiago de Chile, Santiago, Chile

ORCID Ariel Valdebenito: [0000-0003-1468-141X](https://orcid.org/0000-0003-1468-141X)

ORCID Cristóbal Cares: [0000-0002-3376-6112](https://orcid.org/0000-0002-3376-6112)

*** Corresponding author**

Ariel Valdebenito
Instituto Nacional de Estadísticas de Chile
Santiago, Chile
E-mail: asvaldebenitom@ine.gob.cl

Statements and Declarations

Funding

No funding was received for conducting this study.

Competing Interests

The authors have no competing interests to declare that are relevant to the content of this article.

```

This is pdfTeX, Version 3.141592653-2.6-1.40.26 (TeX Live 2024)
(preloaded format=pdflatex 2024.8.2)  30 MAR 2026 20:26
entering extended mode
  restricted \writel8 enabled.
  %&-line parsing enabled.
**manuscript.tex
(./Manuscript.tex
LaTeX2e <2024-06-01> patch level 2
L3 programming layer <2024-05-27>
(c:/texlive/texmf-local/tex/latex/aries/sn-jnl.cls
Document Class: sn-jnl 2019/11/18 v0.1: An authoring template for
Springer Jour
nal articles
(c:/texlive/2024/texmf-dist/tex/latex/base/article.cls
Document Class: article 2024/02/08 v1.4n Standard LaTeX document class
(c:/texlive/2024/texmf-dist/tex/latex/base/fleqn.clo
File: fleqn.clo 2016/12/29 v1.2b Standard LaTeX option (flush left
equations)
\mathindent=\skip49
Applying: [2015/01/01] Make \[ robust on input line 50.
LaTeX Info: Redefining \[ on input line 51.
Already applied: [0000/00/00] Make \[ robust on input line 62.
Applying: [2015/01/01] Make \] robust on input line 74.
LaTeX Info: Redefining \] on input line 75.
Already applied: [0000/00/00] Make \] robust on input line 83.
) (c:/texlive/2024/texmf-dist/tex/latex/base/size10.clo
File: size10.clo 2024/02/08 v1.4n Standard LaTeX file (size option)
)
\c@part=\count194
\c@section=\count195
\c@subsection=\count196
\c@subsubsection=\count197
\c@paragraph=\count198
\c@subparagraph=\count199
\c@figure=\count266
\c@table=\count267
\abovecaptionskip=\skip50
\belowcaptionskip=\skip51
\bibindent=\dimen141
)
LaTeX Info: Redefining \rm on input line 146.
LaTeX Info: Redefining \sf on input line 147.
LaTeX Info: Redefining \tt on input line 148.
LaTeX Info: Redefining \bf on input line 149.
LaTeX Info: Redefining \it on input line 150.
LaTeX Info: Redefining \sl on input line 151.
LaTeX Info: Redefining \sc on input line 152.
LaTeX Info: Redefining \cal on input line 153.
LaTeX Info: Redefining \mit on input line 154.
LaTeX Info: Redefining \textsubscript on input line 212.
\columnsize=\skip52
(c:/texlive/2024/texmf-dist/tex/latex/geometry/geometry.sty
Package: geometry 2020/01/02 v5.9 Page Geometry
(c:/texlive/2024/texmf-dist/tex/latex/graphics/keyval.sty

```

```

Package: keyval 2022/05/29 v1.15 key=value parser (DPC)
\KV@toks@=\toks17
) (c:/texlive/2024/texmf-dist/tex/generic/iftex/ifvtex.sty
Package: ifvtex 2019/10/25 v1.7 ifvtex legacy package. Use iftex instead.
(c:/texlive/2024/texmf-dist/tex/generic/iftex/iftex.sty
Package: iftex 2022/02/03 v1.0f TeX engine tests
))
\Gm@cnth=\count268
\Gm@cntv=\count269
\c@Gm@tempcnt=\count270
\Gm@bindingoffset=\dimen142
\Gm@wd@mp=\dimen143
\Gm@odd@mp=\dimen144
\Gm@even@mp=\dimen145
\Gm@layoutwidth=\dimen146
\Gm@layoutheight=\dimen147
\Gm@layouthoffset=\dimen148
\Gm@layoutvoffset=\dimen149
\Gm@dimlist=\toks18
)
\artcatbox=\box52
\auccount=\count271
\corraucount=\count272
\punctcount=\count273
\emailcnt=\count274
\c@affn=\count275
\addcount=\count276
\PacsCount=\count277
\PacsTmpCnt=\count278
\FMremarkdim=\dimen150
\fmremarkbox=\box53
(c:/texlive/2024/texmf-dist/tex/latex/sttools/cuted.sty
Package: cuted 2021/10/04 v2.0 Mixing onecolumn and twocolumn modes
\At@ViperColsBreak=\toks19
\preCutedStrip=\toks20
\postCutedStrip=\toks21
\cuted@@tempbox@a=\box54
\cuted@@tempbox@c=\box55
\cuted@@tempbox@var=\box56
\hold@viper=\box57
\@viper=\box58
\cuted@@varbox@a=\box59
\cuted@@varbox@c=\box60
\cuted@@tempdim@spread=\dimen151
\cuted@@tempdim@a=\dimen152
\cuted@@tempdim@b=\dimen153
\ht@hold@viper=\dimen154
\ht@viper=\dimen155
\var@@pagediscards@ht=\dimen156
\stripsep=\skip53
\viper@penalty=\count279
)
\firstpagehtcheck=\dimen157
\labelwidthi=\dimen158

```

```

\labelwidththii=\dimen159
\labelwidththiii=\dimen160
\labelwidththiv=\dimen161
\figwidth=\dimen162
\figheight=\dimen163
\sidecapwidth=\dimen164
\wrapcapline=\dimen165
\totalwrapline=\dimen166
\wraptotline=\dimen167
\figurebox=\box61
\wrapfigcapbox=\box62
\figcapbox=\box63
\capbox=\box64
\headwidthskip=\skip54
\tabcapbox=\box65
\temptbox=\box66
\tempdime=\dimen168
\tabhtdime=\dimen169
(c:/texlive/2024/texmf-dist/tex/latex/graphics/rotating.sty
Package: rotating 2016/08/11 v2.16d rotated objects in LaTeX
(c:/texlive/2024/texmf-dist/tex/latex/graphics/graphicx.sty
Package: graphicx 2021/09/16 v1.2d Enhanced LaTeX Graphics (DPC,SPQR)
(c:/texlive/2024/texmf-dist/tex/latex/graphics/graphics.sty
Package: graphics 2024/05/23 v1.4g Standard LaTeX Graphics (DPC,SPQR)
(c:/texlive/2024/texmf-dist/tex/latex/graphics/trig.sty
Package: trig 2023/12/02 v1.11 sin cos tan (DPC)
) (c:/texlive/2024/texmf-dist/tex/latex/graphics-cfg/graphics.cfg
File: graphics.cfg 2016/06/04 v1.11 sample graphics configuration
)
Package graphics Info: Driver file: pdftex.def on input line 106.
(c:/texlive/2024/texmf-dist/tex/latex/graphics-def/pdftex.def
File: pdftex.def 2024/04/13 v1.2c Graphics/color driver for pdftex
))
\Gin@req@height=\dimen170
\Gin@req@width=\dimen171
) (c:/texlive/2024/texmf-dist/tex/latex/base/ifthen.sty
Package: ifthen 2024/03/16 v1.1e Standard LaTeX ifthen package (DPC)
)
\c@r@tfl@t=\count280
\rotFPtop=\skip55
\rotFPbot=\skip56
\rot@float@box=\box67
\rot@mess@toks=\toks22
) (c:/texlive/2024/texmf-dist/tex/latex/threeparttable/threeparttable.sty
Package: threeparttable 2003/06/13 v 3.0
\@tempboxb=\box68
) (c:/texlive/2024/texmf-dist/tex/latex/appendix/appendix.sty
Package: appendix 2020/02/08 v1.2c extra appendix facilities
\c@@pps=\count281
\c@@ppsavesec=\count282
\c@@ppsaveapp=\count283
) (c:/texlive/2024/texmf-dist/tex/latex/hyperref/hyperref.sty
Package: hyperref 2024-07-10 v7.01j Hypertext links for LaTeX
(c:/texlive/2024/texmf-dist/tex/latex/kvsetkeys/kvsetkeys.sty

```

```

Package: kvsetkeys 2022-10-05 v1.19 Key value parser (HO)
) (c:/texlive/2024/texmf-dist/tex/generic/kvdefinekeys/kvdefinekeys.sty
Package: kvdefinekeys 2019-12-19 v1.6 Define keys (HO)
) (c:/texlive/2024/texmf-dist/tex/generic/pdfescape/pdfescape.sty
Package: pdfescape 2019/12/09 v1.15 Implements pdfTeX's escape features
(HO)
(c:/texlive/2024/texmf-dist/tex/generic/ltxcmds/ltxcmds.sty
Package: ltxcmds 2023-12-04 v1.26 LaTeX kernel commands for general use
(HO)
) (c:/texlive/2024/texmf-dist/tex/generic/pdftextcmds/pdftextcmds.sty
Package: pdftextcmds 2020-06-27 v0.33 Utility functions of pdfTeX for
LuaTeX (HO
)
(c:/texlive/2024/texmf-dist/tex/generic/infwarerr/infwarerr.sty
Package: infwarerr 2019/12/03 v1.5 Providing info/warning/error messages
(HO)
)
Package pdftextcmds Info: \pdf@primitive is available.
Package pdftextcmds Info: \pdf@ifprimitive is available.
Package pdftextcmds Info: \pdfdraftmode found.
)) (c:/texlive/2024/texmf-dist/tex/latex/hycolor/hycolor.sty
Package: hycolor 2020-01-27 v1.10 Color options for hyperref/bookmark
(HO)
) (c:/texlive/2024/texmf-dist/tex/latex/hyperref/nameref.sty
Package: nameref 2023-11-26 v2.56 Cross-referencing by name of section
(c:/texlive/2024/texmf-dist/tex/latex/refcount/refcount.sty
Package: refcount 2019/12/15 v3.6 Data extraction from label references
(HO)
) (c:/texlive/2024/texmf-
dist/tex/generic/gettitlestring/gettitlestring.sty
Package: gettitlestring 2019/12/15 v1.6 Cleanup title references (HO)
(c:/texlive/2024/texmf-dist/tex/latex/kvoptions/kvoptions.sty
Package: kvoptions 2022-06-15 v3.15 Key value format for package options
(HO)
))
\c@section@level=\count284
) (c:/texlive/2024/texmf-dist/tex/latex/etoolbox/etoolbox.sty
Package: etoolbox 2020/10/05 v2.5k e-TeX tools for LaTeX (JAW)
\etb@tempcnta=\count285
) (c:/texlive/2024/texmf-dist/tex/generic/stringenc/stringenc.sty
Package: stringenc 2019/11/29 v1.12 Convert strings between diff.
encodings (HO
)
)
\@linkdim=\dimen172
\Hy@linkcounter=\count286
\Hy@pagecounter=\count287
(c:/texlive/2024/texmf-dist/tex/latex/hyperref/pd1enc.def
File: pd1enc.def 2024-07-10 v7.01j Hyperref: PDFDocEncoding definition
(HO)
Now handling font encoding PD1 ...
... no UTF-8 mapping file for font encoding PD1
) (c:/texlive/2024/texmf-dist/tex/generic/intcalc/intcalc.sty

```

```

Package: intcalc 2019/12/15 v1.3 Expandable calculations with integers
(HO)
)
\Hy@SavedSpaceFactor=\count288
(c:/texlive/2024/texmf-dist/tex/latex/hyperref/puenc.def
File: puenc.def 2024-07-10 v7.01j Hyperref: PDF Unicode definition (HO)
Now handling font encoding PU ...
... no UTF-8 mapping file for font encoding PU
)
Package hyperref Info: Hyper figures OFF on input line 4157.
Package hyperref Info: Link nesting OFF on input line 4162.
Package hyperref Info: Hyper index ON on input line 4165.
Package hyperref Info: Plain pages OFF on input line 4172.
Package hyperref Info: Backreferencing OFF on input line 4177.
Package hyperref Info: Implicit mode ON; LaTeX internals redefined.
Package hyperref Info: Bookmarks ON on input line 4424.
\c@Hy@tempcnt=\count289
(c:/texlive/2024/texmf-dist/tex/latex/url/url.sty
\Urlmuskip=\muskip17
Package: url 2013/09/16 ver 3.4 Verb mode for urls, etc.
)
LaTeX Info: Redefining \url on input line 4763.
\XeTeXLinkMargin=\dimen173
(c:/texlive/2024/texmf-dist/tex/generic/bitset/bitset.sty
Package: bitset 2019/12/09 v1.3 Handle bit-vector datatype (HO)
(c:/texlive/2024/texmf-dist/tex/generic/bigintcalc/bigintcalc.sty
Package: bigintcalc 2019/12/15 v1.5 Expandable calculations on big
integers (HO
)
))
\Fld@menulength=\count290
\Field@Width=\dimen174
\Fld@charsize=\dimen175
Package hyperref Info: Hyper figures OFF on input line 6042.
Package hyperref Info: Link nesting OFF on input line 6047.
Package hyperref Info: Hyper index ON on input line 6050.
Package hyperref Info: backreferencing OFF on input line 6057.
Package hyperref Info: Link coloring OFF on input line 6062.
Package hyperref Info: Link coloring with OCG OFF on input line 6067.
Package hyperref Info: PDF/A mode OFF on input line 6072.
(c:/texlive/2024/texmf-dist/tex/latex/base/atbegshi-ltx.sty
Package: atbegshi-ltx 2021/01/10 v1.0c Emulation of the original atbegshi
package with kernel methods
)
\Hy@abspage=\count291
\c@Item=\count292
\c@Hfootnote=\count293
)
Package hyperref Info: Driver (autodetected): hpdftex.
(c:/texlive/2024/texmf-dist/tex/latex/hyperref/hpdftex.def
File: hpdftex.def 2024-07-10 v7.01j Hyperref driver for pdfTeX
(c:/texlive/2024/texmf-dist/tex/latex/base/atveryend-ltx.sty
Package: atveryend-ltx 2020/08/19 v1.0a Emulation of the original
atveryend pac

```

```

kage
with kernel methods
)
\Fld@listcount=\count294
\c@bookmark@seq@number=\count295
(c:/texlive/2024/texmf-dist/tex/latex/rerunfilecheck/rerunfilecheck.sty
Package: rerunfilecheck 2022-07-10 v1.10 Rerun checks for auxiliary files
(HO)
(c:/texlive/2024/texmf-dist/tex/generic/uniquecounter/uniquecounter.sty
Package: uniquecounter 2019/12/15 v1.4 Provide unlimited unique counter
(HO)
)
Package uniquecounter Info: New unique counter `rerunfilecheck' on input
line 2
85.
)
\Hy@SectionHShift=\skip57
)
Package hyperref Info: Option `colorlinks' set `true' on input line 1471.
Package hyperref Info: Option `breaklinks' set `true' on input line 1471.
Package hyperref Info: Option `plainpages' set `false' on input line
1471.
Package hyperref Info: Option `bookmarksopen' set `true' on input line
1471.
Package hyperref Info: Option `bookmarksnumbered' set `false' on input
line 147
1.
(c:/texlive/2024/texmf-dist/tex/latex/wrapfig/wrapfig.sty
\wrapoverhang=\dimen176
\WF@size=\dimen177
\c@WF@wrappedlines=\count296
\WF@box=\box69
\WF@everypar=\toks23
Package: wrapfig 2003/01/31 v 3.6
)
\wraplines=\count297
\@authorfigbox=\box70
\@authorfigboxdim=\skip58
\biofigadjskip=\skip59
(c:/texlive/2024/texmf-dist/tex/latex/amscls/amsthm.sty
Package: amsthm 2020/05/29 v2.20.6
\thm@style=\toks24
\thm@bodyfont=\toks25
\thm@headfont=\toks26
\thm@notefont=\toks27
\thm@headpunct=\toks28
\thm@preskip=\skip60
\thm@postskip=\skip61
\thm@headsep=\skip62
\dth@everypar=\toks29
) (c:/texlive/2024/texmf-dist/tex/latex/base/fix-cm.sty
Package: fix-cm 2020/11/24 v1.1t fixes to LaTeX
(c:/texlive/2024/texmf-dist/tex/latex/base/tslenc.def
File: tslenc.def 2001/06/05 v3.0e (jk/car/fm) Standard LaTeX file

```

LaTeX Font Info: Redefining font encoding TS1 on input line 47.
)) (c:/texlive/2024/texmf-dist/tex/latex/natbib/natbib.sty
Package: natbib 2010/09/13 8.31b (PWD, AO)
\bibhang=\skip63
\bibsep=\skip64
LaTeX Info: Redefining \cite on input line 694.
\c@NAT@ctr=\count298
)) (c:/texlive/2024/texmf-dist/tex/latex/booktabs/booktabs.sty
Package: booktabs 2020/01/12 v1.61803398 Publication quality tables
\heavyrulewidth=\dimen178
\lightrulewidth=\dimen179
\cmidrulewidth=\dimen180
\belowrulesep=\dimen181
\belowbottomsep=\dimen182
\aboverulesep=\dimen183
\abovetopsep=\dimen184
\cmidrulesep=\dimen185
\cmidrulekern=\dimen186
\defaultaddspace=\dimen187
\@cmidla=\count299
\@cmidlb=\count300
\@aboverulesep=\dimen188
\@belowrulesep=\dimen189
\@thisruleclass=\count301
\@lastruleclass=\count302
\@thisrulewidth=\dimen190
) (c:/texlive/2024/texmf-dist/tex/latex/amsmath/amsmath.sty
Package: amsmath 2024/05/23 v2.17q AMS math features
\@mathmargin=\skip65
For additional information on amsmath, use the '?' option.
(c:/texlive/2024/texmf-dist/tex/latex/amsmath/amstext.sty
Package: amstext 2021/08/26 v2.01 AMS text
(c:/texlive/2024/texmf-dist/tex/latex/amsmath/amsgen.sty
File: amsgen.sty 1999/11/30 v2.0 generic functions
\@emptytoks=\toks30
\ex@=\dimen191
)) (c:/texlive/2024/texmf-dist/tex/latex/amsmath/amsbsy.sty
Package: amsbsy 1999/11/29 v1.2d Bold Symbols
\pmbraise@=\dimen192
) (c:/texlive/2024/texmf-dist/tex/latex/amsmath/amsopn.sty
Package: amsopn 2022/04/08 v2.04 operator names
)
\inf@bad=\count303
LaTeX Info: Redefining \frac on input line 233.
\uproot@=\count304
\leftroot@=\count305
LaTeX Info: Redefining \overline on input line 398.
LaTeX Info: Redefining \colon on input line 409.
\classnum@=\count306
\DOTSCASE@=\count307
LaTeX Info: Redefining \ldots on input line 495.
LaTeX Info: Redefining \dots on input line 498.
LaTeX Info: Redefining \cdots on input line 619.
\Mathstrutbox@=\box71

```

\strutbox@=\box72
LaTeX Info: Redefining \big on input line 721.
LaTeX Info: Redefining \Big on input line 722.
LaTeX Info: Redefining \bigg on input line 723.
LaTeX Info: Redefining \Bigg on input line 724.
\big@size=\dimen193
LaTeX Font Info: Redefining font encoding OML on input line 742.
LaTeX Font Info: Redefining font encoding OMS on input line 743.
\maccc@depth=\count308
LaTeX Info: Redefining \bmod on input line 904.
LaTeX Info: Redefining \pmod on input line 909.
LaTeX Info: Redefining \smash on input line 939.
LaTeX Info: Redefining \relbar on input line 969.
LaTeX Info: Redefining \Relbar on input line 970.
\c@MaxMatrixCols=\count309
\dotsspace@=\muskip18
\c@parentequation=\count310
\dspbrk@lvl=\count311
\tag@help=\toks31
\row@=\count312
\column@=\count313
\maxfields@=\count314
\andhelp@=\toks32
\eqnshift@=\dimen194
\alignsep@=\dimen195
\tagshift@=\dimen196
\tagwidth@=\dimen197
\totwidth@=\dimen198
\lineht@=\dimen199
\@envbody=\toks33
\multlinegap=\skip66
\multlinetaggap=\skip67
\mathdisplay@stack=\toks34
LaTeX Info: Redefining \[ on input line 2953.
LaTeX Info: Redefining \] on input line 2954.
) (c:/texlive/2024/texmf-dist/tex/latex/amsfonts/amssymb.sty
Package: amssymb 2013/01/14 v3.01 AMS font symbols
(c:/texlive/2024/texmf-dist/tex/latex/amsfonts/amsfonts.sty
Package: amsfonts 2013/01/14 v3.01 Basic AMSFonts support
\symAMSa=\mathgroup4
\symAMSb=\mathgroup5
LaTeX Font Info: Redefining math symbol \hbar on input line 98.
LaTeX Font Info: Overwriting math alphabet '\mathfrak' in version
'bold'
(Font) U/euf/m/n --> U/euf/b/n on input line 106.
)) (c:/texlive/2024/texmf-dist/tex/latex/tools/array.sty
Package: array 2024/06/14 v2.6d Tabular extension package (FMi)
\col@sep=\dimen256
\ar@mcellbox=\box73
\extrarowheight=\dimen257
\NC@list=\toks35
\extratabsurround=\skip68
\backup@length=\skip69
\ar@cellbox=\box74

```

```

) (c:/texlive/2024/texmf-dist/tex/latex/tools/longtable.sty
Package: longtable 2024-04-26 v4.20 Multi-page Table package (DPC)
\LTleft=\skip70
\LTRight=\skip71
\LTpre=\skip72
\LTpost=\skip73
\LTchunksiz=\count315
\LTcapwidth=\dimen258
\LT@head=\box75
\LT@firsthead=\box76
\LT@foot=\box77
\LT@lastfoot=\box78
\LT@gbox=\box79
\LT@cols=\count316
\LT@rows=\count317
\c@LT@tables=\count318
\c@LT@chunks=\count319
\LT@p@ftn=\toks36
) (c:/texlive/2024/texmf-dist/tex/latex/caption/caption.sty
Package: caption 2023/08/05 v3.6o Customizing captions (AR)
(c:/texlive/2024/texmf-dist/tex/latex/caption/caption3.sty
Package: caption3 2023/07/31 v2.4d caption3 kernel (AR)
\caption@tempdima=\dimen259
\captionmargin=\dimen260
\caption@leftmargin=\dimen261
\caption@rightmargin=\dimen262
\caption@width=\dimen263
\caption@indent=\dimen264
\caption@parindent=\dimen265
\caption@hangindent=\dimen266
Package caption Info: Unknown document class (or package),
(caption) standard defaults will be used.
Package caption Info: \@makecaption = \long macro:#1#2->\ifx \FigName
\@capytype
\vskip \abovecaptionskip \@figurecaption {#1}{#2} \else \@tablecaption
{#1}{#2}
} \vskip \belowcaptionskip \fi on input line 1175.
)

```

Package caption Warning: Unknown document class (or package),
(caption) standard defaults will be used.
See the caption package documentation for explanation.

```

\c@caption@flags=\count320
\c@continuedfloat=\count321
Package caption Info: hyperref package is loaded.
Package caption Info: longtable package is loaded.
(c:/texlive/2024/texmf-dist/tex/latex/caption/ltcaption.sty
Package: ltcaption 2021/01/08 v1.4c longtable captions (AR)
)
Package caption Info: rotating package is loaded.
Package caption Info: threeparttable package is loaded.
Package caption Info: wrapfig package is loaded.
) (c:/texlive/2024/texmf-dist/tex/latex/xcolor/xcolor.sty

```

```

Package: xcolor 2023/11/15 v3.01 LaTeX color extensions (UK)
(c:/texlive/2024/texmf-dist/tex/latex/graphics-cfg/color.cfg
File: color.cfg 2016/01/02 v1.6 sample color configuration
)
Package xcolor Info: Driver file: pdftex.def on input line 274.
(c:/texlive/2024/texmf-dist/tex/latex/graphics/mathcolor.ltx)
Package xcolor Info: Model `cmy' substituted by `cmy0' on input line
1350.
Package xcolor Info: Model `hsb' substituted by `rgb' on input line 1354.
Package xcolor Info: Model `RGB' extended on input line 1366.
Package xcolor Info: Model `HTML' substituted by `rgb' on input line
1368.
Package xcolor Info: Model `Hsb' substituted by `hsb' on input line 1369.
Package xcolor Info: Model `tHsb' substituted by `hsb' on input line
1370.
Package xcolor Info: Model `HSB' substituted by `hsb' on input line 1371.
Package xcolor Info: Model `Gray' substituted by `gray' on input line
1372.
Package xcolor Info: Model `wave' substituted by `hsb' on input line
1373.
) (c:/texlive/2024/texmf-dist/tex/latex/microtype/microtype.sty
Package: microtype 2024/03/29 v3.1b Micro-typographical refinements (RS)
\MT@toks=\toks37
\MT@tempbox=\box80
\MT@count=\count322
LaTeX Info: Redefining \noprotrusionifhmode on input line 1061.
LaTeX Info: Redefining \leftprotrusion on input line 1062.
\MT@prot@toks=\toks38
LaTeX Info: Redefining \rightprotrusion on input line 1081.
LaTeX Info: Redefining \textls on input line 1392.
\MT@outer@kern=\dimen267
LaTeX Info: Redefining \textmicrotypecontext on input line 2013.
\MT@listname@count=\count323
(c:/texlive/2024/texmf-dist/tex/latex/microtype/microtype-pdftex.def
File: microtype-pdftex.def 2024/03/29 v3.1b Definitions specific to
pdftex (RS)

LaTeX Info: Redefining \lsstyle on input line 902.
LaTeX Info: Redefining \slig on input line 902.
\MT@outer@space=\skip74
)
Package microtype Info: Loading configuration file microtype.cfg.
(c:/texlive/2024/texmf-dist/tex/latex/microtype/microtype.cfg
File: microtype.cfg 2024/03/29 v3.1b microtype main configuration file
(RS)
)) (c:/texlive/2024/texmf-dist/tex/latex/l3backend/l3backend-pdftex.def
File: l3backend-pdftex.def 2024-05-08 L3 backend support: PDF output
(pdfTeX)
\l__color_backend_stack_int=\count324
\l__pdf_internal_box=\box81
) (./Manuscript.aux)
\openout1 = `Manuscript.aux'.

LaTeX Font Info:    Checking defaults for OML/cmm/m/it on input line 27.

```

LaTeX Font Info: ... okay on input line 27.
LaTeX Font Info: Checking defaults for OMS/cmsy/m/n on input line 27.
LaTeX Font Info: ... okay on input line 27.
LaTeX Font Info: Checking defaults for OT1/cmr/m/n on input line 27.
LaTeX Font Info: ... okay on input line 27.
LaTeX Font Info: Checking defaults for T1/cmr/m/n on input line 27.
LaTeX Font Info: ... okay on input line 27.
LaTeX Font Info: Checking defaults for TS1/cmr/m/n on input line 27.
LaTeX Font Info: ... okay on input line 27.
LaTeX Font Info: Checking defaults for OMX/cmex/m/n on input line 27.
LaTeX Font Info: ... okay on input line 27.
LaTeX Font Info: Checking defaults for U/cmr/m/n on input line 27.
LaTeX Font Info: ... okay on input line 27.
LaTeX Font Info: Checking defaults for PD1/pdf/m/n on input line 27.
LaTeX Font Info: ... okay on input line 27.
LaTeX Font Info: Checking defaults for PU/pdf/m/n on input line 27.
LaTeX Font Info: ... okay on input line 27.

geometry driver: auto-detecting

geometry detected driver: pdftex

geometry verbose mode - [preamble] result:

* driver: pdftex

* paper: custom

* layout: <same size as paper>

* layoutoffset: (h,v)=(0.0pt,0.0pt)

* bindingoffset: 17.07164pt

* modes: twoside

* h-part: (L,W,R)=(83.37448pt, 372.0pt, 125.06175pt)

* v-part: (T,H,B)=(73.97716pt, 552.69478pt, 218.37491pt)

* \paperwidth=597.50787pt

* \paperheight=845.04684pt

* \textwidth=372.0pt

* \textheight=552.69478pt

* \oddsidemargin=28.17613pt

* \evensidemargin=52.79176pt

* \topmargin=-19.72638pt

* \headheight=5.5pt

* \headsep=15.93355pt

* \topskip=10.0pt

* \footskip=28.45274pt

* \marginparwidth=34.1433pt

* \marginparsep=14.22636pt

* \columnsep=14.22636pt

* \skip\footins=8.0pt plus 4.0pt

* \hoffset=0.0pt

* \voffset=0.0pt

* \mag=1000

* \@twocolumnfalse

* \@twoside true

* \@mparswitch true

* \@reversemargin true

* (lin=72.27pt=25.4mm, 1cm=28.453pt)

(c:/texlive/2024/texmf-dist/tex/context/base/mkii/supp-pdf.mkii

[Loading MPS to PDF converter (version 2006.09.02).]

```

\scratchcounter=\count325
\scratchdimen=\dimen268
\scratchbox=\box82
\nofMPsegments=\count326
\nofMParguments=\count327
\everyMPshowfont=\toks39
\MPscratchCnt=\count328
\MPscratchDim=\dimen269
\MPnumerator=\count329
\makeMPintoPDFobject=\count330
\everyMPtoPDFconversion=\toks40
) (c:/texlive/2024/texmf-dist/tex/latex/epstopdf-pkg/epstopdf-base.sty
Package: epstopdf-base 2020-01-24 v2.11 Base part for package epstopdf
Package epstopdf-base Info: Redefining graphics rule for '.eps' on input
line 4
85.
(c:/texlive/2024/texmf-dist/tex/latex/latexconfig/epstopdf-sys.cfg
File: epstopdf-sys.cfg 2010/07/13 v1.3 Configuration of (r)epstopdf for
TeX Live
e
))
LaTeX Info: Redefining \S on input line 27.
LaTeX Font Info:   Redeclaring symbol font 'AMSa' on input line 27.
LaTeX Font Info:   Overwriting symbol font 'AMSa' in version 'normal'
(Font)              U/msa/m/n --> U/msa/m/n on input line 27.
LaTeX Font Info:   Overwriting symbol font 'AMSa' in version 'bold'
(Font)              U/msa/m/n --> U/msa/m/n on input line 27.
Package hyperref Info: Link coloring ON on input line 27.
(./Manuscript.out) (./Manuscript.out)
\@outlinefile=\write3
\openout3 = 'Manuscript.out'.

```

```

Package caption Info: Begin \AtBeginDocument code.
Package caption Info: End \AtBeginDocument code.
LaTeX Info: Redefining \microtypecontext on input line 27.
Package microtype Info: Applying patch 'item' on input line 27.
Package microtype Info: Applying patch 'toc' on input line 27.
Package microtype Info: Applying patch 'eqnum' on input line 27.
Package microtype Info: Applying patch 'footnote' on input line 27.
Package microtype Info: Applying patch 'verbatim' on input line 27.
Package microtype Info: Generating PDF output.
Package microtype Info: Character protrusion enabled (level 2).
Package microtype Info: Using default protrusion set 'alltext'.
Package microtype Info: No font expansion.
Package microtype Info: No adjustment of tracking.
Package microtype Info: No adjustment of interword spacing.
Package microtype Info: No adjustment of character kerning.
(c:/texlive/2024/texmf-dist/tex/latex/microtype/mt-cmr.cfg
File: mt-cmr.cfg 2013/05/19 v2.2 microtype config. file: Computer Modern
Roman
(RS)
)
LaTeX Font Info:   Calculating math sizes for size <12.045> on input
line 51.

```

LaTeX Font Info: Trying to load font information for U+msa on input line 51.

(c:/texlive/2024/texmf-dist/tex/latex/amsfonts/umsa.fd
File: umsa.fd 2013/01/14 v3.01 AMS symbols A
) (c:/texlive/2024/texmf-dist/tex/latex/microtype/mt-msa.cfg
File: mt-msa.cfg 2006/02/04 v1.1 microtype config. file: AMS symbols (a)
(RS)
)

LaTeX Font Info: Trying to load font information for U+msb on input line 51.

(c:/texlive/2024/texmf-dist/tex/latex/amsfonts/umsb.fd
File: umsb.fd 2013/01/14 v3.01 AMS symbols B
) (c:/texlive/2024/texmf-dist/tex/latex/microtype/mt-msb.cfg
File: mt-msb.cfg 2005/06/01 v1.0 microtype config. file: AMS symbols (b)
(RS)
)

LaTeX Font Info: Calculating math sizes for size <11.04124> on input line 51

.
LaTeX Font Info: Calculating math sizes for size <9.03374> on input line 51.

LaTeX Font Info: Calculating math sizes for size <10.03749> on input line 51
.

Underfull \vbox (badness 10000) has occurred while \output is active []

Underfull \vbox (badness 10000) has occurred while \output is active []

[1

{c:/texlive/2024/texmf-var/fonts/map/pdftex/updmap/pdftex.map}}
Underfull \vbox (badness 10000) has occurred while \output is active []

Underfull \vbox (badness 10000) has occurred while \output is active []

[2]

Underfull \vbox (badness 10000) has occurred while \output is active []

Underfull \vbox (badness 10000) has occurred while \output is active []

[3]

Underfull \vbox (badness 10000) has occurred while \output is active []

Underfull \vbox (badness 10000) has occurred while \output is active []

[4]

Underfull \vbox (badness 10000) has occurred while \output is active []

Underfull \vbox (badness 10000) has occurred while \output is active []

[5]

Underfull \vbox (badness 10000) has occurred while \output is active []

Underfull \vbox (badness 10000) has occurred while \output is active []

[6]

Overfull \vbox (5.29115pt too high) has occurred while \output is active

[]

Underfull \vbox (badness 10000) has occurred while \output is active []

[7]

LaTeX Warning: Reference `tab:c3' on page 8 undefined on input line 128.

! Missing \endgroup inserted.

<inserted text>

\endgroup

1.172 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.

<inserted text>

\endgroup

1.172 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.

<inserted text>

\endgroup

1.172 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.

<inserted text>

\endgroup

1.172 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Missing } inserted.

<inserted text>

}

1.172 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! LaTeX Error: \begin{threeparttable} on input line 138 ended by \end{tabular}.

See the LaTeX manual or LaTeX Companion for explanation.

Type H <return> for immediate help.

...

1.172 }

Your command was ignored.

Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Missing } inserted.

<inserted text>

```
    }  
1.172 }
```

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Package graphics Error: Division by 0.

See the graphics package documentation for explanation.
Type H <return> for immediate help.
...

```
1.172 }
```

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Missing } inserted.
<inserted text>
 }

```
1.174 \end{table}
```

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Extra }, or forgotten \endgroup.
\TPT@close ... \unskip \fi \color@endgroup \egroup

```
1.174 \end{table}
```

I've deleted a group-closing symbol because it seems to be
spurious, as in `\$x}\$'. But perhaps the } is legitimate and
you forgot something else, as in `\hbox{\$x}'. In such cases
the way to recover is to insert both the forgotten and the
deleted material, e.g., by typing `I\$}'.

! LaTeX Error: \begin{table} on input line 138 ended by
\end{threeparttable}.

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.
...

```
1.174 \end{table}
```


1.174 \end{table}

Your command was ignored.

Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Extra \endgroup.

<recently read> \endgroup

1.174 \end{table}

Things are pretty mixed up, but I think the worst is over.

! LaTeX Error: \begin{document} ended by \end{table}.

See the LaTeX manual or LaTeX Companion for explanation.

Type H <return> for immediate help.

...

1.174 \end{table}

Your command was ignored.

Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Extra \endgroup.

<recently read> \endgroup

1.174 \end{table}

Things are pretty mixed up, but I think the worst is over.

Overfull \vbox (6.38118pt too high) has occurred while \output is active
[]

Underfull \vbox (badness 10000) has occurred while \output is active []

[8{c:/texlive/2024/texmf-dist/fonts/enc/dvips/cm-super/cm-super-tsl.enc}]

Overfull \hbox (31.45004pt too wide) detected at line 206

[[[]]]\OT1/cmr/m/n/10 (\OML/cmm/m/it/10.03749 ^^V[]\OT1/cmr/m/n/10) =
[] \OM

L/cmm/m/it/10.03749

[]\OT1/cmr/bx/n/10.03749 1\OT1/cmr/m/n/10 ([] = \OML/cmm/m
/it/10.03749 k\OT1/cmr/m/n/10) + \OML/cmm/m/it/10.03749 ^^N[]D[]

\OT1/cmr/m/n/

10 + \OML/cmm/m/it/10.03749 ^^N[]D[] \OT1/cmr/m/n/10 +

\OML/cmm/m/it/10.03749 f

\OT1/cmr/m/n/10 (\OML/cmm/m/it/10.03749 t\OT1/cmr/m/n/10) + []

\OML/cmm/m/it/1

```

0.03749 ^^U[]\OT1/cmr/bx/n/10.03749 1\OT1/cmr/m/n/10 ([] =
\OML/cmm/m/it/10.037
49 r\OT1/cmr/m/n/10 ) + []([][])\OML/cmm/m/it/10.03749 ;
[]

```

Underfull \vbox (badness 10000) has occurred while \output is active []

```

[9]
<Fig1.png, id=330, 722.7pt x 397.485pt>
File: Fig1.png Graphic file (type png)
<use Fig1.png>
Package pdftex.def Info: Fig1.png used on input line 228.
(pdftex.def) Requested size: 372.0pt x 204.60092pt.

```

Underfull \vbox (badness 10000) has occurred while \output is active []

```

[10]
<Fig2.png, id=352, 722.7pt x 397.485pt>
File: Fig2.png Graphic file (type png)
<use Fig2.png>
Package pdftex.def Info: Fig2.png used on input line 240.
(pdftex.def) Requested size: 372.0pt x 204.60092pt.

```

LaTeX Warning: Reference `tab:descriptivo' on page 11 undefined on input line 246.

```

! Missing \endgroup inserted.
<inserted text>
\endgroup
1.267 }

```

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

```

! Missing \endgroup inserted.
<inserted text>
\endgroup
1.267 }

```

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.

<inserted text>

\endgroup

1.267 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.

<inserted text>

\endgroup

1.267 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Missing } inserted.

<inserted text>

}

1.267 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! LaTeX Error: \begin{threeparttable} on input line 248 ended by \end{tabular}.

See the LaTeX manual or LaTeX Companion for explanation.

Type H <return> for immediate help.

...

1.267 }

Your command was ignored.

Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Missing } inserted.

<inserted text>

}

1.267 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Package graphics Error: Division by 0.

See the graphics package documentation for explanation.
Type H <return> for immediate help.

...

l.267 }

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Missing } inserted.

<inserted text>

}

l.269 \end{table}

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Extra }, or forgotten \endgroup.

\TPT@close ... \unskip \fi \color@endgroup \egroup

l.269 \end{table}

I've deleted a group-closing symbol because it seems to be
spurious, as in `x}\$. But perhaps the } is legitimate and
you forgot something else, as in `\hbox{x}'. In such cases
the way to recover is to insert both the forgotten and the
deleted material, e.g., by typing `I\$'.

! LaTeX Error: \begin{table} on input line 248 ended by
\end{threeparttable}.

See the LaTeX manual or LaTeX Companion for explanation.

Type H <return> for immediate help.

...

l.269 \end{table}

Your command was ignored.

Type I <command> <return> to replace it with another command,
or <return> to continue without it.

or <return> to continue without it.

! Extra \endgroup.
<recently read> \endgroup

1.269 \end{table}

Things are pretty mixed up, but I think the worst is over.

! LaTeX Error: \begin{document} ended by \end{table}.

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.
...

1.269 \end{table}

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Extra \endgroup.
<recently read> \endgroup

1.269 \end{table}

Things are pretty mixed up, but I think the worst is over.

LaTeX Warning: Reference `tab:cum' on page 11 undefined on input line 271.

Overfull \vbox (5.2646pt too high) has occurred while \output is active
[]

Underfull \vbox (badness 10000) has occurred while \output is active []

[11 <./Fig1.png>]
Underfull \hbox (badness 10000) in paragraph at lines 306--306
[]|\OT1/cmr/m/n/7 Vehicle theft with
[]

Underfull \hbox (badness 1168) in paragraph at lines 306--306
[]|\OT1/cmr/m/n/7 Robbery with vic-tim reten-tion or
[]

! Missing \endgroup inserted.
<inserted text>

\endgroup

1.306 }

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.
<inserted text>

\endgroup

1.306 }

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.
<inserted text>

\endgroup

1.306 }

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.
<inserted text>

\endgroup

1.306 }

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Missing } inserted.
<inserted text>

}

1.306 }

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! LaTeX Error: \begin{threeparttable} on input line 273 ended by
\end{tabular}.

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.

...

1.306 }

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Missing } inserted.
<inserted text>
}

1.306 }

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Package graphics Error: Division by 0.

See the graphics package documentation for explanation.
Type H <return> for immediate help.
...

1.306 }

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Missing } inserted.
<inserted text>
}

1.308 \end{table}

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Extra }, or forgotten \endgroup.
\TPT@close ... \unskip \fi \color@endgroup \egroup

1.308 \end{table}

I've deleted a group-closing symbol because it seems to be spurious, as in ``$x}$'`. But perhaps the `}` is legitimate and you forgot something else, as in ``\hbox{$x}'`. In such cases the way to recover is to insert both the forgotten and the deleted material, e.g., by typing ``I$}'`.

`! LaTeX Error: \begin{table} on input line 273 ended by \end{threeparttable}.`

See the LaTeX manual or LaTeX Companion for explanation.
Type `H` `<return>` for immediate help.

...

1.308 `\end{table}`

Your command was ignored.

Type `I` `<command>` `<return>` to replace it with another command,
or `<return>` to continue without it.

`! LaTeX Error: \begin{document} ended by \end{center}.`

See the LaTeX manual or LaTeX Companion for explanation.
Type `H` `<return>` for immediate help.

...

1.308 `\end{table}`

Your command was ignored.

Type `I` `<command>` `<return>` to replace it with another command,
or `<return>` to continue without it.

`! Extra \endgroup.`

`<recently read> \endgroup`

1.308 `\end{table}`

Things are pretty mixed up, but I think the worst is over.

`! Too many }'s.`

`\@endfloatbox ...pagefalse \outer@nobreak \egroup`
`\color@endbox`

1.308 `\end{table}`

You've closed more groups than you opened.

Such booboos are generally harmless, so keep going.

`! Extra \endgroup.`

`\color@endgroup ->\endgraf \endgroup`

1.308 `\end{table}`

Things are pretty mixed up, but I think the worst is over.

```
! Too many }'s.  
\color@endbox ->\color@endgroup \egroup
```

```
1.308 \end{table}
```

You've closed more groups than you opened.
Such booboos are generally harmless, so keep going.

```
! LaTeX Error: \begin{document} ended by \end{tableorg}.
```

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.
...

```
1.308 \end{table}
```

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

```
! Extra \endgroup.  
<recently read> \endgroup
```

```
1.308 \end{table}
```

Things are pretty mixed up, but I think the worst is over.

```
! LaTeX Error: \begin{document} ended by \end{table}.
```

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.
...

```
1.308 \end{table}
```

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

```
! Extra \endgroup.  
<recently read> \endgroup
```

```
1.308 \end{table}
```

Things are pretty mixed up, but I think the worst is over.

Package microtype Info: Loading generic protrusion settings for font family
(microtype) `cmtt' (encoding: OT1).
(microtype) For optimal results, create family-specific settings.

(microtype) See the microtype manual for details.

Underfull \vbox (badness 10000) has occurred while \output is active []

```
[12 <./Fig2.png>]
<Fig3.png, id=376, 722.7pt x 397.485pt>
File: Fig3.png Graphic file (type png)
<use Fig3.png>
Package pdftex.def Info: Fig3.png used on input line 314.
(pdftex.def) Requested size: 372.0pt x 204.60092pt.
```

Underfull \vbox (badness 10000) has occurred while \output is active []

```
[13 <./Fig3.png>]
<Fig5.png, id=390, 505.89pt x 650.43pt>
File: Fig5.png Graphic file (type png)
<use Fig5.png>
Package pdftex.def Info: Fig5.png used on input line 324.
(pdftex.def) Requested size: 267.84045pt x 344.36896pt.
```

LaTeX Warning: Reference `tab:poisson' on page 14 undefined on input line 333.

Underfull \vbox (badness 10000) has occurred while \output is active []

```
[14 <./Fig5.png>]
! Missing \endgroup inserted.
<inserted text>
        \endgroup
1.364 }
```

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

```
! Missing \endgroup inserted.
<inserted text>
        \endgroup
1.364 }
```

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.
<inserted text>

\endgroup

1.364 }

I've inserted something that you may have forgotten.
(See the <inserted text> above.)

With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.
<inserted text>

\endgroup

1.364 }

I've inserted something that you may have forgotten.
(See the <inserted text> above.)

With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Missing } inserted.
<inserted text>

}

1.364 }

I've inserted something that you may have forgotten.
(See the <inserted text> above.)

With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! LaTeX Error: \begin{threeparttable} on input line 341 ended by
\end{tabular}.

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.

...

1.364 }

Your command was ignored.

Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Missing } inserted.
<inserted text>

}

1.364 }

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Package graphics Error: Division by 0.

See the graphics package documentation for explanation.
Type H <return> for immediate help.

...

l.364 }

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Missing } inserted.
<inserted text>

}

l.366 \end{table}

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Extra }, or forgotten \endgroup.
\TPT@close ... \unskip \fi \color@endgroup \egroup

l.366 \end{table}

I've deleted a group-closing symbol because it seems to be
spurious, as in `x}\$. But perhaps the } is legitimate and
you forgot something else, as in `\hbox{x}'. In such cases
the way to recover is to insert both the forgotten and the
deleted material, e.g., by typing `I\$}'.

! LaTeX Error: \begin{table} on input line 341 ended by
\end{threeparttable}.

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.

...

l.366 \end{table}

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Extra \endgroup.
<recently read> \endgroup

1.366 \end{table}

Things are pretty mixed up, but I think the worst is over.

! LaTeX Error: \begin{document} ended by \end{table}.

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.

...

1.366 \end{table}

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Extra \endgroup.
<recently read> \endgroup

1.366 \end{table}

Things are pretty mixed up, but I think the worst is over.

LaTeX Warning: Reference `tab:cusum' on page 15 undefined on input line
371.

Underfull \vbox (badness 10000) has occurred while \output is active []

[15]
! Missing \endgroup inserted.
<inserted text>
 \endgroup
1.408 }

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.
<inserted text>
 \endgroup

1.408 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.

<inserted text>

\endgroup

1.408 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.

<inserted text>

\endgroup

1.408 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Missing } inserted.

<inserted text>

}

1.408 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! LaTeX Error: \begin{threeparttable} on input line 379 ended by \end{tabular}.

See the LaTeX manual or LaTeX Companion for explanation.

Type H <return> for immediate help.

...

1.408 }

Your command was ignored.

Type I <command> <return> to replace it with another command,

or <return> to continue without it.

! Missing } inserted.

<inserted text>

}

l.408 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Package graphics Error: Division by 0.

See the graphics package documentation for explanation.

Type H <return> for immediate help.

...

l.408 }

Your command was ignored.

Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Missing } inserted.

<inserted text>

}

l.410 \end{table}

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Extra }, or forgotten \endgroup.

\TPT@close ... \unskip \fi \color@endgroup \egroup

l.410 \end{table}

I've deleted a group-closing symbol because it seems to be spurious, as in `\$x}\$'. But perhaps the } is legitimate and you forgot something else, as in `\hbox{\$x}'. In such cases the way to recover is to insert both the forgotten and the deleted material, e.g., by typing `I\$}'.

! LaTeX Error: \begin{table} on input line 379 ended by
\end{threeparttable}.

See the LaTeX manual or LaTeX Companion for explanation.

Type H <return> for immediate help.

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.

...

1.410 \end{table}

Your command was ignored.

Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Extra \endgroup.

<recently read> \endgroup

1.410 \end{table}

Things are pretty mixed up, but I think the worst is over.

! LaTeX Error: \begin{document} ended by \end{table}.

See the LaTeX manual or LaTeX Companion for explanation.

Type H <return> for immediate help.

...

1.410 \end{table}

Your command was ignored.

Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Extra \endgroup.

<recently read> \endgroup

1.410 \end{table}

Things are pretty mixed up, but I think the worst is over.

<Fig4.png, id=405, 867.24pt x 650.43pt>

File: Fig4.png Graphic file (type png)

<use Fig4.png>

Package pdftex.def Info: Fig4.png used on input line 416.

(pdftex.def) Requested size: 372.0pt x 279.00456pt.

Underfull \vbox (badness 10000) has occurred while \output is active []

Underfull \vbox (badness 10000) has occurred while \output is active []

[16]

LaTeX Warning: Reference `tab:placebos' on page 17 undefined on input
line 427.

Underfull \vbox (badness 10000) has occurred while \output is active []

Underfull \vbox (badness 10000) has occurred while \output is active []

[17 <./Fig4.png>]

LaTeX Warning: Reference `tab:placebos' on page 18 undefined on input line 437.

LaTeX Warning: Reference `tab:placebos' on page 18 undefined on input line 437.

Overfull \vbox (3.07927pt too high) has occurred while \output is active []

Underfull \vbox (badness 10000) has occurred while \output is active []

[18]

! Missing \endgroup inserted.

<inserted text>

\endgroup

1.460 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.

<inserted text>

\endgroup

1.460 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.

```
<inserted text>
\endgroup
1.460 }
```

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

```
! Missing \endgroup inserted.
<inserted text>
\endgroup
1.460 }
```

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

```
! Missing } inserted.
<inserted text>
}
1.460 }
```

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

```
! LaTeX Error: \begin{threeparttable} on input line 439 ended by
\end{tabular}.
```

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.
...

```
1.460 }
```

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

```
! Missing } inserted.
<inserted text>
}
1.460 }
```

I've inserted something that you may have forgotten.
(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Package graphics Error: Division by 0.

See the graphics package documentation for explanation.
Type H <return> for immediate help.

...

l.460 }

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Missing } inserted.
<inserted text>

l.462 \end{table}

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Extra }, or forgotten \endgroup.
\TPT@close ... \unskip \fi \color@endgroup \egroup

l.462 \end{table}

I've deleted a group-closing symbol because it seems to be spurious, as in `{\$}\$'. But perhaps the } is legitimate and you forgot something else, as in `\hbox{\$}\$'. In such cases the way to recover is to insert both the forgotten and the deleted material, e.g., by typing `I\$}'.

! LaTeX Error: \begin{table} on input line 439 ended by \end{threeparttable}.

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.

...

l.462 \end{table}

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Extra \endgroup.
<recently read> \endgroup

1.462 \end{table}

Things are pretty mixed up, but I think the worst is over.

! LaTeX Error: \begin{document} ended by \end{table}.

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.

...

1.462 \end{table}

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Extra \endgroup.
<recently read> \endgroup

1.462 \end{table}

Things are pretty mixed up, but I think the worst is over.

Overfull \vbox (5.28366pt too high) has occurred while \output is active
[]

Underfull \vbox (badness 10000) has occurred while \output is active []

[19]

LaTeX Warning: Reference `tab:robustez' on page 20 undefined on input
line 477.

! Missing \endgroup inserted.
<inserted text>

\endgroup

1.498 }

I've inserted something that you may have forgotten.
(See the <inserted text> above.)

With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.

<inserted text>

\endgroup

1.498 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.

<inserted text>

\endgroup

1.498 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.

<inserted text>

\endgroup

1.498 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Missing } inserted.

<inserted text>

}

1.498 }

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! LaTeX Error: \begin{threeparttable} on input line 479 ended by \end{tabular}.

See the LaTeX manual or LaTeX Companion for explanation.

Type H <return> for immediate help.

...

1.498 }

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Missing } inserted.
<inserted text>

1.498 }

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Package graphics Error: Division by 0.

See the graphics package documentation for explanation.
Type H <return> for immediate help.
...

1.498 }

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Missing } inserted.
<inserted text>

1.500 \end{table}

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Extra }, or forgotten \endgroup.
\TPT@close ... \unskip \fi \color@endgroup \egroup

1.500 \end{table}

I've deleted a group-closing symbol because it seems to be
spurious, as in `{\$x}\$'. But perhaps the } is legitimate and
you forgot something else, as in `{\hbox{\$x}}'. In such cases
the way to recover is to insert both the forgotten and the
deleted material, e.g., by typing `I\$}'.

! LaTeX Error: \begin{table} on input line 479 ended by
\end{threeparttable}.

! LaTeX Error: \begin{document} ended by \end{tableorg}.

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.

...

1.500 \end{table}

Your command was ignored.

Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Extra \endgroup.

<recently read> \endgroup

1.500 \end{table}

Things are pretty mixed up, but I think the worst is over.

! LaTeX Error: \begin{document} ended by \end{table}.

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.

...

1.500 \end{table}

Your command was ignored.

Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Extra \endgroup.

<recently read> \endgroup

1.500 \end{table}

Things are pretty mixed up, but I think the worst is over.

Underfull \vbox (badness 10000) has occurred while \output is active []

[20]

Underfull \vbox (badness 10000) has occurred while \output is active []

Underfull \vbox (badness 10000) has occurred while \output is active []

[21]

Underfull \vbox (badness 10000) has occurred while \output is active []

Underfull \vbox (badness 10000) has occurred while \output is active []

[22]

LaTeX Warning: Reference `tab:placebos' on page 23 undefined on input line 557.

Underfull \vbox (badness 10000) has occurred while \output is active []

[23]

Overfull \vbox (6.17867pt too high) has occurred while \output is active []

Underfull \vbox (badness 10000) has occurred while \output is active []

[24]

Underfull \vbox (badness 10000) has occurred while \output is active []

[25]

Underfull \vbox (badness 10000) has occurred while \output is active []

[26]

Underfull \hbox (badness 10000) in paragraph at lines 654--658
[]\OT1/cmr/m/n/10 Centro de Estu-dios P^Sublicos (2025) Encuesta CEP
N\$[]\$94 m
ayo--junio
[]

Underfull \hbox (badness 10000) in paragraph at lines 654--658
\OT1/cmr/m/n/10 2025: ISSP ori-enta-ciones lab-o-rales. Tech. rep., Cen-
tro de
Estu-
[]

Underfull \hbox (badness 10000) in paragraph at lines 654--658

\OT1/cmr/m/n/10 dios P^^Sublicos, San-ti-ago, Chile, URL [][[]\$https : / /
www .
cepchile . cl / encuesta /
[]

Underfull \vbox (badness 10000) has occurred while \output is active []

Underfull \vbox (badness 10000) has occurred while \output is active []

[27]
Underfull \hbox (badness 1635) in paragraph at lines 692--696
\OT1/cmr/m/n/10 mirada al estado actual de la vic-tim-izaci^^Son en el
pa^^S^^P
s. Tech. rep., Espa-
[]

Underfull \hbox (badness 3108) in paragraph at lines 692--696
\OT1/cmr/m/n/10 cio P^^Sublico, San-ti-ago, Chile, URL [][[]\$https : / /
espacio
publico . cl / nuestro[]trabajo /
[]

Underfull \vbox (badness 10000) has occurred while \output is active []

Underfull \vbox (badness 10000) has occurred while \output is active []

[28]
Underfull \hbox (badness 5374) in paragraph at lines 752--756
[]\OT1/cmr/m/n/10 Instituto Nacional de Estad^^S^^Psticas (2025)
S^^S^^Pntesis
de resul-ta-dos: Encuesta
[]

Underfull \hbox (badness 10000) in paragraph at lines 752--756
\OT1/cmr/m/n/10 Nacional Urbana de Seguri-dad Ciu-dadana 2024. Tech.
rep., Inst
i-tuto
[]

Underfull \hbox (badness 10000) in paragraph at lines 752--756
\OT1/cmr/m/n/10 Nacional de Estad^^S^^Psticas, San-ti-ago, Chile, URL
[][[]\$http
s : / / www . ine . gob . cl /

[]

Underfull \hbox (badness 10000) in paragraph at lines 752--756
\OT1/cmr/m/n/10 docs / default-[]source / seguridad-[]ciudadana /
publicaciones
-[]y-[]anuarios / 2024 /
[]

Underfull \hbox (badness 1365) in paragraph at lines 758--762
[]\OT1/cmr/m/n/10 Instituto Nacional de Estad^^S^^Psticas (2026) Cuadros
estad^
^S^^Psticos poli-ciales CCH
[]

Underfull \hbox (badness 6125) in paragraph at lines 758--762
\OT1/cmr/m/n/10 [2013--2025]. Estad^^S^^Psticas de seguri-dad y jus-ti-
cia, Ins
ti-tuto Nacional de
[]

Underfull \hbox (badness 6995) in paragraph at lines 765--769
[]\OT1/cmr/m/n/10 Izquierdo S, Mas-care~no A, Rozas J (2024) Voces del
sur: lo
que se
[]

Underfull \hbox (badness 4291) in paragraph at lines 765--769
\OT1/cmr/m/n/10 oculta tras ``la causa mapuche''. Pun-tos de Ref-er-en-
cia 693,
Cen-tro de
[]

Underfull \hbox (badness 2799) in paragraph at lines 793--796
\OT1/cmr/m/n/10 Jour-nal of Quan-ti-ta-tive Crim-i-nol-ogy 16(1):21--43.
[] []\$h
ttps : / / doi . org / 10 . 1023 / A :
[]

Underfull \vbox (badness 10000) has occurred while \output is active []

Underfull \vbox (badness 10000) has occurred while \output is active []

[29]

Underfull \vbox (badness 10000) has occurred while \output is active []

Underfull \vbox (badness 10000) has occurred while \output is active []
[30]

Underfull \vbox (badness 10000) has occurred while \output is active []
[31]

LaTeX Warning: Reference `tab:clasif' on page 32 undefined on input line 879.

! Missing \endgroup inserted.
<inserted text>
 \endgroup
1.905 }

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.
<inserted text>
 \endgroup
1.905 }

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.
<inserted text>
 \endgroup
1.905 }

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Missing \endgroup inserted.
<inserted text>
 \endgroup
1.905 }

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

```
! Missing } inserted.  
<inserted text>  
      }  
1.905 }
```

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! LaTeX Error: \begin{threeparttable} on input line 881 ended by
\end{tabular}.

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.
...

```
1.905 }
```

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

```
! Missing } inserted.  
<inserted text>  
      }  
1.905 }
```

I've inserted something that you may have forgotten.
(See the <inserted text> above.)
With luck, this will get me unwedged. But if you
really didn't forget anything, try typing `2' now; then
my insertion and my current dilemma will both disappear.

! Package graphics Error: Division by 0.

See the graphics package documentation for explanation.
Type H <return> for immediate help.
...

```
1.905 }
```

Your command was ignored.
Type I <command> <return> to replace it with another command,

or <return> to continue without it.

LaTeX Warning: Reference `tab:poisson' on page 32 undefined on input line 906.

! Missing } inserted.

<inserted text>

}

1.907 \end{table}

I've inserted something that you may have forgotten.

(See the <inserted text> above.)

With luck, this will get me unwedged. But if you really didn't forget anything, try typing `2' now; then my insertion and my current dilemma will both disappear.

! Extra }, or forgotten \endgroup.

\TPT@close ... \unskip \fi \color@endgroup \egroup

1.907 \end{table}

I've deleted a group-closing symbol because it seems to be spurious, as in ` $x$ '. But perhaps the } is legitimate and you forgot something else, as in ` $\hbox{x}$ '. In such cases the way to recover is to insert both the forgotten and the deleted material, e.g., by typing ` I '.

! LaTeX Error: \begin{table} on input line 881 ended by \end{threeparttable}.

See the LaTeX manual or LaTeX Companion for explanation.

Type H <return> for immediate help.

...

1.907 \end{table}

Your command was ignored.

Type I <command> <return> to replace it with another command,

or <return> to continue without it.

! LaTeX Error: \begin{document} ended by \end{center}.

See the LaTeX manual or LaTeX Companion for explanation.

Type H <return> for immediate help.

...

1.907 \end{table}

Your command was ignored.

Type I <command> <return> to replace it with another command,

or <return> to continue without it.

```
! Extra \endgroup.
<recently read> \endgroup
```

1.907 \end{table}

Things are pretty mixed up, but I think the worst is over.

```
! Too many }'s.
\endfloatbox ...pagefalse \outer@nobreak \egroup
\color@endbox
```

1.907 \end{table}

You've closed more groups than you opened.
Such booboos are generally harmless, so keep going.

```
! Extra \endgroup.
\color@endgroup ->\endgraf \endgroup
```

1.907 \end{table}

Things are pretty mixed up, but I think the worst is over.

```
! Too many }'s.
\color@endbox ->\color@endgroup \egroup
```

1.907 \end{table}

You've closed more groups than you opened.
Such booboos are generally harmless, so keep going.

! LaTeX Error: \begin{document} ended by \end{tableorg}.

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.
...

1.907 \end{table}

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

```
! Extra \endgroup.
<recently read> \endgroup
```

1.907 \end{table}

Things are pretty mixed up, but I think the worst is over.

! LaTeX Error: \begin{document} ended by \end{table}.

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.
...

1.907 \end{table}

Your command was ignored.
Type I <command> <return> to replace it with another command,
or <return> to continue without it.

! Extra \endgroup.
<recently read> \endgroup

1.907 \end{table}

Things are pretty mixed up, but I think the worst is over.

Underfull \vbox (badness 10000) has occurred while \output is active []
[32

] LaTeX Font Info: Calculating math sizes for size <14.05249> on input
line 91
0.

Package hyperref Warning: Token not allowed in a PDF string (Unicode):
(hyperref) removing `math shift' on input line 910.

Package hyperref Warning: Token not allowed in a PDF string (Unicode):
(hyperref) removing `\'times' on input line 910.

Package hyperref Warning: Token not allowed in a PDF string (Unicode):
(hyperref) removing `math shift' on input line 910.

Package caption Warning: The option `hycap=true' will be ignored for
this
(caption) particular \caption on input line 916.
See the caption package documentation for explanation.

Underfull \vbox (badness 10000) has occurred while \output is active []
[33

] (./Manuscript.aux)

```
*****
LaTeX2e <2024-06-01> patch level 2
L3 programming layer <2024-05-27>
*****
```

LaTeX Warning: There were undefined references.

LaTeX Warning: Label(s) may have changed. Rerun to get cross-references right.

Package rerunfilecheck Info: File `Manuscript.out' has not changed.
(rerunfilecheck) Checksum:
AC5600369386338D2A178EB519CAE3E9;3873.
)

Here is how much of TeX's memory you used:

```
16127 strings out of 473583
256524 string characters out of 5732343
1950908 words of memory out of 5000000
38670 multiletter control sequences out of 15000+600000
590112 words of font info for 157 fonts, out of 8000000 for 9000
1151 hyphenation exceptions out of 8191
90i,18n,93p,2482b,699s stack positions out of
10000i,1000n,20000p,200000b,200000s
<c:/texlive/2024/texmf-
dist/fonts/type1/public/amsfonts/cm/cmbsy10.pfb><c:/te
xlive/2024/texmf-
dist/fonts/type1/public/amsfonts/cm/cmbx10.pfb><c:/texlive/202
4/texmf-
dist/fonts/type1/public/amsfonts/cm/cmbx12.pfb><c:/texlive/2024/texmf-d
ist/fonts/type1/public/amsfonts/cm/cmbx7.pfb><c:/texlive/2024/texmf-
dist/fonts/
type1/public/amsfonts/cm/cmbx8.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/publ
ic/amsfonts/cm/cmbx9.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/public/amsfont
s/cm/cmbxti10.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/public/amsfonts/cm/cm
ex10.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/public/amsfonts/cm/cmmi10.pfb>
<c:/texlive/2024/texmf-
dist/fonts/type1/public/amsfonts/cm/cmmi7.pfb><c:/texliv
e/2024/texmf-
dist/fonts/type1/public/amsfonts/cm/cmmi9.pfb><c:/texlive/2024/tex
mf-
dist/fonts/type1/public/amsfonts/cm/cmmib10.pfb><c:/texlive/2024/texmf-
dist/
fonts/type1/public/amsfonts/cm/cmrl10.pfb><c:/texlive/2024/texmf-
dist/fonts/type
1/public/amsfonts/cm/cmrl12.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/public/a
msfonts/cm/cmrl17.pfb><c:/texlive/2024/texmf-
dist/fonts/type1/public/amsfonts/cm
```

```
/cmr5.pfb><c:/texlive/2024/texmf-  
dist/fonts/type1/public/amsfonts/cm/cmr7.pfb><  
c:/texlive/2024/texmf-  
dist/fonts/type1/public/amsfonts/cm/cmr8.pfb><c:/texlive/  
2024/texmf-  
dist/fonts/type1/public/amsfonts/cm/cmr9.pfb><c:/texlive/2024/texmf-  
dist/fonts/type1/public/amsfonts/cm/cmsy10.pfb><c:/texlive/2024/texmf-  
dist/font  
s/type1/public/amsfonts/cm/cmsy7.pfb><c:/texlive/2024/texmf-  
dist/fonts/type1/pu  
blic/amsfonts/cm/cmti10.pfb><c:/texlive/2024/texmf-  
dist/fonts/type1/public/amsf  
onts/cm/cmti7.pfb><c:/texlive/2024/texmf-  
dist/fonts/type1/public/amsfonts/cm/cm  
ti9.pfb><c:/texlive/2024/texmf-  
dist/fonts/type1/public/amsfonts/cm/cmtt8.pfb><c  
:/texlive/2024/texmf-dist/fonts/type1/public/cm-super/sfrm1000.pfb>  
Output written on Manuscript.pdf (33 pages, 1702520 bytes).
```

PDF statistics:

```
794 PDF objects out of 1000 (max. 8388607)  
685 compressed objects within 7 object streams  
127 named destinations out of 1000 (max. 500000)  
19626 words of extra memory for PDF output out of 20736 (max. 10000000)
```