

MODULE 8

Java Project Structure and Modularization

Organize Java applications using a well-defined project structure and modular design for maintainability, scalability, and reuse.







MODULE 8 OVERVIEW

A well-structured Java project is the foundation of a successful, maintainable enterprise application.

- Large enterprise applications may contain thousands of classes — without proper organization, code becomes difficult to maintain, teams conflict during development, and testing becomes difficult.
- This module covers the standard Java/Maven project layout, layered architecture, package organization by responsibility, and how enterprise teams structure real Spring Boot applications.

DURATION & LAB



2 Hours Theory

Core concepts and architecture patterns.



45 Min or 3–4 Hr Lab

Timed path (starter) or full extended path.



Business Scenario

500+ developers, one banking platform.

KEY TAKEAWAY Structure is not just about folders — it's about organizing code by feature and responsibility.

WHY PROJECT STRUCTURE MATTERS

Today's structure means less complexity tomorrow — it improves code quality, productivity, and long-term maintainability.

UNORGANIZED PROJECT

- Files scattered everywhere
- Hard to find and understand code
- High coupling and tight dependencies
- Difficult to test and debug
- Hard to onboard new developers
- Changes are risky and time-consuming

VS

WELL-STRUCTURED PROJECT

- Easy to navigate and understand
- Clear separation of concerns
- Reduced coupling, higher cohesion
- Easier testing and debugging
- Faster onboarding for new team members
- Safer changes with lower risk

KEY TAKEAWAY A strong project structure is the backbone of a maintainable, scalable, and successful Java application.

LEARNING OBJECTIVES

By the end of this module, you will organize Java projects effectively and apply modularization principles.

- 1 Understand the standard Java project layout and its components.
- 2 Organize code using packages and follow naming conventions.
- 3 Apply modularization principles to achieve high cohesion and low coupling.
- 4 Structure code into layers and modular components.
- 5 Manage dependencies using build tools (Maven/Gradle) and configuration files.
- 6 Separate concerns using well-defined modules and packages.
- 7 Improve code reusability through modular design.
- 8 Enhance maintainability and scalability using a structured project.
- 9 Follow best practices for project structure and modularization.
- 10 Build a scalable Java application using a modular project structure.

WHAT YOU WILL GAIN



Better Code Organization



Easier Navigation



Improved Collaboration



Faster Onboarding



Higher Code Quality

KEY TAKEAWAY Success outcome: design and structure Java applications that are well-organized, modular, and easy to extend.

ENTERPRISE SCENARIO: LARGE-SCALE BANKING APPLICATION

GlobalBank must support millions of customers, complex regulations, and constant change — with agility, reliability, and maintainability.

Millions

Customers Across Web, Mobile
& Branch

1000s

Daily Transactions

100s

Business Capabilities &
Workflows

Strict

Security, Audit & Regulatory
Needs

SCENARIO OVERVIEW

- GlobalBank is a multinational bank with millions of customers and thousands of daily transactions.
- The application must support retail banking, loans, cards, payments, and compliance across multiple regions — with high availability, performance, and scalability.

BUSINESS DOMAINS



Retail Banking



Loans



Cards & Payments



Compliance

KEY TAKEAWAY A clear project structure and modular design turn complexity into manageable pieces.

LARGE SCALE BANKING APPLICATION

SAMPLE MODULAR STRUCTURE



MODULES OVERVIEW		
	Customer Management	Handles customer onboarding, profiles, KYC and AML.
	Account Management	Manages all account related operations and lifecycle.
	Transaction Processing	Processes all types of transactions and business rules.
	Loan Management	End-to-end loan lifecycle management.
	Payment Gateway	Integrates and processes digital payments securely.
	Cards Management	Manages cards, limits and related transactions.
	Investments & Wealth	Handles investment products and wealth management.
	Notification	Sends alerts, notifications and communication.
	Fraud Detection	Monitors and detects fraudulent activities in real-time.
	Reporting & Analytics	Generates reports, dashboards and business insights.

DESIGN PRINCIPLES	
- Modular & loosely coupled architecture - High cohesion within modules - Independent deployable services (optional) - Scalable, secure and maintainable	



This modular structure supports scalability, maintainability, security and enables teams to work independently.


SAMPLE MODULAR STRUCTURE

GlobalBank organizes its codebase into channel, business-capability, shared, and foundation modules.


CHANNELS



BUSINESS CAPABILITY MODULES



SHARED / PLATFORM MODULES




FOUNDATION



BUSINESS IMPACT Cuts technical debt and lets new teams or products (e.g., Digital Wallet) onboard with minimal impact.

JAVA PROJECT STRUCTURE



NOTES

- This is a standard Maven-based Java project structure.
- Other build tools (Gradle, Ant) may have slight differences.

PURPOSE OF EACH DIRECTORY

Every top-level entry in the standard layout has one clear job.

DIRECTORY / FILE	PURPOSE
src/main/java	Main application Java source files (package structure)
src/main/resources	Configuration files, properties, static resources
src/test/java	Unit and integration test source code (mirrors main)
pom.xml / build.gradle	Manages dependencies, plugins, and build configuration
README.md	Project overview, setup, and usage instructions

KEY TAKEAWAY Follows a convention widely used in industry — promotes consistency across projects and teams.

STANDARD JAVA / MAVEN PROJECT STRUCTURE

Maven enforces a standard project layout — convention over configuration — that makes builds predictable.

```
my-maven-project/  
  src/main/java/           // application source code  
  src/main/resources/      // config, static files  
  src/test/java/           // unit + integration tests  
  src/test/resources/      // test resource files  
  pom.xml                  // POM: dependencies, plugins, build  
  target/                  // build output (generated)  
  .mvn/, mvnw, mvnw.cmd    // Maven Wrapper (optional)  
  README.md
```

Example base package (src/main/java/com/example/app/): App.java, service/, repository/, model/, util/


KEY TAKEAWAY Maven uses convention over configuration. Lifecycle: validate → compile → test → package → verify → install → deploy.



MAVEN DIRECTORY LAYOUT

Maven™

Standard Project Structure



DIRECTORY / FILE	DESCRIPTION
 pom.xml	Project Object Model. Contains project configuration, dependencies, plugins, build settings.
 src/main/java	Contains main Java source code. Follows package structure.
 src/main/resources	Contains resource files used by the application (properties, XML, configuration, etc.).
 src/test/java	Contains unit and integration test source code. Mirrors the main package structure.
 src/test/resources	Contains resources for tests (test data, properties, config files).
 target	Build output directory. Generated during build process. Contains compiled classes, test results, reports, and packaged artifacts.



Key Points

- Maven enforces a standard project structure.
- Keeps source code, resources, and tests organized.
- Build outputs are generated in the **target/** directory.




Benefits

- Convention over configuration
- Easy to maintain and scale
- Works seamlessly with Maven tools and IDEs (IntelliJ, Eclipse, VS Code)

Java Source and Resource Directories

Organizing Code and Resources in a Maven Project



Key Takeaway

Keep all Java code in the **source directories** (src/main/java, src/test/java) and all non-Java files in the **resource directories** (src/main/resources, src/test/resources).



Benefit:

This structure ensures clean organization, proper build, and easy maintenance.

TEST DIRECTORY STRUCTURE


Test code lives under src/test/java, mirroring the same package structure as main code.

```
my-maven-project/src/  
  main/java/, main/resources/  
  test/java/com/example/banking/  
    AccountServiceTest.java, AccountRepositoryTest.java  
  test/resources/application-test.properties
```

TEST TYPE	LOCATION	EXAMPLE	PURPOSE
Unit Tests	src/test/java	AccountServiceTest.java	Test individual methods/classes in isolation
Integration Tests	src/test/java	AccountRepositoryTest.java	Test interaction between components/layers
End-to-End Tests	src/test/java	MoneyTransferE2ETest.java	Test the complete business workflow
Test Resources	src/test/resources	application-test.properties	Provide test data, configs, and utilities

KEY TAKEAWAY A well-organized test structure makes tests easy to find, run, and maintain. Keep tests fast, independent, and repeatable.

Java Project – Test Directory Structure



Example Test Class: UserServiceTest.java

```
package com.example.service;

import org.junit.jupiter.api.Test;
import static org.junit.jupiter.api.Assertions.*;

class UserServiceTest {
    @Test
    void shouldCreateUser() {
        UserService service = new UserService();
        assertNotNull(service.createUser("John"));
    }
}
```

CHOOSING PACKAGE-BY-LAYER VS PACKAGE-BY-FEATURE

Both are valid choices for different contexts — pick based on project size, team structure, and domain complexity.

1. LAYER (ARCHITECTURAL) APPROACH

- Group by technical responsibility: controller, service, repository, domain.
- Groups related access together.
- Simple and familiar for smaller applications.
- Best for smaller applications and simple domains.

VS

2. FEATURE (DOMAIN-DRIVEN) APPROACH

- Group by business feature: customer, account, transaction.
- Each feature package has its own controller, service, repository, model, dto.
- Keeps packages cohesive and focused per feature.
- Best for larger systems, multiple teams, and complex domains.

3. HYBRID APPROACH


- A feature package containing its own controller/service/repository sub-packages — combines both approaches.
- Best practices: consistent, lowercase, reverse-domain package naming; avoid cyclic dependencies between packages.

KEY TAKEAWAY Layer, feature, and hybrid are all valid — choose based on project size, team structure, and domain complexity. Whichever you pick, keep package naming consistent and avoid cyclic dependencies.

Java Package Organization Best Practices

Well-structured packages improve maintainability, scalability and code clarity.

EXAMPLE: PACKAGE STRUCTURE



Keep packages focused and cohesive.
High cohesion, low coupling.

BEST PRACTICES



1. Use Reverse Domain Name

Start with your domain name in reverse order to ensure uniqueness (e.g., com.example.app).



2. Organize by Feature / Layer

Group related classes by feature or layer (e.g., controller, service, repository, model).



3. High Cohesion, Low Coupling

Keep related classes together.
Avoid putting unrelated classes in the same package.



4. Encapsulate Implementation

Keep internal classes and utilities in appropriate packages. Avoid exposing implementation details.



5. Keep It Simple and Flat

Avoid overly deep package nesting.
2-4 levels is usually enough.



6. Use Clear and Meaningful Names

Package names should be lowercase, concise, and meaningful. Avoid abbreviations unless well-known.



7. Consistent Across the Project

Follow the same structure and naming conventions throughout the project.



8. Put Utilities in the Right Place


Keep general utilities in a util (or common) package. Don't scatter them across features.



EXTRA TIPS

- Follow SOLID principles in package design.
- Refactor packages as the project evolves.
- Use IDE tools to enforce import and package conventions.
- Document package structure for new team members.

Layered Architecture in Java



CROSS-CUTTING CONCERNS

Functionalities that affect multiple layers or modules — applied consistently across the whole application.



Security

- Authentication, authorization, encryption, input validation.



Logging

- Capturing application events for monitoring & troubleshooting.



Monitoring & Metrics

- Health checks and performance monitoring.



Exception Handling

- Centralized handling of exceptions and errors.



Caching

- Improves performance by reusing frequently accessed data.



Auditing

- Tracking user actions and changes for compliance.



Configuration Mgmt

- Managing application configuration across environments.

KEY TAKEAWAY Handle cross-cutting concerns centrally with AOP, filters/interceptors, or framework support (Spring, Jakarta EE).

DTO PACKAGE STRUCTURE


DTOs (Data Transfer Objects) move data between layers or across application boundaries without exposing entities.

```
com.example.project.dto/  
  request/                // CreateUserRequest.java, UpdateUserRequest.java  
  response/               // UserResponse.java, UserListResponse.java  
  common/                 // AddressDTO.java (shared across modules)  
  internal/               // UserSummaryDTO.java, UserSearchDTO.java  
  mapper/                 // UserMapper.java
```

GUIDELINE	WHY
Immutable, request/response separated	Do not expose internal entities directly

KEY TAKEAWAY DTOs decouple layers, expose only required data, and improve performance and security.

Java Package Structure Diagram



HOW DTOS FLOW THROUGH THE APPLICATION

Request DTOs enter at the Controller; Response DTOs leave the Service layer heading back out.




BEST PRACTICES

- Include only required fields; avoid business logic in DTOs; use meaningful and consistent naming.
- Validate request DTOs at the controller boundary using annotations (@NotNull, @Size, @Email).
- Use mapper frameworks (MapStruct, ModelMapper) or manual mapping for entity ↔ DTO conversion.

KEY TAKEAWAY A well-structured DTO package improves code organization, reusability, and maintainability.

Java Entity Package Structure



ENTITY DESIGN GUIDELINES

Keep orchestration and application workflow in services. Entities may contain focused domain behavior that protects their own invariants, but should not contain infrastructure or controller logic.



Map to Tables

Each entity maps to a single database table.



Use Relationships Properly

@OneToOne, @OneToMany,
@ManyToMany.



Surrogate Key

Prefer a surrogate key (Long id) over business keys.



Auditing Fields

Use a base entity for createdBy,
createdDate.



Encapsulation

Keep fields private, use getters/setters.



Protect Invariants


Focused domain behavior is fine; keep infrastructure/controller logic out.

ANNOTATIONS TO KNOW (INDUSTRY PREVIEW)

- @Entity, @Table, @Id, @GeneratedValue, @Column, @OneToMany/@ManyToOne, @Version — implemented when JPA is introduced in a later module.


KEY TAKEAWAY INDUSTRY PREVIEW: lazy loading and @Version optimistic locking are covered when JPA is introduced in a later module.

Java Repository – Package Structure Diagram



REPOSITORY — HOW IT FITS & BEST PRACTICES

Prefer interfaces and let Spring Data JPA provide the implementation. (INDUSTRY PREVIEW — Spring Data JPA implementation starts in a later module.)



DESIGN GUIDELINES


- Use Interfaces — let Spring Data JPA provide implementations.
- Single Responsibility — one repository per aggregate/entity.
- Custom Queries — derived methods or @Query; keep logic minimal.
- Package Layout — group by feature: repository/user/, repository/product/, ...
- Custom Implementation — separate impl package, *Impl suffix.
- Pagination & Sorting — use Pageable and Sort for efficiency.
- Specifications — use for dynamic, reusable queries.

BEST PRACTICES

- Name repositories as <Entity>Repository; extend JpaRepository or CrudRepository.
- Keep methods intention-revealing and focused; avoid business logic in repositories.
- Repositories participate in database operations, but application transaction boundaries are generally defined in the service layer (@Transactional); write unit tests for custom implementations.

KEY TAKEAWAY A well-structured repository package ensures clean separation of data access logic.

Java Service Package Structure



SERVICE DESIGN GUIDELINES

Each service should focus on a single business concern. Avoid circular or convenience-only service dependencies — use service-to-service collaboration for legitimate orchestration.



Single Responsibility

One service, one business concern.



Keep Stateless

Services should not hold request state.



Validate at Service Layer

Business validation before repository calls.



Use DTOs

Accept and return DTOs, not entities.



Handle Exceptions

Translate exceptions into business exceptions.



@Transactional

Manage transactions at the service layer. (Industry Preview.)


MORE BEST PRACTICES

- Name services by business domain (e.g., UserService); follow the package layout service/<feature>/ with <Entity>Service interface plus <Entity>ServiceImpl implementation.
- Log important business events and follow a consistent code style; write unit tests for every service.
- Use service-to-service collaboration when it represents legitimate business orchestration, and consider a dedicated orchestration service for complex workflows.

KEY TAKEAWAY A well-structured service package improves maintainability and makes the application easier to test and scale.

Java Controller Package Structure

This structure follows a layered architecture (e.g., Spring Boot) and separates concerns by feature and responsibility.



CONTROLLER DESIGN GUIDELINES

Keep controllers thin — delegate all business logic to the service layer. (Spring-specific items below are INDUSTRY PREVIEW, implemented in later modules.)



Thin Controllers

Delegate business logic to services.



Request Validation

Use @Valid, @RequestParam annotations.



Meaningful Mappings

Consistent and RESTful endpoint mappings.



Use DTOs

Never return entities directly.



Secure Endpoints

Use Spring Security (@PreAuthorize).



Exception Handling

Use @ControllerAdvice globally.


MORE BEST PRACTICES

- Return consistent API responses with proper HTTP status codes; write slice tests (@WebMvcTest).
- Use appropriate HTTP methods, pagination/sorting/filtering for list APIs, and document with OpenAPI/Swagger.
- Follow the package layout controller/<feature>/ with <Entity>Controller RESTful endpoint mappings under /api/<resource>.
- Broader UI concerns (web pages/views, static resources) live outside this backend package and are handled by front-end tooling.

KEY TAKEAWAY A well-structured controller package ensures clean API design and improved maintainability.

Java Configuration Package Structure

Typical package structure for managing application configuration in Java



CONFIGURATION DESIGN GUIDELINES

Keep configuration classes clean and externalized — never mix business logic into config. (Spring-specific items below are INDUSTRY PREVIEW, implemented in later modules.)



Modular Configuration

Group config by concern: security, datasource, web.



Externalize Properties

Use application.yml, not hardcoded values.



Profile-Based Setup

Use @Profile for dev, test, and prod.



@Configuration & @Bean

Define and wire beans explicitly.



Enable Validation

Validate properties with @Validated.



Keep It Clean

No business logic — config only wires components.

MORE BEST PRACTICES

- Keep all configuration classes in a dedicated config package; use meaningful class and method names.
- Secure sensitive properties with environment variables or a secrets manager; document configs and write unit tests.

KEY TAKEAWAY A well-structured configuration package centralizes settings, promotes consistency, and makes the application easier to manage, test, and deploy across environments.

EXCEPTION PACKAGE STRUCTURE


Custom exceptions used across the application, handled consistently through a global handler.

```
com.example.project.exception/  
  base/                // BaseException.java, BusinessException.java  
  business/            // ResourceNotFoundException.java, DuplicateResourceException.java  
  handler/             // GlobalExceptionHandler.java, ErrorResponse.java  
  validation/          // ConstraintViolationException.java  
  security/            // AuthenticationException.java, AuthorizationException.java
```

- Apply the Module 7 exception-handling standards (base hierarchy, specific exception types, never leak internals to clients) within this package structure.


KEY TAKEAWAY A well-structured exception package improves error handling — see Module 7 for detailed exception-handling standards.

Java Exception Package Structure




Layered Architecture Workflow (Java)

Request Flow from Client to Database and Back



DETAILED REQUEST FLOW

Eight steps take a request from the client, through every layer, and back again.



KEY TAKEAWAY Each layer can be tested in isolation using mocks — that's the payoff of a clean, layered request flow.

DEPENDENCY RULES AND BEST PRACTICES

Controller → Service → Repository: dependencies point one way only — lower layers never depend on upper ones.

KEY BENEFITS



Separation of Concerns

Each layer has one responsibility.



Maintainability

Changes in one layer stay local.



Testability

Each layer tested in isolation with mocks.



Flexibility

Tech changes in one layer don't affect others.



Reusability


Services and components reused across modules.

BEST PRACTICES

- Keep controllers thin — delegate all logic to services; use DTOs for data transfer between layers.
- Do not expose entities outside the service layer; use meaningful names for packages and classes.
- Handle exceptions and logging consistently across layers; write unit tests for each layer.
- Dependency direction (the rule, stated once): Controller → Service → Repository — lower layers (e.g., Repository) must never depend on controllers or web/HTTP concerns.
- Modularity: each layer is independently replaceable.

KEY TAKEAWAY Dependencies always flow Controller → Service → Repository — this keeps the architecture modular, testable, and maintainable.


Java Request Processing Flow



ENTERPRISE PROJECT EXAMPLE

Online Retail Order Management System — customers browse products, place orders, and track status.

KEY FEATURES




TECHNOLOGY STACK



KEY TAKEAWAY Domain: E-Commerce/Retail — build a scalable, secure, and maintainable Order Management System. A layered, well-organized backend also improves the customer experience — faster responses, fewer errors.

EXAMPLE FLOW: PLACE ORDER

One customer action, five layers of coordinated work.



PACKAGE	RESPONSIBILITY	PACKAGE	RESPONSIBILITY
com.retail.controller	Handles HTTP requests	com.retail.dto	Data Transfer Objects
com.retail.service	Business logic & rules	com.retail.exception	Custom exceptions
com.retail.repository	Data access layer	com.retail.config	Configuration classes
com.retail.entity	JPA entities / models	com.retail.util	Utility classes & helpers

KEY TAKEAWAY This enterprise project shows how layered architecture delivers a robust, scalable, maintainable solution.

KEY MODULES & SAMPLE ENTITIES

The Order Management System is organized into five business-facing modules, backed by seven core entities.

KEY MODULES

**Product Mgmt**
Products, categories, inventory.

**Order Mgmt**
Create, update, cancel, track orders.

**Payment Mgmt**
Process payments and refunds.

**User Mgmt**
Customers, roles, permissions.

**Reporting**
Sales and order reports.

SAMPLE ENTITIES

ENTITY	DESCRIPTION	ENTITY	DESCRIPTION
User	Stores user information	Payment	Payment transaction details
Product	Stores product details	Inventory	Tracks stock availability
Category	Product categories	OrderItem	Items in an order
Order	Order header information		

LAB OVERVIEW — PROJECT STRUCTURE AND ORGANIZATION

Build the Northstar CRM Maven skeleton — plain Java packages and stub classes (no Spring Boot yet). Timed path ~45 min in class; full path 3–4 hrs for homework.

LAB OBJECTIVES

- 1 Create the standard Maven layout and seven layer packages.
- 2 Separate DTO (API contracts) from entity (domain model).
- 3 Complete pre-lab Exercises 1–6, then trace CUS-1001 through the layers on paper.

LAB CONSTRAINTS

- Plain Java 21 + Maven only — no Spring Boot, JPA, or HTTP framework.
- Seven layer packages with stub classes: controller, service, repository, entity, dto, config, exception.
- Stub methods throw UnsupportedOperationException by design — proves compile-time correctness before behavior.
- Target architecture: apply the layered-architecture diagram and dependency rules covered earlier in this module.

KEY TAKEAWAY A compiled, documented, stub-only skeleton — no Spring, JPA, or HTTP required yet.

LAB TASKS AND DELIVERABLES

Build the plain-Java Northstar CRM skeleton, complete the tasks, and submit the required deliverables.

#	TASK	DESCRIPTION
1	Project Setup	Create lab8-crm; add pom.xml (JDK 21, maven-compiler-plugin) and .gitignore
2	Package Structure	Create controller, service, repository, entity, dto, config, exception (seven packages under com.northstar.crm)
3	Entity & DTO Stubs	Customer entity plus CustomerRequest/CustomerResponse DTOs — empty shells, no JPA
4	Repository Layer	CustomerRepository.findById()/save() throw UnsupportedOperationException on purpose
5	Service Layer	CustomerService constructor-injects the repository; create()/findById() throw for now
6	Controller & Main	CustomerController delegates to service; Main prints banner; mvn clean compile + run
7	Config & Exception Stubs	AppConfig placeholder; CustomerNotFoundException(customerId)
8	Docs & Failure Experiments	docs/layer-flow.md, docs/CODING-STANDARDS.md; run 3+ documented failure experiments

KEY TAKEAWAY These tasks prove a compile-ready, correctly layered skeleton — ready for Lab 9.

DELIVERABLES & EVALUATION CRITERIA

What to submit, and how the lab is scored.

DELIVERABLES

 **Source Code**

 **Docs & Standards**

 **Compile Evidence**

 **Failure Evidence**

 **README File**

- Maven skeleton (7 packages + stubs + Main) · CODING-STANDARDS.md + layer-flow.md · BUILD SUCCESS compile evidence · 3+ failure experiments · project README.


EVALUATION CRITERIA	WEIGHT
Core Implementation (packages, stubs, standards)	30%
Environment, Structure & Compile Correctness	25%
Failure Handling (stub failures / layer-rule experiment)	15%
Automated Verification (mvn compile, Main run)	10%
Security & Production Awareness	10%
Documentation & Evidence	10%

KEY TAKEAWAY Keep layers independent, prove compile success, and document decisions early.

MODULE 8 SUMMARY AND MODULARIZATION CHECKLIST

Organize Java applications using a well-defined project structure and modular design.

MODULARIZATION CHECKLIST High cohesion, low coupling, and encapsulation • Reusability and scalability • Standard layout (src/main/java, src/test/java) • Clear, reverse-domain package naming • Refactor structure regularly • Avoid cyclic dependencies • Faster onboarding and easier debugging.



KEY TAKEAWAY A well-structured and modular Java project — built on high cohesion, low coupling, and consistent naming — is easier to maintain, extend, and scale, leading to reliable software.

KNOWLEDGE CHECK (1 OF 3)

Test your understanding of the concepts covered in this module.

1. What is the primary benefit of layered architecture?

- A. It increases code duplication
- B. It tightly couples all components
- C. **Separation of concerns and maintainability**
- D. It makes the application slower

3. What is the purpose of DTOs?

- A. To define database tables
- B. **To transfer data between layers**
- C. To handle exceptions
- D. To configure the application

2. Which layer handles HTTP requests and responses?

- A. Service Layer
- B. Repository Layer
- C. **Controller Layer**
- D. Entity Layer

4. (Industry Preview) Which annotation handles exceptions globally in Spring Boot?

- A. @Catch
- B. @ExceptionHandler
- C. **@ControllerAdvice**
- D. @ExceptionHandler

KEY TAKEAWAY Understanding each layer's role and proper package organization helps build robust, maintainable applications.

KNOWLEDGE CHECK (2 OF 3)

Four more questions to check your understanding.

5. (Industry Preview) Which Spring Data JPA interface provides CRUD operations and query methods?

- A. CrudRepository
- B. JpaRepository**
- C. EntityManager
- D. JdbcTemplate

7. (Industry Preview) Which annotation marks a class as a REST controller?

- A. @Service
- B. @Component
- C. @RestController**
- D. @Repository

6. (Industry Preview) What is the purpose of the @Valid annotation?

- A. To validate database entries
- B. To validate incoming request data**
- C. To mark a class as a valid entity
- D. To validate application properties

8. Which layer is directly responsible for interacting with the database?

- A. Service Layer
- B. Controller Layer
- C. Repository Layer**
- D. DTO Layer

KEY TAKEAWAY Spring Data JPA's JpaRepository extends CrudRepository with paging, sorting, and batch operations.

KNOWLEDGE CHECK (3 OF 3)

Two final questions, plus the full answer key.

9. What is the recommended way to pass data from Service Layer to Controller Layer?

- A. Entity
- B. DTO**
- C. Map
- D. List

10. (Industry Preview) Which file is typically used to configure database connection and other app properties?

- A. application.yml (or .properties)**
- B. web.xml
- C. logback.xml
- D. pom.xml

ANSWER KEY

• **1-C 2-C 3-B 4-C 5-B 6-B 7-C 8-C 9-B 10-A**

KEY TAKEAWAY Understanding the roles of each layer, proper package organization, and best practices helps in building robust, scalable, and maintainable Java applications.

MODULE 8 COMPLETE

Java Project Structure and Modularization

You can now design and structure Java applications that are well-organized, modular, and easy to maintain and extend.