




J1
Raspberry_Pi_5
GPIO12/PWM0
GPIO13/PWM1
GPIO14/UART_TXD
GPIO15/UART_RXD
GPIO16/SPI1_CE2
GPIO17/SPI1_CE1
GPIO18/SPI1_CE0/PCM_CLK/PWM0
GPIO19/SPI1_MISO/PCM_FS
GPIO20/SPI1_MOSI/PCM_DIN/PWM1
GPIO21/SPI1_SCLK/PCM_DOUT
GPIO22/SDIO_CLK
GPIO23/SDIO_CMD
GPIO24/SDIO_DAT0
GPIO25/SDIO_DAT1
GPIO26/SDIO_DAT2
GPIO27/SDIO_DAT3
5V
3V3
ID_SD_I2C0/GPIO00
ID_SC_I2C0/GPIO01
SDA_I2C1/GPIO02
SCL_I2C1/GPIO03
GPCLK0/GPIO04
GPCLK1/GPIO05
GPCLK2/GPIO06
CE1_SPI0/GPIO07
CE0_SPI0/GPIO08
MISO_SPI0/GPIO09
MOSI_SPI0/GPIO10
SCLK_SPI0/GPIO11
GND
TXD
RXD
CS_STM
CS_PI
MISO_PI
MOSI_PI
SCLK_PI
INT_PI
PI_LED
+5.1V
C19
470u
C26
10u
C27
100n
+3.3V
C10
100n
C9
100n
CSB->VDDIO = I2C
U2
BME280
CSB
VDDIO
VDD
SDO
SCK
SDI
I2C_SCL_STM
I2C_SDA_STM
I2C Address:
0x76 (SDO GND) (DEFAULT)
0x77 (SDO Vddio)
Address Select Below
JP1
Jumper_2_Open
R10
10K
J3
ESD2CAN24DBZRQ1
CR2
CAN+
CAN-
TVS Close to CAN connector
J8
Conn_01x02
J4
Conn_01x06
Backup SPI
SCLK
MISO
MOSI
CS_PI
D1
LED
D2
LED
D3
LED
D4
LED
R6
2.2K
R7
1K
R8
2.2K
R9
1K
PI_LED
STM_LED
~10mA thru LED
H1
H2
H3
H4
J6
Conn_01x03
J7
Conn_01x05_Pin
J5
Conn_01x04
+5.1V_RAW
TP1
TestPoint
TP2
TP3
TP4
CAN
File: can.kicad_sch
Power
File: power.kicad_sch
MCU
File: mcu.kicad_sch
Purdue ROV
Sheet: /
File: X19-Pi-Shield-Board.kicad_sch
Title: Purdue ROV Pi Shield Board
Size: A4
Date:
Rev:
KiCad E.D.A. 10.0.5-unknown
Id: 1/4


STM32 MCU Pinout







Left 3 all for VDD_1 2 3.
4.7u parallel with all three
VDD cap to ground
Second right to VREF+
Right to VCap










Sheet: /MCU/ File: mcu.kicad_sch		
Title:		
Size: A4	Date:	**Rev:**
KiCad E.D.A. 10.0.5-unknown		Id: 2/4









Sheet: /Power/		
File: power.kicad_sch		
Title:		
Size: A4	Date:	**Rev:**
KiCad E.D.A. 10.0.5-unknown		Id: 3/4







Sheet: /CAN/
File: can.kicad_sch

Title:

Size: A4	Date:	**Rev:**
KiCad E.D.A. 10.0.5-unknown		Id: 4/4