

MySQL Workbench

SQL CLASSES x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- newdatabase
- purnima
 - Tables
 - customers
 - employees
 - orders
 - payments
 - Views
 - Stored Procedures
 - Functions
- purnimadb
- purnimashukla
- sakila
- sys
- world

Administration Schemas

Information

Schema: sys

Object Info Session

Query 1 SQL File 1 x

Limit to 1000 rows

```
1 Q1. RETREIVE ALL CUSTOMERS WHO HAVE PLACED AT LEAST ONE ORDER ?
2 SELECT DISTINCT c.CustomerID, c.CustomerName
3 FROM Customers c
4 INNER JOIN Orders o
5 ON c.CustomerID = o.CustomerID;
```

Result Grid

	CustomerID	CustomerName
1	John Smith	
2	Mary johnson	
3	Peter Adams	

Result 11 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	21:30:15	SELECT DISTINCT c.CustomerID, c.CustomerName FROM Customer...	3 row(s) returned	0.016 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

18° Search

21:30 03-02-2026

MySQL Workbench

SQL CLASSES x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- newdatabase
- purnima**
 - Tables
 - customers
 - employees
 - orders
 - payments
 - Views
 - Stored Procedures
 - Functions
- purnimadb
- purnimashukla
- sakila
- sys
- world

Administration Schemas

Information

Schema: **sys**

Object Info Session

Query 1 SQL File 1*

Limit to 1000 rows

```
6 ON c.CustomerID = o.CustomerID;
7
8 Q2. Retrieve all customers and their orders, including customers who have not placed any orders?
9
10 SELECT c.CustomerID, c.CustomerName, o.OrderID, o.OrderDate, o.Amount
11 FROM Customers c
12 LEFT JOIN Orders o
13 ON c.CustomerID = o.CustomerID;
14
```

Result Grid

	CustomerID	CustomerName	OrderID	OrderDate	Amount
▶	1	John Smith	103	2024-10-07	150
	1	John Smith	101	2024-10-01	250
	1	John Smith	103	2024-10-07	150
	1	John Smith	101	2024-10-01	250
	1	John Smith	103	2024-10-07	150
	1	John Smith	101	2024-10-01	250
	2	Mary johnson	102	2024-10-05	300
	2	Mary johnson	102	2024-10-05	300
	2	Mary johnson	102	2024-10-05	300
	3	Peter Adams	104	2024-10-10	450
	3	Peter Adams	104	2024-10-10	450
	3	Peter Adams	104	2024-10-10	450
	4	Nancy Miller	NULL	NULL	NULL
	5	Robert White	NULL	NULL	NULL

Result 12 x

Read Only Context Help Snippets

Output

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

18° Search

21:32 03-02-2026

MySQL Workbench

SQL CLASSES x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- newdatabase
- purnima**
 - Tables
 - customers
 - employees
 - orders
 - payments
 - Views
 - Stored Procedures
 - Functions
- purnimadb
- purnimashukla
- sakila
- sys
- world

Administration Schemas

Information

Schema: **sys**

Query 1 SQL File 1*

Limit to 1000 rows

```
13 ON c.CustomerID = o.CustomerID;
14
15 Q3. Retrieve all orders and their corresponding customers, including orders placed by unknown
16 customers.
17
18 SELECT c.CustomerID, c.CustomerName, o.OrderID, o.Amount
19 FROM Customers c
20 LEFT JOIN Orders o
21 ON c.CustomerID = o.CustomerID
22
23 UNION
24
25 SELECT c.CustomerID, c.CustomerName, o.OrderID, o.Amount
26 FROM Customers c
27 RIGHT JOIN Orders o
28 ON c.CustomerID = o.CustomerID;
```

Result Grid

	CustomerID	CustomerName	OrderID	Amount
▶	1	John Smith	103	150
	1	John Smith	101	250
	2	Mary Johnson	102	300
	3	Peter Adams	104	450
	4	Nancy Miller	NULL	NULL
	5	Robert White	NULL	NULL
	NULL	NULL	105	400

Result 15 x

Output

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

Object Info Session

18° Search

21:38 03-02-2026

MySQL Workbench

SQL CLASSES x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- newdatabase
- purnima
 - Tables
 - customers
 - employees
 - orders
 - payments
 - Views
 - Stored Procedures
 - Functions
- purnimadb
- purnimashukla
- sakila
- sys
- world

Query 1 SQL File 1*

Limit to 1000 rows

```
23 UNION
24
25 SELECT c.CustomerID, c.CustomerName, o.OrderID, o.Amount
26 FROM Customers c
27 RIGHT JOIN Orders o
28 ON c.CustomerID = o.CustomerID;
29
30 Q4. Display all customers and orders, whether matched or not
31
32
33 SELECT c.CustomerID, c.CustomerName
34 FROM Customers c
35 LEFT JOIN Orders o
36 ON c.CustomerID = o.CustomerID
37 WHERE o.OrderID IS NULL;
38
```

Result Grid

	CustomerID	CustomerName
▶	4	Nancy Miller
	5	Robert White

Administration Schemas

Information

Schema: sys

Object Info Session

Result 16 x

Read Only Context Help Snippets

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

18°

Search

21:40 03-02-2026

MySQL Workbench

SQL CLASSES x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- newdatabase
- purnima**
 - Tables
 - customers
 - employees
 - orders
 - payments
 - Views
 - Stored Procedures
 - Functions
- purnimadb
- purnimashukla
- sakila
- sys
- world

Administration Schemas

Information

Schema: sys

Object Info Session

Query 1 SQL File 1*

Limit to 1000 rows

```
34 FROM Customers c
35 LEFT JOIN Orders o
36 ON c.CustomerID = o.CustomerID
37 WHERE o.OrderID IS NULL;
38
39 Q5. Find customers who have not placed any orders
40
41 SELECT c.CustomerID, c.CustomerName
42 FROM Customers c
43 LEFT JOIN Orders o
44 ON c.CustomerID = o.CustomerID
45 WHERE o.OrderID IS NULL;
46
47
```

Result Grid

	CustomerID	CustomerName
▶	4	Nancy Miller
	5	Robert White

Result 17 x

Read Only Context Help Snippets

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

18°

Search

21:43 03-02-2026

MySQL Workbench

SQL CLASSES x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- newdatabase
- purnima
 - Tables
 - customers
 - employees
 - orders
 - payments
 - Views
 - Stored Procedures
 - Functions
- purnimadb
- purnimashukla
- sakila
- sys
- world

Query 1 SQL File 1*

Limit to 1000 rows

```
40
41
42 Q6.Retrieve customers who made payments but did not place any orders.
43 SELECT DISTINCT c.CustomerID, c.CustomerName
44 FROM Customers c
45 INNER JOIN Payments p
46 ON c.CustomerID = p.CustomerID
47 LEFT JOIN Orders o
48 ON c.CustomerID = o.CustomerID
49 WHERE o.OrderID IS NULL;
50
51
52
```

Execute the selected portion of the script or everything, if there is no selection

Result Grid

CustomerID	CustomerName
4	Nancy Miller

Schema: sys

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Form Editor

Field Types

Read Only Context Help Snippets

Output

18° Search

21:45 03-02-2026

MySQL Workbench

SQL CLASSES x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- newdatabase
- purnima
 - Tables
 - customers
 - employees
 - orders
 - payments
 - Views
 - Stored Procedures
 - Functions
- purnimadb
- purnimashukla
- sakila
- sys
- world

Administration Schemas

Information

Schema: sys

Query 1 SQL File 1*

Limit to 1000 rows

```
42
43 Q7.Generate a list of all possible combinations between Customers and Orders.
44 SELECT c.CustomerName, o.OrderID
45 FROM Customers c
46 CROSS JOIN Orders o;
47
```

Result Grid

	CustomerName	OrderID
▶	Robert White	101
	Nancy Miller	101
	Peter Adams	101
	Mary Johnson	101
	John Smith	101
	Robert White	102
	Nancy Miller	102
	Peter Adams	102
	Mary Johnson	102
	John Smith	102
	Robert White	103
	Nancy Miller	103
	Peter Adams	103
	Mary Johnson	103
	John Smith	103
	Robert White	104
	Nancy Miller	104

Result 19 x

Output

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

Object Info Session

18° Search

21:47 03-02-2026

MySQL Workbench

SQL CLASSES x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- newdatabase
- purnima
 - Tables
 - customers
 - employees
 - orders
 - payments
 - Views
 - Stored Procedures
 - Functions
- purnimadb
- purnimashukla
- sakila
- sys
- world

Administration Schemas

Information

Schema: sys

Query 1 SQL File 1*

Limit to 1000 rows

```
45 Q8.Show all customers along with order and payment amounts in one table.
46 SELECT c.CustomerName, o.Amount AS OrderAmount, p.Amount AS PaymentAmount
47 FROM Customers c
48 LEFT JOIN Orders o
49 ON c.CustomerID = o.CustomerID
50 LEFT JOIN Payments p
51 ON c.CustomerID = p.CustomerID;
52
53
```

Result Grid

	CustomerName	OrderAmount	PaymentAmount
▶	John Smith	150	250
	John Smith	250	250
	John Smith	150	250
	John Smith	250	250
	John Smith	150	250
	John Smith	250	250
	Mary Johnson	300	300
	Mary Johnson	300	300
	Mary Johnson	300	300
	Peter Adams	450	450
	Peter Adams	450	450
	Peter Adams	450	450
	Nancy Miller	200	200

Result 20 x

Output

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

Object Info Session

18° Search

21:49 03-02-2026

MySQL Workbench

SQL CLASSES x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- newdatabase
- purnima**
 - Tables
 - customers
 - employees
 - orders
 - payments
 - Views
 - Stored Procedures
 - Functions
- purnimadb
- purnimashukla
- sakila
- sys
- world

Administration Schemas

Information

Schema: sys

Object Info Session

Query 1 SQL File 1*

Limit to 1000 rows

```
53
54 Q9.Retrieve all customers who have both placed orders and made payments.
55 SELECT DISTINCT c.CustomerID, c.CustomerName
56 FROM Customers c
57 INNER JOIN Orders o
58 ON c.CustomerID = o.CustomerID
59 INNER JOIN Payments p
60 ON c.CustomerID = p.CustomerID;
61
```

Result Grid

	CustomerID	CustomerName
1	John Smith	
2	Mary Johnson	
3	Peter Adams	

Result 21 x

Output

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

18° Search

21:50 03-02-2026