

MySQL Workbench

SQL CLASSES

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

newdatabase
pumima
▼ Tables
customers
employees
orders
payments
Views
Stored Procedures
Functions
pumimadb
pumimashukla
sakila
sys
▼ world
Tables
Views
Stored Procedures
Functions
Administration Schemas

Information: Schema: world

Query 1 SQL File 1* SQL File 4*

Limit to 1000 rows

```
17
18 Q8.ANSWER=
19 SELECT c.Continent, AVG(ci.Population) AS AvgCityPopulation
20 FROM Country c
21 JOIN City ci
22 ON c.Code = ci.CountryCode
23 GROUP BY c.Continent
24 HAVING AVG(ci.Population) > 200000;
25
```

Result Grid

Continent	AvgCityPopulation
North America	289587.5749
Asia	395019.3109
Africa	371143.6585
Europe	287684.6766
South America	366037.9979
Oceania	252475.4364

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

Object Info Session

MySQL Workbench

SQL CLASSES

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

newdatabase
pumima
▼ Tables
customers
employees
orders
payments
Views
Stored Procedures
Functions
pumimadb
pumimashukla
sakila
sys
▼ world
Tables
Views
Stored Procedures
Functions
Administration Schemas

Information: Schema: world

Query 1 SQL File 1* SQL File 4*

Limit to 1000 rows

```
19 Q7.ANSWER=
20 SELECT c.Name AS Country, AVG(ci.Population) AS AvgCityPopulation
21 FROM Country c
22 JOIN City ci
23 ON c.Code = ci.CountryCode
24 GROUP BY c.Name
25 ORDER BY AvgCityPopulation DESC
26 LIMIT 1;
27
```

Result Grid

Country	AvgCityPopulation
Singapore	4017733.0000

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

Object Info Session

MySQL Workbench

SQL CLASSES

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

newdatabase
pumima
Tables
customers
employees
orders
payments
Views
Stored Procedures
Functions
pumimadb
pumimashukla
sakila
sys
world
Tables
Views
Stored Procedures
Functions
Administration Schemas

Information

Schema: world

Query 1 SQL File 1* SQL File 4*

Limit to 1000 rows

19 Q6.ANSWER=
20 Execute the selected portion of the script or everything, if there is no selection
21 MAX(GNP) AS MaxGNP,
22 MIN(GNP) AS MinGNP
23 FROM Country
24 GROUP BY Continent;

Result Grid

Continent	MaxGNP	MinGNP
North America	8510700.00	0.00
Asia	3787042.00	0.00
Africa	116729.00	0.00
Europe	2133367.00	0.00
South America	776739.00	0.00
Oceania	351182.00	0.00
Antarctica	0.00	0.00

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

SQL CLASSES

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

newdatabase
pumima
Tables
customers
employees
orders
payments
Views
Stored Procedures
Functions
pumimadb
pumimashukla
sakila
sys
world
Tables
Views
Stored Procedures
Functions
Administration Schemas

Information

Schema: world

Query 1 SQL File 1* SQL File 4*

Limit to 1000 rows

19 Q5.ANSWER=
20 Execute the selected portion of the script or everything, if there is no selection
21 FROM Country c
22 JOIN CountryLanguage cl
23 ON c.Code = cl.CountryCode
24 WHERE cl.IsOfficial = 'T'
25 GROUP BY c.Continent;

Result Grid

Continent	TotalLanguages
North America	35
Asia	57
Europe	59
South America	16
Oceania	33
Africa	38

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

SQL CLASSES

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

newdatabase
pumima
Tables
customers
employees
orders
payments
Views
Stored Procedures
Functions
pumimadb
pumimashukla
sakila
sys
world
Tables
Views
Stored Procedures
Functions
Administration Schemas

Information

Schema: world

Query 1 SQL File 1* SQL File 4*

Limit to 1000 rows

19 Q4. ANSWER=
20 SELECT Continent, AvgGDP AS AvgGDP
21 FROM Country
22 GROUP BY Continent
23 ORDER BY AvgGDP DESC
24 LIMIT 5;
25
26
27

Result Grid

Continent	AvgGDP
North America	261854.789189
Europe	206497.065217
Asia	150105.725490
South America	107991.000000
Oceania	14991.953571

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

MySQL Workbench

SQL CLASSES

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

newdatabase
pumima
Tables
customers
employees
orders
payments
Views
Stored Procedures
Functions
pumimadb
pumimashukla
sakila
sys
world
Tables
Views
Stored Procedures
Functions
Administration Schemas

Information

Schema: world

Query 1 SQL File 1* SQL File 4*

Limit to 1000 rows

19 Q3. ANSWER=
20 SELECT Region, SUM(Population) AS TotalPopulation
21 FROM Country
22 GROUP BY Region
23 HAVING SUM(Population) > 200000000;
24
25
26
27

Result Grid

Region	TotalPopulation
Southern and Central Asia	1490776000
South America	345780000
Eastern Africa	246999000
Western Africa	221672000
Eastern Europe	307026000
North America	309632000
Southeast Asia	518541000
Eastern Asia	1507328000

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

MySQL Workbench

SQL CLASSES

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

newdatabase
pumima
▼ Tables
customers
employees
orders
payments
Views
Stored Procedures
Functions
pumimadb
pumimashukla
sakila
sys
▼ world
Tables
Views
Stored Procedures
Functions
Administration Schemas

Information

Schema: world

Query 1 SQL File 1* SQL File 4*

Limit to 1000 rows

Q2. ANSWER =

```
SELECT Continent, COUNT(*) AS TotalCountries
FROM Country
GROUP BY Continent
HAVING COUNT(*) > 30;
```

Result Grid

Continent	TotalCountries
North America	37
Asia	51
Africa	58
Europe	46

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

Object Info Session

18°

22:37 03-02-2026

MySQL Workbench

SQL CLASSES

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

newdatabase
pumima
▼ Tables
customers
employees
orders
payments
Views
Stored Procedures
Functions
pumimadb
pumimashukla
sakila
sys
▼ world
Tables
Views
Stored Procedures
Functions
Administration Schemas

Information

Schema: world

Query 1 SQL File 1* SQL File 4*

Limit to 1000 rows

```
USE world;

Q1. answer =

SELECT c.Name AS Country, COUNT(ci.ID) AS TotalCities
FROM Country c
JOIN City ci
ON c.Code = ci.CountryCode
GROUP BY c.Name;
```

Result Grid

Country	TotalCities
Aruba	1
Afghanistan	4
Angola	5
Anguilla	2
Albania	1
Andorra	1
Netherlands Antilles	1
United Arab Emirates	5
Argentina	57
Armenia	3
American Samoa	2
Antigua and Barbuda	1
Australia	14

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

Object Info Session

18°

22:36 03-02-2026