
Proximity Shield

Accurate way of social distancing

Problem Statement



Global COVID-19 Pandemic



Social Distancing (recommended by WHO & MoHFW)




Govt. Enforced Lockdowns



Mostly Guesswork

Problem Statement (contd.)









Implications

Covid-19: Cadila Pharmaceuticals shuts down Ahmedabad plant after 26 employees test positive

A senior government official said Cadila Pharmaceuticals closed its Ahmedabad plant as five employees tested positive last week, and 21 this week.







- Forced factory shutdown → Lost revenue
- Workforce tested +ve → Lower productivity

Proposed Solution

- Wearable IoT device that enables quantifiable social distancing
- Workplace tag/headgear/wristband that employees carry
- Creates a virtual bubble of programmable radius


Virtual bubble








Social Distance - Safe



^{*} safe distance is programmable

Social Distance - Unsafe



Features List

Solution Features

- Alert when social distance is violated (Visual, Sound or Vibrate)
- Logging of social distancing violations (Optional)
- Analytics for managerial supervision (Optional)

Hardware Features

- Light weight & Robust
- Rechargeable Li-ion battery
- Cloud storage with automatic data upload (Optional)

Benefits

- Automated social distancing → Worker productivity maintained
- Significantly reduced chances of transmission → Prevent forced shutdowns
- Monitoring & Reporting → Contact tracing

Team



Saad Khan Full time - Mechanical



Abhishek Shah Full time - Electrical




Zeeshan Ali Full time - Software



Ankit Purohit Full time - Physics

Timeline



*Development started on June 17th

Legend	Planned	Ongoing	Completed

Funds

Activity	Funds required	
Hardware design	Bootstrapping	
Embedded Software	Bootstrapping	
Dashboard - Front end & Back end	₹ 150,000	
Procurement of hardware components for 200 pilot devices	₹ 200,000	
Fabrication, assembly & packaging	₹ 130,000	
Logistics & travel	₹ 20,000	
Contingency	₹ 50,000	
Total	₹ 550,000	