



```
class Test {  
    ← public static void main(String[] args) {  
        System.out.println("Hello world!");  
    }  
}
```

This is the main method. In Java, the main method is the entry point of a program. It has a specific signature:

public: Access modifier indicating that the method can be accessed from outside the class.

static: Indicates that the method belongs to the class rather than an instance of the class.

void: Specifies that the method does not return any value.

main: The name of the method.

String[] args: The method accepts an array of strings as parameters. This is where command-line arguments can be passed to your program.



```
class Test {  
    public static void main(String[] args) {  
        System.out.println("Hello world!");  
    }  
}
```

This is the main method. In Java, the main method is the entry point of a program. It has a specific signature:

public: Access modifier indicating that the method can be accessed from outside the class.

static: Indicates that the method belongs to the class rather than an instance of the class.

void: Specifies that the method does not return any value.

main: The name of the method.

String[] args: The method accepts an array of strings as parameters. This is where command-line arguments can be passed to your program.

```
class Test {  
    public static void main(String[] args) {  
        System.out.println("Hello world!");  
    }  
}
```

This line prints the string "Hello world!" to the console. Breakdown:

System: A class in the java.lang package that provides access to the system, including the console.

out: An instance of the PrintStream class within the System class, representing the standard output stream.

println: A method used to print a line of text to the console.

"Hello world!": The string to be printed.




```
class Test {  
    public static void main(String[] args) {  
        System.out.println("Hello world!");  
    }  
}
```

The semicolon in Java is a crucial element to indicate the end of a statement. It helps the compiler understand the structure of your code by marking the boundaries between different statements.

;

