

USE [master]

GO

/\*\*\*\*\* Object: Database [demo123] Script Date: 05.06.2025 9:41:31 \*\*\*\*\*/

CREATE DATABASE [demo123]

CONTAINMENT = NONE

ON PRIMARY

( NAME = N'demo123', FILENAME = N'/var/opt/mssql/data/demo123.mdf' , SIZE = 73728KB , MAXSIZE = UNLIMITED, FILEGROWTH = 65536KB )

LOG ON

( NAME = N'demo123\_log', FILENAME = N'/var/opt/mssql/data/demo123\_log.ldf' , SIZE = 8192KB , MAXSIZE = 2048GB , FILEGROWTH = 65536KB )

WITH CATALOG\_COLLATION = DATABASE\_DEFAULT

GO

IF (1 = FULLTEXTSERVICEPROPERTY('IsFullTextInstalled'))

begin

EXEC [demo123].[dbo].[sp\_fulltext\_database] @action = 'enable'

end

GO

ALTER DATABASE [demo123] SET ANSI\_NULL\_DEFAULT OFF

GO

ALTER DATABASE [demo123] SET ANSI\_NULLS OFF

GO

ALTER DATABASE [demo123] SET ANSI\_PADDING OFF

GO

ALTER DATABASE [demo123] SET ANSI\_WARNINGS OFF

GO

```
ALTER DATABASE [demo123] SET ARITHABORT OFF
```

```
GO
```

```
ALTER DATABASE [demo123] SET AUTO_CLOSE ON
```

```
GO
```

```
ALTER DATABASE [demo123] SET AUTO_SHRINK OFF
```

```
GO
```

```
ALTER DATABASE [demo123] SET AUTO_UPDATE_STATISTICS ON
```

```
GO
```

```
ALTER DATABASE [demo123] SET CURSOR_CLOSE_ON_COMMIT OFF
```

```
GO
```

```
ALTER DATABASE [demo123] SET CURSOR_DEFAULT GLOBAL
```

```
GO
```

```
ALTER DATABASE [demo123] SET CONCAT_NULL_YIELDS_NULL OFF
```

```
GO
```

```
ALTER DATABASE [demo123] SET NUMERIC_ROUNDABORT OFF
```

```
GO
```

```
ALTER DATABASE [demo123] SET QUOTED_IDENTIFIER OFF
```

```
GO
```

```
ALTER DATABASE [demo123] SET RECURSIVE_TRIGGERS OFF
```

```
GO
```

```
ALTER DATABASE [demo123] SET ENABLE_BROKER
```

```
GO
```

```
ALTER DATABASE [demo123] SET AUTO_UPDATE_STATISTICS_ASYNC OFF  
GO
```

```
ALTER DATABASE [demo123] SET DATE_CORRELATION_OPTIMIZATION OFF  
GO
```

```
ALTER DATABASE [demo123] SET TRUSTWORTHY OFF  
GO
```

```
ALTER DATABASE [demo123] SET ALLOW_SNAPSHOT_ISOLATION OFF  
GO
```

```
ALTER DATABASE [demo123] SET PARAMETERIZATION SIMPLE  
GO
```

```
ALTER DATABASE [demo123] SET READ_COMMITTED_SNAPSHOT OFF  
GO
```

```
ALTER DATABASE [demo123] SET HONOR_BROKER_PRIORITY OFF  
GO
```

```
ALTER DATABASE [demo123] SET RECOVERY FULL  
GO
```

```
ALTER DATABASE [demo123] SET MULTI_USER  
GO
```

```
ALTER DATABASE [demo123] SET PAGE_VERIFY CHECKSUM  
GO
```

```
ALTER DATABASE [demo123] SET DB_CHAINING OFF
```

GO

ALTER DATABASE [demo123] SET FILESTREAM( NON\_TRANSACTED\_ACCESS = OFF )

GO

ALTER DATABASE [demo123] SET TARGET\_RECOVERY\_TIME = 60 SECONDS

GO

ALTER DATABASE [demo123] SET DELAYED\_DURABILITY = DISABLED

GO

ALTER DATABASE [demo123] SET QUERY\_STORE = OFF

GO

ALTER DATABASE [demo123] SET READ\_WRITE

GO