

Ataques de ingeniería social contra empresas tecnológicas

Uso de manipulación psicológica para engañar a los empleados para que divulguen información confidencial, concedan acceso a los sistemas o realicen acciones que comprometan la seguridad de la información de: accesos, activos, recursos económicos, etc.

Hackers target Workday in social engineering attack

Researchers cite increasing evidence of collaboration between Scattered Spider and the cybercrime group ShinyHunters in the campaign.

Published Aug. 19, 2025



[David Jones](#)
Reporter



Características

- Objetivación exacta y suficiente
- Lenguaje exacto y a objetivos congruentes
- Orígenes desconocidos
- Sentido de urgencia
- Solicitudes de información sensible

Ayşenur Adiyaman
@tapokkarel

Amazing! I just got 1.313546 #BTC Anyone can join!!!

Thread

Coinbase **verified**
@coinbase

To celebrate 50 Million Users, we decided to host a 500 BTC Giveaway Event. You can use any exchange or wallet to participate. Visit our promotion website: www.coinbaseteam.

SCAM

If you are late, your BTC will be sent back.

132 Retweets 528 Likes

Brian Armstrong **verified** @brian_armstrong · 2h


We are pleased to host this give away event for the entire crypto community. Anyone can participate

8 7 88

Michael Bryce Jones @B_Rjones89 · 3h


Thank you for this amazing gift. I have sent 2 BTC

COST OF SOCIAL ENGINEERING ATTACKS





Financial impact of social engineering: phishing and BEC dominate breach costs.

Tipos de dato más comúnmente comprometidos




Fuente: Verizon





Laboratorio &

Herramientas



Código

#Instalación Gophish

```
sudo apt update && sudo apt upgrade -y  
  
cd /opt  
sudo wget  
https://github.com/gophish/gophish/releases/latest/downl  
oad/gophish-v0.12.1-linux-64bit.zip  
sudo unzip gophish-v0.12.1-linux-64bit.zip  
cd gophish
```

Código

#Instalación Gophish

```
nano config.json
```

```
"admin_server": {  
    "listen_url": "0.0.0.0:3333",  
    ...  
},  
"phish_server": {  
    "listen_url": "0.0.0.0:80",  
    ...  
}
```