Feedback — Week 1 Quiz

Help Center

You submitted this quiz on **Sun 12 Apr 2015 1:51 PM PDT**. You got a score of **15.00** out of **15.00**.

Question 1

The American Community Survey distributes downloadable data about United States communities. Download the 2006 microdata survey about housing for the state of Idaho using download.file() from here:

https://d396qusza40orc.cloudfront.net/getdata%2Fdata%2Fss06hid.csv

and load the data into R. The code book, describing the variable names is here:

https://d396qusza40orc.cloudfront.net/getdata%2Fdata%2FPUMSDataDict06.pdf

How many properties are worth \$1,000,000 or more?

Your Answer		Score	Explanation
25			
47			
<u> </u>			
53	~	3.00	
Total		3.00 / 3.00	

Question 2

Use the data you loaded from Question 1. Consider the variable FES in the code book. Which of the "tidy data" principles does this variable violate?

Your Answer		Score	Explanation
Tidy data has one variable per column.	~	3.00	
Tidy data has one observation per row.			
Tidy data has variable values that are internally consistent.			
Each tidy data table contains information about only one type of observation.			
Total		3.00 /	
		3.00	

Question 3		
Download the Excel spreadsh	eet on Natural Gas Aquisition P	Program here:
https://d396qusza40orc.cloud	front.net/getdata%2Fdata%2FD	DATA.gov_NGAP.xlsx
Read rows 18-23 and columns	s 7-15 into R and assign the res	sult to a variable called:
dat		
What is the value of:		
sum(dat\$Zip*dat\$Ext,r	na.rm=T)	
(original data source: http://ca	talog.data.gov/dataset/natural-g	gas-acquisition-program)
Your Answer	Score	Explanation
154339		
36534720	✓ 3.00	
338924		

33544718	
Total	3.00 / 3.00

Question 4 Read the XML data on Baltimore restaurants from here: https://d396qusza40orc.cloudfront.net/getdata%2Fdata%2Frestaurants.xml How many restaurants have zipcode 21231? Your Answer Score Explanation □ 156 □ 127 ✓ 3.00 □ 130 □ 28 Total 3.00 / 3.00

Question 5

The American Community Survey distributes downloadable data about United States communities. Download the 2006 microdata survey about housing for the state of Idaho using download.file() from here:

https://d396qusza40orc.cloudfront.net/getdata%2Fdata%2Fss06pid.csv

using the fread() command load the data into an R object

pwgtp15		
roken down by sex using the data.table package?		
Your Answer	Score	Explanation
mean(DT\$pwgtp15,by=DT\$SEX)		
tapply(DT\$pwgtp15,DT\$SEX,mean)		
mean(DT[DT\$SEX==1,]\$pwgtp15);		
mean(DT[DT\$SEX==2,]\$pwgtp15)		
rowMeans(DT)[DT\$SEX==1]; rowMeans(DT)[DT\$SEX=	==2]	
sapply(split(DT\$pwgtp15,DT\$SEX),mean)	✓ 3.00	
DT[,mean(pwgtp15),by=SEX]		
Total	3.00 /	
	3.00	