
Adjudicating Discrepancies

Overview

Adjudicating chargebacks refers to the process of making a judgment as to the validity of the requested chargeback. Ideally, all discrepancies between the trading partner’s requested chargeback amount and Model N’s calculated chargeback amount can be removed during the adjudication process. However, there may be legitimate differences that must be addressed by the trading partner before payment can be issued. In cases where the discrepancy is the result of an internal issue, manufacturers can address the discrepancy either directly in the Chargeback application or by making modifications in related areas utilized by Chargebacks. There are three main areas where these changes occur: Contracts/Pricing, Customers/Memberships, and Products.

Pre-requisites

- Chargeback sales have been loaded and completed the initial validation.
- Internal processes have been established to facilitate changes to Contracts/Pricing, Customers/Memberships, and Products in support of adjudicating chargebacks.

Abilities

Upon completion of chargeback adjudication, claims will be available for payment processing. Ideally, post-adjudication the amount of the requested chargeback will equal the amount that will be paid. However, any discrepancy may result in subsequent resubmissions from the trading partner after receiving the chargeback reconciliation details. This would require additional loading and adjudication of the resubmitted data.

Related Articles

[Loading and Validating Chargebacks](#)

[Settling Chargebacks](#)

Accept or Reject Chargeback Lines

Overview

Accepting or Rejecting chargeback lines refers to the analyst taking action in order to pay a chargeback amount that otherwise would not be paid (Accept) or deny payment of a chargeback amount (Reject). The Model N system will calculate a chargeback amount due and then set an approved chargeback amount based on configuration rules and line severity. *Note, Accepting and Rejecting can be performed on a single line or multiple lines.

When an analyst ‘Accepts’ a chargeback, they are typically setting the approved amount equal to either the external requested amount or, more commonly, the calculated amount. Additionally, the analyst can manually enter the desired chargeback amount to be paid. The ‘Accept’ action is available for Error severity by default. ‘Accept’ can also be enabled for Warning and/or Valid severities as well. In the following example, the line is Error, but the analyst decides they will pay some chargeback amount.

	After initial validation	‘Accept’ Calculated Amount	‘Accept’
Requested Amount	\$100	\$100	\$100
Calculated Amount	\$90	\$90	\$90
Approved Amount	\$0	\$90	\$100
Line Severity	Error	Overriden-Accept	Override

When an analyst 'Rejects' a chargeback, they are setting the approved amount equal to zero. The 'Reject' action is available for Valid and Warning severities by default. 'Reject' can also be enabled for Error and/or Fatal severities as well. Some analysts find it useful to mark Error and Fatal lines as 'Rejected' once adjudication is complete in order to differentiate them from other Error and Fatal lines that still require adjudication. In the following example, the first line is Warning, but the analyst decides they will not pay. The second line is Fatal and the analyst is marking as rejected to facilitate their adjudication progress.

	Line 1 – After Initial Validation	'Reject' Line 1	Line 2 –
Requested Amount	\$100	\$100	\$55
Calculated Amount	\$90	\$90	\$0
Approved Amount	\$90	\$0	\$0
Line Severity	Warning	Overriden-Rejected	Fatal

If a line has been accepted or rejected incorrectly, the action can be reversed by performing an ‘Undo Override’ action. This action is only available on lines having a ‘Overridden-Accepted’ or ‘Overridden-Rejected’ severity status.

Prerequisites

- Line must be ‘In Process’ lifecycle status
- Based on the severity of the line the Accept or Reject action(s) is available. This is configurable for severities.

Abilities

After accepting a line, an audit history entry will be recorded indicating the line was accepted by the analyst at a specific date-time. The line will have an approved amount set based on the analyst selection (requested, calculated, or manually entered). The line will have its severity set to Overridden-Accepted and lifecycle status set to In Process. The ‘Accept’ can be reversed using the ‘Undo Override’ action.

After rejecting a line, an audit history entry will be recorded indicating the line was rejected by the analyst at a specific date-time. The line will have an approved amount equal to zero. The line will have its severity set to Overridden-Rejected and lifecyle status set to Valid Req, requiring revalidation. The ‘Reject’ can be reversed using the ‘Undo Override’ action.

Post-requisites

- Line will be in ‘In Process’ lifecycle status after Accept or Reject and does not require additional revalidation
- Line will be in ‘Valid Req’ lifecycle status after Undo Override action and will need to be revalidated

Related Articles

[How to Manually ‘Accept’ or ‘Reject’ a Chargeback](#)

Adding Attachments to Chargeback Claims

Overview

To support the adjudication process, external documents can be attached to a chargeback claim (at any point in the claim lifecycle). Attachments can be useful for holding copies of invoices, external email approvals, reconciliation reports, or other documents used during adjudication.

The analyst will search their file system and select any document type (spreadsheet, word processing, emails, etc) to be added to the claim. A copy is then stored within the Model N system and a description can be entered for the attachment. After the attachment has been added, selecting it will prompt the analyst to save the attachment locally. There is no limit to the number of attachments and, if no longer needed, an attachment can be deleted.

Note: Chargeback claim attachments do not support (URL) links to other places, e.g. a document repository site. Only file-based attachments are supported.

Related Articles

[Adding Internal Comments](#)

Adding Comments for Trading Partners

Overview

The standard chargeback reconciliation EDI 849 transaction supports the ability to communicate up to 80 characters of comments from the manufacturer to help the trading partner understand issues preventing full payment. The Model N application allows the analyst to enter these comments during the adjudication process. The comments, together with EDI 849 reject reason codes [\[link\]](#), provide necessary information to the trading partner facilitating corrective actions such as resubmission or credit/rebill.

Note: The Model N application does not limit the comment to 80 characters, as this comment may also be printed in non-EDI reconciliation reports. However, when being transmitted via the EDI 849, only the first 80 characters can be communicated.

Pre-Requisites

- Creation of an audit record indicating the analyst and date time that the trading partner comment was added

Related Articles

[Adding Internal Comments](#)

[Adding Attachments to Chargeback Claims](#)

Adding Internal Comments

Overview

Individually logged, internal comments are supported on all sale types. Comments can be added at any point to a submission or line. It is possible to add comments to either a single submission/line or to multiple records at once. Each comment is added individually and includes the analyst and date-time information. Once a comment has been entered, it cannot be deleted.

Prerequisites

- Line can be in any lifecycle status except Processing

Post-requisites

- Creation of an audit record indicating the analyst and date time that the internal comment was added

Related Articles

[Adding Comments for Trading Partners](#)

[Adding Attachments to Chargeback Claims](#)

Deleting or Purging a Sale Line

Overview

Deleting refers to a “soft delete”, changing the line’s lifecycle status to ‘Deleted’; the line remains visible and searchable although it cannot be used in any downstream processes. An analyst may choose to delete one or more lines for many reasons, including the presence of irreparable errors on the lines during validation. Once a line has been marked as ‘Deleted’, it cannot be used for rebate calculations, government pricing, compliance calculations, etc. It will, however, remain for audit purposes. Often, bad data is corrected and the line is reloaded; the new line will not trigger a “duplicate line” validation because the original ‘Deleted’ line is not considered to be a duplicate.

Purging refers to a “hard delete”; permanently removing the line from the application. All audit information associated to the line is permanently removed. Purge is less common at the line level; often data is purged when an entire transmission has issues which require it to be reloaded. Purge is a two-step process; delete must precede purge.

Note: When all lines are deleted or purged within a submission, the submission will also be marked as ‘Deleted’ or permanently removed.

Prerequisites

- Line must be ‘In Process’ lifecycle status to ‘Delete’
- Line must be in ‘Deleted’ lifecycle status to ‘Purge’

Post-requisites

- Deleted lines will have their lifecycle status set to ‘Deleted’
- Purged lines will be removed from the Model N application

Related Articles

[Deleting and Purging a Sales Submission and Chargeback Claim](#)

Deleting or Purging a Sale Submission or Chargeback Claim

Overview

Deleting refers to a “soft delete”, changing the submission and all contained lines lifecycle statuses to ‘Deleted’. The submission remains visible and searchable, as do its lines, however once lines have been ‘Deleted’, they cannot be used for rebate calculations, government pricing, compliance calculations, etc. If the submission that is deleted was associated to a chargeback claim that relationship will be also be removed. An analyst may choose to delete (and later reload) an entire submission due to an irreparable validation of external data such as “Invalid Trading Partner” or “Debit Memo not Unique”.

Purging refers to a “hard delete”; permanently removing the submission and all associated lines from the application. All audit information associated to the submission and lines is permanently removed. Purge is a two-step process; delete must precede purge.

After submissions have been deleted or purged, it may result in “orphaned” chargeback claims; i.e. claims without any submissions. These can be deleted and removed from the system.

Note: Claims support a single action to delete and purge the chargeback claim.

Prerequisites

- Submission must be ‘In Process’ lifecycle status to ‘Delete’
- Submission must be in ‘Deleted’ lifecycle status to ‘Purge’

- Claim must not have any associated submissions to 'Delete'.

Post-requisites

- Deleted submissions will have their and all associated lines lifecycle statuses set to 'Deleted'
- Purged submissions and all associated lines will be removed from the Model N application
- Deleted claims will be removed from the Model N application

Related Articles

[Deleting and Purging a Sale Line](#)

How To Accept or Reject Chargeback Lines

Overview

Chargeback analysts upload lines to process claims. The uploaded lines can have status of: Error, Warning, Fatal, or Valid based on the data uploaded.

Accept/Reject chargeback lines refers to accepting or rejecting the line's Error, Valid, or Warning status. You can accept a line only if the status is Error. For example, if the line status is Error, the analyst can fix the errors on the line and accept it. If a line has a Valid/ Warning status, the analyst can reject the line for different reasons which limits chargebacks being paid to the wholesaler.

Note: The Accept button will be enabled only for lines with Error status. Accepting this line will change the status to Override_accept. For more information see [Indirect Line Lifecycle Actions](#).

Navigation Path

Sales > Indirect Lines > Line #

To Accept Chargeback Lines

A line can be accepted only if its status is Error. Accepting the line will allow you to validate the line without errors.

1. Navigate to Sales > Indirect Lines
2. Click **Search** to display the details on the indirect line.

3. Click the **Line #** link to open the indirect sale line with the error status.
The line opens in the Detail page. Note that the Accept button is enabled.
4. Click the **Accept** button.
The **Confirm Action** dialog box provides you options to Accept Requested or Calculated Chargeback Amount as the override value.
5. Select the **Perform Action** button to perform the override.
6. The line's **Validation Status** will change to Override-Accept.
You can see the comments related to the override by selecting the **Internal Comments** tab on the line detail page.

Note: The Accept button will be enabled only for lines with error status. For lines with Valid, Warning, or Fatal status, the button is disabled.

To Reject Chargeback Lines

A line can be rejected only if its status is Valid or Warning. Rejecting the line will allow you to validate the line without errors.

1. Navigate to Sales > Indirect Lines
2. Click **Search** to display the details on the indirect line.
3. Click the **Line #** link to open the indirect sale line with the valid or warning status.
The line opens in the Detail page. Note that the Reject button is enabled.
4. Click the **Reject** button.
The line's **Validation Status** will change to Override-Reject.
The Confirm Action dialog box provides you options to Accept Requested or Calculated Chargeback Amount as the override value.
5. Select the **Perform Action** button to perform the override.
6. You can see the comments related to the override by selecting the **Internal Comments** tab on the line detail page.

Note: The Reject button will be enabled only for lines with valid or warning status. For lines with Error or Fatal status, the button is disabled. The Accept and Reject actions should also be verified from the Indirect line List page

Configuration Options

The following configurations allow you to modify the relevant behavior:

Name	Description
com.modeln.Sale.actionConfig.IndirectSale.validationStatusActions.WARNING	List of actions allowed when validation status is 'WARNING'. WARNING Configuration value should be a comma separated list of CMnSalesLineActionType names.

Related Articles

[Managing Chargebacks](#)

[Adjudicating Discrepancies](#)

How To Setup and Manage Personal Dashboard Area

Overview

The dashboard provides the ability to create, modify, import dashboard widgets and manage the display.

Note: The dashboard, out of the box is pre configured with a dashboard that can be further customized. By default, the widgets are not added to the dashboard. Use Manage Content to add or remove dashboard widgets.

Prerequisites

- Charge back claims must be available
- Chargeback lines must match the queries related to the dashboard content

Navigation Path

Sales > Indirect Submission > Sales Dashboard

To create a dashboard

1. To create a dashboard, select **Sales Dashboard**.
2. To customize your dashboard widgets in its own area, select **Organize Tabs**.
3. To add widgets to your dashboard, select **Manage Content**.
4. Select the dashboard widget, preview the widget display, and click the **Add to Dashboard** button.
5. Click **Done**, review the Dashboard results.

To delete a widget on the dashboard

1. To delete a dashboard widget, select **Sales Dashboard**.

- 2. To remove widgets from your dashboard, select **Manage Content**.
- 3. Select the widget to be removed.
- 4. Click **Remove** from Dashboard button.
- 5. Click **Done**, review the Dashboard results.

To modify the dashboard widget's display

- 1. To set the refresh rate for to display data, select the settings icon.
- 2. To change the data display to pie chart, bar chart, ... select the respective icons.
- 3. To view the display in full screen, select the screen icon.

Note: Out of the box, the dashboard is preconfigured with a dashboard that can be further customized.

Related Articles

[Managing Dashboard Tabs](#)

How to Use Hold Action on a Chargeback Line

Overview

An analyst can set the ‘Send Submission to Pend Close in X days’ attribute of a trading partner inorder to ensure that chargeback claims are reconciled within a negotiated number of days after receipt. This guaranteed response is a key component in the relationship between the trading partner and manufacturer and helps prevent unnecessary deductions.

However, in some cases, it is desirable to avoid submissions being closed and claims being reconciled automatically X days after receipt. For example, an analyst may be waiting on receiving a copy of the invoice before paying a chargeback. Rather than having the claim close without that line paid, they can put the line on hold, which will gain the analyst time to complete.

If any line within a submission is held, the submission will be unable to be automatically changed to Pending Closed on the Xth day leading to a claim being unable to be submitted for approval until all contained submissions are Pending Closed.

Notes:

- Removing the hold will allow the containing submission to be automatically sent to pending close based on the trading partner profile attribute.
- Hold indication is not removed from the line if an analyst manually closes the containing submission.

Navigation Path

Sales > Sales Dashboard

Prerequisites

- A line must be ‘In Process’ to be put on hold
- The trading partner's ‘Send Submission to Pend Close in X Days” is greater than 0 (Hold only impacts this submission closing action)

Related Articles

[Using Hold Action to Prevent Closing](#)

Managing Dashboard Tabs

Overview

Dashboard provides a graphical view of the existing chargeback lines. You can customize the dashboard to display information similar to a report in a tabbed interface.

Prerequisites

- Charge back claims must be available
- Chargeback lines must match the queries related to the dashboard content

Navigation Path

Sales > Sales Dashboard > Organize Tabs

To manage dashboard tabs

1. Click the **Organize Tabs** button, this opens the Organize Tabs Dialog box.
2. To add more tabs, click **Add**.
3. To remove tabs, select tab name in the list and click **Remove**.
4. To rename a tab, select tab name in the list and click **Rename**.
5. Order the tabs for display, by dragging to the preferred order.
6. Click **Done**.

You can configure your dashboard to display widgets on each tab. By default, the preconfigured tab displays "My Dashboard". The dashboard can have multiple tabs which help to logically group the widgets into different categories.

Note: The dashboard out of the box is preconfigured with a dashboard that can be further customized.

Abilities

The dashboard tabs allows you to organize and manage widget display for ease of use. The tabs give you the ability to:

- Add a widget
- Remove a widget
- Maximize widget display
- Customize widget display

Related Articles

[Reviewing Dashboard Results](#)

Override Internal Data Values

Overview

Once a chargeback line has been loaded and initially validated, internal values will be resolved from the external data supplied by the trading partner for things like customer, product, and contract information. One option a analyst has during adjudication of discrepancies is to override the internal data values the system had resolved. This option is available for any field having an editing icon next to it.

Some fields, such as ship to customer, allow for the insertion of a data map. This data map will be stored at either the trading partner or distribution center branch level and will be applied to new and existing lines during validation. Also, some fields support the ability to apply the override to: a single line, all lines in the submission, all unprocessed lines for the trading partner, or all unprocessed lines for the distribution center branch. Otherwise, the override will apply only to the single line.

If an internal data field has been overridden, the line status will require revalidation. Revalidating a line with overrides will use the edited values. If an override needs to be undone, this option is available to the analyst. Undoing the override will also require revalidation; this will set the internal data value back to the originally resolved value.

The following table represents the full list of internal ‘resolved’ fields that are available for override:

Type	Insert Data Map Option	Apply to Multiple Lines Option	Undo Override Option	Notes
Ship To Customer	Yes	Yes	Yes	Any customer can be selected
Product	Yes	Yes	Yes	Any product can be selected
Distribution Center Branch	Yes	Yes	Yes	Any customer can be selected
	No	No	Yes	- Only contracts for which the customer/ product/invoice date is eligible will be available for selection - Price list prices are not available for selection
Invoice Date	No	No	Yes	Valid date format
Invoice Contract	No	No	Yes	- Negative values are supported - Up to 4 decimals of precision

Type	Insert Data Map Option	Apply to Multiple Lines Option	Undo Override Option	Notes
Chargeback Amount	No	No	Yes	• Negative values are supported • Up to 2 decimals of precision

Prerequisites

- Line must be 'In Process' lifecycle status
- Field overrides may only be performed from the line detail page

Abilities

After the override is made and the line has been saved, an audit history entry will be recorded indicating an override was performed. The field(s) that is overridden will be highlighted and additional information will be available including: analyst, change date, original value, and new value.

Post-requisites

- Line will be in 'Valid Req' lifecycle status and will need to be revalidated
-

Override and Set Internal Approved Chargeback Amount

Overview

A chargeback line consists of multiple data attributes sent by the wholesaler. Upon receipt and validation, the external values should resolve to values for internal attributes, matching external to internal data. Chargeback discrepancies will likely occur if an internal value cannot be resolved or an incorrect value is resolved. In these cases, you can change the value of the resolved attribute and verify if the change removes the discrepancy.

Application Usage

You can change the value for a specific set of attributes. Each override has an audit log of who changed it, when it was changed, and what the original value was. If an override was done incorrectly, it can be removed with the undo functionality. Once an attribute has been overridden on a chargeback line, the status requires the user to revalidate the line. Those values that have been changed will not be reset to their original resolved value by the revalidation action. The ability to find lines based on specific overrides is readily available in chargeback search criteria.

Data Maps – For some overrides, a data map can be inserted at the time the correction is being made. Data maps are essentially cross-reference tables that will be used going forward to resolve systemic problems and are effective dated. This fix can also be applied to the single line, all open lines in that submission, or all open lines for that distribution center wholesaler, or all open lines for the parent wholesaler.

Example: If a wholesaler continues to send an NDC product number that is missing a zero, a data map can be created to ensure that 10-digit NDC resolves to the proper 11-digit NDC in Model N.

Available Attributes for Overrides

- Customer: You can search for and find the proper customer to set on the line. Data mapping is available.
- Product: You can search for and find the proper product to set on the line. Data mapping is available.
- Distribution Center Branch: You can search for and find the proper wholesaler distribution center to set on the line. Data mapping is available.
- Quantity: You can modify the resolved quantity, which may have been adjusted due to unit of measure conversions.
- Invoice Date: You can select the correct invoice date; typically only done when returns are not sent with original invoice date.
- Contract: You can select another valid contract. Model N will choose 1 contract from a set of available contracts based on pricing and matching rule configurations.
- Chargeback Amount: You can directly change the amount of the chargeback that will be paid; this is rarely used and often disabled.

Validation Hint

The following is a list of validation errors that can be addressed by overriding resolved values:

- Missing Customer
- Invalid Branch Wholesaler
- Invalid Sold To Customer
- Branch Wholesaler ID Not Unique
- Sold To Customer ID Not Unique
- UOM Conversion Not Found
- Invalid Quantity
- Invoice Quantity is Zero
- Invalid Invoice Date

- Future Invoice Date
- External Contract Mismatch

Configuration Options

- The list of attributes that can be overridden is limited to the list above, but if desired, any of these can be disabled.
- An approval condition can be added to chargeback claims to notify approvers that a resolved value has been overridden.

Override and Set Internal Contract

Overview

A chargeback line consists of multiple data attributes sent by the wholesaler. Upon receipt and validation, the external values should resolve to values for internal attributes, matching external to internal data. Chargeback discrepancies will likely occur if an internal value cannot be resolved or an incorrect value is resolved. In these cases, you can change the value of the resolved attribute and verify if the change removes the discrepancy.

Application Usage

You can change the value for a specific set of attributes. Each override has an audit log of who changed it, when it was changed, and what the original value was. If an override was done incorrectly, it can be removed with the undo functionality. Once an attribute has been overridden on a chargeback line, the status requires the user to revalidate the line. Those values that have been changed will not be reset to their original resolved value by the revalidation action. The ability to find lines based on specific overrides is readily available in chargeback search criteria.

Data Maps – For some overrides, a data map can be inserted at the time the correction is being made. Data maps are essentially cross-reference tables that will be used going forward to resolve systemic problems and are effective dated. This fix can also be applied to the single line, all open lines in that submission, or all open lines for that distribution center wholesaler, or all open lines for the parent wholesaler.

Example: If a wholesaler continues to send an NDC product number that is missing a zero, a data map can be created to ensure that 10-digit NDC resolves to the proper 11-digit NDC in Model N.

Available Attributes for Overrides

- Customer: You can search for and find the proper customer to set on the line. Data mapping is available.
- Product: You can search for and find the proper product to set on the line. Data mapping is available.
- Distribution Center Branch: You can search for and find the proper wholesaler distribution center to set on the line. Data mapping is available.
- Quantity: You can modify the resolved quantity, which may have been adjusted due to unit of measure conversions.
- Invoice Date: You can select the correct invoice date; typically only done when returns are not sent with original invoice date.
- Contract: You can select another valid contract. Model N will choose 1 contract from a set of available contracts based on pricing and matching rule configurations.
- Chargeback Amount: You can directly change the amount of the chargeback that will be paid; this is rarely used and often disabled.

Validation Hint

The following is a list of validation errors that can be addressed by overriding resolved values:

- Missing Customer
- Invalid Branch Wholesaler
- Invalid Sold To Customer
- Branch Wholesaler ID Not Unique
- Sold To Customer ID Not Unique
- UOM Conversion Not Found
- Invalid Quantity
- Invoice Quantity is Zero
- Invalid Invoice Date

- Future Invoice Date
- External Contract Mismatch

Configuration Options

- The list of attributes that can be overridden is limited to the list above, but if desired, any of these can be disabled.
- An approval condition can be added to chargeback claims to notify approvers that a resolved value has been overridden.

Override and Set Internal Distribution Center Branch

Overview

A chargeback line consists of multiple data attributes sent by the wholesaler. Upon receipt and validation, the external values should resolve to values for internal attributes, matching external to internal data. Chargeback discrepancies will likely occur if an internal value cannot be resolved or an incorrect value is resolved. In these cases, you can change the value of the resolved attribute and verify if the change removes the discrepancy.

Application Usage

You can change the value for a specific set of attributes. Each override has an audit log of who changed it, when it was changed, and what the original value was. If an override was done incorrectly, it can be removed with the undo functionality. Once an attribute has been overridden on a chargeback line, the status requires the user to revalidate the line. Those values that have been changed will not be reset to their original resolved value by the revalidation action. The ability to find lines based on specific overrides is readily available in chargeback search criteria.

Data Maps – For some overrides, a data map can be inserted at the time the correction is being made. Data maps are essentially cross-reference tables that will be used going forward to resolve systemic problems and are effective dated. This fix can also be applied to the single line, all open lines in that submission, or all open lines for that distribution center wholesaler, or all open lines for the parent wholesaler.

Example: If a wholesaler continues to send an NDC product number that is missing a zero, a data map can be created to ensure that 10-digit NDC resolves to the proper 11-digit NDC in Model N.

Available Attributes for Overrides

- Customer: You can search for and find the proper customer to set on the line. Data mapping is available.
- Product: You can search for and find the proper product to set on the line. Data mapping is available.
- Distribution Center Branch: You can search for and find the proper wholesaler distribution center to set on the line. Data mapping is available.
- Quantity: You can modify the resolved quantity, which may have been adjusted due to unit of measure conversions.
- Invoice Date: You can select the correct invoice date; typically only done when returns are not sent with original invoice date.
- Contract: You can select another valid contract. Model N will choose 1 contract from a set of available contracts based on pricing and matching rule configurations.
- Chargeback Amount: You can directly change the amount of the chargeback that will be paid; this is rarely used and often disabled.

Validation Hint

The following is a list of validation errors that can be addressed by overriding resolved values:

- Missing Customer
- Invalid Branch Wholesaler
- Invalid Sold To Customer
- Branch Wholesaler ID Not Unique
- Sold To Customer ID Not Unique
- UOM Conversion Not Found
- Invalid Quantity
- Invoice Quantity is Zero
- Invalid Invoice Date

- Future Invoice Date
- External Contract Mismatch

Configuration Options

- The list of attributes that can be overridden is limited to the list above, but if desired, any of these can be disabled.
- An approval condition can be added to chargeback claims to notify approvers that a resolved value has been overridden.

Override and Set Internal Invoice Date

Overview

A chargeback line consists of multiple data attributes sent by the wholesaler. Upon receipt and validation, the external values should resolve to values for internal attributes, matching external to internal data. Chargeback discrepancies will likely occur if an internal value cannot be resolved or an incorrect value is resolved. In these cases, you can change the value of the resolved attribute and verify if the change removes the discrepancy.

Application Usage

You can change the value for a specific set of attributes. Each override has an audit log of who changed it, when it was changed, and what the original value was. If an override was done incorrectly, it can be removed with the undo functionality. Once an attribute has been overridden on a chargeback line, the status requires the user to revalidate the line. Those values that have been changed will not be reset to their original resolved value by the revalidation action. The ability to find lines based on specific overrides is readily available in chargeback search criteria.

Data Maps – For some overrides, a data map can be inserted at the time the correction is being made. Data maps are essentially cross-reference tables that will be used going forward to resolve systemic problems and are effective dated. This fix can also be applied to the single line, all open lines in that submission, or all open lines for that distribution center wholesaler, or all open lines for the parent wholesaler.

Example: If a wholesaler continues to send an NDC product number that is missing a zero, a data map can be created to ensure that 10-digit NDC resolves to the proper 11-digit NDC in Model N.

Available Attributes for Overrides

- Customer: You can search for and find the proper customer to set on the line. Data mapping is available.
- Product: You can search for and find the proper product to set on the line. Data mapping is available.
- Distribution Center Branch: You can search for and find the proper wholesaler distribution center to set on the line. Data mapping is available.
- Quantity: You can modify the resolved quantity, which may have been adjusted due to unit of measure conversions.
- Invoice Date: You can select the correct invoice date; typically only done when returns are not sent with original invoice date.
- Contract: You can select another valid contract. Model N will choose 1 contract from a set of available contracts based on pricing and matching rule configurations.
- Chargeback Amount: You can directly change the amount of the chargeback that will be paid; this is rarely used and often disabled.

Validation Hint

The following is a list of validation errors that can be addressed by overriding resolved values:

- Missing Customer
- Invalid Branch Wholesaler
- Invalid Sold To Customer
- Branch Wholesaler ID Not Unique
- Sold To Customer ID Not Unique
- UOM Conversion Not Found
- Invalid Quantity
- Invoice Quantity is Zero
- Invalid Invoice Date

- Future Invoice Date
- External Contract Mismatch

Configuration Options

- The list of attributes that can be overridden is limited to the list above, but if desired, any of these can be disabled.
- An approval condition can be added to chargeback claims to notify approvers that a resolved value has been overridden.

Override and Set Internal Product

Overview

A chargeback line consists of multiple data attributes sent by the wholesaler. Upon receipt and validation, the external values should resolve to values for internal attributes, matching external to internal data. Chargeback discrepancies will likely occur if an internal value cannot be resolved or an incorrect value is resolved. In these cases, you can change the value of the resolved attribute and verify if the change removes the discrepancy.

Application Usage

You can change the value for a specific set of attributes. Each override has an audit log of who changed it, when it was changed, and what the original value was. If an override was done incorrectly, it can be removed with the undo functionality. Once an attribute has been overridden on a chargeback line, the status requires the user to revalidate the line. Those values that have been changed will not be reset to their original resolved value by the revalidation action. The ability to find lines based on specific overrides is readily available in chargeback search criteria.

Data Maps – For some overrides, a data map can be inserted at the time the correction is being made. Data maps are essentially cross-reference tables that will be used going forward to resolve systemic problems and are effective dated. This fix can also be applied to the single line, all open lines in that submission, or all open lines for that distribution center wholesaler, or all open lines for the parent wholesaler.

Example: If a wholesaler continues to send an NDC product number that is missing a zero, a data map can be created to ensure that 10-digit NDC resolves to the proper 11-digit NDC in Model N.

Available Attributes for Overrides

- Customer: You can search for and find the proper customer to set on the line. Data mapping is available.
- Product: You can search for and find the proper product to set on the line. Data mapping is available.
- Distribution Center Branch: You can search for and find the proper wholesaler distribution center to set on the line. Data mapping is available.
- Quantity: You can modify the resolved quantity, which may have been adjusted due to unit of measure conversions.
- Invoice Date: You can select the correct invoice date; typically only done when returns are not sent with original invoice date.
- Contract: You can select another valid contract. Model N will choose 1 contract from a set of available contracts based on pricing and matching rule configurations.
- Chargeback Amount: You can directly change the amount of the chargeback that will be paid; this is rarely used and often disabled.

Validation Hint

The following is a list of validation errors that can be addressed by overriding resolved values:

- Missing Customer
- Invalid Branch Wholesaler
- Invalid Sold To Customer
- Branch Wholesaler ID Not Unique
- Sold To Customer ID Not Unique
- UOM Conversion Not Found
- Invalid Quantity
- Invoice Quantity is Zero
- Invalid Invoice Date

- Future Invoice Date
- External Contract Mismatch

Configuration Options

- The list of attributes that can be overridden is limited to the list above, but if desired, any of these can be disabled.
- An approval condition can be added to chargeback claims to notify approvers that a resolved value has been overridden.

Override and Set Internal Quantity

Overview

A chargeback line consists of multiple data attributes sent by the wholesaler. Upon receipt and validation, the external values should resolve to values for internal attributes, matching external to internal data. Chargeback discrepancies will likely occur if an internal value cannot be resolved or an incorrect value is resolved. In these cases, you can change the value of the resolved attribute and verify if the change removes the discrepancy.

Application Usage

You can change the value for a specific set of attributes. Each override has an audit log of who changed it, when it was changed, and what the original value was. If an override was done incorrectly, it can be removed with the undo functionality. Once an attribute has been overridden on a chargeback line, the status requires the user to revalidate the line. Those values that have been changed will not be reset to their original resolved value by the revalidation action. The ability to find lines based on specific overrides is readily available in chargeback search criteria.

Data Maps – For some overrides, a data map can be inserted at the time the correction is being made. Data maps are essentially cross-reference tables that will be used going forward to resolve systemic problems and are effective dated. This fix can also be applied to the single line, all open lines in that submission, or all open lines for that distribution center wholesaler, or all open lines for the parent wholesaler.

Example: If a wholesaler continues to send an NDC product number that is missing a zero, a data map can be created to ensure that 10-digit NDC resolves to the proper 11-digit NDC in Model N.

Available Attributes for Overrides

- Customer: You can search for and find the proper customer to set on the line. Data mapping is available.
- Product: You can search for and find the proper product to set on the line. Data mapping is available.
- Distribution Center Branch: You can search for and find the proper wholesaler distribution center to set on the line. Data mapping is available.
- Quantity: You can modify the resolved quantity, which may have been adjusted due to unit of measure conversions.
- Invoice Date: You can select the correct invoice date; typically only done when returns are not sent with original invoice date.
- Contract: You can select another valid contract. Model N will choose 1 contract from a set of available contracts based on pricing and matching rule configurations.
- Chargeback Amount: You can directly change the amount of the chargeback that will be paid; this is rarely used and often disabled.

Validation Hint

The following is a list of validation errors that can be addressed by overriding resolved values:

- Missing Customer
- Invalid Branch Wholesaler
- Invalid Sold To Customer
- Branch Wholesaler ID Not Unique
- Sold To Customer ID Not Unique
- UOM Conversion Not Found
- Invalid Quantity
- Invoice Quantity is Zero
- Invalid Invoice Date

- Future Invoice Date
- External Contract Mismatch

Configuration Options

- The list of attributes that can be overridden is limited to the list above, but if desired, any of these can be disabled.
- An approval condition can be added to chargeback claims to notify approvers that a resolved value has been overridden.

Override and Set Internal Ship To Customer

Overview

A chargeback line consists of multiple data attributes sent by the wholesaler. Upon receipt and validation, the external values should resolve to values for internal attributes, matching external to internal data. Chargeback discrepancies will likely occur if an internal value cannot be resolved or an incorrect value is resolved. In these cases, you can change the value of the resolved attribute and verify if the change removes the discrepancy.

Application Usage

You can change the value for a specific set of attributes. Each override has an audit log of who changed it, when it was changed, and what the original value was. If an override was done incorrectly, it can be removed with the undo functionality. Once an attribute has been overridden on a chargeback line, the status requires the user to revalidate the line. Those values that have been changed will not be reset to their original resolved value by the revalidation action. The ability to find lines based on specific overrides is readily available in chargeback search criteria.

Data Maps – For some overrides, a data map can be inserted at the time the correction is being made. Data maps are essentially cross-reference tables that will be used going forward to resolve systemic problems and are effective dated. This fix can also be applied to the single line, all open lines in that submission, or all open lines for that distribution center wholesaler, or all open lines for the parent wholesaler.

Example: If a wholesaler continues to send an NDC product number that is missing a zero, a data map can be created to ensure that 10-digit NDC resolves to the proper 11-digit NDC in Model N.

Available Attributes for Overrides

- Customer: You can search for and find the proper customer to set on the line. Data mapping is available.
- Product: You can search for and find the proper product to set on the line. Data mapping is available.
- Distribution Center Branch: You can search for and find the proper wholesaler distribution center to set on the line. Data mapping is available.
- Quantity: You can modify the resolved quantity, which may have been adjusted due to unit of measure conversions.
- Invoice Date: You can select the correct invoice date; typically only done when returns are not sent with original invoice date.
- Contract: You can select another valid contract. Model N will choose 1 contract from a set of available contracts based on pricing and matching rule configurations.
- Chargeback Amount: You can directly change the amount of the chargeback that will be paid; this is rarely used and often disabled.

Validation Hint

The following is a list of validation errors that can be addressed by overriding resolved values:

- Missing Customer
- Invalid Branch Wholesaler
- Invalid Sold To Customer
- Branch Wholesaler ID Not Unique
- Sold To Customer ID Not Unique
- UOM Conversion Not Found
- Invalid Quantity
- Invoice Quantity is Zero
- Invalid Invoice Date

- Future Invoice Date
- External Contract Mismatch

Configuration Options

- The list of attributes that can be overridden is limited to the list above, but if desired, any of these can be disabled.
- An approval condition can be added to chargeback claims to notify approvers that a resolved value has been overridden.

Reviewing Line Level Research Dashboard

Overview

When adjudicating chargebacks, you will find that the root of many validation messages are often found in the customer, membership, or contract setup. The Research Dashboard of a chargeback sale presents the analyst with relevant information about that sale line. For example, providing easy access to the internal customer’s set of identifiers, class of trade history, and GPO or Health System membership effective dates may help determine the root cause of a particular validation.

The Model N application provides a set of default research widgets on the dashboard. However, new widgets can be customized, created, and loaded at any time.

Navigation Path

Sales > Indirect Lines > Line # > Research

Prerequisites

- Each analyst must complete the initial setup of their personalized Research widgets prior to reviewing line level information.

Abilities

The following widgets provide insight to the analyst relative to a single chargeback line:

Name	Description
Customer Details	Provides additional details such as customer type and class of trade for the internal ship-to customer.
Customer Active Status	Provides history of account's active vs. inactive periods for the internal ship-to customer.
Customer Alternate IDs	Provides all identifiers (DEA, HIN, GLN, 340B, etc.) and their effective dates for the internal ship-to customer.
Customer Addresses	Provides all addresses and their type for the internal ship-to customer.
Customer Membership	Provides the set of customers (e.g. GPOs, or parent account) and effective dates to which the internal ship-to customer has been linked.
Customer Eligibility History	Provides the effective periods of eligibility for the internal ship-to customer associated with the external contract (10 digit bid award #).
Customer Commitment History	Provides the effective period of commitment for the internal ship-to customer associated with the external contract (10 digit bid award #). Note: Commitments that are made by the customer directly or inherited through another customer's commitment will be displayed (e.g. Health System, parent account)
Authorized Wholesalers	Provides the effective periods of the internal trading partners ability to service the external contract (10 digit bid award #).

Related Articles

[How to Setup and Manage your Personal Research or Dashboard Area](#)

Reviewing Sales Dashboard Results

Overview

The purpose of the Sales Dashboard is to help the analyst find the highest priority line(s) for adjudication or providing a manager with summary information. An analyst may want information about those lines that have been outstanding the longest, those having the largest chargeback amounts, or those sold to key customers or from important contracts. An analyst may also want to know the amount or count of unprocessed lines due to outstanding input from customer, contract, or membership operational groups.

Sales dashboards are aggregated and calculated information about chargeback claims, submissions, and lines presented in easy to use bar/pie charts or data grids. They allow the analyst to ‘drill down’ into the detailed information by executing a search with the criteria used in calculating the dashboard result. For example, a dashboard result may indicate that there are unprocessed lines totaling \$100,000 of requested chargeback that were received more than 30 days in the past. By selecting this result, the analyst will be taken to the line search page where all lines used in the \$100,000 calculation are displayed.

The business process can be improved substantially by ensuring that real-time or manually refreshed dashboards display pertinent information to facilitate efficiency in the chargeback process.

Note: Dashboards are not a replacement for analytical or operational reports.

Navigation Path

Sales > Sales Dashboard

Prerequisites

- Each analyst must complete the initial setup of their personalized Dashboard widgets prior to reviewing dashboard results.

Abilities

The following table describes existing Dashboard widgets:

Widget Name	Description
Top Open Chargeback by Days	Shows number of top open chargeback lines by admin-configured intervals.
Amount Discrepancy by Contract	Displays the total discrepancy grouped by contract id.
Oldest Open Lines by Claim	Displays the top claims with the oldest open lines.
Oldest Open Lines by Wholesaler	Displays a list of workflow steps, the number of lines assigned to that workflow step ranked by number of days open.
Top Open Claim Discrepancy Totals	Displays the top oldest lines grouped by wholesaler
Top Open Number of Sale Line Validation Errors by Discrepancy	Displays the top total discrepancy amounts for open claims, grouped by Parent Wholesaler.
Top Open Number of Sale Line Validation Errors by Count	Displays a summary of the most frequently occurring Sale Validation Errors by count caused by that error.
Top Contact Errors	Displays the top contract errors by line count per wholesaler.
Validity Ratio	Displays the top debit memos ranked by the ratio of valid line count to total line count (i.e. lowest validity % first).
Validity Ratio by Content Type	Displays the number of valid/invalid lines and percent ratio, grouped by Contract Type.
Top Discrepancy Amount per Contract Type	Displays the top total discrepancy grouped by contract type.
Chargeback Lines per Contract Type	Displays the total number of Chargeback lines grouped by contract type.
Wholesaler Scorecard (Past 24 Hours)	Displays average validation error rates for the past 24 hours, grouped by wholesaler.

Wholesaler Scorecard (Past 30 Days)	Displays average validation error rates for the past 30 days, grouped by wholesaler.
Wholesaler Scorecard (Past 90 Days)	Displays average validation error rates for the past 90 days, grouped by wholesaler.

Related Articles

[How to Setup and Manage your Personal Research or Dashboard Area?](#)

Using the Hold Action to Prevent Closing

Overview

An analyst can set the ‘Send Submission to Pend Close in X days’ attribute of a trading partner in order to ensure that chargeback claims are reconciled within a negotiated number of days after receipt. This guaranteed response is a key component in the relationship between the trading partner and manufacturer and helps prevent unnecessary deductions.

However, in some cases, it is desirable to avoid submissions being closed and claims being reconciled automatically X days after receipt. For example, an analyst may be waiting on receiving a copy of the invoice before paying a chargeback. Rather than having the claim close without that line paid, they can put the line on hold, which will gain the analyst time to complete.

If any line within a submission is held, the submission will be unable to be automatically changed to Pending Closed on the Xth day leading to a claim being unable to be submitted for approval until all contained submissions are Pending Closed.

Notes:

- Removing the hold will allow the containing submission to be automatically sent to pending close based on the trading partner profile attribute.
- Hold indication is not removed from the line if an analyst manually closes the containing submission.

Navigation Path

Sales > Sales Dashboard

Prerequisites

- A line must be 'In Process' to be put on hold
- The trading partner's 'Send Submission to Pend Close in X Days" is greater than 0 (Hold only impacts this submission closing action)