

In this issue

Atlassian AMP connects agent identity, context, permissions, and audit to team work; OpenAI Decisions API turns next-step judgement into predicates, choices, and scores; femtoAI opens an SPU and compression toolchain for smaller local voice and sensing systems. Microsoft's local-AI event had not started, while Torch It remains a weak global signal.

01

Atlassian AMP

2026-10-06 · developer surface

The product value is moving agent work from a private window into a space the team can inspect together. Colleagues can see who triggered an agent, what it touched, what it changed, and who owns it; a coding agent running locally is no longer a black box outside Jira. For design, product, and engineering teams, artifacts, comments, selections, and acceptance criteria become agent context instead of material that someone must copy and explain again.

03

femtoAI opens an SPU developer surface for smaller edge-AI systems

2026-10-07 · startup signal

The product signal is about turning the edge-AI problem—too large, hot, and power-hungry—into a toolchain developers can try. The evaluation kit lets a product team test target models, voice, and sensor tasks against memory and power before deciding whether an SPU belongs in earbuds, glasses, home appliances, or a robot. It does not guarantee better recognition and does not make an evaluation board a mass-produced device.

05

Torch It / Ericsson

2026-10-07 · weak/unverified

It points to a concrete but unclosed product direction: turning diagrams and visual information into an audible explanation rather than only reading OCR text. For users, the real questions are whether they can ask for a repeat, locate the original, control information density, and avoid interruption in classrooms, offices, and streets. No evidence in this run proves those interactions exist.

02

OpenAI Decisions API

2026-10-06 · developer surface

The API extracts a common product step—classify, then decide what happens next—from a long-form generation chain. Image moderation can return whether a rule is met, a router can choose one action from a fixed tool set, and a workflow can score an input before escalating, rejecting, or handing it to a person. For HCI, the important change is that model judgement becomes an observable system state rather than a decision hidden inside prose.


04

Microsoft Windows / Surface event

2026-10-07 · weak/unverified

The product signal is not what Microsoft launched; it is the acceptance window made public for local AI PCs. The watch should be where models run, what remains possible offline, how GPU/NPU/cloud routing is exposed, and how developers see data and cost boundaries. Until an official post-event source or direct observation appears, price, availability, specifications, demo results, and Windows features remain unreported.

Atlassian AMP makes agents visible collaborators inside the team workspace



Atlassian official article screenshot: AMP connects agent identity, context, permissions, and audit to team workflows. [1]

What it is · Atlassian AMP is the Agentic Multiplayer Protocol announced with the Team ' 26 Europe rollout . It treats an agent as a non-human collaborator connecting Jira , Confluence , Loom , IDEs , terminals , and the Teamwork Graph . The public article describes a protocol and platform capability , not a separately sold chatbot . Any price , version...

What changed · A user can mention an agent in a Confluence document , give it a Loom video or a cursor selection as a structured brief , or trigger it from Jira comments and triage . The agent reads authorised Teamwork Graph context , acts in the work item or connected tool , and writes back its result , changes , ownership...

When to use it · Concrete cases include an agent routing Jira work from comments , generating acceptance criteria from a Confluence selection , using a Loom explanation , reading context beside Figma or an IDE , linking a local coding session to the right work item , and assigning different service identities to HR or helpdesk agents . The team sees agent activity in...


Limits & availability · Atlassian announced that AMP begins rollout and listed Jira , Confluence , Rovo , MCP , Artifacts , and Agent Sessions as related platform entry points . The cited material does not state the full region , plan , admin switches , formal API documentation , third-party client matrix , or GA schedule ; the actual account and product version...

[1]

[2]

[3]

OpenAI Decisions API turns model judgement into a callable selector



Developer-community announcement screenshot: Decisions API exposes predicates, fixed-choice selection, and scoring as a low-latency callable surface. [4]

What it is • Decisions API is a developer-facing judgement surface on the OpenAI API , shown in a public-beta announcement dated October 2026 . It is not a chat UI : it turns text or image inputs into a predicate , choice , or score that an application can use to select the next model , tool , action , or human path...


What changed • An application submits text or an image plus a condition , fixed option set , or scoring range . The API returns predicate probabilities , a choice with confidence , or a score . Application code then selects the next step : call a tool , escalate to a person , block a submission , switch models , or continue...

When to use it • Concrete cases include deciding whether an image meets a site rule , selecting one action from a fixed tool set , scoring a ticket or document against a rubric , deciding whether to escalate for human review , selecting the next action in a game or robotic vision loop , and routing an input to a cheaper model , frontier...

Limits & availability • The OpenAI Developer Community announcement says the Decisions API is available to all developers in public beta and provides a try-it entry point . Formal documentation , pricing , regions , enterprise support , production limits , and compatibility commitments are not fully disclosed in the cited surface . Products using it for consequential actions still need schema validation ,...

[4] [5] [6]

femtoAI opens an SPU developer surface for smaller edge-AI systems



Developer landing-page screenshot: femtoAI opens access to the SPU evaluation kit, compressed models, compiler, and Sparsity Studio. [8]

What it is • femtoAI Developer Community is a developer entry point around an SPU evaluation kit , compressed models , a compiler , and Sparsity Studio . It targets engineering teams building voice , sensor , vision , and robotic devices . The deliverable is a development and evaluation surface , not a consumer product already shown for retail sale . Any price...

What changed • A developer enters the community , obtains or applies for an SPU evaluation kit and tools , selects a model , compresses and compiles it in Sparsity Studio , then compares baseline and compressed accuracy , latency , memory , and power . After evaluation , a device team can map the selected model and operators to target hardware ;...

When to use it • Concrete directions include local voice commands , always-on wake , wearable audio , smart-glasses vision and voice , offline appliance control , and low-latency robotic perception . A team can use the kit to reject models that do not fit a power budget before moving a small interaction and its sensitive data on-device . The material does not prove that...

Limits & availability • femtoAI announced open developer-community access on October 7 and provides an entry at developer . femto . ai . Access conditions , region , price , shipping , support plan , and NDA requirements for the kit , models , and tools must be checked through the application flow . The public material does not state a consumer product date...

[7] [8] [9]

Microsoft Windows / Surface event: a local-AI preview, not yet a launch fact



Official preview screenshot: the event is framed around Windows, Surface, and local AI; it had not started in this run and is not treated as a launch fact. [10]


What it is • This is a source-lane scan of Microsoft's Windows and Surface event , not a confirmed new product . The official page confirms the time and theme ; existing Surface Laptop Ultra and RTX Spark pages provide background , but no new event information had appeared in this run . Any price , version , region , interface , battery , ...

What changed • The flow to watch is a user starting a local model or agent on Windows , working with files , code , creative assets , or multimodal inputs , then moving to cloud compute when local resources , network , or permissions require it while seeing data , model , power , and recovery state . No complete verifiable flow...

When to use it • The scan watches local large-model development , creator workflows that need offline or local rendering , enterprise agents that keep sensitive data on-device , and on-demand local / cloud escalation . Without post-event official material , none of these should be called a newly closed workflow . Any price , version , region , interface , battery , success rate...

Limits & availability • Microsoft's official page confirms a scheduled event at 10 : 00 PT on October 7 . Product availability , price , region , and shipping are not confirmed by this scan . Any price , version , region , interface , battery , success rate , privacy , or delivery detail not disclosed by the cited source remains source not...

Torch It / Ericsson remains a weak global signal for assistive AI glasses



Global-lane weak signal: media reports Torch It turning text, diagrams, and images into speech, but this run found no product specs, purchase path, or independent test. [13]

What it is • Torch It / Jyoti AI is the name of an assistive smart-glasses and ecosystem demonstration described in media ; this run found insufficient official material to confirm a final product form . The report describes speech output for text , images , and diagrams in education and work scenarios for people with visual impairments . Any price , version ,...

What changed • The report suggests that the user wears the glasses , the system captures printed material or a scene , and audio describes it . No complete capture confirmation , follow-up question , repeat , pause , language switch , correction , deletion , or human takeover flow is public in the cited evidence . Any price , version , region...

When to use it • Potential cases include reading study material , understanding diagrams , interpreting work documents , and receiving scene descriptions . The report does not prove a stable loop in classrooms , offices , streets , or weak-network conditions . Any price , version , region , interface , battery , success rate , privacy , or delivery detail not disclosed by...

Limits & availability • No verified purchase link , price , region , release date , or developer entry was found . It remains a weak / unverified global-lane scan . Any price , version , region , interface , battery , success rate , privacy , or delivery detail not disclosed by the cited source remains source not stated ; it is not...

Sources & evidence

Fresh entries require dated, substantive changes. Background, research, vendor demos and availability are labeled. Full dates, image provenance and selection notes remain in the source ledger; n.d. means date unstated.

1. atlassian.com · release · 2026-10-06T00:00:00-04:00

4. Source · release · 2026-10-06T00:00:00-04:00

7. aap.com.au · release · 2026-10-07T00:00:00-04:00

10. Microsoft · article · 2026-09-16T00:00:00-04:00

13. Source · article · 2026-10-07T00:00:00-04:00
2. atlassian.com · product · 2026-10-06T00:00:00-04:00

5. Source · article · 2026-10-06T00:00:00-04:00

8. developer.femto.ai · article · 2026-10-07T00:00:00-04:00

11. microsoft.com · product · 2026-10-07T00:00:00-04:00

14. ericsson.com · release · 2026-10-07T00:00:00-04:00
3. atlassian.com · product · 2026-10-06T00:00:00-04:00

6. Source · guide · 2026-10-06T00:00:00-04:00

9. femto.ai · article · 2026-10-07T00:00:00-04:00

12. windowscentral.com · article · 2026-10-07T00:00:00-04:00

Source ledger · full sources & image records