

Default AI entry points are moving back into systems, desktops, and wearables

The strongest system-level signal today is not another AI feature, but a redistribution of default entry points into desktop, system, and wearable layers.

Googlebook pushes the AI PC from 'a laptop with AI features' into a new system interaction category.

If this direction holds, competition shifts from model benchmarks toward workflow closure, permission clarity, and low-interruption feedback.

A sleek, dark blue laptop is shown at an angle, partially open, against a black background. The laptop's screen and keyboard area are visible, with a subtle rainbow light effect along the hinge.

Googlebook

Designed for  Gemini Intelligence

STRUCTURE BEFORE EVIDENCE

Read today through eight lanes: official products, reviews, community friction, wild products, research, patents, China, and global signals.

OFFICIAL

Official Desk

5 item(s)

REVIEWS

Review Desk

1 item(s)

COMMUNITY

Community Friction

1 item(s)

WILD

Wild Desk

1 item(s)

RESEARCH

Research Watch

1 item(s)

PATENT

Patent Watch

1 item(s)

CHINA

China / Global Compare

1 item(s)

GLOBAL

Global Signals

1 item(s)

OFFICIAL

Official Desk

CONFIRMED PRODUCT · HIGH / OFFICIAL ANNOUNCEMENT

Apple: Siri AI pulls personal context, visual understanding, and app actions back into the system layer

CONFIRMED PRODUCT · HIGH / OFFICIAL PRODUCT BLOG

Google Android: Gemini Intelligence pushes proactive task execution into the phone's system layer

CONFIRMED PRODUCT · HIGH / OFFICIAL PRODUCT BLOG

Googlebook: the AI PC starts moving from feature bundle toward default work surface

DEVELOPER SURFACE · HIGH / OFFICIAL DEVELOPER PREVIEW

Meta: the Display Glasses developer preview turns glasses into a programmable UI endpoint

DEVELOPER SURFACE · HIGH / OFFICIAL PLATFORM ARTICLE

Microsoft Solara: the key to agent-first devices is not form factor, but a trustworthy system stack

Official

confirmed product · high / official announcement

2026-06-08

Apple: Siri AI pulls personal context, visual understanding, and app actions back into the system layer

Fact: Apple's June 8, 2026 newsroom post introduces Siri AI with personal context understanding, onscreen awareness, Visual Intelligence, Writing Tools, and broader cross-app actions.

Why it matters: The value is not smarter chat. It is removing the need to choose an app first; the system can act from the current screen and personal history.

Input: voice + screen + camera


Context: messages, mail, photos, history

Feedback: Spotlight, Siri app, context menu

Agentic: cross-app action closure

Product implication: OS-level AI will increasingly succeed or fail on permission visibility, undo, failure recovery, and a clear explanation layer for why it acted.

Sources: [Apple Newsroom](#)



Official visual: Siri AI integrated with Spotlight and the system layer

OFFICIAL · APPLE-OS-AGENT

Apple: Siri AI pulls personal context, visual understanding, and app actions back into the system layer

The product meaning is not that Siri becomes a better chatbot. Apple is moving AI back into the default OS path. When a user sees text, a photo, a calendar item, or an email, the entry point no longer has to be an app launch; it can be the current screen plus personal context.

That shifts the HCI boundary. Apps used to own input, state, and feedback locally. A system agent can now read intent across apps, invoke actions, and return results. The benefit is less switching; the risk is that users lose track of what context the system used.

Sources: [Apple Newsroom](#)

The real product contest becomes control: explaining boundaries before action, offering undo after action, and recovering from failure in a way users understand. For product teams, that matters more than adding another AI button.

HCI LENS

Input: voice + screen + camera

Context: messages, mail, photos, history

Feedback: Spotlight, Siri app, context menu

Agentic: cross-app action closure

READOUT

- OS entry point becomes stronger
- Personal context becomes a core asset
- Undo and explanation become trust infrastructure

OPEN QUESTIONS

- Can cross-app permissions stay short and legible?
- Can users see which context was used?
- Does failure return to a clear previous state?

Official

confirmed product · high / official product blog

2026-05-12

Google Android: Gemini Intelligence pushes proactive task execution into the phone's system layer

Fact: Google's May 12, 2026 post on Gemini Intelligence brings multi-step automation, Rambler, Create My Widget, and screen/image-context task execution into Android.

Why it matters: The phone stops being only a container for AI and starts actively organizing tasks, context, and feedback at the system layer.

Input: long-press power, voice, screen, image


Context: app state + web state + Android system

Feedback: surfaced actions + widget + confirmation

Agentic: multi-step assistance

Product implication: The key for mobile agents is no longer just fast answers, but whether suggestion, execution, and confirmation return to the original task flow without becoming intrusive.

Sources: [Google Blog / Gemini Intelligence](#)



OFFICIAL · GOOGLE-ANDROID-GEMINI-INTELLIGENCE

Google Android: Gemini Intelligence pushes proactive task execution into the phone's system layer

The phone stops being only a container for AI and starts actively organizing tasks, context, and feedback at the system layer.

The key for mobile agents is no longer just fast answers, but whether suggestion, execution, and confirmation return to the original task flow without becoming intrusive.

Sources: [Google Blog](#) / [Gemini Intelligence](#)

HCI LENS

Input: long-press power, voice, screen, image

Context: app state + web state + Android system

Feedback: surfaced actions + widget + confirmation

Agentic: multi-step assistance

READOUT

- Input: long-press power, voice, screen, image
- Context: app state + web state + Android system
- Feedback: surfaced actions + widget + confirmation
- Agentic: multi-step assistance

OPEN QUESTIONS

Official

confirmed product · high / official product blog

2026-05-12

Googlebook: the AI PC starts moving from feature bundle toward default work surface

Fact: Google frames Googlebook as a new laptop category designed for Gemini Intelligence, centered on desktop-layer interaction such as Magic Pointer and prompt-built widgets.

Why it matters: This is not a chat box on a laptop. It turns pointer, desktop, and widgets into the agent's input and feedback surfaces.

Input: pointer + text + selected objects

Context: desktop + Gmail + Calendar + Android sync

Feedback: widgets and surfaced actions

Agentic: task-level assistance

Product implication: AI PC competition will move further from chip specs toward how the system hands context to the model and returns output into the user's current workflow.

Sources: [Google Blog](#) / [Googlebook](#)



Official visual: Googlebook / AI PC category

OFFICIAL · GOOGLEBOOK-AI-PC

Googlebook: the AI PC starts moving from feature bundle toward default work surface

The signal is that Googlebook reframes the AI PC from a spec sheet plus Gemini features into a system entry-point category. The computer is not just a machine that runs AI; pointer, desktop, widgets, and Gemini become one workflow layer.

If this category holds, AI PC evaluation changes. Chips, battery, and model capability still matter, but the daily user experience is whether the system reduces copy-paste, window switching, context explanation, and returns output to the current task.

For HCI, the key is the feedback surface. AI output cannot stay trapped in a chat pane; it needs to return to desktop objects, files, widgets, and pointer-adjacent moments as a lightweight but traceable loop.

Sources: [Google Blog](#) / [Googlebook](#)

HCI LENS

Input: pointer + text + selected objects

Context: desktop + Gmail + Calendar + Android sync

Feedback: widgets and surfaced actions

Agentic: task-level assistance

READOUT

- AI PC becomes an entry category
- Pointer, desktop, and widgets become agent UI
- System feedback matters more than a chat box

OPEN QUESTIONS

- Does Magic Pointer reduce context explanation?
- Are widget results traceable and undoable?
- Is the differentiator model, chip, or workflow closure?

Official

developer surface · high / official developer preview

2026-05-14

Meta: the Display Glasses developer preview turns glasses into a programmable UI endpoint

Fact: On May 14, 2026, Meta opened its display glasses developer preview, letting developers place text, images, lists, buttons, and video onto the glasses display through native SDKs or web apps, while accessing motion, orientation, phone GPS, and neural-band input.

Why it matters: That means glasses stop being only a voice or camera accessory and become a real glanceable UI surface.

Input: voice + gesture + neural-band + camera

Context: local storage + phone GPS + motion

Feedback: text/list/button/video on-glasses

Agentic: multi-step task handoff

Product implication: The next problem for glasses products is not whether they can display, but how to express state, confirmation, failure, and quiet standby with extremely limited visual feedback.

Sources: [Meta Developers Blog](#)



Official visual: Meta display glasses developer preview

OFFICIAL · META-DISPLAY-GLASSES

Meta: the Display Glasses developer preview turns glasses into a programmable UI endpoint

That means glasses stop being only a voice or camera accessory and become a real glanceable UI surface.

The next problem for glasses products is not whether they can display, but how to express state, confirmation, failure, and quiet standby with extremely limited visual feedback.

Sources: [Meta Developers Blog](#)

HCI LENS

Input: voice + gesture + neural-band + camera

Context: local storage + phone GPS + motion

Feedback: text/list/button/video on-glasses

Agentic: multi-step task handoff

READOUT

- Input: voice + gesture + neural-band + camera
- Context: local storage + phone GPS + motion
- Feedback: text/list/button/video on-glasses
- Agentic: multi-step task handoff

OPEN QUESTIONS

Official

developer surface · high / official platform article

2026-06-02

Microsoft Solara: the key to agent-first devices is not form factor, but a trustworthy system stack

Fact: Microsoft's June 2, 2026 article defines Project Solara as a platform for agent-first devices, emphasizing enterprise-readiness, just-in-time UI, Agent Shell, MDEP, Entra ID, Intune, and physical microphone-state indicators.

Why it matters: This shows that enterprise agent devices are not just another AI gadget; they need a soft/hardware foundation where identity, management, audit, and feedback work together.

Input: shell-mediated commands and multimodal capture


Context: enterprise identity and policy

Feedback: just-in-time UI + indicators

Agentic: managed task execution

Product implication: If an agent is meant to stay ambient over time, the UI does not need to stay visible constantly, but critical state must become strongly visible at the right moment.

Sources: [Microsoft Command Line](#)



Official visual: Microsoft Project Solara

OFFICIAL · MICROSOFT-SOLARA

Microsoft Solara: the key to agent-first devices is not form factor, but a trustworthy system stack

Solara matters because it treats the agent-first device as a system-stack problem, not a standalone device demo. Agent Shell, MDEP, identity, management, privacy indicators, and just-in-time UI sit in one story, which signals that enterprise AI hardware must be governable.

This is very different from consumer AI gadgets. Enterprise buyers do not only ask what it can do. They ask who authorized it, who audits it, what happens if it is lost, whether recording is physically off, and which identity boundary owns the data.

The most interesting HCI pattern is not the shell's visual style. It is just-in-time UI: the agent can stay invisible most of the time, but must become visible when status, choice, or consequence matters.

Sources: [Microsoft Command Line](#)

HCI LENS

Input: shell-mediated commands and multimodal capture

Context: enterprise identity and policy

Feedback: just-in-time UI + indicators

Agentic: managed task execution

READOUT

- Agent devices are system stacks, not apps
- Enterprise trust depends on identity and audit
- Temporary UI balances invisibility with control

OPEN QUESTIONS

- When does Agent Shell appear or disappear?
- How does physical mic state become software feedback?
- Is the audit trail understandable to end users?

REVIEWS

Review Desk

REVIEW/COMMUNITY FRICTION · MEDIUM / SOURCE-LANE
SCAN

Review lane: only coverage that changes
product interfaces or workflows gets
promoted

Reviews

review/community friction · medium / source-lane scan

scanned 2026-06-17

Review lane: only coverage that changes product interfaces or workflows gets promoted

Fact: This issue treats WIRED, The Verge, Ars Technica, and TechCrunch as a separate media/review scan lane; model-only, funding-only, or opinion-only pieces are not promoted into confirmed product facts.

Why it matters: Media and reviews matter because they surface friction official posts rarely emphasize: wearability, battery, setup failure, privacy worry, and real task completion.

Input: hands-on signals


Context: daily-use review conditions

Feedback: friction and failure reports

Agentic: validated only when workflow changes

Product implication: Future issues should read reviews separately from official news: official sources confirm capabilities, while reviews test whether normal users can keep using them.

Sources: **WIRED / Artificial Intelligence · The Verge / AI · Ars Technica / AI · TechCrunch / Artificial Intelligence**



REVIEWS · REVIEW-LANE-SCAN

Review lane: only coverage that changes product interfaces or workflows gets promoted

Media and reviews matter because they surface friction official posts rarely emphasize: wearability, battery, setup failure, privacy worry, and real task completion.

Future issues should read reviews separately from official news: official sources confirm capabilities, while reviews test whether normal users can keep using them.

Sources: [WIRED](#) / [Artificial Intelligence](#) · [The Verge](#) / [AI](#) · [Ars Technica](#) / [AI](#) · [TechCrunch](#) / [Artificial Intelligence](#)

HCI LENS

Input: hands-on signals

Context: daily-use review conditions

Feedback: friction and failure reports

Agentic: validated only when workflow changes

READOUT

- Input: hands-on signals
- Context: daily-use review conditions
- Feedback: friction and failure reports
- Agentic: validated only when workflow changes

OPEN QUESTIONS

COMMUNITY

Community Friction

REVIEW/COMMUNITY FRICTION · WEAK / COMMUNITY
SCAN

Community friction lane: Reddit and Hacker
News catch resistance, skepticism, and real-
use friction

Community

review/community friction · weak / community scan

scanned 2026-06-17

Community friction lane: Reddit and Hacker News catch resistance, skepticism, and real-use friction

Fact: This issue treats Reddit and Hacker News as community-friction scan surfaces, not confirmation sources; community material is used to identify worries, failure paths, and resistance to product narratives.

Why it matters: The closer AI soft/hardware gets to the body and system permissions, the earlier communities expose real risks: listening, battery drain, low utility, interruption, and untrusted output.

Input: complaints and skepticism


Context: privacy/social setting

Feedback: failure anecdotes

Agentic: downgraded unless corroborated

Product implication: Community signals should shape risk assessment and watchlists, not be written as confirmed specs, sales, or product facts.

Sources: [Reddit search / AI hardware](#) · [Hacker News search / AI hardware](#)



COMMUNITY · COMMUNITY-FRICTION-SCAN

Community friction lane: Reddit and Hacker News catch resistance, skepticism, and real-use friction

The closer AI soft/hardware gets to the body and system permissions, the earlier communities expose real risks: listening, battery drain, low utility, interruption, and untrusted output.

Community signals should shape risk assessment and watchlists, not be written as confirmed specs, sales, or product facts.

Sources: [Reddit search / AI hardware](#) · [Hacker News search / AI hardware](#)

HCI LENS

Input: complaints and skepticism

Context: privacy/social setting

Feedback: failure anecdotes

Agentic: downgraded unless corroborated

READOUT

- Input: complaints and skepticism
- Context: privacy/social setting
- Feedback: failure anecdotes
- Agentic: downgraded unless corroborated

OPEN QUESTIONS

WILD

Wild Desk

STARTUP SIGNAL · WEAK / STARTUP AND CROWDFUNDING
SCAN

Wild product lane: Product Hunt,
Kickstarter, and Indiegogo reveal form-
factor experiments

Wild

startup signal · weak / startup and crowdfunding scan

scanned 2026-06-17

Wild product lane: Product Hunt, Kickstarter, and Indiegogo reveal form-factor experiments

Fact: This issue treats Product Hunt, Kickstarter, and Indiegogo as startup and crowdfunding scan surfaces; these signals show market experiments and founder bets, not automatically deliverable product facts.

Why it matters: Wild products are useful for spotting emerging forms early: AI glasses, wearable recording, coding HUDs, robotic peripherals, and AI camera/sensing devices.

Input: new device gestures


Context: startup/crowdfunding claims

Feedback: prototype UI and campaign demos

Agentic: weak until shipped/reviewed

Product implication: The brief should put wild products into the trend radar, while labeling them as startup or crowdfunding signals to avoid presenting campaign narratives as verified experience.

Sources: [Product Hunt](#) · [Kickstarter / Technology](#) · [Indiegogo / Tech](#)



WILD · WILD-STARTUP-SCAN

Wild product lane: Product Hunt, Kickstarter, and Indiegogo reveal form-factor experiments

Wild products are useful for spotting emerging forms early: AI glasses, wearable recording, coding HUDs, robotic peripherals, and AI camera/sensing devices.

The brief should put wild products into the trend radar, while labeling them as startup or crowdfunding signals to avoid presenting campaign narratives as verified experience.

Sources: [Product Hunt](#) · [Kickstarter](#) / [Technology](#) · [Indiegogo](#) / [Tech](#)

HCI LENS

Input: new device gestures

Context: startup/crowdfunding claims

Feedback: prototype UI and campaign demos

Agentic: weak until shipped/reviewed

READOUT

- Input: new device gestures
- Context: startup/crowdfunding claims
- Feedback: prototype UI and campaign demos
- Agentic: weak until shipped/reviewed

OPEN QUESTIONS

RESEARCH

Research Watch

RESEARCH SIGNAL · MEDIUM / RESEARCH SCAN

Research lane: papers enter the issue when they change interaction models, body input, or agent control

Research research signal · medium / research scan scanned 2026-06-17

Research lane: papers enter the issue when they change interaction models, body input, or agent control

Fact: This issue treats arXiv, ACM/CHI/CUI, Microsoft Research, Google Research, and Meta Research as research scan surfaces; research signals represent directions and prototypes, not commercial launches.


Why it matters: HCI papers often expose the core problem earlier than launches: whether low-friction input weakens control, how agents explain state, and how wearable feedback avoids interruption.

Input: body/voice/screenless signals Context: lab and field study limits Feedback: prototype cues

Agentic: direction signal only

Product implication: The research lane should support product judgment, not summarize papers; it should extract design signals that affect interface, permission, feedback, and control.

Sources: [arXiv / Human-Computer Interaction](#) · [ACM CHI](#) · [Microsoft Research](#) · [Google Research](#) · [Meta AI Research](#)



RESEARCH · RESEARCH-WATCH-SCAN

Research lane: papers enter the issue when they change interaction models, body input, or agent control

HCI papers often expose the core problem earlier than launches: whether low-friction input weakens control, how agents explain state, and how wearable feedback avoids interruption.

The research lane should support product judgment, not summarize papers; it should extract design signals that affect interface, permission, feedback, and control.

Sources: [arXiv](#) / [Human-Computer Interaction](#) · [ACM CHI](#) · [Microsoft Research](#) · [Google Research](#) · [Meta AI Research](#)

HCI LENS

Input: body/voice/screenless signals

Context: lab and field study limits

Feedback: prototype cues

Agentic: direction signal only

READOUT

- Input: body/voice/screenless signals
- Context: lab and field study limits
- Feedback: prototype cues
- Agentic: direction signal only

OPEN QUESTIONS

PATENT

Patent Watch

PATENT SIGNAL · WEAK / PATENT SCAN

Patent lane: patents are direction radar, not product roadmap

Patent patent signal · weak / patent scan scanned 2026-06-17

Patent lane: patents are direction radar, not product roadmap

Fact: This issue treats Google Patents, USPTO, WIPO, EPO, and CNIPA as patent and industry scan surfaces; patents can indicate sensing, display, gesture, or on-device inference directions, not launch plans.


Why it matters: Patents are useful for AI hardware because new forms often first appear in sensor combinations, lens displays, gesture input, low-power inference, and privacy mechanisms.

Input: sensor/gesture claims Context: device-side inference Feedback: display/audio/haptic claims

Agentic: speculative until product evidence

Product implication: The brief must separate patent signals from product facts and look for product pages, SDKs, hiring, developer docs, or reviews for corroboration.

Sources: [Google Patents](#) · [USPTO](#) · [WIPO Patentscope](#) · [European Patent Office](#) · [CNIPA](#)



PATENT · PATENT-WATCH-SCAN

Patent lane: patents are direction radar, not product roadmap

Patents are useful for AI hardware because new forms often first appear in sensor combinations, lens displays, gesture input, low-power inference, and privacy mechanisms.

Sources: [Google Patents](#) · [USPTO](#) · [WIPO Patentscope](#) · [European Patent Office](#) · [CNIPA](#)

The brief must separate patent signals from product facts and look for product pages, SDKs, hiring, developer docs, or reviews for corroboration.

HCI LENS

Input: sensor/gesture claims

Context: device-side inference

Feedback: display/audio/haptic claims

Agentic: speculative until product evidence

READOUT

- Input: sensor/gesture claims
- Context: device-side inference
- Feedback: display/audio/haptic claims
- Agentic: speculative until product evidence

OPEN QUESTIONS

CHINA

China / Global Compare

WEAK/UNVERIFIED · MEDIUM / CHINA SIGNAL SCAN

China signal lane: 36Kr, SSPAI, Synced, and QbitAI form the local product radar

China

weak/unverified · medium / China signal scan

scanned 2026-06-17

China signal lane: 36Kr, SSPAI, Synced, and QbitAI form the local product radar

Fact: This issue treats 36Kr, SSPAI, Synced, and QbitAI as Chinese-language product signal surfaces, with attention to AI glasses, robotics, AI PCs, software agents, hardware startups, and local review feedback.

Why it matters: China signals do not replace official facts; they fill gaps around product velocity, channel experiments, price pressure, and local user feedback that English-language sources often miss.

Input: local product reporting


Context: China startup/channel ecosystem

Feedback: review and user comments

Agentic: weak until corroborated

Product implication: The issue should compare China and global signals on the same page, while clearly labeling evidence type: official, media, community, crowdfunding, and patent signals are not equal.

Sources: 36Kr · 少数派 · 机器之心 · 量子位



CHINA · CHINA-SIGNAL-SCAN

China signal lane: 36Kr, SSPAI, Synced, and QbitAI form the local product radar

China signals do not replace official facts; they fill gaps around product velocity, channel experiments, price pressure, and local user feedback that English-language sources often miss.

The issue should compare China and global signals on the same page, while clearly labeling evidence type: official, media, community, crowdfunding, and patent signals are not equal.

Sources: 36Kr · 少数派 · 机器之心 · 量子位

HCI LENS

- Input: local product reporting
- Context: China startup/channel ecosystem
- Feedback: review and user comments
- Agentic: weak until corroborated

READOUT

- Input: local product reporting
- Context: China startup/channel ecosystem
- Feedback: review and user comments
- Agentic: weak until corroborated

OPEN QUESTIONS

GLOBAL

Global Signals

CONFIRMED PRODUCT · HIGH / OFFICIAL COMPANY
NEWSROOM

**NXP: eIQ Agentic AI shows edge agents
moving from concept toward real device
control**

Global

confirmed product · high / official company newsroom

2026-01-06

NXP: eIQ Agentic AI shows edge agents moving from concept toward real device control

Fact: NXP's January 6, 2026 release of the eIQ Agentic AI Framework emphasizes secure real-time edge AI, deterministic real-time decision making, and multi-model coordination, targeting robotics, healthcare, industrial, and IoT control scenarios.

Why it matters: It pulls the agent further from screen workflows into the physical world, shifting the focus from content generation to latency, safety, sensing, and execution closure.

Input: sensors + machine signals


Context: physical environment + device state

Feedback: autonomous edge action

Agentic: deterministic local control

Product implication: For agents in the physical world, the core experience question is not whether the response feels human, but whether the system stays predictable, explainable, and safe to override.

Sources: [NXP Newsroom](#)



Official visual: NXP eIQ Agentic AI

GLOBAL · NXP-AGENTIC-AI-EDGE

NXP: eIQ Agentic AI shows edge agents moving from concept toward real device control

It pulls the agent further from screen workflows into the physical world, shifting the focus from content generation to latency, safety, sensing, and execution closure.

Sources: [NXP Newsroom](#)

For agents in the physical world, the core experience question is not whether the response feels human, but whether the system stays predictable, explainable, and safe to override.

HCI LENS

Input: sensors + machine signals

Context: physical environment + device state

Feedback: autonomous edge action

Agentic: deterministic local control

READOUT

- Input: sensors + machine signals
- Context: physical environment + device state
- Feedback: autonomous edge action
- Agentic: deterministic local control

OPEN QUESTIONS

NEXT SCAN

What to watch next

01

Whether Google Android XR or Meta display glasses defines the first durable low-interruption feedback pattern.

02

Whether Apple's App Intents and Spotlight hooks truly connect third-party execution into the system agent.

03

Whether AI PC differentiation keeps shifting from model performance toward workflow closure, permission clarity, and desktop feedback surfaces.

04

As edge agents move into real device control, latency, safety, and human override may matter more than conversational polish.

TRACEABLE EVIDENCE

Every topic has inline sources; this is the quick ledger.

OFFICIAL

Apple Newsroom

OFFICIAL

Google Blog / Gemini Intelligence

OFFICIAL

Google Blog / Googlebook

OFFICIAL

Meta Developers Blog

OFFICIAL

Microsoft Command Line

REVIEW/MEDIA SCAN

WIRED / Artificial Intelligence

REVIEW/MEDIA SCAN

The Verge / AI

REVIEW/MEDIA SCAN

Ars Technica / AI

REVIEW/MEDIA SCAN

TechCrunch / Artificial Intelligence

COMMUNITY SCAN

Reddit search / AI hardware

COMMUNITY SCAN

Hacker News search / AI hardware

STARTUP SIGNAL

Product Hunt

CROWDFUNDING SIGNAL

CROWDFUNDING SIGNAL

RESEARCH SIGNAL