

# Introduction, Python Setup, Variables

## Python for Ecologists

Tom Purucker, Tao Hong, Jon Flaishans, Marcia Snyder

Ecological Society of America Workshop  
Minneapolis, MN

`purucker.tom@gmail.com`

August 3, 2013

# Python for Ecologists

- Assuming not much programming experience
- Immersion approach
  - Short lecture on Python topic
  - Hands-on Python exercises
  - Rinse & repeat
- Will use ecological examples as much as possible

# Your presenters

- Tom Purucker
- Tao Hong
- Jon Flaishans
- Marcia Snyder


# Why bother with Python?

- A scripting language (like R) but also,
- A high level programming language
- Strong libraries for mathematical sciences, engineering
- Designed to produce readable code
- Cross-platform
- Open source, free
- Plays well with other technologies

# übertool Python project

- <http://www.ubertool.org>
- Created with Python as the science engine
- Integrates easily with web technologies such as HTML, JavaScript, JQuery

übertool: web applications for ecological risk assessment about



Cloud-based environmental models used by the USEPA for evaluating pesticide risks to ecosystems under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Endangered Species Act (ESA).


[Description](#) | [Inside](#) | [Algorithms](#) | [References](#)

### Feller-Arley Markov Process Overview

Feller-Arley Markov process is also known as the birth-death process, which assumes:

- no internal population structure, each individual can give birth and death
- the birth rate and death rate are constant

As a Markov process, the future population size is only related to its neighbor state. In the below figure, when a birth occurs, the process goes from state  $n$  to  $n + 1$ . When a death occurs, the process goes from state  $n$  to state  $n - 1$ . The possibility of "moving" to another state is governed by the birth and death rates.



**TERRESTRIAL MODELS**

- TerPlant
- SIP
- STIR
- DUST
- Kabam
- T-Rex
- T-Herps

**AQUATIC MODELS**

- Rice Model
- GENESC
- PH2M

**ÜBERTOOL**

- Run Übertool
- Use/Label/State Data
- Pesticide Properties
- Exposure Concentrations
- Aquatic Toxicity
- Terrestrial Toxicity

**SPECIES**

- USEPA Wildlife Exposure Factors Handbook
- USFWG Endangered Species Home
- US e-CFR Endangered Species List
- USEPA Endangered Species Protection Program
- NatureServe Homepage
- Biodemographic Database(BDD)
- NOAA Fisheries Office of Protected Resources
- DoD Endangered Species
- USDA Endangered Plants Database
- National Park Service T&E Species
- US Forest Service T&E Species

**PESTICIDES**

- USEPA Pesticide Chemicals

Figure: übertool ecological risk web application

# Getting setup

- We will use Python 2.7 (not 3)
  - <http://www.python.org/getit/>
- For Windows users
  - <https://code.google.com/p/pythonxy/wiki/Downloads?tm=2>

## Some extra libraries to install

- numpy- <http://sourceforge.net/projects/numpy/>

# Download the exercise scripts for this class

- <http://www.ubertool.org>
- Created with Python as the science engine



# Opening a shell and running Python

- Mac- Spotlight and type 'terminal'




Figure: Opening terminal in OS X

- Windows- Type 'cmd' in search window for command prompt



Figure: Opening the command prompt in Windows 7

# Check Python installation

- 1 Type 'python' at the shell prompt
- 2 Then type at the Python prompt:

```
import sys
sys.version
import numpy
numpy.__version__
quit()
```

## Run a script at the command line

```
# save this in a text file as hello.py  
print "Hello_Minneapolis!"  
# then navigate to its directory in a shell  
# and run at the command prompt with  
# python hello.py
```

# Run IDLE

- IDLE is the "Interactive DeveLopment Environment" bundled with Python
- Type 'IDLE' in Mac Spotlight or Windows search window
- Or type 'idle' from the python prompt



Figure: IDLE in OS X

# Run hello.py with IDLE

- 1 Open hello.py in scripts directory with File -> Open
- 2 Run hello.py with Run -> Run Module or (fn) F5




Figure: Result of running hello.py with IDLE

# Command Line with IDLE

- 1 Use the shell window to run commands like at a terminal/cmd prompt
- 2 Run hello.py with Run -> Run Module or (fn) F5




Figure: Result of running hello.py with IDLE

# Variables

- No declaration of variables necessary!

```
pop_size = 112 # integer
type(pop_size)
pop_density = 4 # still an integer
type(pop_density)
pop_density = 4. # now its a float
type(pop_density)
species_name = "Oedipina_complex" # string
type(species_name)
species_name = "4" # still a string
type(species_name)
```

# Basic math operations

Operation	Sign
Addition	+
Subtraction	-
Multiplication	*
Division	/
Power	**
Modulus	%



## Be careful about int v float

```
>>> pop_size = 1086
>>> area = 1254
>>> pop_density = pop_size/area
>>> print(pop_density)
0
>>> type(pop_density)
<type 'int'>
```

### Beware

- Declare floats by using a decimal point
- e.g., `pop_size = 1086.`

# Python variable naming conventions

- all lowercase
- cannot start with numbers
- `separate_words_with_underscores`
- Style Guide for Python:
  - <http://www.python.org/dev/peps/pep-0008/>

# unittest exercises

- Exercise 1 uses the unittest library so you can type code and test the result yourself
  - 1 Edit the script in IDLE between the `#` and the `self.assert` calls
  - 2 Run it
  - 3 If it complains, fix it and run it again!

## Beware

- Python is very picky about space formatting, start your editing right below each `#` (usually 4 spaces over)
- Python is case-sensitive- `diffusion_rate` and `Diffusion_rate` are different variables

## Exercise 1- Run the script exer01\_variables.py

```
import unittest

class TestVariables(unittest.TestCase):
    def test_variables(self):
        # create the variable 'diffusion_rate',
        # and assign it a float value of 6.0
        # *****

        self.assertEqual(diffusion_rate, 6.)
        self.assert_(isinstance(diffusion_rate, float))

        # assign 'cohort_size' to an integer value of 84
        # *****

        self.assertEqual(cohort_size, 84)
        self.assert_(isinstance(cohort_size, int))

        # create a variable 'species_name',
        # and assign it to 'Pieza kake'
        # *****

        self.assertEqual(species_name, "Pieza_kake")
        self.assertTrue(isinstance(b, str))

if __name__ == '__main__':
    unittest.main()
```