DictionariesPython for Ecologists

Tom Purucker, Tao Hong, Chance Pascale

Ecological Society of America Workshop Portland, OR purucker.tom@gmail.com

August 3, 2012

Dictionaries

- Also known as associative arrays or hashmaps
- key:value
- Are mutable, like lists
- Unlike lists, index can be something other than an integer
- Lists keep order, dictionaries don't
- Can be very efficient for searching and for table lookups

```
bw_grams = {}
bw_grams['Spring_peeper'] = 4
bw_grams['Bullfrog'] = 500
bw_grams['Cane_toad'] = 1800
print bw_grams['Bullfrog']
```

Setting keys and values

```
print bw_grams['Barking_treefrog']
'Barking_treefrog' in bw_grams
print bw_grams.get('Barking_treefrog', 'Not_found')
# setting a default value for a key
if 'Barking_treefrog' not in bw_grams:
   bw_grams['Barking_treefrog'] = 80
# another way to set a a value for key
bw grams.setdefault('Barking_treefrog', 80)
```

Mixing types

Can be used to track properties of individuals in an individual-based model

```
male43 = {"sp":"Orca", "bw":10., "status":"suscept"}
male43["status"] = "infected"
male43
```

Dictionary name (e.g., male43) can be nested and itself be a key

Using variables to map dictionaries

```
bw_grams = {}
frog = ''
weight = ''
```

Deleting a key

del bw_grams['infected']