



DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

CSA05-DATABASE MANAGEMENT SYSTEMS

LAB MANUAL

DDL Commands – CREATE, ALTER, DROP

AIM:

To Create, Alter, Drop, Rename, Truncate using Data Definition Language (DDL) statements.

Description:

Data Definition Language (DDL) statements are used to define the database structure or schema. **DDL Commands:** Create, Alter, Drop, Rename, Truncate

- CREATE - to create objects in the database
- ALTER - alters the structure of the database
- DROP - delete objects from the database
- TRUNCATE - remove all records from a table, including all spaces allocated for the records are removed
- RENAME - rename an object

SYNTAX:

CREATE TABLE

```
CREATE TABLE table_name  
(  
column_name1 data_type,  
column_name2 data_type,  
column_name3 data_type,  
....  
);
```

ALTER A TABLE

To add a column in a table

```
ALTER TABLE table_name  
ADD column_namedatatype;
```

To delete a column in a table

```
ALTER TABLE table_name
```

DROP COLUMN column_name;

DROP TABLE

DROP TABLE table_name;

TRUNCATE TABLE

TRUNCATE TABLE table_name;

Questions:

1) Create a table name STUDENT with following structure.

#	Column Name	Description	Data Type
1	RegNo	Registration Number	NUMBER(3)
2	Name	Student Name	VARCHAR(15)
3	Gender	Gender of the student	CHAR(1)
4	DOB	Date of Birth	DATE
5	MobileNo	Mobile Number	NUMBER(10)
6	City	Location of stay	VARCHAR(15)

2) Create a table name FACULTY with following structure.

#	Column Name	Description	Data Type
1	FacNo	Faculty Number	NUMBER(3)
2	FacName	Faculty Name	VARCHAR(15)
3	Gender	Gender of the faculty	CHAR(1)
4	DOB	Date of Birth	DATE
5	DOJ	Date of Join	DATE
6	MobileNo	Mobile Number	NUMBER(10)

3) Create a table name DEPARTMENT with following structure.

#	Column Name	Description	Data Type
1	DeptNo	Department Identifier	VARCHAR(4)
2	DeptName	Department Name	VARCHAR(15)
3	DeptHead	Department Head	VARCHAR(4)

4) Create a table name COURSE with following structure.

#	Column Name	Description	Data Type
1	CourseNo	Course Identifier	VARCHAR(3)
2	CourseDesc	Course Description	VARCHAR(14)
3	CourseType	Course Type	CHAR(1)
4	SemNo	Semester Number	CHAR(1)
5	HallNo	Hall Number	VARCHAR(4)
6	FacNo	Faculty Identifier	VARCHAR(4)

5) Modify the table FACULTY by adding a column name Dept of datatype VARCHAR(10)

OUTPUTS:

1)

```
mysql> create table student(Regno int(3),Name char(15),gender char(1),Dob int(10),mobilen no int(10),city char(10));
Query OK, 0 rows affected (0.14 sec)

mysql> desc student;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| Regno | int(3) | YES | | NULL | |
| Name | char(15) | YES | | NULL | |
| gender | char(1) | YES | | NULL | |
| Dob | int(10) | YES | | NULL | |
| mobilen o | int(10) | YES | | NULL | |
| city | char(10) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

2)

```
mysql> create table faculty(Facno int(3),FacName char(15),gender char(1),Dob int(10),mobilen no int(10),DOJ int(10));
Query OK, 0 rows affected (0.06 sec)

mysql> desc faculty;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| Facno | int(3) | YES | | NULL | |
| FacName | char(15) | YES | | NULL | |
| gender | char(1) | YES | | NULL | |
| Dob | int(10) | YES | | NULL | |
| mobilen no | int(10) | YES | | NULL | |
| DOJ | int(10) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

3)

```
mysql> create table department(deptno int(10),deptname char(10),depthead char(10));
Query OK, 0 rows affected (0.11 sec)

mysql> desc department;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| deptno | int(10) | YES | | NULL | |
| deptname | char(10) | YES | | NULL | |
| depthead | char(10) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

4)

```
mysql> create table course(courseno int(3),coursedes c char(15),coursetype char(1),semno int(10),hallno int(10),Facno int(10));
Query OK, 0 rows affected (0.09 sec)

mysql> desc course;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| courseno | int(3) | YES | | NULL | |
| coursedesc | char(15) | YES | | NULL | |
| coursetype | char(1) | YES | | NULL | |
| semno | int(10) | YES | | NULL | |
| hallno | int(10) | YES | | NULL | |
| Facno | int(10) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

5)

```
mysql> alter table faculty add dept char(10);
Query OK, 2 rows affected (0.09 sec)
Records: 2 Duplicates: 0 Warnings: 0

mysql> desc faculty;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| Facno | int(3) | NO | PRI | NULL | |
| FacName | char(15) | YES | | NULL | |
| gender | char(1) | YES | | NULL | |
| Dob | int(10) | YES | | NULL | |
| mobilen no | int(10) | YES | | NULL | |
| DOJ | int(10) | YES | | NULL | |
| dept | char(10) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
7 rows in set (0.00 sec)
```

RESULT:

Tables are created, altered and modified using DDL commands.