


cloud.mongodb.com/v2/6a801d31e72fda6ac9aad28d#/explorer/
All Bookmarks
ORGANIZATION
sweety's Org - 2026-...
PROJECT
Project 0
Data Explorer
My Queries
Data Modeling
CLUSTERS (1)
Search clusters
Cluster0
RagTest_cases
fetch_jira_user_stories
resume_collection
test_cases
test_mcp
user_stories
chunking_playground
Welcome
Welcome! Explore your data
Connected to Cluster0
Alert System Status: All Good
©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales


mcp.json — jira-github-mcp-server
Extensions: MCP Servers
@mcp Mongodb
Mongodb
MongoDB Model Context Prot...
mongodb-js
mcp.json
Users > pushaplata > Library > Application Support > Code > User > mcp.json > { } servers > { } io.github.mongodb-js/mongodb-mcp-server > [ ] args
"servers": {
"io.github.mongodb-js/mongodb-mcp-server": {
"env": {
"MDB_MCP_MAX_TIME_M_S": "${input:MDB_MCP_MAX_TIME_M_S}",
"MDB_MCP_MCP_CLIENT_LOG_LEVEL": "${input:MDB_MCP_MCP_CLIENT_LOG_LEVEL}",
"MDB_MCP_MONITORING_SERVER_FEATURES": "${input:MDB_MCP_MONITORING_SERVER_FEATURES}",
"MDB_MCP_MONITORING_SERVER_HOST": "${input:MDB_MCP_MONITORING_SERVER_HOST}",
"MDB_MCP_MONITORING_SERVER_PORT": "${input:MDB_MCP_MONITORING_SERVER_PORT}",
"MDB_MCP_NOTIFICATION_TIMEOUT_MS": "${input:MDB_MCP_NOTIFICATION_TIMEOUT_MS}",
"MDB_MCP_PREVIEW_FEATURES": "${input:MDB_MCP_PREVIEW_FEATURES}",
"MDB_MCP_READ_ONLY": "${input:MDB_MCP_READ_ONLY}",
"MDB_MCP_TELEMETRY": "${input:MDB_MCP_TELEMETRY}",
"MDB_MCP_TRANSPORT": "${input:MDB_MCP_TRANSPORT}",
"MDB_MCP_VOYAGE_API_KEY": "${input:MDB_MCP_VOYAGE_API_KEY}"
},
"gallery": "https://api.mcp.github.com",
"version": "2.1.0"
},
Start | More...
"mongodb": {
"type": "stdio",
"command": "npx",
"args": [
"-y",
"mongodb-mcp-server",
"--readOnly"
],
"env": {
"MDB_MCP_CONNECTION_STRING": "${input:connection_string = M}"
}
}
},
"inputs": [
{
"id": "MDB_MCP_ALLOW_REQUEST_OVERRIDES",
"type": "promptString",
"description": "When set to true, allows configuration values to be overridden via request headers ar
"password": false
},
Problems Output Debug Console Terminal Ports Playwright
zsh
pushaplata@Pushaps-MacBook-Pro jira-github-mcp-server % Type copilot to use Copilot CLI.
Start typing to dismiss or don't show this again.
Codex Chat
Get current Jira project information
Worked for 18s
Your { } mcp.json already defines a read-only mongodb MCP server. Its connection string uses a VS Code input prompt, so I can't resolve it or access the database from this session.
In VS Code:
1. Run MCP: List Servers from the Command Palette.
2. Select mongodb → Start.
3. Enter your MongoDB connection string when prompted.
Then use the server in VS Code's chat. Don't paste your database credentials here.
this is the mongo db connection string mongodb+srv://sweetythakur208_db_user:DLOzH5Y1Kfe35vRO @cluster0.nvbdnzu.mongodb.net/ ?appName=Cluster0
Worked for 3m 11s
Successfully verified your connection using MongoDB MCP Server in read-only mode.
Available databases:
RagTest_cases
chunking_playground
admin
local
The test session is closed; your VS Code configuration wasn't changed.
6:37 PM
Ask for follow-up changes
GPT-6.1 Sol Medium
Work locally
Ln 43, Col 45 Tab Size: 4 UTF-8 LF JSON with Comments Prettier