

pushaplata's Team's Workspace

Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase.

COLLECTIONS

DeepEval_Metrics

Health Check

API Health Check

Faithfulness Metric

Scenario 1 - Good Faithfulness (Selenium)

Scenario 2 - Bad Faithfulness (Mismatch Context)

Scenario 3 - Partial Faithfulness (Minor Addition)

Scenario 4 - Faithfulness with Hallucination

Answer Relevancy Metric

Context Recall Metric

Context Precision Metric

Hallucination Metric

GenAI-June

LLM API Learning

QA Bot TS - LangChain API Copy

Health & Status

Resume Search

Conversational Chat (Memory)

Start New Conversation

Continue Conversation (Follow-up)

Filter Results (Conversational)

Get Conversation History

Delete Conversation

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLAWS

GET API Health Check

POST Scenario 1 - Good Faithfulness (Selenium)

No environment

Save

Share

POST

http://localhost:3000/api/eval-only

Send

Docs

Params

Authorization

Headers

Body

Scripts

Settings

Cookies

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

Text

1 {

2 "query": "What is Continuous Integration?",

3 "output": "Continuous Integration is the practice of frequently merging code changes and validating them through automated builds and tests.",

4 "context": "Continuous Integration is a software development practice where developers regularly integrate code changes into a shared repository, followed by automated build and testing processes.",

5 "metric": "faithfulness"

6 }

Body

Cookies

Headers

Test Results 1/3

200 OK

8.98 s

1.01 KB

Save Response

{}

JSON

Preview

Visualize

1 {

2 "evaluation": {

3 "metric": "faithfulness",

4 "score": 1,

5 "explanation": "The score is 1.00 because there are no contradictions, indicating perfect faithfulness to the retrieval context. Final score: 1.00.",

6 "results": [

7 {

8 "metric_name": "faithfulness",

9 "score": 1,

10 "explanation": "The score is 1.00 because there are no contradictions, indicating perfect faithfulness to the retrieval context. Final score: 1.00.",

11 "error": null

12 }]

13 }

14 },

15 "output": "Continuous Integration is the practice of frequently merging code changes and validating them through automated builds and tests.",

16 "query": "What is Continuous Integration?",

17 "context": [

18 "Continuous Integration is a software development practice where developers regularly integrate code changes into a shared repository, followed by automated build and testing processes."

19]

20 }

Fix failing response fields test

Tune prompt to raise score

Create negative-case sibling scenario

Describe what you need. Press @ for context, / for Skills.

Auto

Open Folder

Terminal

Console

Import Complete

All systems are go!

Global Vault

Tools

pushaplata's Team's Workspace

Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase.

COLLECTIONS

DeepEval_Metrics

Health Check

API Health Check

Faithfulness Metric

Scenario 1 - Good Faithfulness (Selenium)

Scenario 2 - Bad Faithfulness (Mismatch Context)

Scenario 3 - Partial Faithfulness (Minor Addition)

Scenario 4 - Faithfulness with Hallucination

Answer Relevancy Metric

Context Recall Metric

Context Precision Metric

Hallucination Metric

GenAI-June

LLM API Learning

QA Bot TS - LangChain API Copy

Health & Status

Resume Search

Conversational Chat (Memory)

Start New Conversation

Continue Conversation (Follow-up)

Filter Results (Conversational)

Get Conversation History

Delete Conversation

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLOWS

GET API Health Check

POST Scenario 1 - Good Faith

POST Scenario 2 - Bad Faith

No environment

Search

DeepEval_Metrics

Faithfulness Metric

Scenario 2 - Bad Faithfulness (Mismatch Context)

Save

Share

POST

http://localhost:3000/api/eval-only

Send

Docs

Params

Authorization

Headers

Body

Scripts

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

Text

1

2

3

4

5

6

7

{

"query": "What is ETL Testing?",

"output": "ETL Testing validates the behavior and performance of application programming interfaces.",

"context": "ETL Testing is a testing approach used to verify the functionality, reliability, performance, and security of data inside the database.",

"metric": "faithfulness"

}

Body

Cookies

Headers

Test Results

1/2

200 OK

3.78 s

1.2 KB

Save Response

{}

JSON

Preview

Visualize

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

{

"evaluation": {

"metric": "faithfulness",

"score": 0,

"explanation": "The score is 0.00 because the actual output describes ETL testing as evaluating API behavior and performance, which contradicts the context that defines ETL testing as verifying functionality, reliability, performance, and security of data inside the database. Final score: 0.00.",

"results": {

{

"metric_name": "faithfulness",

"score": 0,

"explanation": "The score is 0.00 because the actual output describes ETL testing as evaluating API behavior and performance, which contradicts the context that defines ETL testing as verifying functionality, reliability, performance, and security of data inside the database. Final score: 0.00.",

"error": null

}

}

},

"output": "ETL Testing validates the behavior and performance of application programming interfaces.",

"query": "What is ETL Testing?",

"context": {

"ETL Testing is a testing approach used to verify the functionality, reliability, performance, and security of data inside the database."

}

}

New Chat

Fix failing faithfulness score test

Fix the failing test by correctly accessing the 'score' field within the 'evaluation' object in the response body.

Test script

var jsonData = pm.response.json();

pm.expect(jsonData.score).to.be.lessThan

pm.expect(jsonData.evaluation.score).to

Accept

Decline

Think Harder

Add negative faithfulness checks

Parameterize query/context/output

Run Scenario 2 across Selenium scenario

Describe what you need. Press @ for context, / for Skills.

Auto

Open Folder

Terminal

Console

Import Complete

Fix failing faithfulness score test

Global

Vault

Tools

pushaplata's Team's Workspace

Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase.

COLLECTIONS

DeepEval_Metrics

Health Check

API Health Check

Faithfulness Metric

Scenario 1 - Good Faithfulness (Selenium)

Scenario 2 - Bad Faithfulness (Mismatch Context)

Scenario 3 - Partial Faithfulness (Minor Addition)

Scenario 4 - Faithfulness with Hallucination

Answer Relevancy Metric

Context Recall Metric

Context Precision Metric

Hallucination Metric

GenAI-June

LLM API Learning

QA Bot TS - LangChain API Copy

Health & Status

Resume Search

Conversational Chat (Memory)

Start New Conversation

Continue Conversation (Follow-up)

Filter Results (Conversational)

Get Conversation History

Delete Conversation

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLOWS

GET API Health Check

POST Scenario 1 - Good Faith

POST Scenario 2 - Bad Faith

POST Scenario 3 - Partial Faith

No environment

Search

Invite

Upgrade

Try Native Git

DeepEval_Metrics > Faithfulness Metric > Scenario 3 - Partial Faithfulness (Minor Addition)

POST http://localhost:3000/api/eval-only

Docs Params Authorization Headers Body Scripts Settings

Body

200 OK - 4.66 s - 1.07 KB

Save Response

Body Cookies Headers Test Results 1/2

JSON

```
1 {
2   "query": "What is Selenium?",
3   "context": [
4     "Selenium is a web automation framework used for testing web applications."
5   ],
6   "output": "Selenium is only used to do API and mobile automation framework used for testing mobile and
7             desktop applications.",
8   "metric": "faithfulness"
9 }
10
11 {
12   "evaluation": {
13     "metric": "faithfulness",
14     "score": 0.5,
15     "explanation": "The score is 0.50 because the actual output incorrectly describes Selenium as an API or
16                  mobile automation tool, contradicting the context that Selenium is a web automation
17                  framework for testing web applications. Final score: 0.50."
18   },
19   "results": [
20     {
21       "metric_name": "faithfulness",
22       "score": 0.5,
23       "explanation": "The score is 0.50 because the actual output incorrectly describes Selenium as an
24                   API or mobile automation tool, contradicting the context that Selenium is a web automation
25                   framework for testing web applications. Final score: 0.50."
26     },
27     {
28       "error": null
29     }
30   ]
31 },
32 "output": "Selenium is only used to do API and mobile automation framework used for testing mobile and desktop
33            applications.",
34 "query": "What is Selenium?",
35 "context": [
36   "Selenium is a web automation framework used for testing web applications."
37 ]
38 }
```

Add tests for the new metric field

Parameterize query/context/output

Create a sibling scenario for contrast

Describe what you need. Press @ for context, / for Skills.

Auto

Open Folder

Terminal

Console

Import Complete

All systems are go!

Global Vault Tools

pushaplata's Team's Workspace

Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase.

COLLECTIONS

DeepEval_Metrics

Health Check

API Health Check

Faithfulness Metric

Scenario 1 - Good Faithfulness (Selenium)

Scenario 2 - Bad Faithfulness (Mismatch Context)

Scenario 3 - Partial Faithfulness (Minor Addition)

Scenario 4 - Faithfulness with Hallucination

Answer Relevancy Metric

Context Recall Metric

Context Precision Metric

Hallucination Metric

GenAI-June

LLM API Learning

QA Bot TS - LangChain API Copy

Health & Status

Resume Search

Conversational Chat (Memory)

Start New Conversation

Continue Conversation (Follow-up)

Filter Results (Conversational)

Get Conversation History

Delete Conversation

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLOWS

GET API Health Check

POST Scenario 1 - Good

POST Scenario 2 - Bad

POST Scenario 3 - Par

POST Scenario 4 - Fail

No environment

Save

Share

POST

http://localhost:3000/api/eval-only

Send

Docs

Params

Authorization

Headers

Body

Scripts

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

Text

1 {

2 "query": "What is Selenium?",

3 "context": {

4 "Selenium is a web automation framework used for testing web applications."

5 },

6 "output": "Selenium is q automobile companies for assintel the machine equipments .",

7 "metric": "faithfulness"

8 }

Body

Cookies

Headers

Test Results

1/2

200 OK

4.20 s

1.12 KB

Save Response

{}

JSON

Preview

Visualize

1 {

2 "evaluation": {

3 "metric": "faithfulness",

4 "score": 0,

5 "explanation": "The score is 0.00 because the claim incorrectly describes Selenium as an automobile

6 company for assintel the machine equipments .",

7 "results": {

8 {

9 "metric_name": "faithfulness",

10 "score": 0,

11 "explanation": "The score is 0.00 because the claim incorrectly describes Selenium as an

12 automobile company for assintel the machine equipments .",

13 "context": {

14 "Selenium is a web automation framework used for testing web applications."

15 },

16 "output": "Selenium is q automobile companies for assintel the machine equipments .",

17 "query": "What is Selenium?",

18 "selenium is a web automation framework used for testing web applications."

19 }

20 }

Fix failing metric assertion

Fix the failing test by correctly accessing the 'metric' field nested within the 'evaluation' object in the response body.

Test script

var jsonData = pm.response.json();

pm.expect(jsonData.metric).to.equal('fa

pm.expect(jsonData.evaluation.metric).t

Accept

Decline

Think Harder

Tighten faithfulness assertions

Add a hallucination negative case

Document Scenario 4 purpose

Describe what you need. Press @ for context, / for Skills.

Auto

Global

Vault

Tools

pushaplata's Team's Workspace

Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase.

COLLECTIONS

DeepEval_Metrics

Health Check

Faithfulness Metric

Answer Relevancy Metric

Scenario 1 - Good Relevancy (Order Status)

Scenario 2 - Poor Relevancy (UPI PIN Reset)

Scenario 3 - Partial Relevancy

Scenario 4 - Relevancy (Dengue Symptoms)

Scenario 6 - Good Relevancy (Leave Policy Specific)

Scenario 5 - Poor Relevancy (Leave Policy)

Context Recall Metric

Context Precision Metric

Hallucination Metric

GenAI-June

LLM API Learning

QA Bot TS - LangChain API Copy

Health & Status

Resume Search

Conversational Chat (Memory)

Start New Conversation

Continue Conversation (Follow-up)

Filter Results (Conversational)

Get Conversation History

Delete Conversation

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLOWS

GET API Health

POST Scenario

POST Scenario

POST Scenario

POST Scenario

POST Scenario

POST Scenario

No environment

Search

invite

Upgrade

Try Native Git

DeepEval_Metrics

Answer Relevancy Metric

Scenario 1 - Good Relevancy (Order Status)

Save

Share

POST

http://localhost:3000/api/eval-only

Send

Docs

Params

Authorization

Headers

Body

Scripts

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

Text

1 {

2 "query": "What is KPI?",

3 "output": "KPI is analytic presentation of companies revenue.",

4 "metric": "answer_relevancy"

5 }

Body

Cookies

Headers

Test Results 1/2

200 OK

3.65 s

716 B

Save Response

{}

JSON

Preview

Visualize

1 {

2 "evaluation": {

3 "metric": "answer_relevancy",

4 "score": 1,

5 "explanation": "The score is 1.00 because the answer directly explained KPI with no irrelevant content, perfectly matching the query.",

6 "results": [

7 {

8 "metric_name": "answer_relevancy",

9 "score": 1,

10 "explanation": "The score is 1.00 because the answer directly explained KPI with no irrelevant content, perfectly matching the query.",

11 "error": null

12 }]

13 },

14 "output": "KPI is analytic presentation of companies revenue.",

15 "query": "What is KPI?"

16 }

17 }

New Chat

Fix the failing score test

Fix the failing test by correctly accessing the 'score' field within the 'evaluation' object in the response body.

Test script

5 5 var jsonData = pm.response.json();

6 - pm.expect(jsonData.score).to.be.greater

6 + pm.expect(jsonData.evaluation.score).to

7 7 });

Accept

Decline

Think Harder

Save & reuse these KPI scenarios

Cross-check KPI output quality

Apply the query fix to all relevancy cases

Describe what you need. Press @ for context, / for Skills.

Auto

Open Folder

Terminal

Console

Import Complete

Fix the failing score test

Global

Vault

Tools

pushaplata's Team's Workspace

Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase.

COLLECTIONS

DeepEval_Metrics

Health Check

Faithfulness Metric

Answer Relevancy Metric

Scenario 1 - Good Relevancy (Order Status)

Scenario 2 - Poor Relevancy (UPI PIN Reset)

Scenario 3 - Partial Relevancy

Scenario 4 - Relevancy (Dengue Symptoms)

Scenario 6 - Good Relevancy (Leave Policy Specific)

Scenario 5 - Poor Relevancy (Leave Policy)

Context Recall Metric

Context Precision Metric

Hallucination Metric

GenAI-June

LLM API Learning

QA Bot TS - LangChain API Copy

Health & Status

Resume Search

Conversational Chat (Memory)

Start New Conversation

Continue Conversation (Follow-up)

Filter Results (Conversational)

Get Conversation History

Delete Conversation

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLOWS

GET API Health

POST Scenario

POST Scenario

POST Scenario

POST Scenario

POST Scenario

POST Scenario

No environment

Search

invite

Upgrade

Try Native Git

DeepEval_Metrics

Answer Relevancy Metric

Scenario 2 - Poor Relevancy (UPI PIN Reset)

Save

Share

POST

http://localhost:3000/api/eval-only

Send

Docs

Params

Authorization

Headers

Body

Scripts

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

Text

```
1 {
2   "query": "What is KPI?",
3   "output": "KPI is dataset used to validate the data in customer portal.",
4   "metric": "answer_relevancy"
5 }
```

Body

Cookies

Headers

Test Results

1/2

200 OK

3.65 s

811 B

Save Response

JSON

Preview

Visualize

```
1 {
2   "evaluation": {
3     "metric": "answer_relevancy",
4     "score": 0,
5     "explanation": "The score is 0.00 because the output defined KPI as a dataset for validation, which is
6     unrelated to the actual meaning of KPI and fails to answer the question.",
7     "results": [
8       {
9         "metric_name": "answer_relevancy",
10        "score": 0,
11        "explanation": "The score is 0.00 because the output defined KPI as a dataset for validation,
12        which is unrelated to the actual meaning of KPI and fails to answer the question.",
13        "error": null
14      }
15    ],
16    "output": "KPI is dataset used to validate the data in customer portal.",
17    "query": "What is KPI?"
18  }
```

New Chat

Fix failing score assertion

Fix the failing test by correctly accessing the 'score' field within the 'evaluation' object in the response body.

Test script

```
5 5 var jsonData = pm.response.json();
6 - pm.expect(jsonData.score).to.be.lessThan
6 + pm.expect(jsonData.evaluation.score).to
7 7   ;
```

Accept

Decline

Think Harder

Save the updated scenario body

Add negative relevancy assertion

Parameterize scenario queries/outputs

Describe what you need. Press @ for context, / for Skills.

Auto

Open Folder

Terminal

Console

Import Complete

Fix failing score assertion

Globals

Vault

Tools

pushapata's Team's Workspace

Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase.

COLLECTIONS

DeepEval_Metrics

Health Check

Faithfulness Metric

Answer Relevancy Metric

Scenario 1 - Good Relevancy (Order Status)

Scenario 2 - Poor Relevancy (UPI PIN Reset)

Scenario 3 - Partial Relevancy

Scenario 4 - Relevancy (Dengue Symptoms)

Scenario 6 - Good Relevancy (Leave Policy Specific)

Scenario 5 - Poor Relevancy (Leave Policy)

Context Recall Metric

Context Precision Metric

Hallucination Metric

GenAI-June

LLM API Learning

QA Bot TS - LangChain API Copy

Health & Status

Resume Search

Conversational Chat (Memory)

Start New Conversation

Continue Conversation (Follow-up)

Filter Results (Conversational)

Get Conversation History

Delete Conversation

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLAWS

GET API Health

POST Scenario

POST Scenario

POST Scenario

POST Scenario

POST Scenario

POST Scenario

POST Scenario

No environment

Search

Invite

Upgrade

Try Native Git

DeepEval_Metrics

Answer Relevancy Metric

Scenario 3 - Partial Relevancy

Save

Share

POST

http://localhost:3000/api/eval-only

Send

Docs

Params

Authorization

Headers

Body

Scripts

Settings

Cookies

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

Text

1 {

2 "metric": "answer_relevancy",

3 "query": "What is KPI?",

4 "output": "It is used in evaluate the companies revenue and used for data validation in API level."

5 }

6 }

7 }

Body

Cookies

Headers

Test Results

1/1

200 OK

3.32 s

1.03 KB

Save Response

{}

JSON

Preview

Visualize

1 {

2 "evaluation": {

3 "metric": "answer_relevancy",

4 "score": 0.5,

5 "explanation": "The score is 0.50 because the answer included an irrelevant statement about data validation at the API level, which does not pertain to defining or explaining a KPI, preventing a higher rating, though the core KPI explanation was present enough to keep it at 0.50.",

6 "results": [

7 {

8 "metric_name": "answer_relevancy",

9 "score": 0.5,

10 "explanation": "The score is 0.50 because the answer included an irrelevant statement about data validation at the API level, which does not pertain to defining or explaining a KPI, preventing a higher rating, though the core KPI explanation was present enough to keep it at 0.50.",

11 "error": null

12 }]

13 }

14 },

15 "output": "It is used in evaluate the companies revenue and used for data validation in API level.",

16 "query": "What is KPI?"

17 }

Run Scenario 3 and inspect score

Apply scenario pattern to siblings

Create test-data examples for queries

Describe what you need. Press @ for context, / for Skills.

Auto

Open Folder

Terminal

Console

Import Complete

All systems are go!

Global

Vault

Tools