

← → 🏠 🧑 pushaplata's Team's Workspace

🔍 Search

🔗 Invite Upgrade 🔔 ⚙️ 🧑

💡 Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase. Try Native Git

📁

📄

🔄

📁

☰ + 📄 ...

COLLECTIONS

> GenAI-June

> LLM API Learning

> QA Bot TS - LangChain API Copy

> 📁 Resume Search

> 📁 Health & Status

GET Health Check

> 📁 Conversational Chat (Memory)

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLOWES

HTTP

GET Health Check

+

No environment

Save

Share

QA Bot TS - LangChain API Copy > Health & Status > Health Check

GET {{baseUrl}}/health Send

Docs Params Authorization Headers 6 Body Scripts Settings Cookies

Query Params

Key	Value	Description	Bulk Edit	...
Key	Value	Description		

Body Cookies Headers 7 Test Results 🕒

200 OK • 19 ms • 420 B 🌐 Save Response ...

{} JSON Preview Visualize

1 {
2 "status": "healthy",
3 "timestamp": "2026-09-15T06:39:06.741Z",
4 "model": {
5 "provider": "groq",
6 "model": "qwen/qwen3.6-27b",
7 "temperature": 0.2
8 },
9 "retrievalPipeline": "ready",
10 "activeConversations": 0
11 }

New Chat + 🕒

Describe what you need. Press @ for context, / for Skills.

⚙️ Auto 🔄

📄 🖨️ Open folder Terminal Console 1 Import Complete

📌 The coast is clear!

Globals Vault Tools 🔗 📄

← → 🏠 pushaplata's Team's Workspace 🔍 Search

💡 Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase. Try Native Git

📁

📄

🔄

📁

+

🔗

⋮

COLLECTIONS

> GenAI-June

> LLM API Learning

> QA Bot TS - LangChain API Copy

📁 Resume Search

POST Keyword Search (BM25-style)

POST Hybrid Search (Vector + Keyword)

POST Vector Search (Semantic)

📁 Health & Status

GET Health Check

> 📁 Conversational Chat (Memory)

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLOWS

HTTP

GET Health Check

POST Vector Search (Semantic)

No environment

⋮

QA Bot TS - LangChain API Copy > Resume Search > Vector Search (Semantic)

Save

Share

POST

{{baseUrl}}/search/resumes

Send

Docs

Params

Authorization

Headers 9

Body

Scripts

Settings

Cookies

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

Text

⚠️

1 {

2 "query": "Selenium Java automation tester",

3 "searchType": "vector",

4 "topK": 5

5 }

Body

Cookies

Headers 7

Test Results

🕒

200 OK

761 ms

1.82 KB

🌐

Save Response

⋮

{ } JSON

Preview

Visualize

⋮

1 {

2 "query": "Selenium Java automation tester",

3 "searchType": "vector",

4 "topK": 5,

5 "resultCount": 5,

6 "duration": 733,

7 "results": [

8 {

9 "name": "Theegela Sahitya Bharathi",

10 "fileName": "Sahitya Bharathi Theegela .pdf",

11 "email": "t.sahityabharathi24@gmail.com",

12 "phoneNumber": "+91-7993245519",

13 "content": "",

14 "fullContent": "",

15 "score": 0.8920239210128784,

16 "matchType": "vector",

17 "llmAnalysis": {

18 "reasoning": "Error during LLM analysis - score from vector search"

19 }

20 },

21 {

22 "name": "MURALIKRISHNAN S",

23 "fileName": "Muralikrishnan_Reume.pdf",

24 "email": "muralikrishnanrkms@gmail.com",

25 "phoneNumber": "+91 8778983245",

26 "content": "",

27 "fullContent": ""

Add assertions to the search tests

Create a negative-case search run

Parameterize the search inputs

Describe what you need. Press @ for context, / for Skills.

⚙️ Auto

🗨️

📁 Open folder

📄 Terminal

📄 Console

📄 Import Complete

📌 The coast is clear!

🌐 Globals

🔒 Vault

🛠️ Tools

📄

← → ↶ pushaplata's Team's Workspace

Search

Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase. Try Native Git

+

+

+

+

COLLECTIONS

GenAI-June

LLM API Learning

QA Bot TS - LangChain API Copy

Resume Search

Keyword Search (BM25-style)

Hybrid Search (Vector + Keyword)

Vector Search (Semantic)

Health & Status

Health Check

Conversational Chat (Memory)

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLOWS

GET Health Check

POST Vector Search (Semar)

No environment

Vector Search (Semantic)

POST

{{baseUrl}}/search/resumes

Send

Docs Params Authorization Headers 9 Body Scripts Settings

Body

none form-data x-www-form-urlencoded raw binary GraphQL Text

```
1 {
2   "query": "Senior AI Quality Engineer",
3   "searchType": "vector",
4   "topK": 5
5 }
```

200 OK • 581 ms • 1.83 KB

Save Response

JSON Preview Visualize

```
1 {
2   "query": "Senior AI Quality Engineer",
3   "searchType": "vector",
4   "topK": 5,
5   "resultCount": 5,
6   "duration": 572,
7   "results": [
8     {
9       "name": "Pushap Lata",
10      "fileName": "Pushap Lata_Senior AI Quality Engineer.pdf",
11      "email": "sweetythakur208@gmail.com",
12      "phoneNumber": "8586841857",
13      "content": "",
14      "fullContent": "",
15      "score": 0.8814684152603149,
16      "matchType": "vector",
17      "llmAnalysis": {
18        "reasoning": "Error during LLM analysis - score from vector search"
19      }
20    },
21    {
22      "name": "Unknown",
23      "fileName": "SanthanaBharathiM_AI.pdf",
24      "email": "santhanabharathim2001@gmail.com",
25      "phoneNumber": "9163741317",
26      "content": "",
27      "fullContent": ""
28    }
29  ]
30 }
```

New Chat

Expand tests to schema fields

Create examples for 3 queries

Use env var for search query

Describe what you need. Press @ for context, / for Skills.

Auto

Open folder Terminal Console Import Complete

The coast is clear!

Globals Vault Tools

← → 🏠 pushaplata's Team's Workspace 🔍 Search

Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase. Try Native Git

📁

📄

🔄

📁

+

🔗

...

COLLECTIONS

> GenAI-June

> LLM API Learning

> QA Bot TS - LangChain API Copy

📁 Resume Search

POST Keyword Search (BM25-style)

POST Hybrid Search (Vector + Keyword)

POST Vector Search (Semantic)

> 📁 Health & Status

GET Health Check

> 📁 Conversational Chat (Memory)

HTTP

QA Bot TS - LangChain API Copy > Resume Search > Keyword Search (BM25-style)

Save Share

POST {{baseUrl}}/search/resumes Send

Docs Params Authorization Headers 9 Body Scripts Settings Cookies

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

Text

⚠️

1 {

2 "query": "RAG",

3 "searchType": "keyword",

4 "topK": 5

5 }

Body Cookies Headers 7 Test Results 🔄

200 OK • 153 ms • 1.75 KB 🌐 Save Response ...

{{}} JSON Preview Visualize

🔍 📄 🔗

1 {

2 "query": "RAG",

3 "searchType": "keyword",

4 "topK": 5,

5 "resultCount": 5,

6 "duration": 150,

7 "results": [

8 {

9 "name": "PROFESSIONAL SUMMARY",

10 "fileName": "Khaleelur Rahman_Resume.pdf",

11 "email": "917604936742khaleelurahman34@gmail.comCentral",

12 "phoneNumber": "+917604936742",

13 "content": "",

14 "fullContent": "",

15 "score": 0.1,

16 "matchType": "keyword",

17 "llmAnalysis": {

18 "reasoning": "Error during LLM analysis - score from vector search"

19 }

20 },

21 {

22 "name": "Unknown",

23 "fileName": "Naukri_suryaprakash[2y_0m].pdf",

24 "email": "suryasundar6964@gmail.com",

25 "phoneNumber": "9884912502",

26 "content": "",

27 "fullContent": "",

28 "score": 0.1,

29 "matchType": "keyword",

30 "llmAnalysis": {

31 "reasoning": "Error during LLM analysis - score from vector search"

32 }

33 }

34]

> ENVIRONMENTS

> DOCUMENTS

> SPECS

> MOCKS

> DATASETS

> FLOWS

📄 Open folder Terminal Console 1 Import Complete

✦ The coast is clear!

Globals Vault Tools 🔄 📄

New Chat + 🔄

Add missing schema assertions

Compare searchType variants

Turn query/topK into variables

Describe what you need. Press @ for context, / for Skills.

⚙️ Auto 🔗

← → ↶ pushaplata's Team's Workspace

Search

Invite Upgrade

Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase. Try Native Git

+

+

+

+

+

+

+

+

COLLECTIONS

GenAI-June

LLM API Learning

QA Bot TS - LangChain API Copy

Resume Search

POST Keyword Search (BM25-style)

POST Hybrid Search (Vector + Keyword)

POST Vector Search (Semantic)

Health & Status

GET Health Check

Conversational Chat (Memory)

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLOWS

GET Health Check

POST Vector Search

POST Keyword Search

POST Hybrid Search

No environment

QA Bot TS - LangChain API Copy > Resume Search > Hybrid Search (Vector + Keyword)

Save

Share

POST

{{baseUrl}}/search/resumes

Send

Docs

Params

Authorization

Headers 9

Body

Scripts

Settings

Cookies

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

Text

1 {

2 "query": "Automation engineer based out of Delhi with 5 years of experience",

3 "searchType": "hybrid",

4 "topK": 10

5 }

Body

Cookies

Headers 7

Test Results

200 OK

1.61 s

3.35 KB

Save Response

{ } JSON

Preview

Visualize

1 {

2 "query": "Automation engineer based out of Delhi with 5 years of experience",

3 "searchType": "hybrid",

4 "topK": 10,

5 "resultCount": 10,

6 "duration": 1609,

7 "results": [

8 {

9 "name": "PROFESSIONAL SUMMARY",

10 "fileName": "Naukri_AravindKumarR[3y_4m].pdf",

11 "email": "aravindborn2001@gmail.com",

12 "phoneNumber": "+91 9566013221",

13 "content": "",

14 "fullContent": "",

15 "score": 0.808700787226359,

16 "matchType": "hybrid",

17 "llmAnalysis": {

18 "reasoning": "Error during LLM analysis - score from vector search"

19 }

20 },

21 {

22 "name": "Unknown"

Create a reusable test matrix

Add negative-case assertions

Capture & compare result sets

Describe what you need. Press @ for context, / for Skills.

Auto

Open folder

Terminal

Console

Import Complete

The coast is clear!

Globals

Vault

Tools

pushaplata's Team's Workspace

COLLECTIONS

GenAI-June

LLM API Learning

QA Bot TS - LangChain API Copy

Resume Search

POST Keyword Search (BM25-style)

POST Hybrid Search (Vector + Keyword)

POST Vector Search (Semantic)

Health & Status

GET Health Check

Conversational Chat (Memory)

DEL Delete Conversation

POST Filter Results (Conversational)

POST Get Conversation History

POST Continue Conversation (Follow-up)

POST Start New Conversation

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLOWES

QA Bot TS - LangChain API Copy > Conversational Chat (Memory) > Start New Conversation

POST

{{baseUrl}} /chat

Send

Docs Params Authorization Headers 9 Body Scripts Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL Text

```
1 {
2   "message": "Find playwright testers having RAG knowledge with more than 5 years of experience",
3   "conversationId": "{{conversationId}}"
4 }
```

Body 200 OK 33.46 s 6.82 KB Save Response

JSON Preview Visualize

```
1 {
2   "response": "**Playwright+ RAG Testers (> 5 years) - What the current result set tells
us**\n\n# | Candidate (as shown in the result list) | Email | Phone | Match Score | Why
the candidate is worth checking for Playwright+ RAG |\n|---|
-----|-----|-----|
-----|\n| 1 | **PROFESSIONAL SUMMARY**
(Aravind) | aravindborn2001@gmail.com | +91 9566013221 | 0.781 | Highest relevance score;
the preview (which you can open) mentions modern test-automation stacks - Playwright is
often listed alongside Selenium in such profiles. |\n| 2 | **Unknown** (Sangamithraa) |
sangamithraa8@gmail.com | - | 0.776 | Very close to the top score; the candidate's headline
includes "Automation Engineer" and the snippet hints at "AI-assisted testing", a common
place to mention RAG knowledge. |\n| 3 | **Profile Summary** (Amreen Begam) |
amreenbegam0812@gmail.com | +91 9344374143 | 0.632 | Mid-range score but the preview
references "cloud-native test frameworks" - Playwright is frequently highlighted in that
context, and the candidate lists "knowledge of Retrieval-Augmented Generation for test data
synthesis". |\n| 4 | **KARTHIK S** | karthiksakthive12504@gmail.com | - | 0.629 | The
snippet shows "frontend-focused automation"; Playwright is the go-to tool for that. No
explicit RAG mention in the preview, but the score suggests a solid automation background. |
\n| 5 | **WORK EXPERIENCE** (Deepika Agalya) | deepikaagalya2003@gmail.com | 9363136433 | 0.
607 | The preview lists "end-to-end testing" and "AI-driven test data generation", which
often maps to RAG concepts. |\n| 6 | **CPriyanka** | priyanka.chandru0395@gmail.com |
+91-9840874792 | 0.585 | Lower score, but the candidate's summary includes "modern JS
testing tools" - Playwright could be present |\n| 7 | **GIGANT ELEMENT RAG** |
```

Variables in request

baseUrl	http://localhost:8787
conversationId	conv_1789454962582_xl8ti9fgo

All variables

Open folder Terminal Console Import Complete

Add response validation tests

Globals Vault Tools

pushaplata's Team's Workspace

COLLECTIONS

GenAI-June

LLM API Learning

QA Bot TS - LangChain API Copy

Resume Search

POST Keyword Search (BM25-style)

POST Hybrid Search (Vector + Keyword)

POST Vector Search (Semantic)

Health & Status

GET Health Check

Conversational Chat (Memory)

DEL Delete Conversation

POST Filter Results (Conversational)

POST Get Conversation History

POST Continue Conversation (Follow-up)

POST Start New Conversation

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLOWS

Search

QA Bot TS - LangChain API Copy > Conversational Chat (... > Continue Conversation (Follow-up)

POST {{baseUrl}} /chat

Send

Docs Params Authorization Headers 9 Body Scripts Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL Text

```
1 {
2   "message": "From those, filter only candidates from Chennai ",
3   "conversationId": "{{conversationId}}"
4 }
```

Body Cookies Headers 7 Test Results

200 OK • 2.24 s • 906 B

Save Response

JSON Preview Visualize

```
1 {
2   "response": "Based on your criteria (**candidates from Chennai**), none of the 10 candidates
3     provide location information that confirms they are from Chennai.\n\nAll candidates have
4     \"Location: Not mentioned\" in their extracted data, so none satisfy the filter.\n\nIf you
5     have additional data (e.g., full resumes) that include location details, feel free to share
6     it, and I can re-evaluate the list.",
7   "conversationId": "conv_1789454962582_xl8ti9fgo",
8   "messageCount": 10,
9   "model": "openai/gpt-oss-120b",
10  "provider": "groq",
11  "searchResults": [],
12  "searchMetadata": {
13    "query": "From those, filter only candidates from Chennai ",
14    "searchType": "filter",
15    "resultCount": 0,
16    "duration": 2241
17  }
18 }
```

Variables in request

baseUrl	http://localhost:8787
conversationId	conv_1789454962582_xl8ti9fgo

All variables

Open folder Terminal Console Import Complete

The coast is clear!

Globals Vault Tools

pushaplata's Team's Workspace

COLLECTIONS

GenAI-June

LLM API Learning

QA Bot TS - LangChain API Copy

Resume Search

POST Keyword Search (BM25-style)

POST Hybrid Search (Vector + Keyword)

POST Vector Search (Semantic)

Health & Status

GET Health Check

Conversational Chat (Memory)

DEL Delete Conversation

POST Filter Results (Conversational)

POST Get Conversation History

POST Continue Conversation (Follow-up)

POST Start New Conversation

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLOWES

GET Health

POST Vec

POST Key

POST Hyl

POST Get C

POST Sta

POST Coi

No environment

QA Bot TS - LangChain API Copy > Conversational Chat (Memory) > Get Conversation History

POST

{{baseUrl}}/chat/history

Send

Docs

Params

Authorization

Headers 9

Body

Scripts

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

Text

1 {

2 | "conversationId": "{{conversationId}}"

3 }

Body

Cookies

Headers 7

Test Results

200 OK

4 ms

2.34 KB

Save Response

{{}} JSON

Preview

Visualize

11 {,

12 {

13 | "role": "user",

14 | "content": "From those, filter only candidates only above 6 years"

15 | },

16 | {

17 | "role": "assistant",

18 | "content": "Based on your criteria (**candidates only above 6 years**), none of the 10

19 | candidates meet the requirement because none provide any experience information.

20 | \n\nWould you like to adjust the filter, add another criterion, or view more

21 | candidates?"

22 | },

23 | {

24 | "role": "user",

25 | "content": "From those, filter only candidates only above 3 years"

26 | },

27 | {

28 | "role": "assistant",

29 | "content": "Based on your criteria (**candidates with above 3 years of experience**),

30 | none of the 10 candidates have verifiable experience information, so no matches were

31 | found.\n\nIf you have additional data (e.g., detailed resumes) or would like to

32 | adjust the filter, please let me know!"

33 | },

34 | {

35 | "role": "user",

36 | "content": "From those, filter only candidates from Delhi"

37 | },

38 | {

39 | "role": "assistant",

40 | "content": "Based on your filter (**candidates from Delhi**), none of the 10 candidates

41 | provide location information, so no matches were found.\n\nIf you have additional

42 | data (e.g., full resumes) that include location details, feel free to share them for

43 | a more accurate filtering."

44 | },

45 | {

46 | "role": "user",

47 | "content": "From those, filter only candidates from Chennai "

48 | },

49 | }

Variables in request

baseUrlhttp://localhost:8787

conversationIdconv_1789454962582_xl8ti9fgo

All variables

Open folder

Terminal

Console

Import Complete

The coast is clear!

Globals

Vault

Tools

← → ↶ pushaplata's Team's Workspace

📦 🖨️ ↶ 📁

☰

+

📄

⋮

COLLECTIONS

> GenAI-June

> LLM API Learning

> QA Bot TS - LangChain API Copy

> Resume Search

POST Keyword Search (BM25-style)

POST Hybrid Search (Vector + Keyword)

POST Vector Search (Semantic)

> Health & Status

GET Health Check

> Conversational Chat (Memory)

DEL Delete Conversation

POST Filter Results (Conversational)

POST Get Conversation History

POST Continue Conversation (Follow-up)

POST Start New Conversation

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLOWES

GET Health POST Vec POST Key POST Hyl POST Get C POST Sta POST Coi POST Filter +

No environment

🔍 Search

QA Bot TS - LangChain API Copy > Conversational Chat (Memo... > Filter Results (Conversational)

Save Share

POST {{baseUrl}} /chat

Send

Docs Params Authorization Headers 9 Body Scripts Settings

none form-data x-www-form-urlencoded raw binary GraphQL Text

1 {
2 "message": "Now show me only the ones in Bangalore",
3 "conversationId": "{{conversationId}}"
4 }

Body Cookies Headers 7 Test Results

200 OK • 2.33 s • 853 B

Save Response

{} JSON Preview Visualize

1 {
2 "response": "Based on your request to see only candidates located in **Bangalore**, none of the
3 10 candidates provide location information that confirms they are in Bangalore. Therefore,
4 there are no matches at this time.\n\nIf you have additional data (e.g., updated resumes or
5 location details) or would like to apply a different filter, please let me know!",
6 "conversationId": "conv_1789454962582_xl8ti9fgo",
7 "messageCount": 10,
8 "model": "openai/gpt-oss-120b",
9 "provider": "groq",
10 "searchResults": [],
11 "searchMetadata": {
12 "query": "Now show me only the ones in Bangalore",
13 "searchType": "filter",
14 "resultCount": 0,
15 "duration": 2322
16 }
17 }

Variables in request

baseUrl http://localhost:8787

conversationId conv_1789454962582_xl8ti9fgo

> All variables

📄 🖨️ Open folder Terminal Console 1 Import Complete

🌟 The coast is clear!

Globals Vault Tools

pushaplata's Team's Workspace

Search

Invite Upgrade

COLLECTIONS

GenAI-June

LLM API Learning

QA Bot TS - LangChain API Copy

Resume Search

POST Keyword Search (BM25-style)

POST Hybrid Search (Vector + Keyword)

POST Vector Search (Semantic)

Health & Status

GET Health Check

Conversational Chat (Memory)

DEL Delete Conversation

POST Filter Results (Conversational)

POST Get Conversation History

POST Continue Conversation (Follow-up)

POST Start New Conversation

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLOWES

POST Vec POST Key POST HyI POST Get C POST Sta POST Coi POST Filter DEL Delete

No environment

QA Bot TS - LangChain API Copy > Conversational Chat (Memory) > Delete Conversation

Save Share

DELETE {{baseUrl}} /chat/ {{conversationId}}

Send

Docs Params Authorization Headers 6 Body Scripts Settings Cookies

Query Params

Key	Value	Description	Bulk Edit	
Key	Value	Description		

Body Cookies Headers 7 Test Results

200 OK • 3 ms • 346 B

Save Response

JSON Preview Visualize

```
1 {
2   "success": true,
3   "conversationId": "conv_1789454962582_xl8ti9fgo",
4   "message": "Conversation deleted successfully"
5 }
```

Variables in request

baseUrl	http://localhost:8787
conversationId	conv_1789454962582_xl8ti9fgo

All variables

Open folder Terminal Console Import Complete

The coast is clear!

Globals Vault Tools

pushaplata's Team's Workspace

COLLECTIONS

GenAI-June

LLM API Learning

QA Bot TS - LangChain API Copy

Resume Search

POST Keyword Search (BM25-style)

POST Hybrid Search (Vector + Keyword)

POST Vector Search (Semantic)

Health & Status

GET Health Check

Conversational Chat (Memory)

DEL Delete Conversation

POST Filter Results (Conversational)

POST Get Conversation History

POST Continue Conversation (Follow-up)

POST Start New Conversation

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

DATASETS

FLOWS

POST Vec

POST Key

POST Hyl

POST Get C

POST Sta

POST Coi

POST Filter

DEL Delete

No environment

QA Bot TS - LangChain API Copy > Conversational Chat (Memory) > Get Conversation History

Save

Share

POST

{{baseUrl}} /chat/history

Send

Docs

Params

Authorization

Headers 9

Body

Scripts

Settings

Cookies

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

Text

1 {

2 | "conversationId": "{{conversationId}}"

3 }

Body

Cookies

Headers 7

Test Results

404 Not Found

2 ms

306 B

Save Response

JSON

Preview

Debug with AI

1 {

2 | "error": "Conversation not found: conv_1789454962582_xl8ti9fgo"

3 }

Variables in request

baseUrihttp://localhost:8787

conversationIdconv_1789454962582_xl8ti9fgo

All variables

Investigate invalid conversation ID

Globals

Vault

Tools

The image shows a screenshot of a VS Code editor interface. On the left, the Explorer sidebar shows a project named 'qa-bot-ts' with folders 'dist', 'documents', 'node_modules', and 'src'. The 'src' folder is expanded, showing files '.env', '.gitignore', 'package-lock.json', 'package.json', and 'tsconfig.json'. The '.env' file is selected and its contents are displayed in the main editor. The .env file contains configuration for LLM re-ranking, documents, weights for scoring, and a server URL. Below the editor, the Terminal window is open, showing a chat log with user and AI messages, and a successful deletion of a conversation. On the right side, there is an 'Agent' panel with a chat interface for 'qa-bot-ts', including a text input and a 'Send' button. The status bar at the bottom shows 'Ln 13, Col 31', 'Spaces: 4', 'UTF-8', 'LF', and 'Antigravity - Settings'.