A Minor Project Synopsis
On

BTP2CSE183

Plant Disease Detection Using Machine Learning

Submitted in partial fulfillment of the

requirements for the award of

the degree of

BACHELOR OF TECHNOLOGY

Session 2025-26

Computer Science and Engineering

By-

Abhinav Kumar Mishra (2410030515)

Divyanshi Sharma (2410030709)

Pushkar Kumar (2410030818)

Anav Singhal (2410030528)

Hassan Mansoori (2410030674)

Under the guidance of **Dr. Sahil Kansal**

SCHOOL OF COMPUTER SCIENCE AND ENGINEERING

IILM UNIVERSITY, GREATER

NOIDA, INDIA

MARCH 2026

SCHOOL OF COMPUTER SCIENCE AND ENGINEERING

IILM UNIVERSITY, GREATER NOIDA

Index page with the following items:

Section no.	**Section**	**Page no.**
1	Introduction	**3-4**
2	Problem Statement	**4-5**
3	Literature Review	**5-7**
4	Objectives	**7-8**
5	Methodology	**9-10**
6	Tools & Technologies	**10-11**
7	Expected Outcomes	**12**
8	Applications	**12-13**
9	Conclusion and Future Work	**13-14**

Signature of Supervisor: _____

Date: _____

INTRODUCTION

Agriculture is one of the oldest ways through which humans have gotten food. Besides being the main source of food, it's also a major source of income for many across the globe. Life in our world without food is impossible for anyone. Plants are essential not only for humans but also for animals that need them for food, oxygen, and other essentials. The government and specialists are making substantial steps to increase food production and their efforts are yielding results in the real world. When a plant gets a disease, it somehow affects all the living things in that environment. This plant disease can show up in any part of the plant such as the stem, leaf, or branch. Even diseases that affect plants like bacterial and fungal diseases etc. can be different. The crop disease will be influenced by elements like weather. Many individuals are struggling with food insecurity. This is because of the low food crop production. Even dramatic climate shifts will influence plant growth. This sort of natural disaster is something that we can't prevent. Quick identification of a plant disease helps to forestall enormous crop damages.

Many researchers have been focusing on plants to help farmers and other people involved in agriculture. If a disease can be seen with the naked eye, it is really easy to detect. A farmer can detect and treat a disease early if he has enough information and regularly monitors the crops. However, since the manual way of identifying a disease usually involved farmers or experts just examining it physically, doing so could be quite time-consuming and costly and thus not feasible for the millions of small and medium farms around the world. For that reason, a number of automated systems to identify plant diseases through the detection of typical signs on the leaves of plants have been built with the help of computer vision models. Such methods try to simplify as well as make the detection process reliable for farmers.

Studies have concentrated on employing image processing and feature extraction to build methods for disease detection. In order to recognise and categorise plant diseases, numerous machine learning models have been used.
Since deep learning (DL) models have been developed, this area of research currently seems to offer a lot of potential for increased accuracy. Numerous customized DL architectures are used with various visualization approaches to detect and classify the symptoms of plant diseases. In addition, various performance metrics are used to evaluate these frameworks and procedures. Teaching a neural network to understand patterns and symptoms shared by various ailments is one step in the deep learning process for detecting plant diseases. The deep learning model gains the ability to distinguish between healthy and unhealthy plants by examining plant photos, making automated detection possible.
By doing away with manual inspection, this method yields quicker and more precise results. Convolutional neural networks and other deep learning algorithms extract pertinent elements from the photos, allowing the model to categorise the state of the plant's health. By enabling early identification and intervention, this technology has the potential to revolutionize agricultural practices, resulting in higher crop yields and decreased economic losses.

PROBLEM STATEMENT

Agricultural vegetation is profoundly impacted by economy. Common diseases cause substantial harm to plants, resulting in reduced yields. Agriculture forms the backbone of a nation's economy, with approximately 70-75% of India's population relying on it. Plant diseases not only affect crop quality but also reduce the overall yield. Farmers, being the backbone of India, face challenges in maintaining both the quality and quantity of crops. Traditional disease identification methods, primarily relying on naked-eye observations are time consuming, expensive, and require significant effort to

identify infected plants. Many farmers lack formal education, which hampers their ability to identify plant diseases promptly and effectively, exacerbating agricultural losses. Accurate identification of these diseases is essential to prevent financial losses and conserve resources.
Thus, this research paper intends to build a plant disease classifier for the plant species. The model is trained to recognize a small set of diseases or health conditions specific to each species. The model predicts the disease in these plants by using deep learning techniques, particularly convolutional neural networks (CNNs).Such a system should be efficient, scalable, and user-friendly, enabling early diagnosis and supporting informed decision-making for farmers, ultimately contributing to sustainable agricultural practices and improved crop yield.

LITERATURE REVIEW

K. Muthukannan and colleagues discovered spot infections in leaves and categorized them according to the diseased leaf categories using various machine learning algorithms. LVQ - Learning Vector Quantization, FFNN - Feed Forward Neural Network, and RBFN - Radial Basis Function Networks were utilized to diagnose diseased plant leaves by analyzing the collection of form and texture data from the afflicted leaf picture. The simulation showed that the proposed system is effective. With the support of this work, a machine learning-based system for improving crop quality in the Indian economy can be developed. [1]

The study of plant leaf disease detection by Malvika Ranjan and colleagues starts with image capturing. Color data, such as HSV features, are retrieved from the segmentation results, and an artificial neural network (ANN) is then trained by selecting feature values that can effectively discriminate between healthy and sick samples. Using

a combination of image data processing methods and ann, the current study suggests a method for
identifying cotton leaf illnesses early and reliably.[2]

Plant disease identification and treatment using neural network models, Konstantinos P. Ferentinos and colleagues-built CNN models to conduct crop disease identification and diagnosis using basic leaf pictures of healthy and sick plants. The models were trained using an open collection of 87,848 photos, which included 25 kinds of plants in 58 various classes of [plant, illness] pairs, including non-affected plants. Multiple model architectures were developed, with the top performing one achieving a success rate of 99.53 percent. The model's high success rate makes it a valuable or early detection tool.[3]

A Deep-Learning-Based Detection for Real-Time Recognition of Tomato Plant Pest and Diseases Alvaro Fuentes and colleagues look at three types of detectors: the Faster Region-based CNN's (Faster R-CNN), the Area Convolutional Neural Network (R-FCN), and the Single Action Multibox Detector (SSD), all of which are referred to as "deep learning meta-architectures" in this paper. We use "deep feature extractors" like VGG net and Residual Network to merge every one of these meta-architectures (ResNet). We show how deep morpho and feature extractors perform, and we also suggest a way for locally and globally category labeling and feature extraction to improve accuracy and reduce false positives throughout training. We train and test our systems end-to-end on our large Tomato Diseases and Pests Dataset, which contains challenging images of diseases and pests, including several inter-and extra-class variations, such as infection status and location in the plant.[4]

Prasanna Mohanty and colleagues developed a deep convolutional neural network using deep learning to detect 14 different crops and 26 illnesses. On a held-out test set, the training set model obtained an accuracy of 99.35 percent, illustrating the practicality of this strategy. The model still obtains a 31.4 percent accuracy when tested

on a collection of photographs acquired from reputable web sources - i.e. images shot under settings distinct from those used for training. While this accuracy is substantially greater than the one based on random selection 2.6%, a larger collection of training data is required to increase overall accuracy.[5].

S. Khirade and colleagues used digital image processing algorithms and BPNN - backpropagation neural networks to solve the problems of detection of plant diseases in 2015. Different techniques for identifying plant disease using photographs of leaves have been developed by the authors. To segment the contaminated section of the leaf, they used Otsu's thresholding, followed by border detection and spot detection algorithms. They then extracted properties such as colour, texture, morphology, edges, and so on in order to classify plant diseases. The BPNN algorithm is used to classify or identify plant
diseases. [6]

OBJECTIVES

In order to create, refine and implement a reliable, holistic machine learning architecture for the automatic, instant identification, categorization, and severity evaluation of diseases on plant leaves through digital pictures, the target is to achieve 97% or more accuracy on the standard datasets and 90% or more on the images taken in the field with uncontrolled conditions. The tool will combine convolutional neural networks (CNNs) such as ResNet50, Efficient Net, or mixed models (e.g. VGG-19 combined with machine learning classifiers like SVM/Random Forest) together with transfer learning from ImageNet, data augmentation, and explainable AI (XAI) methods like Grad-CAM for interpretability of the predictions. The focus will be on a range of crops such as tomatoes potatoes rice, and mangoes which are affected by diseases like blight, rust, and mildew.

- Data Handling: Compile and prepare a diverse dataset of over 100,000 images from various sources (for example: Plant Village, New Plant Diseases Dataset). Employ methods such as CLAHE enhancement, leaf segmentation implementation (by U-Net), along with augmentation (rotation flipping brightness variation) which help to mitigate.
- Model Development: Work on deep learning architecture training and fine-tuning (CNNs, MobileNetV2 for mobile efficiency) and classical machine learning methods (KNN, Naive Bayes, Logistic Regression) used as baselines; metrics for evaluation can be precision recall F1-score (> 95%), confusion matrices, and ROC-AUC, while hyperparameter tuning can be done through GridSearchCV or Bayesian optimization.

- Severity and Multi-Task Analysis: Besides classification, one can also do multi-label severity grading (mild/moderate/severe) and treatment recommendation (e.g. fungicides) by using hybrid models for making them more robust against harsh field environmental conditions.

- Deployment and Usability: Make a mobile/web app (using TensorFlow Lite/Streamlit) for edge deployment on smartphones that will allow people to upload pictures and get instant results along with visual heatmaps explaining the locations of the disease.

- Evaluation and Validation: Perform cross-validation (k=5), field trials in different agro-climatic zones (e.g. India), and comparisons with traditional methods in order to determine yield area impact reductions (target: 20-30% loss mitigation).

METHODOLOGY

Overall Framework

Consider a hybrid DL-ML pipeline: image acquisition preprocessing feature extraction classification post-processing and deployment as a whole. Stepwise models (crop identification, disease presence, type/severity) combined with transfer learning using pre-trained CNNs such as ResNet50 VGG19 Efficient Net, or InceptionV3, fine-tuned on augmented datasets have achieved 95-99% accuracy.

Step 1: Data Collection and Preparation

Obtaining more than 50,000 labeled RGB images from publicly available datasets is a great idea (Plant Village: 54k images, 14 crops/26 diseases; New Plant Diseases: 87k images). Also, get some field sources, for example, healthy and diseased leaves of tomato, potato, and rice plants, etc. Split into training/validation/test (70/15/15); also consider labeling for multiple classes (e.g. healthy blight, rust) and severity levels.

Step 2: Preprocessing

Resize the images to either 224224 or 256256 pixels and then perform enhancements by CLAHE for increasing the contrast, Gaussian blur for reducing the noise, and normalization (mean subtraction). Segment leaves with the help of thresholding or U-Net; perform data augmentation (rotation 30 flip zoom 0.8-1.2, brightness 20%) to generate 200k+ samples, resolve the imbalance through SMOTE.

Step 3: Feature Extraction and Model Training

Extract features through CNN backbones (e.g. ResNet50: 50 layers, residual blocks) or handcrafted feature extraction methods (GLCM

texture, color histograms, DWT).
Train classifiers: DL (fine-tune CNNs with Adam optimizer, lr=0.001, epochs=50, batch=32); ML baselines (SVM RF KNN on extracted features).
Hybrid: CNN features acted as input to ML (e.g. VGG19 + SVM) for efficiency.
Make use of GridSearchCV to optimize; apply dropout (0.5) and early stop to eliminate overfitting.

Step 4: Evaluation

Evaluate the hold-out sets using various metrics including accuracy precision recall, F1-score (target > 95%), ROC-AUC, confusion matrix. Do a cross-validation (5-fold). Also, test the robustness of the field by using unseen lighting/angles. Conduct a comparison of the models by ANOVA. Visualization can be done by Grad-CAM heatmaps that can be used for explainability.

Step 5: Deployment and Testing

Transform the model into TensorFlow Lite for an Android/iOS application; combine camera input and treatment suggestions (for instance, fungicide through a rule-based system). Conduct a field test with over 500 genuine images; use federated learning for subsequent iterations.

Tools & Technologies

Programming Languages

Python 3.8+ serves as the core language due to its rich ecosystem for data science and ML. Jupyter Notebooks facilitate prototyping and experimentation with visual outputs like confusion matrices.

Machine Learning Frameworks

TensorFlow/Keras 2.15+: Main tool for building CNNs (ResNet50

VGG19 Efficient Net); enables transfer learning, model quantization for mobile, and TensorFlow Lite for edge deployment.
PyTorch 2.0+: Offers great flexibility for creating custom architectures and research; combined with Torch Vision for pre-trained models and quick prototyping.
Scikit-learn 1.3+: Suitable for classical ML baseline models (SVM, Random Forest, KNN) using feature extraction; also offers GridSearchCV for tuning hyperparameters.

Image Processing and Augmentation

OpenCV 4.8+: Essential for preprocessing (resizing, CLAHE enhancement, Gaussian blur, leaf segmentation via thresholding/U-Net)
Pillow (PIL) and NumPy: Basic image loading, array manipulations, and normalization.
Albumentations or imgaug: Data augmentation pipelines (rotation, flipping, brightness shifts) to expand datasets like Plant Village.

Development and Visualization Tools

Category	Tools
IDEs	VS Code, PyCharm, Google Colab
Visualization	Matplotlib, Seaborn, Plotly
Metrics	Scikit-plot, Yellowbrick

Deployment Stack

For demo interfaces involving image upload and live predictions, you can use Streamlit/Flask: TensorFlow Lite / ONNX: These two conversions can be helpful in creating Android/iOS app; Moreover, they can be easily integrated with Flutter or React Native if you are developing a tool for farmers. Dockerization ensures that

environments are easily reproducible. You can also host the application in the cloud using AWS SageMaker or Heroku.

EXPECTED OUTCOMES

Achieve exceptional classification performance that exceeds the results of traditional methods: at least 97% accuracy, 95% or higher precision/recall/F1-score, and ROC-AUC above 0.98 on benchmark datasets such as Plant Village that feature 14 crops and over 26 diseases (e.g. tomato early blight, potato late blight). Field trials on images captured in uncontrolled conditions produce accuracy levels of 90% or higher, with confusion matrices revealing very few false negatives so that no infected areas go untreated. This software can help farmers detect crop diseases early, so they will know when to act and save 20-40% of their crops that would have been lost otherwise. Smallholder farmers in India are among the users. Besides these, this AI is designed to be rolled out on at least 10 different crops, making use of federated learning updates that will help it become more effective with new disease variants. As a single unit, it has the capacity to handle more than one thousand diagnoses on a daily basis. Cross-validation tells us that the model can be generalized, but its actual usability in real-world situations is demonstrated by field trials (500+ images), where it has shown 85-92% accuracy comparing to expert agronomists.

APPLICATIONS

Precision Farming and Early Detection:
Develop mobile applications to enable farmers to take pictures of leaves and get automated diagnosis instantly (for instance, tomato

blight detection with 98% accuracy), allowing them to take initiatives such as applying fungicides to specific areas before the disease spreads, which in turn is lowering crop losses by 20-40% in rice, potato and grape cultivation.

Treatment Recommendations and Management:
After detection, systems offer personalized guidance such as severity-based treatment plans (for instance, "Spray Mancozeb for moderate rust; segregate the severely infected plants"), nutrient adornments, or sending a call to experts while supporting sustainable practices that minimize chemical overuse usage. Hybrid models use weather information to forecast disease outbreaks and thereby facilitate the crop rotation and resistant variety selection.

Scalable Agricultural Extensions:
Smallholder Farms (e.g., India)- Smartphone apps in local languages for 10+ crops; offline mode for remote areas.
Commercial Agribusiness- IoT pivots/drones for real-time mapping of diseases across 1000s of acres (e.g., wheat rust).
Dataset augmentation with GANs for rare diseases; XAI heatmaps to study pathogen patterns.

Broader Ecosystem Integration:
Links to supply chains for quality control (for instance, identifying the postseason rot in exports) and insurance claims through verifiable diagnostics. Future developments comprise multi-spectral imaging for nutrient deficiencies and federated learning for region-specific adaptations, which together will allow farmers to become resilient in the face of climate change.

CONCLUSION AND FUTURE WORK

The project is behind a very powerful CNN-based system that can be 95-99% accurate on datasets like Plant Village. What's more, it's

mobile deployment, meaning users can work real-time right inside the field with their tomatoes or potatoes. Hence, it wins over traditional ways not only in speed and scale but also combining preprocessing, Hybrid ML/DL models, and explainable AI pieces for trustworthy results that are clear to understand, lead to early intervention, and maintain sustainable practices.

Advanced Models: You can use Vision Transformers (ViT) or introduce multimodal fusion (combining images + spectral/weather data) for detecting nutrient deficiency and identifying pests. Aim for 99.5% accuracy.

Scalability Enhancements: Work on federated learning allowing your global farm updates to be privacy-preserving; also, consider combining it with drones/robots for automatic spraying.

Broader Applications: The technology can be further expanded to cover fruits/trees (e.g. apples citrus) along with including post-harvest quality control; also, use blockchain for supply chain traceability.

Ethical and Accessibility Focus: Develop MUL tilingual apps, enable low-data support via few-shot learning, and collaborate with agri-extensions networks to reach over 1 billion smallholders.