
Subject index

- * operator, 58
- ** operator, 60
- + operator, 57
- operator, 59
- / operator, 59
- . operator, 57
- / operator, 58
- G^2 statistic, 34
- L_p -norm, 5
- χ^2 approximation for deviance, 119
- χ^2 distribution, 34

- Absolute error, 104
- Accelerated testing, 123
- Accident-proneness, 206
- Accidentally empty cell, 80
- Acrsine transformation, 137
- Added-variable plot, 399
- Additivity, 22, 23
- Adjusted dependent variable, 40, 116
- Algorithm
 - EM, 338, 353
 - for fitting GLM, 40–3, 81, 465
 - Givens, 86
 - Householder, 86
 - iterative proportional scaling, 183, 214, 238
 - QR, 88
 - Yates's, 131, 238
- Aliasing, 54, 61–8, 157, 367
 - extrinsic, 68
 - intrinsic, 54, 63–7, 157
- All subsets regression, 91
- Analysis of covariance, 25
- Analysis of deviance, 35, 36
- Analysis of variance, 1, 11, 35
- Ancillary statistic, 130
- Angular transformation, 137
- Anomalous value, 37, 144

- Anscombe residual, 37, 38
- Armitage's test for trend, 159
- Arrhenius model, 309, 315
- Asymptote, 16, 309
- Autoregressive model, 21, 22, 340

- Back-fitting algorithm, 466
- Backward elimination, 91, 403
- Bartlett factor, 350, 362, 459, 478
- Bartlett identity, 470
- Bayes's theorem, 113, 138
- Beta distribution, 46
- Beta-binomial distribution, 126, 140, 183
- Bias adjustment, 119, 147, 455
- Bilinear model, 51, 218
- Binary data, 98, 262, 439
- Binomial deviance, 118
- Binomial distribution, 2, 30, 31, 101–7, 475
- Bioassay, 13, 14, 200
- Bivariate binary regression, 238
- Bivariate logit transformation, 240
- Bivariate probit model, 233
- Boundary point, 218
- Box-Cox transformation, 375
- Bradley-Terry model, 272
- Butler effect, 243

- Calibration, 25
- Canonical correlation, 217–8
- Canonical link, 30, 32, 291
- Canonical parameter, 334, 476
- Case deletion, 396
- Case-control study, 267
- Cauchy density, 20
- Causal path, 215
- Censoring, 17, 230, 234, 419

- Checking
 - the link function, 401
 - the covariates, 401
 - the variance function, 400
 - other departures, 398, 403
- Choleski decomposition, 82, 84, 88
- Cluster sampling, 125, 140, 165
- Clustered Poisson process, 198
- Coefficient of variation, 16, 17, 285, 355, 433
- Collinearity, 84
- Combination of information, 265, 340-2
- Competition experiment, 292, 317
- Complementary log-log, 12, 31, 108, 151, 153, 188, 410
- Completeness of statistic, 248
- Component of dispersion, 204, 432
- Component of variance, 49, 439
- Composite link, 81, 184, 220, 225
- Conditional
 - independence, 215
 - inference, 209
 - likelihood, 210, 282, 248
 - linear model, 18
 - mean, 209
 - score statistic, 249
 - sufficiency, 253
 - variance, 209
- Consistency, 404, 406
- Constraint, 64-67
- Constructed variable, 376, 393, 402
- Continuation-ratio model, 163, 180-2
- Continuity correction, 104, 106, 267, 474
- Continuous proportion, 328
- Contrast, 220, 247
- Controls, 267
- Convergence of cumulants, 104
- Convergence of algorithm, 41, 117
- Cook statistic, 406
- Cornish-Fisher expansion, 477
- Correspondence analysis, 218
- Covariance function, 247, 255, 280, 324
- Covariate, 3, 23, 99
- Coverage probability, 471
- Cox model, 421, 426
- Cube root transform, 198, 289
- Cumulant function, 30, 46, 137, 195, 258, 334
- Cumulants
 - of binomial, 102
 - of gamma distribution, 287
 - of logistic density, 142
 - of multinomial, 165
- Cumulative hazard function, 422
- Cut-point, 156, 185
- Decomposability, 216, 221, 235
- Defining contrast, 366
- Deletion residual, 396
- Dependent observations, 332
- Deviance function, 33-6, 118, 174
 - for binary data, 121
 - for binomial, 118
 - reduction, 119
 - residual, 37, 39
 - χ^2 approx for, 119, 122
- Direct decomposition, 85
- Direct product matrix, 238
- Dirichlet distribution, 314
- Discrete Edgeworth series, 106, 474
- Discrimination among models, 293
- Discrimination, logistic, 138, 189
- Dispersion component, 432-50
- Dispersion effect, 222
- Dispersion parameter, 29, 30, 125
 - estimation of, 295, 448
- Dot operator, 56
- Double exponential distribution, 19
- Dummy variable, 54
- Edgeworth series, 106, 167, 474
- Effective sample size, 350
- Efficiency, 232
 - of linear least squares, 321
- Eigenvalue, 200, 327
- Ellipse fitting, 347
- EM algorithm, 338, 353
- Empirical logistic transformation, 106, 107
- Empty cell, 79, 80, 205
- Empty model formula, 269
- Erlangian distribution, 288
- Estimable function, 64
- Estimating function, 250, 254, 274, 339
- Euler-Maclaurin formula, 389
- Exponential decay model, 96
- Exponential distribution, 423
 - relation to logistic, Weibull, 20

- Exponential
 - family, 19, 27, 28, 43, 46, 252, 476
 - operator, 60
 - weighting, 44, 210, 257, 428
- Extended quasi-likelihood, 349, 360, 400
- Extrapolation, 16, 122
- Extreme points, 408
- Extreme-value density, 142, 154, 424
- Extrinsic aliasing, 68
- F-distribution, 20, 47
- Factor level, 9, 52
- Factorial contrast, 224
- Factorial design, 10, 14, 381
- Factorial moment, 256
- False positive, 90
- Fieller-Creasy problem, 123, 250, 284, 342
- Finite population correction, 192
- Fisher information, 6, 43, 73, 77, 119, 327, 470
- Fisher's scoring method, 42
- Fitted value, 4, 23, 71
- Forward selection, 91, 403
- Fourier series, 305
- Frequentist theory, 323
- Fused cells, 81
- Gamma deviance, 290
- Gamma distribution, 2, 3, 30, 199, 237, 287-9, 374
- Gaussian distribution, 50
- Gaussian elimination, 82
- Generalized additive model, 465
- Generalized inverse, 82, 168
- Genstat, 57, 60
- Givens rotation, 86
- Glim, 57, 60, 67, 91, 93
- Goodness of fit, 23, 24, 36, 118
- Goodness-of-link test, 375
- Graphical model, 235
- Gravity model, 272
- Green's matrix, 168, 275
- Growth curve, 16
- Half-Normal plot, 132, 407
- Hat matrix, 405
- Hazard function, 420
- Hedonic scale, 175
- Hessian matrix, 6, 42
- Householder reflection, 86
- Hyperbolic model, 16, 300
- Hyperbolic secant density, 47
- Hypergeometric distribution, 136, 255-8, 283, 353
- Incidental parameter, 245, 342
- Independence in two-way table, 187
- Index plot, 409
- Indicator vector, 54
- Influence, 397, 404, 406
- Information matrix, see Fisher information
- Instantaneous risk, 420
- Interaction, 53, 58
 - without main effect, 96
- Interval scale, 150, 155
- Intrinsic aliasing, 54, 63, 157
- Inverse Gaussian distribution, 30, 38
- Inverse linear model, 291, 381
- Inverse polynomial, 16, 291, 321
- Inversion in permutation, 242
- Isolated discrepancy, 392, 408
- Iterative proportional scaling, 183, 214, 238
- Jacobi matrix, 168
- k -statistic, 257
- Kurtosis, 361
- Laplace distribution, 19
- Large deviation, 137
- Latin square, 202, 434
- Lattice distribution, 474
- Law of small numbers, 244
- LD50, 25
- Least median of squares, 415
- Least squares, 1, 25
- Leverage, 404, 405
- Lexian dispersion theory, 125
- Likelihood, 6, 24, 28, 114, 171, 194, 323
 - conditional, 245, 248
 - equation, 225
 - for binomial data, 114
 - for gamma data, 289-296
 - for hypergeometric data, 255-267
 - for multinomial response, 171
 - for multiple responses, 225
 - for Poisson response, 194-8
 - marginal, 246
 - quasi-, 323-7
 - restricted 248, 278, 439
- Likelihood-ratio statistic, 471-8

- Line integral, 334, 353
- Linear contrast, 158
- Linear estimating function, 274, 328, 347
- Linear model, 294, 433
- Linear predictor, 27, 31, 32
- Linear \times linear interaction, 158
- Link function, 27–32, 107–110
- Log concavity of link, 117
- Log link, 31
- Log odds, 14, 106
- Log-bilinear model, 218
- Log-linear model, 1, 14, 193, 209, 223
- Log-log function, 108
- Log-Normal distribution, 454
- Log-rank test, 188
- Logistic density, 20, 46, 141
 - cumulants of, 142
- Logistic discrimination, 138, 189
- Logit model, 1, 14, 31, 106–114
- Longitudinal study, 229, 333

- Mahalanobis's distance, 405
- Mantel-Haenszel
 - estimator, 267, 356
 - test, 267
- Marginal distribution, 170
- Marginal likelihood, 210, 282, 246
- Marginality constraint, 64, 89, 242
- Marginalization, 225
- Markov model, 302–3
- Markov property, 170, 216
- Martingale, 340
- Matched design, 95
- Matched pair, 270
- Mean-value parameter, 24
- Measurement scale, 150
- Measure of association, 182
- Method of moments, 115, 173
- Misclassification, effect of, 148
- Michaelis–Menten model, 16
- Migration study, 272
- Minitab, 93, 410
- Mixture distribution, 199
- Mixture of drugs, 386

- Model
 - checking, 391, 392
 - choice, 235
 - for binary response, 107
 - for circle, 343
 - for ellipse, 347
 - for interval scale, 155
 - for nominal scale, 159
 - for ordinal scale, 151
 - for polytomous data, 149
 - for survival data, 419
 - formula, 56, 358
 - matrix, 10, 26
 - selection, 21, 23
- Modified maximum likelihood, 248
- Modified profile likelihood, 250
- Moment estimator, 296
- Moment generating function, 44
- Moments and cumulants, 102, 165
- Monoculture yield, 317
- Moore–Penrose inverse, 168, 282
- Multinomial
 - distribution, 15, 164–7, 209
 - covariance matrix, 168
 - cumulants of, 165
 - deviance function, 174
 - likelihood, 171–3
 - quadratic form in, 169
 - relation to Poisson, 210
 - response model, 1, 211
- Multiplicative effect, 31, 292
- Multivariate hypergeometric, 260–1
- Multivariate logit link, 220
- Multivariate regression model, 219–222

- Negative binomial distribution, 199, 237, 373
- Negative dispersion component, 449
- Nested response scale, 160
- Nesting operator, 58
- Noise-to-signal ratio, 358
- Nominal scale, 150
- Non-canonical model, 457
- Non-central
 - χ^2 distribution, 279
 - hypergeometric, 427, 257, 353
- Non-linear model, 154, 434, 379

- Normal
 - distribution, 1, 26, 28
 - equation, 81
 - limit, 103
 - order statistic, 407
 - plot, 407
- Normalizing transformation, 38, 477
- Nuisance parameter, 245, 342, 472, 476
- Observational study, 3, 98
- Observed information, 342
- Odds ratio, 136, 356
- Offset, 12, 206, 423
- Operator
 - $**$, 60
 - $*$, 58
 - $+$, 57
 - $-$, 59
 - $-/$, 59
 - $./$, 57
 - $/$, 58
 - nesting, 58
 - for removal of terms, 59
- Ordinal response, 17, 150–1, 273
- Orthogonal matrix, 281
- Orthogonal parameter, 46, 211, 229, 250, 351, 413
- Orthogonal polynomial, 53, 94, 97
- Orthogonal projection, 72
- Outlier, 37, 144
- Over-dispersion, 90, 103, 124, 135–7, 174, 198
 - for binomial, 124–8, 137
 - for multinomial, 174–5
- Paired comparison, 272
- Parameter interpretation, 110, 233
- Partial likelihood, 426, 426
- Partial ordering, 348
- Partitioned matrix, 281, 472
- Path model, 215
- Path-independent integral, 334
- Pearson residual, 37
- Pearson's statistic, 34, 37, 127
 - cumulants of, 169, 244
- Pearson-Plackett family, 221
- Permutation, model for, 96, 240–2, 272
- Peto's method for ties, 430
- Pivotal statistic, 46, 84, 339
- Plant density experiment, 291
- Poisson
 - distribution, 2, 11, 22, 30, 101, 194
 - deviance, 197
 - distribution truncated, 45
 - distribution, cumulants of, 195
 - limit, 137, 105
 - log-likelihood function, 197
 - mixture, 237
 - process, 193, 288
 - relation to multinomial, 210
- Polychoric correlation coefficient, 183
- Polykay, 257
- Polynomial regression, 69
- Polytomous data, 270
- Posterior odds, 138, 189
- Power family, 31
- Precision matrix, 348
- Prediction, 7, 21, 25
- Prior information, 323
- Prior odds, 138, 189
- Prior weight, 29
- Probit model, 1, 13, 31, 108
- Profile deviance, 264
- Profile likelihood, 254
- Projection matrix, 247, 397
- Proportional-hazards model, 153, 421, 421
- Proportional-odds model, 153, 188, 213
- Prospective study, 111
- Pseudo-aliasing, 88
- Pythagorean relationship for deviances, 147
- QR algorithm, 85–8
- Quadratic contrast, 131
- Quadratic form, 169
- Qualitative covariate, 9, 52
- Quality-improvement, 357
- Quantitative covariate, 9
- Quasi-likelihood, 9, 323, 332–4
 - deviance function, 327
 - score function, 327
- Quasi-symmetry, 95, 272
- Quota sampling, 165
- REML, 248, 278, 363, 439, 450, 451
- Random effect, 3, 452
- Randomization, 99, 263
- Randomized blocks, 94
- Rank-deficient matrix, 82
- Ranked data, model for, 240–22, 272
- Ratio, confidence interval for, 251–2

- Rational model, 154, 177
- Regularity condition, 218
- Relative potency, 202–4, 237
- Reliability experiment, 123
- Residual, 9, 37, 396
- Response transformation, 23
- Restricted likelihood (REML), 248, 278, 363, 439, 450, 451
- Retrospective study, 111, 278
- Ridit score, 188
- Risk set, 163
- Robustness, 246, 352
- Rounding error, 85, 296, 374, 389
- S (computer program), 93
- Saddlepoint approximation, 350
- Safe dose, 123
- Sampling fraction, 256
- Sampling with replacement, 428
- Scale for analysis, 22
- Scaled deviance, 24, 34, 46
- Score statistic, 267, 470
- Score test, 188, 393
- Scores in log-linear model, 150–8
- Scoring method, 43
- Selection bias, 129
- Selection effect, 132, 230, 284, 393
- Selection of covariates, 23, 89
- Self-sterile variety, 80
- Sheppard correction, 106, 375, 390, 475, 478
- Signal-to-noise ratio, 357
- Signed deviance statistic, 105, 237, 476
- Simpson's paradox, 234
- Simpson's rule, 45
- Simulation, 178
- Singular information matrix, 84
- Singular model formula, 217
- Singular-value decomposition, 85, 218, 282
- Skewness array, 120
- Small numbers, law of, 244
- Smoothing of scatterplot, 394, 466
- Span of smoother, 465
- Sparseness, 120–2, 169, 244
- Spatial process, 21, 247, 281
- Split-plot design, 22
- Square root transformation, 236
- Square-root matrix, 86
- Standardized cumulant, 351
- Stepwise regression, 91
- Structural zero (empty cell), 79–80
- Studentized standardized residual, 396
- Sufficient statistic, 32, 115–6, 209, 252, 476
- Survivor function, 420
- Sweep operator, 82–5, 95
- Symmetric constraint, 66
- Symmetric function, 238
- Symmetrizing transformation, 138, 236
- Synergism, 386
- Tail probability, 104
- Tetrachoric correlation, 183
- Tied failure times, 427, 427
- Time series, 21, 25
- Time-dependent covariate, 17, 419
- Time-ordered sequence, 340
- Tolerance distribution, 153
- Transformation of response, 23, 378
- Transformation to symmetry, 105, 196
- Transition probability, 336
- Tri-diagonal matrix, 168
- Triangular arrangement of factors, 95
- Truncated Poisson distribution, 45
- Unbiased estimating function, 250, 284
- Under-dispersion, 126, 194
- Uniform multinomial, 165
- Uniqueness of estimate, 117, 184
- Variance component, 18, 294, 359, 432, 439
- Variance function, 14, 29, 30, 138, 289
- Variance-stabilizing transform, 137, 138, 196, 236, 293
- Weibull density, 20, 423
- Wilcoxon's statistic, 188
- Wishart matrix, 218
- Yates's algorithm, 131, 238
- Yates's statistic, 187–9