References

Abramowitz, M. and Stegun, I.A. (1970) *Handbook of Mathematical Functions.* Dover, New York.

Adena, M.A. and Wilson, S.R. (1982) *Generalized Linear Models in Epidemiological Research.* INTSTAT, Sydney.

Agresti, A. (1984) *Analysis of Ordinal Categorical Data.* J. Wiley & Sons, New York.

Aickin, M. (1983) *Linear Statistical Analysis of Discrete Data.* J. Wiley & Sons, New York.

Aitkin, M. (1987) Modelling variance heterogeneity in Normal regression using GLIM. *Appl. Statist.* **36**, 332–9.

Aitkin, M. and Clayton, D.G. (1980) The fitting of exponential, Weibull and extreme value distributions to complex censored survival data using GLIM. *Appl. Statist.* **29**, 156–63.

Akaike, H. (1969) Fitting autoregressive models for prediction. *Ann. Inst. Statist. Math.* **21**, 243–7.

Akaike, H. (1973) Information theory and an extension of the maximum likelihood principle, in *Second International Symposium on Information Theory.* (eds. B.N. Petrov and F. Czáki). Akademiai Kiadó, Budapest, pp. 267–81.

Andersen, E.B. (1973) *Conditional Inference and Models for Measuring.* Mentalhygiejnisk Forlag, Copenhagen.

Anderson, D.A. (1981) The circular structural model. *J. R. Statist. Soc.* B **43**, 131–41.

Anderson, D.A. and Aitkin, M. (1985) Variance component models with binary response. *J. R. Statist. Soc.* B **47**, 203–10.

Andrews, D.F. and Herzberg, A.M. (1985) *Data.* Springer-Verlag, New York.

Andrews, D.F. and Pregibon, D. (1978) Finding the outliers that matter. *J. R. Statist. Soc.* B **40**, 85–93.

Angell, I. and Barber, J. (1977) An algorithm for fitting circles and ellipses to megalithic stone rings. *Science and Archaeology* **20**, 11–16.

Anscombe, F.J. (1949) The statistical analysis of insect counts based on the negative binomial distribution. *Biometrics* **15**, 165–73.

Anscombe, F.J. (1953) Contribution to the discussion of H. Hotelling's paper. *J. R. Statist. Soc.* B **15**, 229–30.

Anscombe, F.J. (1961) Examination of residuals. *Proc. Fourth Berkeley Symposium* **1**, 1–36.

Anscombe, F.J. (1981) *Computing in Statistical Science through APL*. Springer-Verlag, New York.

Anscombe, F.J. and Tukey, J.W. (1963) The examination and analysis of residuals. *Technometrics* **5**, 141–60.

Armitage, P. (1955) Tests for linear trends in proportions and frequencies. *Biometrics* **11**, 375–86.

Armitage, P. (1957) Studies in the variability of pock counts. *J. Hygiene Camb.* **55**, 564–81.

Armitage, P. (1971) *Statistical Methods in Medical Research*. Blackwell, Oxford.

Ashford, J.R. (1959) An approach to the analysis of data for semi-quantal responses in biological assay. *Biometrics* **15**, 573–81.

Ashford, J.R. and Sowden, R.R. (1970) Multi-variate probit analysis. *Biometrics* **26**, 535–46.

Ashton, W.D. (1972) *Thee Logit Transformation with Special Reference to its Uses in Bioassay*. Griffin, London.

Atkinson, A.C. (1981a) Two graphical displays for outlying and influential observations in regression. *Biometrika* **68**, 13–20.

Atkinson, A.C. (1981b) Likelihood ratios, posterior odds and information criteria. *J. Econometrics* **16**, 15–20.

Atkinson, A.C. (1982) Regression diagnostics, transformations and constructed variables (with discussion). *J. R. Statist. Soc.* B **44**, 1–36.

Atkinson, A.C. (1985) *Plots, Transformations and Regression*. Oxford, Clarendon Press.

Atkinson, A.C. (1986) Masking unmasked. *Biometrika* **73**, 533–41.

Babington-Smith, B. (1950) Discussion of Professor Ross's paper. *J. R. Statist. Soc.* B **12**, 53–56.

Bain, L.J. and Engelhardt, M. (1975) A two-moment chi-square approximation for the statistic $\log(\bar{x}/\tilde{x})$. *J. Am. Statist. Assoc.* **70**, 948–50.

Baker, R.J. and Nelder, J.A. (1978) *The GLIM System*. Release 3, *Generalized Linear Interactive Modelling*. Numerical Algorithms Group, Oxford.

Barlow, R.E. and Proschan, F. (1965) *Mathematical Theory of Reliability*. J. Wiley & Sons, New York.

Barlow, R.E. and Proschan, F. (1975) *Statistical Theory of Reliability and Life Testing*. New York: Holt, Rinehart and Winston.

Barndorff-Nielsen, O.E. (1978) *Information and Exponential Families in Statistical Theory*. Chichester: Wiley.

Barndorff-Nielsen, O.E. (1985) Confidence limits from $c|\hat{j}|^{1/2}\bar{L}$ in the single parameter case. *Scand. J. Statist.* **12**, 83–7.

Barndorff-Nielsen, O.E. and Blaesild, P. (1986) A note on the calculation of Bartlett adjustments. *J. R. Statist. Soc.* B **48**, 353–8.

Barndorff-Nielsen, O.E. and Cox, D.R. (1979) Edgeworth and saddle-point approximations with statistical applications (with discussion).

J. R. Statist. Soc. B **41**, 279–312.

Barndorff-Nielsen, O.E. and Cox, D.R. (1984) Bartlett adjustments to the likelihood ratio statistic and the distribution of the maximum likelihood estimator. *J. R. Statist. Soc.* B **46**, 483–95.

Barnwal, R.K. and Paul, S.R. (1988) Analysis of one-way layout of count data with negative binomial variation. *Biometrika* **75**, 215–22.

Bartlett, M.S. (1936a) Some notes on insecticide tests in the laboratory and in the field. *J. R. Statist. Soc.* **3**, Suppl. 185–94.

Bartlett, M.S. (1936b) The information available in small samples *Proc. Camb. Phil. Soc.* **32**, 560–6.

Bartlett, M.S. (1937) Properties of sufficiency and statistical tests. *Proc. Roy. Soc.* A **160**, 268–82.

Bartlett, M.S. (1954) A note on some multiplying factors for various χ^2 approximations. *J. R. Statist. Soc.* B **16**, 296–8.

Bartlett, M.S. and Kendall, M.G. (1946) The statistical analysis of variance-heterogeneity and the logarithmic transformation. *J. R. Statist. Soc. Suppl.* **8**, 123–38.

Baxter, L.A., Coutts, S.M. and Ross, G.A.F. (1980) Applications of linear models in motor insurance, in *Proceedings of the 21st International Congress of Actuaries. Zurich.* pp. 11-29.

Beale, E.M.L. (1970) Note on procedures for variable selection in multiple regression. *Technometrics* **12**, 909–14.

Beaton, A.E. (1964) The use of special matrix operators in statistical calculus. *Research Bulletin RB-64-51, Educational Testing Service.* Princeton, New Jersey, USA.

Belsley, D.A., Kuh, E. and Welsch, R.E. (1980) *Regression Diagnostics.* J. Wiley & Sons, New York.

Benzécri, J.-P. (1976) *L'Analyse des Données:* **1** *La Taxonomie;* **2** *L'analyse des Correspondances.* Dunod, Paris.

Berk, R.H. (1972) Consistency and asymptotic normality of MLE's for exponential models. *Ann. Math. Statist.* **43**, 193–204.

Berkson, J. (1944) Application of the logistic function to bio-assay. *J. Am. Statist. Assoc.* **39**, 357–65.

Berkson, J. (1951) Why I prefer logits to probits. *Biometrics* **7**, 327–39.

Berman, M. (1987) The asymptotic statistical behaviour of some estimators for a circular structural model. Unpublished technical report.

Berman, M. and Culpin, D. (1986) The statistical behaviour of some least squares estimators of the centre and radius of a circle. *J. R. Statist. Soc.* B **48**, 183–96.

Berman, M. and Griffiths, D. (1985) Incorporating angular information into models for stone circle data. *Appl. Statist.* **34**, 237–45.

Bhapkar, V.P. (1972) On a measure of efficiency in an estimating equation. *Sankhya* A **34**, 467–72.

Bhattacharya, R.N. and Rao, R.R. (1976) *Normal Approximation and Asymptotic Expansions.* J. Wiley & Sons, New York.

Birch, M.W. (1963) Maximum likelihood in three-way contingency tables. *J. R. Statist. Soc.* B **25**, 220–33.

Birch, M.W. (1965) The detection of partial association II: the general case. *J. R. Statist. Soc.* B **27**, 111–24.

Bishop, Y.M.M., Fienberg, S.E. and Holland, P.W. (1975) *Discrete Multivariate Analysis: Theory and Practice.* MIT Press, Cambridge, MA.

Björck, Å. (1967) Solving least squares problems by Gram-Schmidt orthogonalization. *BIT* **7**, 257–78.

Bliss, C.I. (1935) The calculation of the dosage–mortality curve. *Ann. Appl. Biol.* **22**, 134–67.

Bliss, C.I. (1967) *Statistics in Biology.* vol. I, McGraw-Hill, New York.

Bliss, C.I. (1970) *Statistics in Biology.* vol. II, McGraw-Hill, New York.

Bock, R.D. (1975) *Multivariate Statistical Methods in Behavioral Research.* McGraw-Hill, New York.

Bock, R.D. (ed.) (1989) *Multilevel Analysis of Educational Data.* Academic Press, New York.

Bortkewitsch, L. von (1898) *Das Gesetz der Kleinen Zahlen.* Teubner, Leipzig.

Box, G.E.P. (1980) Sampling and Bayes' inference in scientific modelling and robustness. *J. R. Statist. Soc.* A **143**, 383–430.

Box, G.E.P. (1988) Signal-to-noise ratios, performance criteria, and transformations (with discussion). *Technometrics* **30**, 1–17.

Box, G.E.P. and Cox, D.R. (1964) An analysis of transformations. *J. R. Statist. Soc.* B **26**, 211–52.

Box, G.E.P. and Cox, D.R. (1982) An analysis of transformations revisited, rebutted. *J. Am. Statist. Assoc.* **77**, 209–10.

Box, G.E.P. and Jenkins, G.M. (1976) *Time Series Analysis: Forecasting and Control.* Holden-Day, San Francisco.

Box, G.E.P. and Tidwell, P.W. (1962) Transformation of the independent variables. *Technometrics* **4**, 531–50.

Bradley, E.L. (1973) The equivalence of maximum likelihood and weighted least squares in the exponential family. *J. Am. Statist. Assoc.* **68**, 199–200.

Bradley, R.A. and Terry, M.A. (1952) Rank analysis of incomplete block designs I. *Biometrika* **39**, 324–45.

Breese, E.L. and Hill, J. (1973) Regression analysis of interactions between competing species. *Heredity* **31**, 181–200.

Breslow, N.E. (1976) Regression analysis of the log odds ratio: a method for retrospective studies. *Biometrics* **32**, 409–16.

Breslow, N.E. (1981) Odds ratio estimators when the data are sparse. *Biometrika* **68**, 73–84.

Breslow, N.E. and Liang, K.Y. (1982) The variance of the Mantel-Haenszel estimator. *Biometrics* **38**, 943–52.

Breslow, N.E. and Cologne, J. (1986) Methods of estimation in log odds ratio regression models. *Biometrics* **42**, 949–954.

Breslow, N.E. and Day, N.E. (1980) *Statistical Methods in Cancer Research*. 1: *The Analysis of Case-Control Studies*. I.A.R.C, Lyon.

Brillinger, D.R. and Preisler, H.K. (1986) Two examples of quantal data analysis: a) multivariate point process, b) pure death process in an experimental design. *Proc XIII International Biometric Conference* Seattle.

Bross, I.D.J. (1954) Misclassification in 2 × 2 tables. *Biometrics* **10**, 478–86.

Bross, I.D.J. (1958) How to use ridit analysis. *Biometrics* **14**, 18–38.

Burridge, J. (1982) Some unimodality properties of likelihoods derived from grouped data. *Biometrika* **69**, 145–51.

Byar, D.T. (1983) Analysis of survival data: Cox and Weibull models with covariates, in *Statistics in Medical Research: Methods and Issues, with Applications in Clinical Oncology*. (eds. V. Mike and K. Stanley), J. Wiley & Sons, New York.

Caussinus, H. (1965) Contribution à l'analyse statistique des tableaux de correlation. *Ann. Fac. Sci. Univ. Toulouse* **29**, 77–182.

Chambers, E.A. and Cox, D.R. (1967) Discrimination between alternative binary response models. *Biometrika* **54**, 573–8.

Chambers, J.M. (1977) *Computational Methods for Data Analysis*. J. Wiley & Sons, New York.

Chatterjee, S. and Hadi, A.S. (1986) Influential observations, high-leverage points, and outliers in linear regression. *Statistical Science* **1**, 379–416.

Chen, K.K., Bliss, C.I. and Robbins, E.B. (1942) The digitalis-like principles of *calotropis* compared with other cardiac substances. *J. Pharmacol. Experimental Therapeutics* **74**, 223–34.

Clarke, M.R.B. (1981) Algorithm AS163: a Givens algorithm for moving from one linear model to another without going back to the data. *Appl. Statist.* **30**, 198–203.

Clarke, M.R.B. (1982) Algorithm AS178: the Gauss-Jordan sweep operator with detection of collinearity. *Appl. Statist.* **31**, 166–8.

Clayton, D.G. (1974) Some odds ratio statistics for the analysis of ordered categorical data. *Biometrika* **61**, 525–31.

Cleveland, W. (1979) Robust locally weighted regression and smoothing scatterplots. *J. Am. Statist. Assoc.* **74**, 829–836.

Coe, R. and Stern, R.D. (1982) Fitting models to daily rainfall. *J. Appl. Meteorol.* **21**, 1024–31.

Coe, R. and Stern, R.D. (1984) A model fitting analysis of daily rainfall data. *J. R. Statist. Soc.* A **147**, 1–34.

Cook, R.D. (1977) Detection of influential observations in linear regression. *Technometrics* **19**, 15–18.

Cook, R.D. (1979) Influential observations in linear regression. *J. Am. Statist. Assoc.* **74**, 169–74.

Cook, R.D. and Weisberg, S. (1982) *Residuals and Influence in Regression*. Chapman and Hall, London.

Cook, R.D. and Weisberg, S. (1983) Diagnostics for heteroscedasticity in regression. *Biometrika* **70**, 1-10.

Copas, J.B. (1988) Binary regression models for contaminated data. *J. R. Statist. Soc.* B **50**, 225-65.

Corbeil, R.R. and Searle, S.R. (1976) Restricted maximum likelihood (REML) estimation of variance components in the mixed model. *Technometrics* **18**, 31-8.

Cordeiro, G.M. (1983) Improved likelihood-ratio tests for generalized linear models. *J. R. Statist. Soc.* B **45**, 404–13.

Cordeiro, G.M. (1987) On the corrections to the likelihood-ratio statistics. *Biometrika* **74**, 265-74.

Cornish, E.A. and Fisher, R.A. (1937) Moments and cumulants in the specification of distributions. *Revue de l'Institut Internationale de Statistique* **4**, 1-14.

Cox, D.R. (1958a) The regression analysis of binary sequences (with discussion). *J. R. Statist. Soc.* B **20**, 215–42.

Cox, D.R. (1958b) Two further applications of a model for binary regression. *Biometrika* **45**, 562-5.

Cox, D.R. (1958c) *Planning of Experiments.* J. Wiley & Sons, New York.

Cox, D.R. (1970) *The Analysis of Binary Data.* Chapman and Hall, London.

Cox, D.R. (1972a) Regression models and life tables (with discussion). *J. R. Statist. Soc.* B **34**, 187-220.

Cox, D.R. (1972b) The analysis of multivariate binary data. *Appl. Statist.* **21**, 113-20.

Cox, D.R. (1975) Partial likelihood. *Biometrika* **62**, 269-76.

Cox, D.R. (1983) Some remarks on over-dispersion. *Biometrika* **70**, 269-74.

Cox, D.R. and Hinkley, D.V. (1968) A note on the efficiency of least-squares estimates. *J. R. Statist. Soc.* B **30**, 284-9.

Cox, D.R. and Hinkley, D.V. (1974) *Theoretical Statistics.* Chapman and Hall, London.

Cox, D.R. and Oakes, D. (1984) *Analysis of Survival Data.* Chapman and Hall, London.

Cox, D.R. and Reid, N. (1987) Parameter orthogonality and approximate conditional inference, (with discussion). *J. R. Statist. Soc.* B **49**, 1–39.

Cox, D.R. and Snell, E.J. (1968) A general definition of residuals. *J. R. Statist. Soc.* B **30**, 248-75.

Cox, D.R. and Snell, E.J. (1981) *Applied Statistics: Principles and Examples.* Chapman and Hall, London.

Critchlow, D.E. (1985) *Metric Methods for Analysing Partially Ranked Data.* Lecture Notes in Statistics **34**, Springer-Verlag, New York.

Crowder, M.J. (1978) Beta-binomial anova for proportions. *Appl. Statist.* **27**, 34-7.

Crowder, M.J. (1985) Gaussian estimation for correlated binomial data. *J. R. Statist. Soc.* B **47**, 229–37.

Crowder, M.J. (1987) On linear and quadratic estimating functions. *Biometrika* **74**, 591–7.

Crowley, J. and Hu, M. (1977) Covariance analysis of heart transplant data. *J. Am. Statist. Assoc.* **72**, 27–36.

Dale, J.R. (1984) Local versus global association for bivariate ordered responses. *Biometrika* **71**, 507–14.

Dale, J.R. (1986) Global cross-ratio models for bivariate discrete ordered responses. *Biometrics* **42**, 909–17.

Daniel, C. (1959) Use of half-normal plots for interpreting factorial two-level experiments. *Technometrics* **1**, 311–41.

Darby, S.C. and Ellis, M.J. (1976) A test for synergism between two drugs. *Appl. Statist.* **25**, 296–9.

Darroch, J.N. and Ratcliff, D. (1972) Generalized iterative scaling for log-linear models. *Ann. Math. Statist.* **43**, 1470–80.

Darroch, J.N., Lauritzen, S.L. and Speed, T.P. (1980) Markov fields and log-linear interaction models for contingency tables. *Ann. Math. Statist.* 8, 522–39.

Davidian, M. and Carroll, R.J. (1988) A note on extended quasi-likelihood. *J. R. Statist. Soc.* B **50**, 74–82.

Davison, A.C. (1988) Appproximate conditional inference in generalized linear models. *J. R. Statist. Soc.* B **50**, 445–61.

Davison, A.C. and Tsai, C.-L. (1988) Diagnostics for regression models with a linear part. Unpublished manuscript.

Dawson, R.B. (1954) A simplified expression for the variance of the χ^2-function on a contingency table. *Biometrika* **41**, 280.

Day, N.E. and Byar, D.T. (1979) Testing hypotheses in case-control studies: equivalence of Mantel-Haenszel statistics and logit score tests. *Biometrics* **35**, 623–30.

Deming, W.E. and Stephan, F.F. (1940) On a least squares adjustment of a sampled frequency table when the expected marginal totals are known. *Ann. Math. Statist.* **11**, 427–44.

Dempster, A.P. (1971) An overview of multivariate data analysis. *J. Mult. Analysis* 1, 316–46.

Dempster, A.P., Laird, N.M. and Rubin, D.B. (1977) Maximum likelihood from incomplete data via the EM algorithm (with discussion). *J. R. Statist. Soc.* B **39**, 1–38.

Diaconis, P. (1988) *Group Representations in Probability and Statistics.* I.M.S. Monograph Series **11**, Hayward, CA.

Dobson, A.J. (1983) *An Introduction to Statistical Modelling.* Chapman and Hall, London.

Draper, N.R. and Smith, H. (1981) *Applied Regression Analysis.* (2nd edn). J. Wiley & Sons, New York.

Dyke, G.V. and Patterson, H.D. (1952) Analysis of factorial arrangements when the data are proportions. *Biometrics* **8**, 1–12.

Efron, B. (1975) The efficiency of logistic regression compared to Normal discriminant analysis. *J. Am. Statist. Assoc.* **70**, 892–8.

Efron, B. (1977) The efficiency of Cox's likelihood function for censored data. *J. Am. Statist. Assoc.* **72**, 557–65.

Efron, B. (1978) Regression and ANOVA with zero-one data: measures of residual variation. *J. Am. Statist. Assoc.* **73**, 113–21.

Efron, B. (1986) Double exponential families and their use in generalized linear regression. *J. Am. Statist. Assoc.* **81**, 709–21.

Efroymson, M.A. (1960) Multiple regression analysis, in *Mathematical Methods for Digital Computers.* vol. 1 (eds. A. Ralston and H.S. Wilf), J. Wiley & Sons, New York, 191–203.

Ekholm, A. and Palmgren, J. (1982) A model for a binary response with mis-classification. In *GLIM 82: Proceedings of the International Conference on Generalized Linear Models.* (ed. R. Gilchrist), 128–43, Springer-Verlag, New York.

Elandt-Johnson, R.C. and Johnson, N.L. (1980) *Survival Models and Data Analysis.* J. Wiley & Sons, New York.

Engel, J. (1987) *The Analysis of Dependent Count Data.* PhD. Thesis, Landbouwuniversiteit, Wageningen.

Engelhardt, M. and Bain, L.J. (1977) Uniformly most powerful unbiased tests of the scale parameter of a gamma distribution with a nuisance shape parameter. *Technometrics* **19**, 77–81.

Engelhardt, M. and Bain, L.J. (1978) Construction of optimal unbiased inference procedures for the parameters of the gamma distribution. *Technometrics* **20**, 485–9.

Esseen, C.G. (1945) Fourier analysis of distribution functions. *Acta Mathematica* **77**, 1–125.

Everitt, B.S. (1977) *The Analysis of Contingency Tables.* Chapman and Hall, London.

Feigl, P. and Zelen, M. (1965) Estimation of exponential survival probabilities with concomitant information. *Biometrics* **21**, 826–38.

Fienberg, S.E. (1970a) An iterative procedure for estimation in contingency tables. *Ann. Math. Statist.* **41**, 907–17.

Fienberg, S.E. (1970b) The analysis of multidimensional contingency tables. *Ecology* **51**, 419–33.

Fienberg, S.E. (1980) *The Analysis of Cross-Classified Categorical Data.* (2nd edn). MIT Press, Cambridge, MA.

Finney, D.J. (1971) *Probit Analysis.* (3rd edn). Cambridge University Press.

Finney, D.J. (1976) Radioligand assay. *Biometrics* **32**, 721–40.

Firth, D. (1982) Estimation of voter transition matrices. MSc Thesis, University of London.

Firth, D. (1987) On the efficiency of quasi-likelihood estimation. *Biometrika* **74**, 233–45.

Firth, D. (1988) Multiplicative errors: log-normal or gamma? *J. R. Statist. Soc.* B **50**, 266–8.

Fisher, R.A. (1922) On the mathematical foundations of theoretical statistics. *Phil. Trans. R. Soc.* **222**, 309–68.

Fisher, R.A. (1935) The case of zero survivors (Appendix to Bliss, C.I. (1935)). *Ann. Appl. Biol.* **22**, 164–5.

Fisher, R.A. (1949) A biological assay of tuberculins. *Biometrics* **5**, 300–16.

Fisher, R.A. (1958) *Statistical Methods for Research Workers*. 13th edition. Oliver & Boyd, Edinburgh.

Fleiss, J.L. (1981) *Statistical Methods for Rates and Proportions*. J. Wiley & Sons, New York.

Fowlkes, E.B. (1987) Some diagnostics for binary logistic regression via smoothing. *Biometrika* **74**, 503–15.

Fraser, D.A.S. (1968) *The Structure of Inference*. J. Wiley & Sons, New York.

Fraser, D.A.S. (1979) *Inference and Linear Models*. McGraw-Hill, New York.

Freeman, P.R. (1977) Note: Thom's survey of the Avebury ring. *J. Hist. Astronomy* **8**, 134–6.

Freireich, E.J. *et al.* (1963) The effect of 6-mercaptopurine on the duration of steroid-induced remissions in acute leukemia. *Blood* **21**, 699–716.

Frome, E.L. (1983) The analysis of rates using Poisson regression models. *Biometrics* **39**, 665–74.

Furnival, G.M. and Wilson, R.W. (1974) Regression by leaps and bounds. *Technometrics* **16**, 499–511.

Gail, M.H., Lubin, J.H. and Rubenstein, L.V. (1981) Likelihood calculations for matched case-control studies and survival studies with tied death times. *Biometrika* **68**, 703–7.

Galton, F. (1889) *Natural Inheritance*. Macmillan, London.

Gart, J.J. and Zweifel, J.R. (1967) On the bias of various estimators of the logit and its variance with applications to quantal bioassay. *Biometrika* **54**, 181–7.

Gauss, C.F. (1823) *Theoria Combinationis Observationum Erroribus Minimis Obnoxiae*. Göttingen: Dieterich.

Gehan, E.A. (1965) A generalized Wilcoxon test for comparing arbitrarily single-censored samples. *Biometrika* **52**, 203–23.

Gentleman, W.M. (1974a) Regression problems and the QR decomposition. *Bull. I.M.A.* **10**, 195–7.

Gentleman, W.M. (1974b) Basic procedures for large, sparse or weighted linear least squares problems (Algorithm AS75). *Appl. Statist.* **23**, 448–57.

Gilchrist, R. (ed.) (1982) *GLIM 82: Proceedings of the International Conference on Generalized Linear Models*. Springer-Verlag, New York.

Gilchrist, R., Francis, B. and Whittaker, J. (eds.) (1985) *Generalized Linear Models*. Lecture Notes in Statistics, **32**, Springer-Verlag, Berlin.

Gilmour, A.R., Anderson, R.D. and Rae, A.L. (1985) The analysis of binomial data by a generalized linear mixed model. *Biometrika* **72**, 593–9.

Gilula, Z. and Haberman, S.J. (1986) Canonical analysis of contingency tables by maximum likelihood. *J. Am. Statist. Assoc.* **81**, 780–8.

Godambe, V.P. (1960) An optimum property of regular maximum likelihood estimation. *Ann. Math. Statist.* **31**, 1208–12.

Godambe, V.P. (1976) Conditional likelihood and optimum estimating equations. *Biometrika* **63**, 277–84.

Godambe, V.P. and Heyde, C.C. (1987) Quasi-likelihood and optimal estimation. *Int. Statist. Rev.* **55**, 231–44.

Godambe, V.P. and Thompson, M.E. (1988) An extension of quasi-likelihood estimation. *J. Statist. Planning and Inference* **22**, (to appear).

Gokhale, D.V. and Kullback, S. (1978) *The Information in Contingency Tables*. Marcel Dekker, New York.

Goldstein, H. (1986) Multilevel mixed linear model analysis using iterative generalized least squares. *Biometrika* **73**, 43–56.

Goodhardt, G.J., Ehrenberg, A.S.C. and Chatfield, C. (1984) The Dirichlet: A comprehensive model of buying behaviour. *J. R. Statist. Soc.* A **147**, 621–55.

Goodman, L.A. (1973) The analysis of multidimensional contingency tables when some variables are posterior to others: a modified path analysis approach. *Biometrika* **60**, 179–92.

Goodman, L.A. (1978) *Analysing Qualitative/Categorical Data*. Addison-Wesley, Reading, MA.

Goodman, L.A. (1979) Simple models for the analysis of association in cross-classifications having ordered categories. *J. Am. Statist. Assoc.* **74**, 537–52.

Goodman, L.A. (1981) Association models and canonical correlation in the analysis of cross-classifications having ordered categories. *J. Am. Statist. Assoc.* **76**, 320–34.

Goodman, L.A. (1986) Some useful extensions of the usual correspondence analysis approach and the usual log-linear models approach to the analysis of contingency tables (with discussion). *Int. Statist. Rev.* **54**, 243–309.

Graubard, B.I. and Korn, E.L. (1987) Choice of column scores for testing independence in ordered $2 \times k$ contingency tables. *Biometrics* **43**, 471–6.

Green, P.J. (1984) Iteratively reweighted least squares for maximum likelihood estimation, and some robust and resistant alternatives (with discussion). *J. R. Statist. Soc.* B **46**, 149–92.

Green, P.J. (1987) Penalized likelihood for general semi-parametric regression models. *Int. Statist. Rev.* **55**, 245–60.

Greenacre, M.J. (1984) *Theory and Applications of Correspondence Analysis*. Academic Press, New York.

Greenwood, J.A. and Durand, D. (1960) Aids for fitting the gamma distribution by maximum likelihood. *Technometrics* **2**, 55–65.

Grizzle, J.E. (1971) Multivariate logit analysis. *Biometrics* **27**, 1057–62.

Gross, A.J. and Clark, V.A. (1975) *Survival Distributions: Reliability Applications in the Biomedical Sciences.* J. Wiley & Sons, New York.

Gurland, J., Lee, I. and Dahm, P.A. (1960) Polychotomous quantal response in biological assay. *Biometrics* **16**, 382–98.

Haberman, S.J. (1974a) *The Analysis of Frequency Data.* University of Chicago Press, Chicago.

Haberman, S.J. (1974b) Log-linear models for frequency tables with ordered classifications. *Biometrics* **36**, 589–600.

Haberman, S.J. (1977) Maximum likelihood estimates in exponential response models. *Ann. Statist.* **5**, 815–41.

Haberman, S.J. (1978) *Analysis of Qualitative Data, 1: Introductory Topics.* Academic Press, New York.

Haberman, S.J. (1979) *Analysis of Qualitative Data, 2: New Developments.* Academic Press, New York.

Haberman, S.J. (1981) Tests for independence in two-way contingency tables based canonical correlation and on linear-by-linear interaction. *Ann. Statist.* **9**, 1178–86.

Haberman, S.J. (1982) The analysis of dispersion of multinomial responses. *J. Am. Statist. Assoc.* **77**, 568–80.

Haldane, J.B.S. (1937) The exact value of the moments of the distribution of χ^2 used as a test of goodness of fit when expectations are small. *Biometrika* **29**, 133–43.

Haldane, J.B.S. (1939) The mean and variance of χ^2 when used as a test of homogeneity when expectations are small. *Biometrika* **31**, 346–65.

Hamilton, D. (1987) Sometimes $R^2 > r_{yx_1}^2 + r_{yx_2}^2$: correlated variables are not always redundant. *Amer. Statistician* **41**, 129–32.

Harkness, W.L. (1965) Properties of the extended hypergeometric distribution. *Ann. Math. Statist.* **36**, 938–45.

Harter, H.L. (1976) The method of least squares and some alternatives. *Int. Statist. Rev.* **44**, 113–59.

Harville, D.A. (1974) Bayesian inference for variance components using only error contrasts. *Biometrika* **61**, 383–5.

Harville, D.A. (1977) Maximum likelihood approaches to variance component estimation and to related problems (with discussion). *J. Am. Statist. Assoc.* **72**, 320–40.

Hastie, T. and Tibshirani, R. (1986) Generalized additive models (with discussion). *Statistical Science* **1**, 297–318.

Hastie, T. and Tibshirani, R. (1987a) Generalized additive models: some applications. *J. Am. Statist. Assoc.* **82**, 371–86.

Hastie, T. and Tibshirani, R. (1987b) Non-parametric logistic and proportional-odds regression. *Appl. Statist.* **36**, 260–76.

Hawkins, D. (1980) *Identification of Outliers.* Chapman and Hall, London.

Healy, M.J.R. (1968) Triangular decomposition of a symmetric matrix (Algorithm AS6); Inversion of positive semi-definite symmetric matrix (Algorithm AS7), *Appl. Statist.* **17**, 192–7.

Healy, M.J.R. (1981) A source of assay heterogeneity. *Biometrics* **37**, 834–5.

Healy, M.J.R. (1986) *Matrices for Statistics.* Oxford: Clarendon Press.

Healy, M.J.R. (1988) *GLIM: An Introduction.* Oxford: Clarendon Press.

Hewlett, P.S. (1969) Measurement of the potencies of drug mixtures. *Biometrics* **25**, 477–87.

Hewlett, P.S. and Plackett, R.L. (1956) The relation between quantal and graded responses to drugs. *Biometrics* **12**, 72–8.

Heyde, C.C. (1987) On combining quasi-likelihood estimating functions. *Stochastic Processes and their Applications* **25**, 281–7.

Hill, J.R. and Tsai, C.-L. (1988) Calculating the efficiency of maximum quasi-likelihood estimation. *Appl. Statist.* **37**, 219–30.

Hill, M.O. (1974) Correspondence analysis: A neglected multivariate method. *Appl. Statist.* **23**, 340–54.

Hinkley, D.V. (1985) Transformation diagnostics for linear models. *Biometrika* **72**, 487–96.

Hoaglin, D.C. and Welsch, R.E. (1978) The hat matrix in regression and ANOVA. *Am. Statistician* **32**, 17–22 (Corr. **32**, 146).

Hougaard, P. (1982) Parametrizations of non-linear models. *J. R. Statist. Soc.* B **44**, 244–52.

Hurn, M.W., Barker, N.W. and Magath, T.D. (1945) The determination of prothrombin time following the administration of dicumarol with specific reference to thromboplastin. *J. Lab. Clin. Med.* **30**, 432–47.

Jarrett, R.G. (1973) *Efficiency and Estimation in Asymptotically Normal Distributions.* University of London PhD Thesis.

Jeffreys, H. (1961) *Theory of Probability.* (3rd edn). Oxford: Clarendon Press.

Jeffreys, H. and Jeffreys, B.S. (1956) *Methods of Mathematical Physics.* (3rd edn). Cambridge University Press.

Jennrich, R.I. (1977) Stepwise regression, in *Statistical Methods for Digital Computers.* (eds. Enslein, Ralston and Wilf), pp. 58–75, J. Wiley & Sons, New York.

Jennrich, R.I. and Moore, R.H. (1975) Maximum likelihood estimation by means of non-linear least squares. *Amer. Statist. Assoc. Proc. Statist. Computing Section,* 57–65

Johansen, S. (1983) Some topics in regression (with discussion). *Scand. J. Statist.* **10**, 161–94.

Johnson, B.W. and McCulloch, R.E. (1987) Added-variable plots in linear regression. *Technometrics* **29**, 427–33.

Jørgensen, B. (1984) The delta algorithm and GLIM. *Int. Statist. Rev.* **52**, 283–300.

Jørgensen, B. (1987) Exponential dispersion models (with discussion). *J. R. Statist. Soc.* B **49**, 127–62.

Kalbfleisch, J.D. and Prentice, R.L. (1980) *The Statistical Analysis of Failure Time Data.* J. Wiley & Sons, New York.

Kalbfleisch, J.D. and Sprott, D.A. (1970) Application of likelihood methods to models involving a large number of nuisance parameters (with discussion). *J. R. Statist. Soc.* B **32**, 175–208.

Kay, R. and Little, S. (1987) Transformations of the explanatory variables in the logistic regression model for binary data. *Biometrika* **74**, 503–15.

Kempthorne, O. (1952) *Design and Analysis of Experiments.* J. Wiley & Sons, New York.

Kendall, M.G. and Stuart, A. (1977) *The Advanced Theory of Statistics,* **1**. (4th edn). Griffin, London.

Killion, R.A. and Zahn, D.A. (1976) A bibliography of contingency table literature. *Int. Statist. Rev.* **44**, 71–112.

Kitanidis, P.K. (1983) Statistical estimation of polynomial generalized covariance functions in hydrologic applications. *Water Resources Research* **19**, 909–21.

Kitanidis, P.K. (1987) Parametric estimation of covariances of regionalized variables. *Water Resources Bulletin* **23**, 557–67.

Knuth, D.E. (1986) *The TEXbook.* Reading, Mass.: Addison-Wesley.

Kolassa, J. and McCullagh, P. (1987) Edgeworth series for lattice distributions. Technical Report No. 220, Dept of Statistics, University of Chicago.

Kruskal, W.H. (1968) When are Gauss-Markov and least squares estimators identical? A coordinate-free approach. *Ann. Math. Statist.* **39**, 70–5.

Kruskal, W.H. (1975) The geometry of generalized inverses, *J. R. Statist. Soc.* B **37**, 272–83.

Läärä, E. and Matthews, J.N.S. (1985) The equivalence of two models for ordinal data. *Biometrika* **72**, 206–7.

Lane, P.W. and Nelder, J.A. (1982) Analysis of covariance and standardization as instances of prediction. *Biometrics* **38**, 613–21.

Lawless, J.F. (1982) *Statistical Models and Methods for Lifetime Data.* J. Wiley & Sons, New York.

Lawless, J.F. (1987) Negative binomial and mixed Poisson regression. *Can. J. Statist.* **15**, 209–25.

Lawless, J.F. and Singhal, K. (1978) Efficient screening of non-normal regression models. *Biometrics* **43**, 318–27.

Lawley, D.N. (1956) A general method for approximating to the distribution of likelihood-ratio criteria. *Biometrika* **43**, 295–303.

Lawson, C.L. and Hanson, R.J. (1974) *Solving Least Squares Problems.* Prentice-Hall, Englewood Cliffs, NJ.

Lee, A.H. (1987) Diagnostic displays for assessing leverage and influence in generalized linear models. *Austral. J. Statist.* **29**, 233–43.

Lee, A.H. (1988) Assessing partial influence in generalized linear models. *Biometrics* **44**, 71–7.

Lee, E.T. (1980) *Statistical Methods for Survival Data Analysis*. Lifetime Learning Publications, Belmont, CA.

Lehmann, E.L. (1986) *Testing Statistical Hypotheses*. J. Wiley & Sons, New York.

Liang, K.Y. and Zeger, S.L. (1986) Longitudinal data analysis using generalized linear models. *Biometrika* **73**, 13–22.

Lexis, W. (1879) Über die Theorie der Stabilität statistischer Reichen. *Jahrbücher für Nationalökonomie und Statistik* **32**, 60–98.

Liao, J. (1988) 2×2 algorithm. *Royal Statistical Society News and Notes* **14**, 9 (May 1988) p.3.

Lindsay, B. (1982) Conditional score functions: some optimality results. *Biometrika* **69**, 503–12.

Lowe, C.R., Roberts, C.J. and Lloyd, S. (1971) Malformations of central nervous system and softness of local water supplies. *British Medical Journal* **15**, 357–61.

McCullagh, P. (1980) Regression models for ordinal data (with discussion). *J. R. Statist. Soc.* B **42**, 109–42.

McCullagh, P. (1982) Some applications of quasisymmetry. *Biometrika* **69**, 303–8.

McCullagh, P. (1983) Quasi-likelihood functions. *Ann. Statist.* **11**, 59–67.

McCullagh, P. (1984a) Local sufficiency. *Biometrika* **71**, 233–44.

McCullagh, P (1984b) Generalized linear models. *European J. Operational Research* **16**, 285–92.

McCullagh, P. (1984c) On the elimination of nuisance parameters in the proportional odds model. *J. R. Statist. Soc.* B **46**, 250–6.

McCullagh, P. (1985) On the asymptotic distribution of Pearson's statistic in linear exponential-family models. *Int. Statist. Rev.* **53**, 61–7.

McCullagh, P. (1986) The conditional distribution of goodness-of-fit statistics for discrete data. *J. Am. Statist. Assoc.* **81**, 104–7.

McCullagh, P. (1987) *Tensor Methods in Statistics*. Chapman and Hall, London.

McCullagh, P. (1989) Some statistical properties of a new family of continuous univariate distributions. *J. Am. Statist. Assoc.* **84**, 125–9.

McCullagh, P. and Pregibon, D. (1987) k-statistics and dispersion effects in regression. *Ann. Statist.* **15**, 202–19.

McCullagh, P. and Tibshirani, R. (1988) A simple method for the adjustment of profile likelihoods. Technical Report No. 238, Dept of Statistics, University of Chicago.

McLeish, D.L. and Small, C.G. (1988) *The Theory and Application of Statistical Inference Functions*. Lecture Notes in Statistics **44**, Springer-Verlag, New York.

McNemar, Q. (1947) Note on the sampling error of the difference between two correlated proportions or percentages. *Psychometrika* **12**, 153–7.

Mallows, C.L. (1957) Non-null ranking models, I. *Biometrika* **44**, 114–30.

Mallows, C.L. (1973) Some comments on C_p. *Technometrics* **15**, 661–75.

Mandel, J. (1959) The analysis of Latin squares with a certain type of row-column interaction. *Technometrics* **1**, 379–87.

Mandel, J. (1971) A new analysis of variance model for non-additive data. *Technometrics* **13**, 1–18.

Mantel, N. (1966) Models for complex contingency tables and polychotomous dosage response curves. *Biometrics* **22**, 83–95.

Mantel, N. (1977) Tests and limits for the common odds ratio of several 2×2 tables: methods in analogy with the Mantel-Haenszel procedure. *J. Statist. Planning and Inference* **1**, 179–89.

Mantel, N. and Brown, C. (1973) A logistic reanalysis of Ashford and Sowden's data on respiratory symptoms in British coalminers. *Biometrics* **29**, 649–65.

Mantel, N. and Haenszel, W. (1959) Statistical aspects of the analysis of data from retrospective studies of disease. *J. Nat. Cancer Inst.* **22**, 719–48.

Mantel, N. and Hankey, W. (1975) The odds ratio of a 2×2 contingency table. *Am. Statistician* **29**, 143–5.

Manton, K.G., Woodbury, M.A. and Stallard, E. (1981) A variance components approach to categorical data models with heterogeneous cell populations: analysis of spatial gradients in lung cancer mortality rates in North Carolina counties. *Biometrics* **37**, 259–69.

Mardia, K.V. and Marshall, R.J. (1984) Maximum likelihood estimation of models for residual covariance in spatial regression. *Biometrika* **71**, 135–46.

Maxwell, A.E. (1961) *Analysing Qualitative Data*. Methuen, London.

Mead, R. and Curnow, R.N. (1983) *Statistical Methods in Agriculture and Experimental Biology*. Chapman and Hall, London.

Miller, R.G. (1981) *Survival Analysis*. J. Wiley & Sons, New York.

Moore, D.F. (1987) Modelling the extraneous variance in the presence of extra-binomial variation. *Appl. Statist.* **36**, 8–14.

Morris, C.N. (1982) Natural exponential families with quadratic variance functions. *Ann. Statist.* **10**, 65–80.

Morris, C.N. (1983) Natural exponential families with quadratic variance functions: statistical theory. *Ann. Statist.* **11**, 515–29.

Morton, R. (1981) Efficiency of estimating equations and the use of pivots. *Biometrika* **68**, 227–33.

Morton, R. (1987) A generalized linear model with nested strata of extra-Poisson variation. *Biometrika* **74**, 247–57.

Mosteller, F. and Tukey, J.W. (1977) *Data Analysis and Regression.* Addison-Wesley, New York.

Muirhead, C.R. and Darby, S.C. (1987) Modelling the relative and absolute risks of radiation-induced cancers. *J. R. Statist. Soc.* A **150**, 83–118.

Nair, V.N. and Pregibon, D. (1988) Contribution to the discussion of Box (1988). *Technometrics* **30**, 24–29.

Nelder, J.A. (1965a) The analysis of randomized experiments with orthogonal block structure. I. Block structure and the null analysis of variance. *Proc. Roy. Soc.* A **283**, 147–62.

Nelder, J.A. (1965b) The analysis of randomized experiments with orthogonal block structure. II. Treatment structure and the general analysis of variance. *Proc. Roy. Soc.* A **283**, 163–78.

Nelder, J.A. (1966) Inverse polynomials, a useful group of multi-factor response functions. *Biometrics* **22**, 128–41.

Nelder, J.A. (1974) Log linear models for contingency tables: a generalization of classical least squares. *Appl. Statist.* **23**, 323–9.

Nelder, J.A. (1977) A reformulation of linear models. *J. R. Statist. Soc.* A **140**, 48–77.

Nelder, J.A. (1982) Linear models and non-orthogonal data. *Utilitas Mathematica* 21B, 141–51.

Nelder, J.A. (1984) Models for rates with Poisson errors. *Biometrics* **40**, 1159–62.

Nelder, J.A. and Pregibon, D. (1987) An extended quasi-likelihood function. *Biometrika* **74**, 221–32.

Nelder, J.A. and Wedderburn, R.W.M. (1972) Generalized linear models. *J. R. Statist. Soc.* A **135**, 370–84.

Nelson, W. (1982) *Applied Life Data Analysis.* J. Wiley & Sons, New York.

Neyman, J. and Scott, E.L. (1948) Consistent estimates based on partially consistent observations. *Econometrica* **16**, 1–32.

Oakes, D. (1977) The asymptotic information in censored survival data. *Biometrika* **64**, 441–8.

Oakes, D. (1981) Survival times: aspects of partial likelihood. *Int. Statist. Rev.* **49**, 235–64.

Palmgren, J. (1981) The Fisher information matrix for log-linear models arguing conditionally in the observed explanatory variables. *Biometrika* **68**, 563–6.

Palmgren, J. (1987) *Models for categorical data with errors of observation.* Tilastotieteellisiä Tutkimuksia **8**, Finnish Statistical Society: Yliopistopaino, Helsinki.

Patterson, H.D. and Thompson, R. (1971) Recovery of inter-block information when block sizes are unequal. *Biometrika* **58**, 545–54.

Payne, C.D. (ed.) (1986) *The GLIM Manual, Release 3.77.* NAG: Oxford.

Pearson, K. (1900) On a criterion that a given system of deviations from the probable in the case of a correlated system of variables is such that it can be reasonably supposed to have arisen from random sampling. *Phil. Mag.* (5) **50**, 157–75. Reprinted in *Karl Pearson's Early Statistical Papers* (ed. E.S. Pearson). Cambridge University Press, Cambridge (1948).

Pearson, K. (1901) Mathematical contributions to the theory of evolution. *Phil. Trans. R. Soc.* **195**, 79–150.

Pearson, K. (1913) Note on the surface of constant association. *Biometrika* **9**, 534–7.

Pearson, K. and Heron, D. (1913) On theories of association. *Biometrika* **9**, 159–315.

Peto, R. (1972) Contribution to the discussion of Cox (1972): Regression modes and life tables. *J. R. Statist. Soc.* B 205–7.

Phelps, K. (1982) Use of the complementary log-log function to describe dose-response relationships in insecticide evaluation field trials. In *Lecture Notes in Statistics, No. 14. GLIM.82: Proceedings of the International Conference on Generalized Linear Models.* (ed. R. Gilchrist), Springer-Verlag, New York.

Pierce, D.A. and Schafer, D.W. (1986) Residuals in generalized linear models. *J. Am. Statist. Assoc.* **81**, 977–86.

Pignatiello, J.J. and Ramberg, J.S. (1985) Contribution to discussion of off-line quality-control, parameter design, and the Taguchi method. *J. Quality Technology* **17**, 198–206.

Plackett, R.L. (1960) *Principles of Regression Analysis.* Oxford: Clarendon Press.

Plackett, R.L. (1965) A class of bivariate distributions. *J. Am. Statist. Assoc.* **60**, 516–22.

Plackett, R.L. (1981) *The Analysis of Categorical Data.* Griffin, London.

Powsner, L. (1935) The effects of temperature on the durations of the developmental stages of *Drosophila Melanogaster. Physiological Zoölogy* **8**, 474–520.

Pratt, J.W. (1981) Concavity of the log likelihood. *J. Am. Statist. Assoc.* **76**, 103–6.

Preece, D.A., Ross, G.J.S. and Kirby, S.P.J. (1988) Bortkewitsch's horse-kicks and the generalised linear model. *The Statistician* **37**, 313–18.

Pregibon, D. (1979) Data analytic methods for generalized linear models. PhD Thesis, University of Toronto.

Pregibon, D. (1980) Goodness of link tests for generalized linear models. *Appl. Statist.* **29**, 15–24.

Pregibon, D. (1981) Logistic regression diagnostics. *Ann. Statist.* **9**, 705–24.

Pregibon, D. (1982) Score tests in GLIM with applications. In *Lecture Notes in Statistics, no. 14. GLIM.82: Proceedings of the International Conference on Generalized Linear Models.* (ed. R. Gilchrist).

Springer-Verlag, New York.

Pregibon, D. (1984) Review of *Generalized Linear Models, Ann. Statist.* **12**, 1589–96.

Prentice, R.L. (1986) Binary regression using an extended beta-binomial distribution, with discussion of correlation induced by covariate measurement errors. *J. Am. Statist. Assoc.* **81**, 321–7.

Prentice, R.L. (1988) Correlated binary regression with covariates specific to each binary observation. *Biometrics* **44**, 1033–48.

Prentice, R.L. (1987) Regression on variances and correlations using generalized estimating equations. Unpublished Technical report.

Pringle, R.M. and Rayner, A.A. (1971) *Generalized Inverse Matrices with Applications to Statistics.* Griffin, London.

Quine, M.P. and Seneta, E. (1987) Bortkiewicz's data and the law of small numbers. *Int. Statist. Rev.* **55**, 173–81.

Rao, C.R. (1973) *Linear Statistical Inference and its Applications.* (2nd edn). J. Wiley & Sons, New York.

Ross, W.H. (1987) The expectation of the likelihood-ratio criterion. *Int. Statist. Rev.* **55**, 315–30.

Rousseeuw, P.J. and Leroy, A.M. (1988) *Robust Regression and Outlier Detection.* J. Wiley & Sons, New York.

Rubin, G.M. (1988) *Drosophila melanogaster* as an experimental organism. *Science* **240**, 1453–9.

Ryan, B.F., Joiner, B.L. and Ryan, T.A. (1985) *Minitab Handbook.* (2nd edn). Duxbury: Boston.

Schoener, T.W. (1970) Nonsynchronous spatial overlap of lizards in patchy habitats. *Ecology* **51**, 408–18.

Scholten, H. and van Wissen, L. (1985) A comparison of the loglinear interaction models with other spatial interaction models. In *Measuring the Unmeasurable.* NATO ASI Series D No. 22, (eds. P. Nijkamp, H. Leitner and N. Wrigley) Martinus Nijhoff, Dordrecht. pp. 177–96.

Schreiner, H.R., Gregoire, R.C. and Lawrie, J.A. (1962) New biological effect of gases in the helium group. *Science* **136**, 653–4.

Searle, S.R. (1971) *Linear Models.* J. Wiley & Sons, New York.

Searle, S.R. (1979) Annotated computer output for analysis of variance of unequal-subclass-numbers data. *Am. Statistician* **33**, 222–3.

Seber, G.A.F. (1977) *Linear Regression Analysis.* J. Wiley & Sons, New York.

Simon, G. (1974) Alternate analyses for the singly ordered contingency table. *J. Am. Statist. Assoc.* **69**, 971–6.

Simpson, E.H. (1951) The interpretation of interaction in contingency tables. *J. R. Statist. Soc.* B **13**, 238–41.

Skovgaard, I.M. (1986) A statistical model for competition experiments. *Scand. J. Statist.* **13**, 29–38.

Smyth, G.K. (1985) Coupled and separable iterations in nonlinear estimation. PhD Thesis, Australian National University.

Snedecor, G.W. and Cochran, W.G. (1967) *Statistical Methods*. (Sixth Edition), Iowa University Press.

Snell, E.J. (1964) A scaling procedure for ordered categorical data. *Biometrics* **20**, 592–607.

Solomon, H. (1961) Classification procedures based on dichotomous response vectors. In *Studies in Item Analysis and Prediction*. (ed. H. Solomon) Stanford University Press, pp. 177–86.

Sprent, P. (1969) *Models in Regression and Related Topics*. Methuen, London.

Stevens, S.S. (1951) Mathematics, measurement and psychophysics, in *Handbook of Experimental Psychology* (ed. S.S. Stevens) J. Wiley & Sons, New York.

Stevens, S.S. (1958) Problems and methods of psychophysics, *Psychol. Bull.* **55**, 177–96.

Stevens, S.S. (1968) Measurement, statistics and the schematic view. *Science* **161**, 849–56.

Stewart, G.W. (1973) *Introduction to Matrix Computations*. Academic Press, New York.

Stigler, S.M. (1978) Francis Ysidro Edgeworth, Statistician (with discussion). *J. R. Statist. Soc.* A **141**, 287–322.

Stigler, S.M. (1981) Gauss and the invention of least squares. *Ann. Statist.* **9**, 465–74.

Stigler, S.M. (1986) *The History of Statistics*. Belknap Press, Cambridge, Mass.

Stiratelli, R., Laird, N.M. and Ware, J.H. (1984) Random-effects models for serial observations with binary response. *Biometrics* **40**, 961–71.

Stone, M. (1977) An asymptotic equivalence of choice of model by cross-validation and Akaike's criterion. *J. R. Statist. Soc.* B **39**, 44–7.

Stone, M. (1987) *Coordinate-Free Multivariable Statistics*. Oxford, Clarendon Press.

Thisted, R.A. (1988) *Elements of Statistical Computing*. Chapman and Hall, London.

Thom, A. (1967) *Megalithic Sites in Britain*. Oxford, Clarendon Press.

Thom, A., Thom, A.S. and Foord, T.R. (1976) Avebury (1): a new assessment of the geometry and metrology of the ring. *J. Hist. Astronomy* **7**, 183–92.

Thompson, R. and Baker, R.J. (1981) Composite link functions in generalised linear models. *Appl. Statist.* **30**, 125–31.

Tukey, J.W. (1949) One degree of freedom for non-additivity. *Biometrics* **5**, 232–42.

Tukey, J.W. (1962) The future of data analysis. *Ann. Math. Statist.* **33**, 1–67.

Tweedie, M.C.K. (1957a) Statistical properties of inverse Gaussian distributions I. *Ann. Math. Statist.* **28**, 362–77.

Tweedie, M.C.K. (1957b) Statistical properties of inverse Gaussian distributions II. *Ann. Math. Statist.* **28**, 696–705.

Tweedie, M.C.K. (1981) An index which distinguishes between some important exponential families. *Proc. Indian Statistical Inst. Golden Jubilee International Conference*, 579–604.

Upton, G.J.G. (1978) *The Analysis of Cross-Tabulated Data*. J. Wiley & Sons, New York.

Upton, G.J.G. (1985) Modelling cross-tabulated regional data. In *Measuring the Unmeasurable*. NATO ASI Series D No. 22, (eds. P. Nijkamp, H. Leitner and N. Wrigley), 197–218. Martinus Nijhoff, Dordrecht.

Urquhart, N.S. and Weeks, D.L. (1978) Linear models in messy data: some problems and alternatives. *Biometrics* **34**, 696–705.

Wahrendorf, J. (1980) Inference in contingency tables with ordered categories using Plackett's coefficient of association for bivariate distributions. *Biometrika* **67**, 15–21.

Walker, S.H. and Duncan, D.B. (1967) Estimation of the probability of an event as a function of several independent variables. *Biometrika* **54**, 167–79.

Wampler, J.H. (1979) Solution to weighted least squares problems by modified Gram-Schmidt with iterative refinement. *ACM Trans. Math. Software* **5**, 494–9.

Wang, P.C. (1987) Residual plots for detecting nonlinearity in generalized linear models. *Technometrics* **29**, 435–8.

Wedderburn, R.W.M. (1974) Quasilikelihood functions, generalized linear models and the Gauss-Newton method. *Biometrika* **61**, 439–47.

Wedderburn, R.W.M. (1976) On the existence and uniqueness of the maximum likelihood estimates for certain generalized linear models. *Biometrika* **63**, 27–32.

Welch, L.F., Adams, W.E. and Corman, J.L. (1963) Yield response surfaces, isoquants and economic fertilizer optima for coastal Bermudagrass. *Agron. J.* **55**, 63–7.

Wermuth, N. (1976) Exploratory analyses of multidimensional contingency tables. *Proc. 9th Int. Biometrics Conference*, V.I, 279–95.

West, M. (1985) Generalized linear models: scale parameters, outlier accommodation and prior distributions. *Bayesian statistics* **2**, 531–58.

Whitehead, J. (1980) Fitting Cox's regression model to survival data using GLIM. *Appl. Statist.* **29**, 268–75.

Wichura, M. (1986) The PiCTeX manual. Technical Report No. 205, Dept. of Statistics, University of Chicago.

Wilkinson, G.N. and Rogers, C.E. (1973) Symbolic description of factorial models for analysis of variance. *Appl. Statist.* **22**, 392–9.

Williams, D.A. (1976) Improved likelihood ratio tests for complete contingency tables. *Biometrika* **63**, 33–7.

Williams, D.A. (1982) Extra-binomial variation in logistic linear models. *Appl. Statist.* **31**, 144–8.

Williams, D.A. (1987) Generalized linear model diagnostics using the deviance and single-case deletions. *Appl. Statist.* **36**, 181–91.

Williams, E.J. (1952) Use of scores for the analysis of association in contingency tables. *Biometrika* **39**, 274–80.

Williams, E.J. (1959) *Regression Analysis.* J. Wiley & Sons, New York.

Williams, E.J. (1962) The analysis of competition experiments. *Austral. J. Biol. Sci.* **15**, 509–25.

Williams, O.D. and Grizzle, J.E. (1972) Analysis of contingency tables having ordered response categories. *J. Am. Statist. Assoc.* **67**, 55–63.

Wilson, E.B. and Hilferty, M.M. (1931). The distribution of chi-square. *Proc. Nat. Acad. Sci.* **17**, 684–8.

Wixley, R.A.J. (1987) Power transformations and the generalized linear model. PhD Thesis, University of Natal.

Wolstenholme, D.E., O'Brien, C.M. and Nelder, J.A. (1988) GLIMPSE: A knowledge-based front end for statistical analysis. *Knowledge-based Systems* **1**, 173–8.

Yandell, B.S. (1986) Algorithms for nonlinear generalized cross-validation. *18th Symposium on the Interface of Computer Science and Statistics.*

Yates, F. (1948) The analysis of contingency tables with groupings based on quantitative characters. *Biometrika* **35**, 176–81; corr. **35**, 424.

Yule, G.U. (1912) On methods of measuring association between two attributes (with discussion). *J. R. Statist. Soc.* **75**, 579–652.

Zeger, S.L., Liang, K.Y. and Self, S.G. (1985) The analysis of binary longitudinal data with time-independent covariates. *Biometrika* **72**, 31–8.

Zeger, S.L. and Liang, K.Y. (1986) Longitudinal data analysis for discrete and continuous outcomes. *Biometrics* **42**, 121–30.

Zeger, S.L. and Qaqish, B. (1988) Markov regression models for time-series: a quasi-likelihood approach. *Biometrics* **44**, 1019–31.

Zeger, S.L., Liang, K.Y. and Albert, P.S. (1988) Models for longitudinal data: A generalized estimating equation approach. *Biometrics* **44**, 1049–60.