

File Name – Default.cs

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;


namespace WebApplication1
{
    public partial class _default1 : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {

        }



        protected void LinkButton2_Click(object sender, EventArgs e)
        {
            Response.Redirect("stureg.aspx");
        }

        protected void LinkButton1_Click(object sender, EventArgs e)
        {
            Response.Redirect("Departmentlogin.aspx");
        }
    }
}
```


File Name – Screen 1




File Name – Screen 2



Screen 3



Screen 4



localhost:62070/Student\_activity.aspx

Welcome Student Portal

Student Activity

Student History

Name : Pushpak  
Department : CSE

### Student Activity Form

ID : STU-2023-CSE-00-1      Name Pushpak

Dept. : CSE

Dance

12-12-23

IEEE

no

Submit

Developed By : Pushpak Fasate

localhost:62070/view\_history.aspx

Welcome Student Portal

Student Activity

Student History

Name : Pushpak  
Department : CSE

### Mark Details Form


ID : STU-2023-CSE-00-4      Name Pushpak

Dept. : CSE

Mark Alloted : 11

Developed By : Pushpak Fasate

Screen 5



Screen 6

