

Q1
Searching
1 mark

Q2
Array
1 mark

Q3
Occurrence of an element
1 mark

3/3 answered

Write a program for binary search

Your Code

```
1 #include <stdio.h>
2 int main(){
3     int a[10], n, i, key, low=0, high, mid;
4     scanf("%d", &n);
5     for (i=0;i<n;i++)
6         scanf("%d", &a[i]);
7     scanf("%d", &key);
8     high = n-1;
9     while (low <= high){
10         mid = (low+high)/2;
11         if (a[mid]==key){
12             printf("found at %d", mid+1);
13             return 0;
14         }
15         if (a[mid] < key)
16             low = mid + 1;
17         else
18             high = mid - 1;
19     }
20     printf("not found");
21     return 0;
22 }
```

Submitted

Input

```
5
10 20 30 40 50
40
```

Output

```
found at 4
```

QUESTIONS

Q1
Searching
1 mark



Q2
Array
1 mark



Q3
Occurrence of an elemnet
1 mark



3/3 answered

Q3 Occurrence of an elemnet

1 mark

Write a C program for Find the First and Last Occurrence of an Element

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int a[100], n, i, key, first = -1, last = -1;
4     scanf("%d", &n);
5     for (i = 0; i < n; i++)
6         scanf("%d", &a[i]);
7     scanf("%d", &key);
8     for (i = 0; i < n; i++) {
9         if (a[i] == key) {
10             if (first == -1)
11                 first = i;
12             last = i;
13         }
14     }
15     if (first == -1)
16         printf("element not found");
17     else
18         printf("first = %d\nlast = %d", first, last);
19     return 0;
20 }
```

 Submitted

Input

```
6
2 4 2 5 2 7
2
```

Output

```
first = 0
last = 4
```

COT Output Predictions

Back

QUESTIONS

Q1
Searching
1 mark

Q2
Array
1 mark

Q3
Occurrence of an elemnet
1 mark


3/3 answered

Q1 Searching

1 mark

Write a C program for Count the Occurrences of an Element

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int a[100], n, i, key, count=0;
4     printf("enter the no.of elements: ");
5     scanf("%d", &n);
6     printf("enter the array elements: ");
7     for (i=0; i<n; i++) {
8         scanf("%d", &a[i]);
9     }
10    printf("enter the element to search: \n");
11    scanf("%d", &key);
12    for (i=0; i<n; i++) {
13        if (a[i]==key) {
14            count++;
15        }
16    }
17    printf("occurrence of %d - %d", key, count);
18    return 0;
19 }
```

Submitted

Input

6
2 4 2 5 2 7
2

Output

