NETWORK RECONNAISSANCE & PORT SCANNING AUDIT

Network Audit Findings Report — controlled sandbox assessment

Prepared by: Student / Security Analyst (PUSHPARAJB)

Target: Exact owner-approved sandbox IP

Prepared: 09 November 2026

Status: TEMPLATE — scans and packet analysis NOT RUN

1. Executive Summary

This report defines a controlled Nmap and Wireshark assessment. No scan outputs or packet captures were supplied or generated; therefore no open ports, services, exposed credentials, or anomalies are claimed as observed.

2. Scope and Authorization

The earlier training inventory listed 192.168.56.20 as a possible LAB-02 host-only VM. Re-confirm the target and obtain written owner permission for the exact scan types, ports, and test window. All unlisted systems are out of scope.

3. Methodology

- Nmap host reachability check against one authorized target.
- TCP SYN scan limited to top 100 ports.
- UDP scan limited to top 20 ports.
- Lightweight service/version detection.
- OS detection where supported.
- Wireshark capture on isolated lab interface using synthetic traffic.

4. Nmap Results

Scan type	Result
TCP SYN	NOT RUN — evidence pending
UDP top 20	NOT RUN — evidence pending
Service/version	NOT RUN — evidence pending
OS detection	NOT RUN — evidence pending

Attach original Nmap text/XML outputs. Do not invent open ports or service versions.

5. Wireshark Results

Frame	Protocol	Source → Destination	Encryption	Observation
NOT RUN	—	—	Unknown	No packet capture supplied

Credential exposure and anomalous-protocol assessments are NOT ASSESSED. Use synthetic values only.

6. Findings and Risk Assessment

For each verified finding record ID, target/port, state, service/version, evidence, impact, severity rationale, remediation, and validation status. An open port alone does not prove a vulnerability.

7. Recommendations

- Disable unnecessary services and close unused ports.
- Restrict management access to trusted administrative hosts.
- Patch exposed services.
- Prefer SSH, HTTPS, and SFTP over Telnet, plaintext HTTP, and FTP.
- Enforce strong authentication and least privilege.
- Monitor traffic and re-test after remediation within scope.

8. Evidence Inventory

Attach genuine Nmap outputs and redacted Wireshark screenshots. Keep original PCAPNG files in restricted storage.

9. Limitations

Results depend on host availability, firewall behavior, scan privileges, and approved port range. UDP states may be ambiguous; OS detection may be inconclusive.

10. Conclusion

Complete after actual scans and packet analysis. Until evidence is added, this remains a report template, not a completed technical audit.