Status	Finished
Started	Sunday, 18 October 2026, 9:59 PM
Completed	Sunday, 18 October 2026, 10:05 PM
Duration	5 mins 41 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

____ function returns the value corresponding to the key passed as the argument.

a. del
b. values
c. update
d. get ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Which function/statement delete the dictionary from the memory?

a. delete
b. pop
c. del ✓
d. clear

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following is feature of Dictionary?

a. Dictionary is mutable.
b. Keys are unique within a dictionary.
c. Keys must be of an immutable data type.
d. All of the mentioned ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys or same values but cannot have two same key-value pair

b. A dictionary can have two same values with different keys. ✓

c. A python, a dictionary can neither have two same keys nor two same values.

d. A dictionary can have two same keys with different values.

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. convert

b. create

c. dictionary

d. dict ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following is used to delete an element from Dictionary?

a. None of the mentioned

b. pop ✓

c. delete

d. remove

Question **7**

Correct

Mark 1.00 out of 1.00

Suppose d = {“john”:40, “peter”:45}, to delete the entry for “john” what command do we use?

a. d.delete(“john”)

b. del d[“john”] ✓

c. del d(“john”:40)

d. d.delete(“john”:40)

Question **8**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9 ✓

Question **9**

Correct

Mark 1.00 out of 1.00

____ function returns the number of key: value pairs of the dictionary.

- a. total
- b. items
- c. length
- d. len ✓

Question **10**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

- a. True
- b. False ✓

Question **11**

Correct

Mark 1.00 out of 1.00

Only values (without keys) can be printed in dictionary?

- a. True ✓
- b. False

Question **12**

Correct

Mark 1.00 out of 1.00

Which statement is used to create an empty dictionary?

- a. d1 = [ ]
- b. d1 = dict{ }
- c. d1 =
- d. d1 = { } ✓

Question **13**

Correct

Mark 1.00 out of 1.00

Key – value concept is in ____.

- a. List
- b. Dictionary ✓
- c. Tuple
- d. String

Question **14**

Incorrect

Mark 0.00 out of 1.00

Which of the following is not method of dictionary?

- a. pop
- b. len ✗
- c. del
- d. update

Question **15**

Correct

Mark 1.00 out of 1.00

Dictionaries are flexible in nature, means elements can be added or removed from it.

a. True ✓

b. False