Menu scripts — one section per command

Every command in **Workspace → Scripts → Safar Pahad Parivar**, with what you need first, how to run it, exactly what changes in Resolve afterwards, how to redo / undo it, and what to do if it doesn't work. (Short overview: `SPP_Kit_Guide.md` §0. Titles are in **Effects → Titles → Safar Pahad Parivar**.)

Contents

- A. Before any script — a new project the right way
- B. Running a script and reading its messages
- **1 Setup**: Setup Render Presets · New Timeline - YouTube 16x9 · New Timeline - Shorts 9x16 · Import Brand Graphics · Keyboard Shortcuts - On or Off · Media - Tag 8-bit or 10-bit
- **2 Marking & Moments**: Tag Shot Type 0–9 · Moments - Analyse Trip · Moments - Add Markers · Moments - Best Moments Timeline · Moments - Search Transcript
- **3 Picture**: Reflection - Scan Trip · Reflection - Clean Selected Clips · Color - Add CST Nodes (by Clip) · Render Cache - Whole Timeline · Reflection - Show Original or Cleaned · SPP Glass Glare
- **4 Titles & Graphics**: Info Cards - Fill from GPS · Route Map - Build from Timeline · Route Map - Google Earth Fly-over · Chapters - Number + YouTube List · Titles - Follow Clip Length · Titles - Set Size for All
- **5 Captions & Voice**: Captions - Sync Words to VO · Phone Voice - Selected Clips
- **6 Sound & Music**: SFX - Import Library · Music - Import Library · SFX - Auto Sound for Titles · SFX - Remove Auto Sounds · SFX - Land at Playhead · SFX - Loop Fill (In to Out) · Music - Key Transition · Distance - Selected Clips

A. Before any script — a new project the right way

The kit is **already inside Resolve** (the menu scripts and the SPP titles were copied in by `install.ps1`). **Do not import the kit folder into the Media Pool** — that only adds hundreds of files (tools, docs, sources) you never use. The scripts bring in exactly what's needed (graphics, sounds, music) into their own bins.

1. **Project Manager** → **New Project**, named after the video (e.g. *Chopta 01 Main Film*).
2. *File* → *Project Settings* → *Master Settings* → *Working Folders* → *Project media location* = `<video>\Resolve Media`.
3. **Media Pool** → **Import Media** → the trip's footage: `<trip>\Footage\Horizontal` (and `Vertical` for Shorts). The footage must stay inside `<trip>\Footage` — GPS, route map and moments find the trip from that path.
4. Run, in this order: **1 Setup** → **New Timeline - YouTube 16x9** (or Shorts) → **1 Setup** → **Import Brand Graphics** → **6 Sound & Music** → **SFX - Import Library** / **Music - Import Library** → **2 Marking & Moments** → **Moments - Analyse Trip**. (Once per PC: **1 Setup** → **Setup Render Presets**.)
5. Your Media Pool then looks like:

```
Master
├─ (your footage)
├─ SPP Graphics      intro, end card, watermarks
├─ SPP SFX           01 Title Kits … 24 Temple & Town   (one sub-bin per category)
├─ SPP Music         01 Slow Build · 02 Temple Bells · 03 Wind · 04 Flute
└─ SPP Moments Footage / SPP Distance / SPP Phone Voice   (appear later, when those scripts
need them)
```

Already imported the kit folder? In the Media Pool right-click the *_Safar Pahad Parivar Kit* bin → **Remove Bin** (the files stay on disk — Resolve only forgets them), then do step 4.

B. Running a script and reading its messages

- Menu: **Workspace** → **Scripts** → **Safar Pahad Parivar** → **(folder)** → **(script)**. The scripts are in six folders, in the order you use them: **1 Setup · 2 Marking & Moments · 3 Picture · 4 Titles & Graphics · 5 Captions & Voice · 6 Sound & Music** (the tag scripts are one level deeper: *2 Marking & Moments* → *Tag Shot Type*).
- Messages ("Imported 846 new sounds…", "Filled 3 Info Card(s)…", errors) appear in **Workspace** → **Console** — open it the first few times; every section below lists the message you should see.
- Some scripts show a small window first (style / preset / how many). Some make Resolve **pause** while they work (captions, route map, key detection) — wait, it comes back.
- Scripts never delete your footage. The only things they remove are their own earlier results (noted per script).
- Not in the menu? Run `.\install.ps1` in the kit folder and restart Resolve.

1 Setup

Menu **Workspace** → **Scripts** → **Safar Pahad Parivar** → **1 Setup** — once per PC or once per new video.

Setup Render Presets

Use it for: the three SPP render presets. **Once per PC** (presets are saved in your Resolve user settings, for all projects). **Before:** any project open. **How:** run it. **You'll see:** Console: `Saved SPP YouTube 4K`, `Saved SPP YouTube 1080p`, `Saved SPP Shorts 9x16`. On the **Deliver** page the presets appear in the preset row at the top (built on Resolve's YouTube 2160p / 1080p and TikTok 1080p presets; Shorts is 1080×1920). **Again / undo:** running again refreshes them. Delete a preset: Deliver page → right-click it → Delete. **Problems:** `Base preset missing` → update Resolve (its built-in YouTube/TikTok presets are needed).

New Timeline – YouTube 16x9

Use it for: every main video — a timeline with the kit's standard tracks. **Before:** a project open (footage imported is fine but not needed). **How:** run it. **You'll see:**

- A new timeline **SPP YouTube 16x9 - 2026-10-02 1930** (date/time of creation) in the Media Pool, opened on the Edit page.
- Settings (its own, independent of the project): **3840×2160, 30 fps, square pixels, scale to fit**.
- Tracks, already named:

Track	Name	Put here	Scripts that rely on the name
V1	Main (A-Roll)	story clips	—
V2	B-Roll / Overlay	cutaways	—
V3	GFX / Info Cards	SPP titles, map, watermark	—
A1	Nat Sound / Dialogue	clips' own sound	—
A2	**VO**	your voice-over	*Captions - Sync Words to VO* looks for **VO**
A3–A5	Music 1–3	music	—
A6–A8	**SFX 1–3**	sound effects	all *SFX* scripts put sounds on tracks named **SFX...**
ST1	Subtitles	Hindi subtitles	*Captions - Sync Words to VO* reads it
- Console: `Created SPP YouTube 16x9 - …`.			
Again / undo: each run makes another timeline. Delete one: Media Pool → right-click it → Delete Timelines. Rename freely,			
but keep the track names **VO** and **SFX ...**.			
Problems: `Could not create timeline` → a project must be open (not the Project Manager).			

New Timeline - Shorts 9x16

Same as above but **1080×1920, 30 fps, square pixels, scale to crop** (fills the vertical frame), named *SPP Shorts 9x16 - ...*. Use vertical footage from `<trip>\Footage\Vertical`. Route maps made on this timeline come out in portrait automatically.

Import Brand Graphics

Use it for: the SPP intro (5 s), end card (15 s) and watermarks (16x9 and Shorts), 4K with transparency. **Before:** a project open. **How:** run it. **You'll see:** a bin **SPP Graphics** with the `.mov` / `.png` files from the kit's `Graphics` folder. Console: `Imported 4 new graphics from …\Graphics into 'SPP Graphics'`. Then: intro at the start of V1 (or V3 over footage) — it ends on *...presents*, so put the **SPP Film Title** right after it (Effects → Titles → Safar Pahad Parivar; see *Chapters - Number + YouTube List*) — end card at the end, watermark on V3 across the whole video. **Shortcut: Ctrl+Alt+B** (with *Keyboard Shortcuts* on). **Again / undo:** running again adds only files not already in the bin. Undo: delete the bin (files stay on disk).

Keyboard Shortcuts - On or Off

Use it for: tagging clips with the number keys while you watch, and importing the brand graphics / music / SFX with one key. **Before:** the kit's Python tools installed (`.\Tools\setup_word_timing.ps1`, once). **How:** run it once — the shortcuts are then on, also after every Windows restart. Run it again to turn them off.

Key	Does	Key	Does
4	Hero Shot (Orange)	**9**	Reject (Chocolate)
5	A-Roll Family Talk (Yellow)	**0**	Clear Tag
6	B-Roll Scenery (Green)	**Ctrl+Alt+B**	Import Brand Graphics
7	Road Drive (Blue)	**Ctrl+Alt+M**	Music - Import Library
8	Kids Moment (Pink)	**Ctrl+Alt+S**	SFX - Import Library

Ctrl+Alt+Shift+K pauses / resumes them (high beep = on, low beep = paused). Drone, Timelapse and Stay/Food have no key — use the menu for those. **You'll see:** console `Keyboard shortcuts are ON (and will start with Windows)`. From then on a number key recolours the selected clips at once (same as the Tag Shot Type scripts); an import gives a short *ding* when done. **How it works:** Resolve can't put a shortcut on a menu script, so a tiny background helper (no window) listens for these keys — **only** while the Resolve window is in front, you're on the **Media, Cut or Edit** page, and you're **not typing in a text box** (title text, search, rename...). Anywhere else the keys do what they always did. 1 2 3 and Q W E are not touched. The top-row 4–0 were Resolve's *multicam cut to angle 4–9* keys; while the helper is on, they tag instead (numpad keys are untouched, and after **+** or **−** the digits still go to Resolve, so *+10 Enter* still moves the playhead). **Again / undo:** run again = off (4–0 are multicam keys again, and it no longer starts with Windows). **Problems:** nothing happens → check you're on the Edit/Cut/Media page and clicked on the timeline (not in a text box); *Preferences* → *System* → *General* → *External scripting using* must be **Local**; log: `%LOCALAPPDATA%\Safar Pahad Parivar\hotkeys_log.txt`. Status: `Tools\.venv\Scripts\python.exe Tools\spp_hotkeys.py --status`.

Media - Tag 8-bit or 10-bit

Use it for: sorting phone footage by type before grading — normal 8-bit video and 10-bit HDR need different handling. **How:** run it → choose *All clips in the Media Pool* or *Only the selected clips* → **Tag**. Optionally tick *Also*

move the clips into bins by type. **You'll see:** each video clip gets a Keyword: **10-bit HDR HLG** (OnePlus *H.265 Main 10*), **10-bit HDR PQ**, **10-bit SDR** or **8-bit SDR**. Console: count per type. Sort by the **Keywords** column (Media Pool list view), type *10-bit* in the Media Pool search, or make a Smart Bin (right-click → Add Smart Bin → Keywords contains *10-bit*). **Again / undo:** safe to re-run — old SPP tags are replaced, your own keywords stay. Clip colours are not touched (they stay free for shot tags).

2 Marking & Moments

Menu **Workspace** → **Scripts** → **Safar Pahad Parivar** → **2 Marking & Moments** — finding and labelling the good shots.

Tag Shot Type 0–9

Use it for: marking what each shot is while you watch — colour + keyword. **Before:** select clips — on the **timeline** (the clip *and* its source in the Media Pool get tagged), or, with nothing selected on the timeline, in the **Media Pool**. **How:** Workspace → Scripts → Safar Pahad Parivar → 2 Marking & Moments → **Tag Shot Type** → pick one:

Script	Clip colour	Keyword
1 Hero Shot	Orange	Hero Shot
2 A-Roll Family Talk	Yellow	A-Roll Family Talk
3 B-Roll Scenery	Green	B-Roll Scenery
4 Road Drive	Blue	Road Drive
5 Drone Aerial	Teal	Drone Aerial
6 Timelapse	Purple	Timelapse
7 Kids Moment	Pink	Kids Moment
8 Stay Food Local	Tan	Stay Food Local
9 Reject	Chocolate	Reject
0 Clear Tag	(none)	removes the SPP keyword
You'll see: the clips change colour (timeline and Media Pool); the keyword is added to the clip's metadata (other		
keywords you typed are kept). Console: `Tagged 3 timeline / 3 media pool clips as Hero Shot`.		
Then: **Smart Bin** (*File → New Smart Bin*, rule *Keywords contains "Kids Moment"*) = every kids clip, always up to date.		
Again / undo: a new tag replaces the old SPP tag; **0 Clear Tag** removes it.		
Faster: turn on **1 Setup** → **Keyboard Shortcuts - On or Off** — then **4** Hero · **5** Family Talk · **6** Scenery · **7** Road · **8** Kids · **9** Reject · **0** Clear.		

Moments - Analyse Trip

Use it for: finding the family moments in all of a trip's footage — laughter, kids shouting / cheering, singing, "wow / papa dekho" reactions, names — and a Hindi transcript of everything said. **Before:** the trip's footage imported into the project (from `<trip>\Footage`); the Python engines installed (`setup_word_timing.ps1`); an NVIDIA GPU makes it fast. **How:** run it. It starts in the **background** — Resolve stays usable. **You'll see:**

- Console: `Analysing the trip in the background: <trip>` and the log path.
- A minimised window **SPP Moments** in the taskbar (closes itself when done).
- In the trip folder a new folder **`_spp_moments`**: `Moments.md` (read this), `Transcript.md`, `moments.json`, `analyse_log.txt` (progress: `[123/295] VID….mp4 …`), `clips\` (cache).
- Time: ~15 min for 2 hours of footage the first time (the first ever run also downloads the 3 GB speech model); later runs only process new clips (seconds). **Then:** open `Moments.md` (Notepad / VS Code): **3 opening candidates**, **top 40 moments** (score, clip, in–out, time, who, what was said), **by day**. Then run the next three scripts. **Again / undo:** run again after adding footage — only new clips are analysed. To redo everything delete `_spp_moments`. **Problems:** `Couldn't find the trip folder` → import footage from `<trip>\Footage` first. Only speech moments, no laughter/cheering → the sound model is missing: re-run `setup_word_timing.ps1`, then this again.

Moments - Add Markers

Use it for: seeing the moments right on your clips. **Before:** *Moments - Analyse Trip* finished. **How:** run it. **You'll see:** coloured **clip markers** on the footage in the Media Pool — visible in the **source viewer**, on those clips in any timeline, and in the **Edit Index → Markers** list: Yellow = laughter · Pink = kids talking · Red = shout / excitement · Fuchsia = cheering · Purple = singing · Green = reaction words ("wow", "देखो", names). The marker name is the kind + score (`Laughter 0.88`), the note holds what was said, the marker length covers the moment. Clips not yet in the project are imported into a bin **SPP Moments Footage**. Console: `45 moment markers added…`. **Again / undo:** running again replaces the previous moment markers (only those; your own markers stay).

Moments - Best Moments Timeline

Use it for: a selects reel of the best moments, in the order they happened — to find the cold open and the story. **Before:** *Moments - Analyse Trip* finished. **How:** run it → choose **Top 20 / Top 40 / Top 80 / All / Only laughter / Only kids / Opening candidates (3)**. **You'll see:** a new timeline **Moments - Top 20** (etc.) with the moments back-to-back (each with ½ s extra either side) and a **timeline marker** on each: kind + score, note = what was said. Console: `Timeline 'Moments - Top 20': 20 clips`. Then copy the ones you like into your SPP timeline (select → Ctrl+C → your timeline → Ctrl+V). **Again / undo:** each run makes a new timeline; delete it when done (Media Pool → Delete Timelines).

Moments - Search Transcript

Use it for: "where did someone say…?" — बर्फ, पानी, पिहू, a place name. **Before:** *Moments - Analyse Trip* finished. **How:** run it → type the word(s); several words separated by commas (`बर्फ, पानी`). The transcript is in Devanagari — English words spoken appear in Devanagari too (*guys* → `गाईज`). **You'll see:** Console lists every hit (`VID2026….mp4 0:23 पहाड़ आ गया…`) and a new timeline **Search - बर्फ** with each of those clips (1 s before to 1 s after the sentence) and a marker holding the sentence. **Again / undo:** new timeline per search; delete when done.

3 Picture

Menu **Workspace** → **Scripts** → **Safar Pahad Parivar** → **3 Picture** — fixing the picture.

Shots filmed with the phone **through the car's windshield or a window** pick up two kinds of trouble: **shaped reflections** on the glass (the dashboard and its vents, the phone, hands, a bright shirt) and a **milky glare** (sun on the dashboard, dust on the glass). The scripts below remove the shaped reflections; the colour tool **SPP Glass Glare** takes off the glare. Resolve's own *Dehaze* helps the glare a little but can't remove shapes.

Reflection - Scan Trip

Use it for: finding which clips of a trip have reflections, before you start editing. **Before:** the trip's footage imported into the project (from `<trip>\Footage`); the Python engines installed. **How:** run it. The first run starts a background window **SPP Reflection scan** (it looks at the key frames only — a few minutes for a trip; later runs only look at new clips). Run it **again** when that window says *Done*. **You'll see (second run):**

- In the Media Pool the clips get a colour: **Orange** = strong reflection, **Yellow** = some.
- Console: the worst clips with their score (0 = none, 1.5+ = some, 4+ = strong).
- A picture of the worst clips opens (`<trip>\_spp_clean\reflection_sheet.jpg`); the full list is `<trip>\_spp_clean\reflection_report.csv` . **Again / undo:** run again after adding footage. Clip colours are ordinary Media Pool colours — change them any time (right-click → Clip Color). The score is a hint, not a verdict: dusty glass and a car-bonnet shot can score too. **Problems:** `Couldn't find the trip folder` → import footage from `<trip>\Footage` first.

Reflection - Clean Selected Clips

Use it for: removing the reflection of the dashboard / phone / hands from shots filmed through the glass. Works best when the phone was on a mount (or held still against the glass) while the car was moving — the scenery slides past, the reflection stays in the same place, and that's how the tool tells them apart. **Before:** the clips on your timeline, trimmed roughly to what you'll use (only the used part + 1 s either side is cleaned). Select them (or park the playhead on one). The Python engines installed; an NVIDIA GPU for the fast encoder. **How:** run it → choose **Strength**: *Normal* (recommended — removes only what it's sure is a reflection), *Gentle* (subtle) or *Strong* (also removes what it is less sure about — try it on windshield shots looking straight down the road if Normal leaves the reflection; always check the preview). Then:

- **Preview pictures only** — in a few seconds per clip a picture opens: *original | cleaned | what was removed (×3 brighter)*. Check the right-hand panel shows the dashboard / reflection shapes, not the landscape.
- **Clean** — starts a background window **SPP Reflection cleaning**: about **4–5 minutes per minute of 4K** (less for 1080p); keep editing. When the window says *All done*, select the same clips and **run the script again**. **You'll see (after the second run):**
- Each clip now has **two takes** (Resolve's *Take Selector*): take 1 = original, take 2 = cleaned. The cleaned take is shown, and the clip turns **teal**. Position, length, track, titles above it — all unchanged.
- The cleaned files are in `<trip>\_spp_clean\` (`<clip>__f<first>-<last>_s<strength>.mp4` , HEVC 10-bit, same size and frame rate, video only — the sound still comes from your original audio) with a `.jpg` before/after next to each, in a bin **SPP Cleaned (reflection)**.

- Console: `Cleaned take added: VID….mp4`. **Again / undo:** *Reflection - Show Original or Cleaned* switches back and forth. Run it again with another strength to replace the cleaned take (a new file is made). To remove it for good: right-click the clip → *Take Selector*, delete take 2 → *Finalize Take*. Trimmed the clip longer than the cleaned part? Run it again — it cleans the new range. Colour grade: clean first, grade afterwards. If you already graded the original, check the grade is still there on the cleaned take; if not, grab a still of it before cleaning and apply it after (Color page → right-click the viewer → *Grab Still*; later right-click the still → *Apply Grade*). **Problems:**
- Scenery got darker or blotchy → use *Gentle*, or keep the original for that clip (not every shot can be cleaned).
- Hand-held shots with lots of movement, sharp hairpin bends where the sun swings across the dashboard, and reflections over plain bright sky are cleaned only partly.
- The far view straight ahead (where the road meets the mountains) is left alone on purpose — it barely moves while driving, so the tool can't tell it from a reflection.
- `not enough video to look at` → the clip is shorter than ~5 s.

Reflection - Show Original or Cleaned

Use it for: comparing before / after, or going back to the original. **Before:** clips cleaned with *Reflection - Clean Selected Clips*. **How:** select clips and run it — or select nothing to switch **every** cleaned clip on the timeline (a quick before / after of the whole edit). **You'll see:** the clips switch take; **teal** = showing cleaned, **orange** = showing the original. Console: `3 clip(s) now show the ORIGINAL (orange)`. **Again / undo:** run again to switch back.

SPP Glass Glare (colour page, not a menu script)

Use it for: the milky, washed-out look of shots through a sunny or dusty windshield — mostly low in the frame, where the dashboard reflects. **Before:** `install.ps1` run once (it copies the tool into Resolve's LUT folder) and Resolve restarted. **How:** Color page → select the clip → open **Effects** (top right) → **ResolveFX Color** → **DCTL** → drag it onto the clip's **first node** → in its *DCTL List* pick **SPP Glass Glare** (listed under Safar Pahad Parivar). Start with **Glare amount 0.08–0.12**; tick **Show glare map** to see where it acts (brighter = more), set **Strength at bottom / top** and **Glare starts at height** to match, untick. *Glare colour*:

- for a tan/brown dashboard, − for sky-blue glare. *Colour back* returns a little saturation. To reuse on other clips from the same drive: right-click the viewer → *Grab Still*, then on each clip right-click the still → *Apply Grade*. **You'll see:** deeper blacks and colour in the lower part of the frame; whites stay white. **Undo:** switch the node off (Ctrl+D) or delete it. **Tip:** on a bad shot use both — *Reflection - Clean Selected Clips* first (removes shapes), then this (removes the veil).

Color - Add CST Nodes (by Clip)

Use it for: giving every clip on the timeline the same labelled grading node tree in one go, with the right colour-space conversion for each clip. **Before:** a timeline with your clips; project colour science **DaVinci YRGB** (not Color Managed — the script stops and tells you). **How:** run it → **Add Nodes**. Tick *Replace clips that already have a grade* only for clips you haven't graded (their grade is lost). **You'll see:** each clip gets **01 CST IN** → **02 EXPOSURE + WB** → **03 CONTRAST** → **04 COLOUR + SAT** → **05 WINDOW / SKY** → **06 CST OUT**. CST IN is picked per clip: 8-bit phone video = Rec.709 / Gamma 2.4, 10-bit HDR (OnePlus *H.265 Main 10*) = Rec.2020 / Rec.2100 HLG, HDR10 = Rec.2100 ST2084 — all into DaVinci Wide Gamut / Intermediate. CST OUT = Rec.709 / **Gamma 2.2** (for YouTube viewing), DaVinci tone mapping with custom max. input 100 nits (8-bit) or 1000 nits (HDR).

Console: how many clips of each kind. Grade in **02–05**. Nodes **01 and 06 are locked** (padlock icon) so a stray click can't change them — right-click → *Lock Node* to unlock one on purpose. Starting values for this tree: *Color Grading Field Guide*, chapter 5A (Pivot ≈ 0.50, Contrast 1.25–1.35 for 8-bit, 1.35–1.50 for HLG). **Again / undo:** run again — graded clips are skipped. Undo with Ctrl+Z, or right-click a clip thumbnail → Reset Grades. The node trees are `Resolve\Grades\SPP CST - *.drx` in the kit. **Problems:** a clip looks grey/washed after an *older* run → node 06 → *Use Custom Max. Input* → 100 (8-bit) / 1000 (HDR). Shot through the windscreen → add *SPP Glass Glare* on a node **before** 01 (Shift+S).

Render Cache - Whole Timeline (On or Off)

Use it for: smooth playback of graded clips (CST and other heavy nodes) without right-clicking every clip. **How:** run it → **Turn ON** → every video clip gets *Render Cache Color Output*. Stop playback and leave Resolve idle for a few seconds: the red bar above the timeline turns blue as clips are rendered in the background. Run again → **Turn OFF** for all clips. **Tip:** turn it on when the grade is mostly done; while you keep changing nodes the cache keeps re-rendering. If the project's render cache was off, the script sets it to Smart. Old cache files: Playback → Delete Render Cache → All.

---

4 Titles & Graphics

Menu **Workspace** → **Scripts** → **Safar Pahad Parivar** → **4 Titles & Graphics** — filling and organising the SPP titles.

Info Cards - Fill from GPS

Use it for: filling SPP Info Cards automatically — place (Hindi + English), altitude, date, time, weather, temperature. **Before:**

- **SPP Info Card** titles placed on a track **above** the footage they describe (V3), their *Place (Hindi)* field **empty**.
- The footage comes from a trip folder (`…\<trip>\Footage\…`). Better paths: a Google Maps Timeline export in the trip folder.
- Internet (weather and place names). First run on a trip builds `_spp_gps_index.json` (~1 min). **How:** run it. **You'll see:** every empty card filled; the card animates with the new values. Console per card: `card at 86400: धारचूला / Dharchula, 915 m, 23 जून 11:14 AM, 24°C`, then `Filled 3 Info Card(s)`. **Then:** every card also gets the previous card's altitude / date / time / weather as its *From* values, so on screen the time runs on from the last card (the date turns past midnight), the altitude climbs and the weather icon changes. The first card has nothing before it and simply slides in. Console: `3 card(s) now count on from the previous card`. A card with *Count on from the previous card* unticked is left alone — its values just slide in. Trimmed titles also get their exit tied to their clip end (see *Titles - Follow Clip Length*). **Again / undo:** cards already filled are skipped. To refresh one: clear its *Place (Hindi)* and run again. Check the Hindi spelling — names come from OpenStreetMap; just type over them. **Problems:** `no footage under it` → move the card over a footage clip. `can't find the trip folder` → footage isn't inside `<trip>\Footage`. Empty / wrong place → no GPS near that time: add a Timeline export (see `Maps_GPS_and_Terrain.md`).

Route Map - Build from Timeline

Use it for: the animated route map on real roads — relief map, dotted path growing, stops with arrive/leave times, running clock. **Before:** the timeline contains the trip's footage (only its dates are used); optional: an **SPP Route Map** title on the timeline (V3); internet (roads + map tiles). **How:** run it. **Resolve pauses 1–3 minutes** while the map is made. **You'll see:**

- Console: the date range, `Making the map…`, then `Loaded into 1 SPP Route Map title(s)` and the stops file path.
- Folder `<trip>\Route Maps\<timeline name>\` with `map.jpg`, `route.json`, **`stops.csv`**.
- The SPP Route Map title now shows your route (play it). No title on the timeline? Add one and pick `route.json` in its Inspector. **Again / undo:** fix stop names or add a missed stop in `stops.csv` (Excel; a place name is enough) → save → run again. Shorts timeline → the map is made in portrait. **Problems:** `None of the footage is inside a trip folder` → import from `<trip>\Footage`. Straight lines / few stops → add stops in `stops.csv` or a Google Timeline export.

Route Map - Google Earth Fly-over

Use it for: a real 3D satellite fly-over of your drive (Google Earth Studio), for the whole trip and per chapter. **Before:** *Route Map - Build from Timeline* has run for this timeline. Chrome + a Google account for Earth Studio. **How:** run it. Takes a minute the first time (terrain heights download). **You'll see:** the folder `<trip>\Route Maps\<timeline>\Google Earth\` opens with `.esp` (Earth Studio project) and `.kml` (gold road + stop pins) — one pair for the whole trip and one per SPP Route Map title that has *from / to stop* set. Then: earth.google.com/studio → Import the `.esp` → Add → KML → Render → image sequence into Resolve. Keep "Google Earth" on screen (monetised YouTube is allowed with that credit). Details: `Docs\Maps_GPS_and_Terrain.md` §6a. **Again / undo:** run again after changing stops or chapters — files are overwritten.

Chapters - Number + YouTube List

Use it for: chapters in the film and on YouTube (the chapter list in the description that splits the progress bar). **Before:** an **SPP Chapter** title at the start of each chapter (Effects → Titles → Safar Pahad Parivar → *SPP Chapter*, put it on V3 over the first shot of the chapter, ~5 s) with its *Chapter name (Hindi)* and *(English)* typed in. The number doesn't matter — the script sets it. **How:** run it. **You'll see:**

- Every SPP Chapter title numbered **1, 2, 3…** in timeline order, and its trail showing *chapter X of N* (titles where you set *Total chapters* to 0 keep the trail hidden).
- A **purple timeline marker** on each chapter (*Chapter 2 · दारमा घाटी की ओर*) — Shift+↑/↓ jumps between markers.
- The **YouTube chapter list**, copied to the clipboard and printed in the Console, e.g.

```
00:00 शुरुआत · Intro
01:12 अध्याय 1 · धारचूला (Dharchula)
06:40 अध्याय 2 · दारमा घाटी की ओर (Into The Darma Valley)
```

Also saved as `<trip>\_spp_youtube\<timeline> - YouTube chapters.txt`. Paste it into the video description in YouTube Studio. If the first chapter doesn't start at 00:00, an *Intro* line is added (YouTube requires 00:00). **Again / undo:** run again after every edit — numbers, markers and times are redone (only its own purple markers are replaced). Render the final video, then run it once more so the times match exactly. **Problems:** `Note: … needs at least 3 chapters` / `… only 8 s long` → YouTube shows chapters only with 3 or more,

each 10 s or longer — add chapters or move one. `No SPP Chapter titles` → add them first (restart Resolve once after installing the kit so the new titles appear).

The film title and the chapter cards (titles, not scripts): the SPP intro ends on *...presents* — put **SPP Film Title** right after it: the film's name in Hindi and English with a place / date line and a mountain line drawing itself (*Position: centre* over a wide shot, or *bottom-left* over action). **SPP Chapter** is the card that opens each chapter: big number, *अध्याय · CHAPTER*, chapter name, a day / route line (*दिन 2 · धारचूला → दुग्तू*) and the trail. Both work in 16:9 and Shorts; *Darken Background* keeps them readable over snow and sky.

Titles - Follow Clip Length

Use it for: SPP titles that behave like Resolve's own titles when you change their length — the entrance keeps its timing at the start, the exit always finishes on the last frame, and the hold in between stretches or shrinks. **Before:** SPP titles on the timeline. (Resolve doesn't tell an HTML title how long its clip is, so each title is given a small Fusion expression that reads its clip end.) **How:** run it once after adding titles. From then on it's automatic — Ctrl+D, dragging the end, ripple trims: the exit moves with the clip end by itself. *Info Cards - Fill from GPS*, *Chapters - Number + YouTube List* and *SFX - Auto Sound for Titles* do it too, every time they run. **You'll see:** Console `2 title(s) now follow their clip length`. In the Inspector the title's *Animate Out At* shows an expression (a small **=** / purple field) instead of a number. A short Info Card also plays its entrance faster, so it still holds on screen. **Again / undo:** want your own exit time? Right-click *Animate Out At* → **Remove Expression**, type the time; the script leaves typed values alone (set it to 0 and run again to make it follow the clip again). Titles can be made shorter, not longer than their default length (Info Card 8 s, Film Title 7 s, Chapter 5 s ...).

Titles - Set Size for All

Use it for: one size for all titles of a kind — e.g. every Info Card at 0.5 — instead of setting each one. **Before:** a timeline open (SPP titles on it, or not yet). **How:** run it. A window lists each title type — Info Card, Film Title, Chapter, Altitude Counter, Peak Callout, Pop-up Title, Captions — with how many are on this timeline and their size. Change the number for the types you want, **Apply**. **You'll see:** every title of those types on the timeline takes the new Size. Console `Info Card -> 0.50 (10 on the timeline updated)`. With *Also use these sizes for new titles* ticked (default), new titles you drag in from Effects start at that size after you restart Resolve (kept in `Settings\title_sizes.json`; `install.ps1` re-applies it). **Again / undo:** run again with another number. Types you don't touch keep their own per-title sizes; you can still change one title in the Inspector afterwards.

---

5 Captions & Voice

Menu **Workspace** → **Scripts** → **Safar Pahad Parivar** → **5 Captions & Voice** — words and voices.

Captions - Sync Words to VO

Use it for: word-by-word animated Hindi captions timed to your real voice, with stressed words highlighted. **Before:**

1. Your VO clips on the audio track named **VO** (A2 on SPP timelines).
2. Subtitles on the subtitle track (type them or *Timeline* → *Create Subtitles from Audio*, then fix the spelling). No subtitles? It makes them from the VO — check the spelling afterwards. `*star*` a word to force a stress.

3. One **SPP Captions** title on a video track (V3), stretched over the VO part.
4. Python engines installed; the first run downloads the 3 GB speech model. **How:** run it. **Resolve pauses** (~1 min per 10 min of VO on the GPU). **You'll see:** the SPP Captions title now holds the timed text and its start time — play it: words pop in with the voice, stressed words in gold. Console: `Listening to 4 VO clips, 38 subtitles…` , then `Updated SPP Captions clip at …` . Then turn off the subtitle track's visibility (keep it for the YouTube .srt). **Again / undo:** after changing subtitles or the VO edit just run again. Style (pop / karaoke / fade, position) is in the title's Inspector. **Problems:** `No audio track named "VO"` → rename your VO track to VO. `Add an 'SPP Captions' title…` → add one. `Word-timing engine not installed` → `.\Tools\setup_word_timing.ps1` .

Phone Voice - Selected Clips

Use it for: a line that should sound like a phone call (or a walkie-talkie). **Before:** audio clip(s) selected on the timeline (a VO line or someone's dialogue). **How:** run it → style **mobile · landline · speaker · walkie**; options *faint line hiss*, *tiny network glitches* (mobile). **You'll see:** a processed copy on a free audio track at the same place (walkie adds a squelch just before/after); the original is switched off. File: `<source>_phone-<style>_<start>s.wav` next to the source; bin **SPP Phone Voice**. Then add phone sounds around it from *SPP SFX → 08 Phone*: ringtone / vibrate → pickup → *(voice)* → hang-up + call-ended beeps. **Undo:** delete the new clip, select the original, press **D**.

---

6 Sound & Music

Menu **Workspace** → **Scripts** → **Safar Pahad Parivar** → **6 Sound & Music** — libraries, sound effects and music.

SFX - Import Library

Use it for: putting the whole sound library into the project so you can browse and drag sounds. **Before:** the library is built on this PC (`.\Tools\make_sfx.ps1` , once). A project open. **How:** run it (≈1 minute the first time in a project). **You'll see:** bin **SPP SFX** with a sub-bin per category — *01 Title Kits … 19 Music Transitions, 20 Rain & Weather, 21 Car & Road, 22 Birds, 23 Water, 24 Temple & Town*. Console: `Imported 846 new sounds into the 'SPP SFX' bin (846 in the library).` File names tell you what they are: `SPP_Rain_Heavy_LOOP_30s_v02` = loopable 30 s bed, variation 2. Descriptions: `Docs\SFX_Library.md` . **Again / undo:** after a library rebuild, run again — only new files are added. Undo: delete the bin. **Shortcut: Ctrl+Alt+S** (with *Keyboard Shortcuts* on). **Problems:** `The SFX library isn't built yet` → run `.\Tools\make_sfx.ps1` . Tip: the other SFX scripts import what they need themselves, so this is only for browsing.

Music - Import Library

Use it for: the 12 SPP background-music tracks. **Before:** `.\Tools\make_music.ps1` built them (once per PC). A project open. **How:** run it. **You'll see:** bin **SPP Music** with sub-bins *01 Slow Build, 02 Temple Bells, 03 Wind, 04 Flute*; the clips are **Purple**. Console lists every track with length and mood. Keys and uses: `Docs\Music_Library.md` . **Again / undo:** again → only new tracks. Undo: delete the bin. **Shortcut: Ctrl+Alt+M** (with *Keyboard Shortcuts* on). **Problems:** `The music library isn't built yet` → `.\Tools\make_music.ps1` .

SFX – Auto Sound for Titles

Use it for: sound for every SPP title in one click, timed to each animation beat. **Before:** SPP titles on the timeline (Info Card, Altitude Counter, Peak Callout, Pop-up Title, Credits, Route Map, plus the SPP intro / end-card clips); the SFX library built (`make_sfx.ps1`). SFX tracks are found by name (**SFX 1–3**); if there are none, it adds them. **How:** run it → choose the style: **Strings** (real violins, harp, timpani — default) · **Grand** (deep cinematic) · **Light** (playful) · **Mix** (grand for big moments, light for small). **You'll see: Lime-coloured** clips named `SPP_…` on the SFX tracks: card whoosh, row pops, rolling-number ticks that slow with the digits, altitude landing, a pin drop + chime at each route stop, a trail loop while the route draws, out-whoosh; logo sound on the intro. A new *SFX n* track appears if the others are busy. Console: `Placed 24 Strings sounds (Lime clips on the SFX tracks)…` . **Again / undo:** moved or changed titles → run again: it first deletes its previous Lime clips, then places fresh ones. To keep a sound you adjusted, change its clip colour (it's then left alone). Remove all: *SFX - Remove Auto Sounds*.

SFX – Remove Auto Sounds

Use it for: clearing everything *Auto Sound for Titles* placed. **Before:** a timeline open. **How:** run it. **You'll see:** all **Lime** audio clips whose name starts with `SPP_` are deleted. Console: `Removed 24 auto sound(s).` Clips you recoloured and sounds you placed yourself stay. **Undo:** Ctrl+Z.

SFX – Land at Playhead

Use it for: making a riser / swell / bridge / drum fill hit exactly on a cut (a waterfall reveal, the title slam, the first beat of new music). **Before:** the playhead on the moment; **one or more sounds selected in the Media Pool** (e.g. *SPP SFX → 16 Cinematic Risers → SPP_Riser_Awe_8s_v01*). **How:** run it. **You'll see:** the sound on a free SFX track, starting **before** the playhead by its build-up time, so its big moment is on the playhead. Console: `SPP_Riser_Awe_8s_v01: lands at the playhead (starts 8.00 s before) on SFX 2` . **Undo:** Ctrl+Z or delete the clip. Tip: *Riser_Epic* = big hit, *Riser_Awe* = opens into a warm chord (waterfalls, big mountains), *Riser_Tension* = cuts to silence.

SFX – Loop Fill (In to Out)

Use it for: a bed of any length — rain, river, wind, birds, gravel tyres, a drone. **Before: one** `_LOOP_` sound selected in the Media Pool (e.g. `SPP_Stream_Close_LOOP_30s_v05`); **In and Out** set on the timeline (**I** / **O** keys) over the part to cover. **How:** run it. **You'll see:** the loop laid end to end from In to Out on a free SFX track (last copy trimmed); the joins are seamless. Console: `Filled 74.0 s with 3 copies of … on SFX 1` . Then: add short fades at both ends; ride the level under dialogue (−18 to −24 dB). **Undo:** Ctrl+Z or delete the clips. **Problems:** `Select exactly one sound…` → one clip only, in the Media Pool (not the timeline). `Set In and Out…` → press I and O on the timeline.

Music – Key Transition

Use it for: changing from one music track to the next smoothly — a transition in the right musical keys. **Before:** select **two music clips on the timeline** (the one ending and the one starting; Ctrl+click), or **one** clip (for a swell into it or a tail at its end). Python engines installed. **How:** run it → it listens to the last 20 s of the first clip and the first 20 s of the second (a few seconds; Resolve pauses) → a window shows **Detected: D (0.84, also Bm)** → **E (0.77, also C#m)** → change the keys if you like, choose **Bridge** (old key → new key, 5 s), **Swell into the new key** (3 s) or **Tail + Swell**, and the variation → *Place transition*. **You'll see:** the transition on a free

SFX track, its big moment exactly on the first frame of the new music (a tail sits at the end of the old one). If that key pair isn't in the library it is made on the spot (~10 s) into `SFX\_transitions` and imported into *SPP SFX → 19 Music Transitions*. Console names the file and track. Then: fade the old music out under the bridge and bring the new one in on the landing. **Undo:** delete the clip. Relative keys (D / Bm, E / C#m) share their notes — either one sounds right.

Distance - Selected Clips

Use it for: making a sound come from far away — a bird across the valley, a temple bell from the next village, a horn echoing off the mountains — without separate recordings. **Before:** audio clip(s) selected on the timeline. **How:** run it → choose **Near (~10 m) · Mid (~50 m) · Far (~200 m) · Very far (~600 m) · Across the valley (echoes)**; optional *Keep the loudness* (change only tone and space; set the level with the fader). **You'll see:** for each clip a processed copy **on a free audio track at exactly the same place** (it rings ~2 s longer — reverb); the **original is switched off** (greyed, not deleted). The new file is saved in a `_distance` folder next to the source and imported into a bin **SPP Distance**. Loops stay seamless. Console: `Distance (far): … -> SFX 2`. **Undo:** delete the new clip, select the original, press **D** to switch it back on.