


WebSocket Security Scan Report

Executive Summary

Scan Start Time:	2025-06-16 09:37:37
Scan End Time:	2025-06-16 10:24:20
Total Scan Duration:	2803.74 seconds
Total URLs Scanned:	11
High Severity Vulnerabilities:	134
Medium Severity Vulnerabilities:	3906
Low Severity Vulnerabilities:	0



Detailed Scan Results

Target URL: http://192.168.142.25:8080


Scan Duration:	31.8 seconds
URLs Crawled:	1
WebSocket Endpoints Found:	0
Attack Performed:	False
Attack Type:	None
High Severity Findings:	0
Medium Severity Findings:	0
Low Severity Findings:	0

WebSocket Endpoints:

#	URL
	No WebSocket endpoints found.

Crawled URLs:

#	URL
1	http://192.168.142.25:8080



Target URL: <https://www.pesuacademy.com>

Scan Duration:	27.88 seconds
URLs Crawled:	29
WebSocket Endpoints Found:	1
Attack Performed:	False
Attack Type:	None
High Severity Findings:	0
Medium Severity Findings:	0
Low Severity Findings:	0

WebSocket Endpoints:

#	URL
1	ws://103.210.73.254/Academy/tokenview


Crawled URLs:

#	URL
---	-----

1	https://www.pesuacademy.com/Academy/fonts/Light/OpenSans-Light.woff2?v=1.1.0
2	https://www.pesuacademy.com/Academy/fonts/pesu-ico.ttf?27x55e
3	https://www.pesuacademy.com
4	https://www.pesuacademy.com/Academy/?authfailed=1
5	https://www.pesuacademy.com/Academy/js/message-resource.js?_=1750046889940
6	https://www.pesuacademy.com/Academy/images/google_logo.png
7	https://www.pesuacademy.com/Academy/css/bootstrap.css
8	https://www.pesuacademy.com/Academy/js/message-resource.js?_=1750046893763
9	https://www.pesuacademy.com/Academy/js/message-resource.js?_=1750046901315
10	https://www.pesuacademy.com/Academy
11	https://www.pesuacademy.com/Academy/css/pesu-ico.css
12	https://www.pesuacademy.com/Academy/images/pesuimages/logoPesu.png
13	https://www.pesuacademy.com/Academy/js/academy_login.js
14	https://www.pesuacademy.com/Academy/js/bootstrapValidator.js
15	https://www.pesuacademy.com/Academy/images/login_bg_academy.jpg
16	https://www.pesuacademy.com/Academy/js/message-resource.js?_=1750046897306
17	https://www.pesuacademy.com/Academy/css/academy_login.css

18	https://www.pesuacademy.com/Academy/js/message-resource.js?_=1750046901339
19	https://www.pesuacademy.com/Academy?auth_failed=1
20	https://www.pesuacademy.com/Academy/fonts/Regular/OpenSans-Regular.woff2?v=1.1.0
21	https://www.pesuacademy.com/Academy/js/bootstrap.min.js
22	https://www.pesuacademy.com/Academy/js/message-resource.js?_=1750046897161
23	https://www.pesuacademy.com/Academy/css/style.css
24	https://www.pesuacademy.com/Academy/fonts/fontawesome-webfont.woff2?v=4.7.0
25	https://www.pesuacademy.com/Academy/js/message-resource.js?_=1750046901369
26	https://www.pesuacademy.com/Academy/js/jquery.v1.12.4.js
27	https://www.pesuacademy.com/Academy/jsp/ring_security_check
28	https://www.pesuacademy.com/Academy/js/message-resource.js?_=1750046897315
29	https://www.pesuacademy.com/Academy/css/font-awesome.css

Vulnerability Distribution for <https://www.pesuacademy.com>



Target URL: <https://www.slack.com>

Scan Duration:	10.17 seconds
URLs Crawled:	1
WebSocket Endpoints Found:	0
Attack Performed:	False
Attack Type:	None
High Severity Findings:	0
Medium Severity Findings:	0
Low Severity Findings:	0


WebSocket Endpoints:

#	URL
	No WebSocket endpoints found.

Crawled URLs:

#	URL
---	-----

1	https://www.slack.com
---	---



Target URL: <https://www.cryptocompare.com>

Scan Duration:	154.45 seconds
URLs Crawled:	158
WebSocket Endpoints Found:	1
Attack Performed:	True
Attack Type:	WebSocket Tests
High Severity Findings:	2
Medium Severity Findings:	87
Low Severity Findings:	0

WebSocket Endpoints:

#	URL
1	wss://streamer.cryptocompare.com/v2?format=streamer

Crawled URLs:

#	URL
---	-----

1	https://www.cryptocompare.com/media/3565_0795/31-small.jpg
2	https://www.cryptocompare.com/media/3528_0519/cc-public-guidelines.pdf
3	https://www.cryptocompare.com/media/4567_3638/hr-illustration.png
4	https://www.cryptocompare.com/media/4415_4130/bg_button.png);\n
5	https://www.cryptocompare.com/media/4048_5170/bnb.png?anchor=center&mode;=crop&wid; th=32&height;=32
6	https://www.cryptocompare.com/media/4603_8874/screen-shot-2025-05-16-at-161442-pm.jpeg?width=350
7	https://www.cryptocompare.com/terms-conditions
8	https://www.cryptocompare.com/media/4567_3634/ultimate.png \
9	https://www.cryptocompare.com/media/1383_634/charlie-02.jpg
10	https://www.cryptocompare.com/media/3565_0769/28-small.jpg
11	https://www.cryptocompare.com/media/4589_3887/crypto-image.png \
12	https://www.cryptocompare.com/media/4567_3636/background-mobile.png \

23	https://www.cryptocompare.com/media/4573_5458/addup_dsktp.jpg
24	https://www.cryptocompare.com/media/4415_4129/bg.png)#contact-form
25	https://www.cryptocompare.com/media/4408_1996/favicon256x256__1_.png
26	https://www.cryptocompare.com/DependencyHandler.axd?s=L2Nzcy9hbmd1bGFyLW1hdGVyaWFsLjEuMS4wLm1pbi5jc3M7L2Nzcy9ib290c3RyYXAtbWluLmNzczsvY3NzL1JURS5jc3M7L2Nzcy9jY2Nub25sZXNzLmNzczsvY3NzL2ZvbnQtYXdlc29tZS5jc3M7L2Nzcy9zd2lwZXluY3NzOy9jc3Mvc3R5bGVzLmNzczsvY3NzL2hvbWVwYWdlLmNzczsvY3NzL25hdi5jc3M7L2Nzcy9jb2luc05ldy5jc3M7L2Nzcy9uZXdzLmNzczsvY3NzL2ZvcnVtLmNzczsvY3NzL2RhcmsuY3NzOw&t;=Css&cdv;=1820
27	https://www.cryptocompare.com/media/4567_3631/logo.png\
28	https://www.cryptocompare.com/media/4567_3687/bg-tablet.jpg
29	https://www.cryptocompare.com/media/4415_4130/bg_button.png)#contact-form
30	https://www.cryptocompare.com/media/4567_3690/roulette-glow.png
31	https://www.cryptocompare.com/media/4422_1987/gi4c3jta_400x400.jpg?width=350
32	https://www.cryptocompare.com/privacy-policy
33	https://www.cryptocompare.com/media/4415_4128/logo_top.png\
34	https://www.cryptocompare.com/media/4603_3571/rock-paper-scissors-mobile3.png\
35	https://www.cryptocompare.com/media/2051_1/opera.png
36	https://www.cryptocompare.com/media/2051_0/google_chrome_icon.png

43	https://www.cryptocompare.com/media/19586/error-500.png
44	https://www.cryptocompare.com/media/36640192/mike-aitken.png
45	https://www.cryptocompare.com/media/45673683/background-cropped.jpg
46	https://www.cryptocompare.com/media/44154128/logo_top.png
47	https://www.cryptocompare.com/media/45893891/zero-trading-fees.png
48	https://www.cryptocompare.com/media/44154130/bg_button.png
49	https://www.cryptocompare.com/media/45893890/sign-up.png
50	https://www.cryptocompare.com/media/45673631/logo.png
51	https://www.cryptocompare.com/media/46033572/bitcoin.png
52	https://www.cryptocompare.com/media/45893889/mobile-blur.png
53	https://www.cryptocompare.com/media/45893890/sign-up.png
54	https://www.cryptocompare.com/media/37746235/ada.png?anchor=center&mode=crop&width=32&height=32
55	https://www.cryptocompare.com/media/20513/safari-logo.png
56	https://www.cryptocompare.com/media/45673691/spark-isolated.png
57	https://www.cryptocompare.com/media/36569382/cctthumbimage.png
58	https://www.cryptocompare.com/media/45673684/background-frame.png
59	https://www.cryptocompare.com/media/1383632/vlad-02.jpg

60	https://www.cryptocompare.com/media/20514/icon.png
61	https://www.cryptocompare.com/media/1383629/working.jpg
62	https://www.cryptocompare.com/media/44154127/logo_bottom.png
63	https://www.cryptocompare.com/media/45673686/best-vip-club.png
64	https://www.cryptocompare.com/media/44154131/coins.png
65	https://www.cryptocompare.com/media/351200/coke-zero.png
66	https://www.cryptocompare.com/cryptopian
67	https://www.cryptocompare.com/media/44154126/croco_mobile_coins.png)#contact-form
68	https://www.cryptocompare.com/media/45673637/background.png \
69	https://www.cryptocompare.com/media/45673685/best-vip-club-desktop.png \
70	https://www.cryptocompare.com/media/46033571/rock-paper-scissors-mobile3.png
71	https://www.cryptocompare.com/media/45673681/text-desktopspark-isolat.png
72	https://www.cryptocompare.com/media/45893898/no-trading-fees.png \
73	https://www.cryptocompare.com/fonts/font-awesome-webfont.woff2?v=4.3.0
74	https://www.cryptocompare.com/media/44154130/bg_button.png);
75	https://www.cryptocompare.com/media/44154129/bg.png);\r\n
76	https://www.cryptocompare.com/media/45673637/background.png

77	https://www.cryptocompare.com/angular/cryptopian/login
78	https://www.cryptocompare.com/media/45673686/best-vip-club.png\
79	https://www.cryptocompare.com/media/45673636/background-mobile.png
80	https://www.cryptocompare.com/media/1382055/t1sb3pr4gi6y7ctzd23kct5qflxvfao8e4a-small.jpg
81	https://www.cryptocompare.com/media/19582/icon-user-default.png
82	https://www.cryptocompare.com
83	https://www.cryptocompare.com/media/1429/bitcoin_bubbling_from_phone_l.jpg
84	https://www.cryptocompare.com/media/44154129/bg.png
85	https://www.cryptocompare.com/media/45893381/fairspin-logo_optimized.png?width=350
86	https://www.cryptocompare.com/media/39838597/cc-fca.png
87	https://www.cryptocompare.com/media/46033570/rock-paper-scissors-desktop.png\
88	https://www.cryptocompare.com/media/45893888/logo.png
89	https://www.cryptocompare.com/media/35650765/18-small.jpg
90	https://www.cryptocompare.com/media/45893889/mobile-blur.png


91	https://www.cryptocompare.com/DependencyHandler.axd?s=L2Nzcy9hbmd1bGFyLW1hdGVyaWFsLjEuMS4wLm1pbi5jc3M7L2Nzcy9ib290c3RyYXA0bWludmNzc3svY3NzL1JURS5jc3M7L2Nzcy9jY2Nub25sZXNzLmNzc3svY3NzL2ZvbnQtYXdlc29tZS5jc3M7L2Nzcy9zd2lwZXluY3NzOy9jc3Mvc3R5bGVzLmNzc3svY3NzL25hdi5jc3M7L2Nzcy9teXB2ZpbGUuY3NzOy9jc3MvZm9ydW0uY3NzOy9jc3MvZGFyay5jc3M7&t;=Css&cdv;=1820
92	https://www.cryptocompare.com/media/4603_3570/rock-paper-scissors-desktop.png
93	https://www.cryptocompare.com/media/4603_3573/cards-desktop.png
94	https://www.cryptocompare.com/media/37746238/eth.png?anchor=center&mode;=crop&wid; th=32&height;=32
95	https://www.cryptocompare.com/media/4567_3634/ultimate.png
96	https://www.cryptocompare.com/media/4589_3891/zero-trading-fees.png
97	https://www.cryptocompare.com/media/4567_3638/hr-illustration.png
98	https://www.cryptocompare.com/media/4567_3682/200bonus.png
99	https://www.cryptocompare.com/media/4589_3886/arrow.png
100	https://www.cryptocompare.com/media/3565_0767/25-small.jpg
101	https://www.cryptocompare.com/media/4421_3515/pexels-obsahovka-obsahovka-3570242.jpg?width=350
102	https://www.cryptocompare.com/media/4415_4126/croco_mobile_coins.png
103	https://www.cryptocompare.com/media/1050/computer_key_security_l.jpeg
104	https://www.cryptocompare.com/chosenInfo_externalInfoImageURLDesktop

105	https://www.cryptocompare.com/media/20567/cc-logo-vert.png
106	https://www.cryptocompare.com/media/45673632/now.png\
107	https://www.cryptocompare.com/media/45893898/no-trading-fees.png
108	<a);"="" href="https://www.cryptocompare.com/media/44154129/bg.png">https://www.cryptocompare.com/media/44154129/bg.png");
109	https://www.cryptocompare.com/media/20512/firefox.png
110	https://www.cryptocompare.com/media/46033572/bitcoin.png
111	<a);\r\n"="" href="https://www.cryptocompare.com/media/44154126/croco_mobile_coins.png">https://www.cryptocompare.com/media/44154126/croco_mobile_coins.png");\r\n
112	https://www.cryptocompare.com/media/45673688/roulette-blackjack-3000plusslots-more.png
113	https://www.cryptocompare.com/media/1208/bitcoin_broken_l.jpg
114	https://www.cryptocompare.com/scripts/pr_ebid.js
115	https://www.cryptocompare.com/fonts/glyphicons-halflings-regular.woff
116	\">https://www.cryptocompare.com/media/45893886/arrow.png)\
117	https://www.cryptocompare.com/media/35650771/04-small.jpg
118	https://www.cryptocompare.com/DependencyHandler.axd?s=L2Nzcy9hbmd1bGFyLW1hdGVyaWFsLjEuMS4wLm1pbj5jc3M7L2Nzcy9ib290c3RyYXAtbWluLmNzczsvY3NzL1JURS5jc3M7L2Nzcy9jY2Nub25sZXNzLmNzczsvY3NzL2ZvbnQtYXdlc29tZS5jc3M7L2Nzcy9zd2lwZXluY3NzOy9jc3Mvc3R5bG VzLmNzczsvY3NzL25hdi5jc3M7L2Nzcy9mb3J1bS5jc3M7L2Nzcy9kYXJrLmNzczsvY3NzL2Fib3V0LmNzczt;=Css&cdv;=1820

119	https://www.cryptocompare.com/full-screen/conference?fsyms=BTC,ETH,BCH&tsym=USD&eventLogo=https://www.cryptocompare.com/media/30001628/your-logo.png
120	https://www.cryptocompare.com/media/1437/bitcoin_chart_magnifying_glass_l.jpg
121	https://www.cryptocompare.com/media/44154127/logo_bottom.png
122	https://www.cryptocompare.com/media/45893888/logo.png
123	https://www.cryptocompare.com/api/data/iconlist
124	https://www.cryptocompare.com/media/45673633/racing.png
125	https://www.cryptocompare.com/media/45673681/text-desktopspark-isolated.png
126	https://www.cryptocompare.com/media/45673692/roulette.png
127	https://www.cryptocompare.com/media/45673691/spark-isolated.png
128	https://www.cryptocompare.com/media/44154131/coins.png
129	https://www.cryptocompare.com/media/44213419/stake_logo.png
130	https://www.cryptocompare.com/media/37746245/bch.png?anchor=center&mode=crop&width=32&height=32
131	https://www.cryptocompare.com/media/44154129/bg.png);/r/n
132	https://www.cryptocompare.com/media/37746883/xmr.png?anchor=center&mode=crop&width=32&height=32
133	https://www.cryptocompare.com/media/44154126/croco_mobile_coins.png);/r/n
134	https://www.cryptocompare.com/media/44154126/croco_mobile_coins.png)

135	https://www.cryptocompare.com/media/3565_0764/08-small.jpg
136	https://www.cryptocompare.com/media/4567_3633/racing.png\
137	https://www.cryptocompare.com/media/4567_3682/200bonus.png
138	https://www.cryptocompare.com/media/4567_3685/best-vip-club-desktop.png
139	https://www.cryptocompare.com/media/4567_3628/horse.png
140	https://www.cryptocompare.com/media/4567_3635/now-mobile.png
141	https://www.cryptocompare.com/media/2579_2605/topcoinsticker-v3.html
142	https://www.cryptocompare.com/media/4415_4129/bg.png)
143	https://www.cryptocompare.com/media/3933_4571/dot.png?anchor=center&mode;=crop&wid; th=32&height;=32
144	https://www.cryptocompare.com/about-us
145	https://www.cryptocompare.com/media/3483_5915/playstore.png
146	https://www.cryptocompare.com/media/3774_5832/alissa_website.jpg
147	https://www.cryptocompare.com/DependencyHandler.axd?s=L3NjcmlwdHMvVmVuZG9yL2pxdWVyeS0xLjExLjMubWluLmpzOy9zY3JpcHRzL1ZIbmRvcj9hbmd1bGFyLjEuNS41Lm1pbj5qc2svC2NyaXB0cy9WZW5kb3lvZXh0cmEtYW5ndWxhci1tb2R1bGVzLmpzOy9zY3JpcHRzL2luaXRhbmd1bGFyYXBlwLmpzOy9zY3JpcHRzL1ZIbmRvcj9zb2NrZXQuaW8tMi4wLjMuanM7L3NjcmlwdHMvVmVuZG9yL2hvdmVyLWVyb3Bkb3duLmpzOy9zY3JpcHRzL3N0cmVhbWluZy11dGlscXRPZXMuM7L3NjcmlwdHMvc2VydmljZXMvc2xvYmFsLmpzOy9zY3JpcHRzL2Nvb3Ryb2xsZXJzL2dsb2JhbC5qc2svC2NyaXB0cy9kaXJlY3Rpdmc2VzL2dsb2JhbC5qc2svC2NyaXB0cy9nbG9iYWwuanM7L3NjcmlwdHMvc2VydmljZXMvc3RyZWFTaW5nLm1pZW8t;=Javascript&cdv;=1820

148	https://www.cryptocompare.com/media/3483_5914/appstore.png
149	https://www.cryptocompare.com/media/4567_3628/horse.png
150	https://www.cryptocompare.com/media/3855_3096/xrp.png?anchor=center&mode;=crop&wid; th=32&height;=32
151	<a);="" href="https://www.cryptocompare.com/media/4415_4130/bg_button.png" n"="" r="">https://www.cryptocompare.com/media/4415_4130/bg_button.png");/r/n
152	https://www.cryptocompare.com/DependencyHandler.axd?s=L2Nzcy9hbmd1bGFyLW1hdGVyaWFsLjEuMS4wLm1pbi5jc3M7L2Nzcy9ib290c3RyYXAtbWluLmNzczsvY3NzL1JURS5jc3M7L2Nzcy9jY2Nub25sZXNzLmNzczsvY3NzL2ZvbnQtYXdlc29tZS5jc3M7L2Nzcy9zd2lwZXluY3NzOy9jc3Mvc3R5bGVzLmNzczsvY3NzL25hdi5jc3M7L2Nzcy9mb3J1bS5jc3M7L2Nzcy9kYXJrLmNzczs&t;=Css&cdv;=1820
153	https://www.cryptocompare.com/media/3565_0773/05-small.jpg
154	https://www.cryptocompare.com/media/3774_6346/xlm.png?anchor=center&mode;=crop&wid; th=32&height;=32
155	https://www.cryptocompare.com/media/3774_6251/btc.png?anchor=center&mode;=crop&wid; th=32&height;=32
156	https://www.cryptocompare.com/media/4603_3573/cards-desktop.png
157	https://www.cryptocompare.com/media/3565_1260/logodbg.png
158	https://www.cryptocompare.com/media/3774_6243/ltc.png?anchor=center&mode;=crop&wid; th=32&height;=32



Detected Vulnerabilities:

Name:	Missing Origin Check
Risk Level:	High
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer accepts connections from unauthorized origin 'http://malicious-site.com'.
Solution:	Implement strict Origin header validation (whitelist allowed domains).
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer allows unauthenticated connections and responds with data.

Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...}
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \${7*7}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Null bytes to test input sanitization...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Oversized header-like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \x81\xFFtest...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \x89\x7E\x00\x7EAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \x88\x04\x03\xE7OK...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \x88\x7D\x03\xE8AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Invalid authentication token (Vuln #43)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://streamer.cryptocompare.com/v2?format=streamer responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://streamer.cryptocompare.com/v2?format=streamer

Target URL: http://example-chat.com

Scan Duration:	81.92 seconds
URLs Crawled:	8
WebSocket Endpoints Found:	0
Attack Performed:	False
Attack Type:	None
High Severity Findings:	0
Medium Severity Findings:	0
Low Severity Findings:	0


WebSocket Endpoints:

#	URL
	No WebSocket endpoints found.

Crawled URLs:

#	URL
---	-----

1	https://example-chat.com/config
2	http://example-chat.com#/signup
3	https://example-chat.com/#/signup
4	http://example-chat.com
5	https://example-chat.com/#/recovery
6	http://example-chat.com#/recovery
7	https://example-chat.com/auth/protected-redirect/external?messEnabled=true&location=%2Fconfig
8	https://example-chat.com



Target URL: <https://www.tradingview.com>

Scan Duration:	2096.17 seconds
URLs Crawled:	67
WebSocket Endpoints Found:	44
Attack Performed:	True
Attack Type:	WebSocket Tests
High Severity Findings:	130
Medium Severity Findings:	3732
Low Severity Findings:	0

WebSocket Endpoints:

#	URL
1	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC- Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24
2	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06- 13T11%3A30%3A24
3	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FuikWKqG- Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

4	wss://data.tradingview.com/socket.io/web socket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24
5	wss://data.tradingview.com/socket.io/web socket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24
6	wss://data.tradingview.com/socket.io/web socket?from=chart%2FXAUUSD%2Fx775e5QF- Lingrid-GOLD-Weekly-Analysis&date;=2025-06-13T11%3A30%3A24
7	wss://data.tradingview.com/socket.io/web socket?from=chart%2FBTCUSDT%2F0Q4yQUvd- BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24
8	wss://data.tradingview.com/socket.io/web socket?from=chart%2FEURUSD%2FloBHmqMS- EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24
9	wss://data.tradingview.com/socket.io/web socket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with- Alerts%2F&date;=2025-06-13T11%3A30%3A24
10	wss://data.tradingview.com/socket.io/web socket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24
11	wss://data.tradingview.com/socket.io/web socket?from=chart%2FGBPCHF%2FB2pGS9C0- GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24
12	wss://data.tradingview.com/socket.io/web socket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24
13	wss://data.tradingview.com/socket.io/web socket?from=chart%2FUSDJPY%2F35YFlvjI- USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24
14	wss://data.tradingview.com/socket.io/web socket?from=script%2FCztMLgfY-Magnificen t-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

15	wss://data.tradingview.com/socket.io/web socket?from=chart%2FBTCUSDT.P%2FfufvIL6P -Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24
16	wss://data.tradingview.com/socket.io/web socket?from=script%2FrXrAfveF-Langlands- Operadic-M%25C3%25B6bius- Vo&date;=2025-06-13T11%3A30%3A24
17	wss://data.tradingview.com/socket.io/web socket?from=chart%2FEURJPY%2FJwLC7yQs- EURJPY-A-SELL-TRADE- IDEA%2F&date;=2025-06-13T11%3A30%3A24
18	wss://data.tradingview.com/socket.io/web socket?from=chart%2FTSLA%2F3OMKCr5- Elon-Musk-vs-Trump-Who-you- be&date;=2025-06-13T11%3A30%3A24
19	wss://data.tradingview.com/socket.io/web socket?from=chart%2FAAPL%2FTDtRohqw- APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24
20	wss://data.tradingview.com/socket.io/web socket?from=chart%2FXAUUSD%2FvILc7FhF- XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24
21	wss://data.tradingview.com/socket.io/web socket?from=script%2F0eNOetmO- SmartPhase- Analyzer%2F&date;=2025-06-13T11%3A30%3A24
22	wss://data.tradingview.com/socket.io/web socket?from=chart%2FXAUUSD%2FB7lt6P2H- HelenP-I-Gold-may- correct-t&date;=2025-06-13T11%3A30%3A24
23	wss://data.tradingview.com/socket.io/web socket?from=chart%2FGME%2F4WXAzufi-WC- 22-14-Target-1800-2400-MOAS&date;=2025- 06-13T11%3A30%3A24
24	wss://data.tradingview.com/socket.io/web socket?from=chart%2FBTCUSDT%2FLuCEPmvJ- Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24
25	wss://pushstream.tradingview.com/message -pipe-ws/public

26	wss://data.tradingview.com/socket.io/web socket?from=chart%2FGBPJPY%2Fqmdl8NHt- GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24
27	wss://data.tradingview.com/socket.io/web socket?from=chart%2FXAUUSD%2FsHUC7X7X- GOLD-1H-CHART-ROUTE-MAP- UPD&date;=2025-06-13T11%3A30%3A24
28	wss://data.tradingview.com/socket.io/web socket?from=chart%2FBTCUSD%2FoGIQMLDI- Bitcoin-Consolidation- Easy-&date;=2025-06-13T11%3A30%3A24
29	wss://data.tradingview.com/socket.io/web socket?from=chart%2FCADJPY%2FQWljXVEm- CADJPY-1700-PIPS-Swing- Conc&date;=2025-06-13T11%3A30%3A24
30	wss://data.tradingview.com/socket.io/web socket?from=chart%2FAMD%2FhZOQSigB-AMD- BREAKOUT- COMING%2F&date;=2025-06-13T11%3A30%3A24
31	wss://data.tradingview.com/socket.io/web socket?from=chart%2FETHBTC%2F0BPj6GNp- Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24
32	wss://data.tradingview.com/socket.io/web socket?from=chart%2FURTH%2F39H75NAU-The- MSCI-World-index-sets- a-n&date;=2025-06-13T11%3A30%3A24
33	wss://data.tradingview.com/socket.io/web socket?from=&date;=2025-06- 13T11%3A30%3A24
34	wss://data.tradingview.com/socket.io/web socket?from=script%2FbwblCwa6-EMD-Trend- InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24
35	wss://data.tradingview.com/socket.io/web socket?from=chart%2FETHUSD%2F52atr7w- ETHEREUM-THE-NEW-BOND-OF- TH&date;=2025-06-13T11%3A30%3A24

36	wss://data.tradingview.com/socket.io/web socket?from=chart%2FNFLX%2F13NbNUHR- Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24
37	wss://data.tradingview.com/socket.io/web socket?from=chart%2FBTCUSDT.P%2FcNfThsC2 -BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24
38	wss://data.tradingview.com/socket.io/web socket?from=script%2FEdEL00bP-Risk- Adjusted-Momentum- Oscillator&date;=2025-06-13T11%3A30%3A24
39	wss://data.tradingview.com/socket.io/web socket?from=script%2Fd3laFa7c-Trend- Impulse-Channels-Zeierman%2F&date;=2025- 06-13T11%3A30%3A24
40	wss://data.tradingview.com/socket.io/web socket?from=chart%2FXAUUSD%2FCf8Z2Acv- XAUUSD-Touching-3500-One- Mo&date;=2025-06-13T11%3A30%3A24
41	wss://data.tradingview.com/socket.io/web socket?from=chart%2FEURUSD%2FfbRezOD2- Euro-can-reach-resistance-l&date;=2025- 06-13T11%3A30%3A24
42	wss://data.tradingview.com/socket.io/web socket?from=chart%2FIONQ%2FdQMCY2Ge- IONQ-Is-quantum-computing- wor&date;=2025-06-13T11%3A30%3A24
43	wss://data.tradingview.com/socket.io/web socket?from=chart%2FAAPL%2FeVfju0Gs- APPLE-Long-Signal-with- Entry-&date;=2025-06-13T11%3A30%3A24
44	wss://data.tradingview.com/socket.io/web socket?from=chart%2FBTCUSDT%2FXK7xkYnA- Bitcoin-will-make-a- small-&date;=2025-06-13T11%3A30%3A24

Crawled URLs:

#	URL
---	-----


1	https://www.tradingview.com/chart/XAUUSD /B7lt6P2H-HelenP-I-Gold-may-correct-to-support-zone-and-then-rebound-up
2	https://www.tradingview.com/chart/NFLX/1 3NbNUHR-Profit-taking-on-Netflix-for-the-summer-only-to-buy-in-lower
3	https://www.tradingview.com/chart/USDJPY /35YFlvjI-USDJPY-forms-textbook-head-and-shoulders-pattern
4	https://www.tradingview.com/chart/BTCUSD T.P/cNfThsC2-BITCOIN-Buyback-bar-Chance- of-growth-to-108-000
5	https://www.tradingview.com/script/rS3xq WYx-Support-and-Resistance-Logistic-Regression-Flux-Charts
6	https://www.tradingview.com/chart/BTCUSD T/LuCEPmvJ-Geopolitical-Tensions-Technical-Pattern-Point-to-BTC-Decline
7	https://www.tradingview.com/chart/CADJPY /QWljXVEm-CADJPY-1700-PIPS-Swing-Concept-On-The-Way-Three-Profit-Targets
8	https://www.tradingview.com/static/image s/logo-151x151.png
9	https://www.tradingview.com/chart/USDJPY /zQ6GuqqI-USD-JPY-Bearish-trend-analysis-Read-The-Chaptian
10	https://www.tradingview.com/script/mVkDf 8qh-TrendMaster-Pro-2-3-with-Alerts
11	https://www.tradingview.com/chart/URTH/3 9H75NAU-The-MSCI-World-index-sets-a-new- all-time-record
12	https://www.tradingview.com/script/EdEL0 0bP-Risk-Adjusted-Momentum-Oscillator
13	https://www.tradingview.com/chart/MGY/39 UfYKEI-MGY-Technical-Breakout-Fundamental-Momentum-Quiet-Winner
14	https://www.tradingview.com/chart/GBPJPY /qmdl8NHt-GBPJPY-Potential-Downsides

15	https://www.tradingview.com/chart/GME/4W XAzufi-WC-22-14-Target-1800-2400-MOASS- 47k-100K-What-Now
16	https://www.tradingview.com/chart/EURCAD /hhMcLzil-EUR-CAD-Weekly-Short-Setup- Bearish-Reversal-Play
17	https://www.tradingview.com/chart/AUDCAD /oDIhGwS6-Short-For-AUDCAD
18	https://www.tradingview.com/chart/ETHUSD /qcPIYSSC-Inverse-cup-and-handle-Symetrical-triangle-continuation-ETH
19	https://www.tradingview.com/script/0eNOe tmO-SmartPhase-Analyzer
20	https://www.tradingview.com/chart/AMD/hZ OQSigB-AMD-BREAKOUT-COMING
21	https://www.tradingview.com/script/d3laF a7c-Trend-Impulse-Channels-Zeierman
22	https://www.tradingview.com/chart/BTCUSD T/0Q4yQUvd-BITCOIN-Price-can-fall-a-little-and-start-to-move-up
23	https://www.tradingview.com/chart/TSLA/u s9kAOKG-TESLA-WILL-GO-DOWN-SHORT
24	https://www.tradingview.com/chart/EURUSD /3rjlP8Eo-EUR-USD-Euro-Pops-Above-1-16-in-Four-Year-High-What-s-Next
25	https://www.tradingview.com/chart/GBPCHF /B2pGS9C0-GBPCHF-Breaks-Rising-Wedge- Reversal-Targets-1-0940-and-1-0815
26	https://www.tradingview.com/chart/XAUUSD /nVFaBIG5-THE-KOG-REPORT
27	https://www.tradingview.com/chart/XAUUSD /RpMF7nvN-XAUUSD
28	https://www.tradingview.com/script/rXrAf veF-Langlands-Operadic-M%C3%B6bius-Vortex-LOMV

29	https://www.tradingview.com/chart/XAUUSD /tzAJueMy-Middle-East-tensions-rise-gold-may-hit-new-highs-next-week
30	https://www.tradingview.com/chart/ETHUSD /52atrb7w-ETHEREUM-THE-NEW-BOND-OF-THE- DIGITAL-WORLD
31	https://www.tradingview.com/chart/XAUUSD /x775e5QF-Lingrid-GOLD-Weekly-Analysis- Geopolitical-Safe-Haven-Rally
32	https://www.tradingview.com/chart/NG1!/c smbfm7u-Natural-Gas-Oil-Dollar-Silver-Gold-Price-Forecast
33	https://www.tradingview.com/idea-view
34	https://www.tradingview.com/script/PkfLC PYI-Mandelbrot-Fibonacci-Cascade-Vortex-MFCV
35	https://www.tradingview.com/chart/TSLA/3 OMKCr5-Elon-Musk-vs-Trump-Who-you-betting-on
36	https://www.tradingview.com
37	https://www.tradingview.com/chart/AAPL/T DtRohqw-APPLE-Trading-Opportunity-BUY
38	https://www.tradingview.com/blog/en
39	https://www.tradingview.com/chart/BTCUSD /oGIQMLDI-Bitcoin-Consolidation-Easy-Walk-Away
40	https://www.tradingview.com/chart/UAL/tS L3H9XN-OptionsMastery-Inverse-head-and- shoulders-on-UAL
41	https://www.tradingview.com/chart/ETHBTC /0BPj6GNp-Ethereum-vs-Bitcoin-450-Growth-Potential-Already- Confirmed
42	https://www.tradingview.com/chart/IONQ/d QMCY2Ge-IONQ-Is-quantum-computing-worth- investing-for-future

43	https://www.tradingview.com/script/bwbIC wa6-EMD-Trend-InvestorUnknown
44	https://www.tradingview.com/chart/BTCUSD T/XK7xkYnA-Bitcoin-will-make-a-small-upward-move-and-then-continue-to-fall
45	https://www.tradingview.com/chart/BTCUSD /h90ZuBdH-BTC-Weekend-Update-June-14
46	https://www.tradingview.com/chart/RXXR/8 iZPfzmY-Why-Recursion-Pharmaceuticals-RXXR-Could-Be-the-NVDA-of-Biotech
47	https://www.tradingview.com/chart/XAUUSD /sHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPDATE-TRADING-PLAN-FOR-THE-WEEK
48	https://www.tradingview.com/chart/EURUSD /fbRezOD2-Euro-can-reach-resistance-line-of-channel-and-make-correction
49	https://www.tradingview.com/chart/OIL/A5 JJahdq-Positive-market-OIL-rises-sharply-Important-area-to-watch-for
50	https://www.tradingview.com/pine-script- docs
51	https://www.tradingview.com/chart/XAUUSD /vILc7FhF-XAU-USD-4h-chart-pattern
52	https://www.tradingview.com/chart/XAUUSD /Cf8Z2Acv-XAUUSD-Touching-3500-One-More- Time
53	https://www.tradingview.com/check_ langua ge
54	https://www.tradingview.com/support/supp ort-portal-problems/?language=en
55	https://www.tradingview.com/chart/USDJPY /G2xCXfOM-USDJPY
56	https://www.tradingview.com/chart/EURUSD /loBHmqMS-EURO-Pirce-can-make-movement- up-and-then-drop-to-1-1420

57	https://www.tradingview.com/chart/PLATINUM/m8SHWnOz-Soaring-platinum-breaks-a-3-year-high-at-1-152-50-oz
58	https://www.tradingview.com/chart/BTCUSD/T.P/fufvIL6P-Bitcoin-Bears-vs-Bulls-100k-next
59	https://www.tradingview.com/chart/SILVER/sUikWKqG-Silver-surge-has-more-bullish-upside
60	https://www.tradingview.com/chart/XAUUSD/G82d7LJh-Gold-Takes-the-Throne-as-Safe-Haven-Again
61	https://www.tradingview.com/chart/CRCL/pNFLFLh1-MY-BEST-TRADE-CRCL
62	https://www.tradingview.com/chart/ETHUSD/T/rO9g9YCO-ETH-is-doing-it-AGAIN
63	https://www.tradingview.com/chart/AAPL/eVfju0Gs-APPLE-Long-Signal-with-Entry-SL-TP
64	https://www.tradingview.com/api/v1/offers
65	https://www.tradingview.com/script/CztMLgfY-Magnificent-7-Oscillator
66	https://www.tradingview.com/script/YYrxRhi9-ATR-Rope
67	https://www.tradingview.com/chart/EURJPY/JwLC7yQs-EURJPY-A-SELL-TRADE-IDEA



Detected Vulnerabilities:

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.

Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysis&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FIoBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FIoBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.

Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFIvjl-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.

Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.

Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.

Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqciYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqciYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqciYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqciYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqciYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqciYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqciYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqciYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqciYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqciYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2FqcPIYSSC-Inverse-cup-and-handle-Syme&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xFFtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfzmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfzmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfzmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfzmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfzmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why- Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FRXRX%2F8iZPfmY-Why-Recursion-Pharmaceuticals&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xFFtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FSILVER%2FsUikWKqG-Silver-surge-has-more-bulli&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...'}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header-like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \\x88\\x7D\\x03\\xE8AAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade- Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid- token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FPkfLCPYI-Mandelbrot-Fibonacci-Cascade-Vort&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...'}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header-like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid- token...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2FG2xCXfOM-USDJPY%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysis&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2Fx775e5QF-Lingrid-GOLD-Weekly-Analysi&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2F0Q4yQUvd-BITCOIN-Price-can-fall-a-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2F0BHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2F0BHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2F0BHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header-like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xe8AAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHMqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid- token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make-movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FioBHmqMS-EURO-Pirce-can-make- movemen&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xFF\xFE\xFD...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header-like input...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xFFtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid- token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster- Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FmVkDf8qh-TrendMaster-Pro-2-3-with-Alerts%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...'}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header-like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYyRxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYyRxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYyRxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYyRxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYFYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYFYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYFYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYFYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYFYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYFYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYFYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYFYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYFYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYFYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:....
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYYYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid- token...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYrxRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FYRrRhi9-ATR-Rope%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPCHF%2FB2pGS9C0-GBPCHF-Breaks-Rising-Wedge-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1 OR '...}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header-like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid- token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \\x81\\x7F\\x00\\x00\\x00\\x00\\x00\\x10\\x00\\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FRpMF7nvN-XAUUSD%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xe7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../..etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFlvjI-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FUSDJPY%2F35YFIvjl-USDJPY-forms-textbook-head-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xFFtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgFY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgFY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgFY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgFY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgFY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FCztMLgfY-Magnificent-7-Oscillator%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...'}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header-like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "/../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid- token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs- Bulls-1&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FfufvIL6P-Bitcoin-Bears-vs-Bulls-1&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header-like input...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xe7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xe8AA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid- token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FrXrAfveF-Langlands-Operadic-M%25C3%25B6bius-Vo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xe7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xe8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURJPY%2FJwLC7yQs-EURJPY-A-SELL-TRADE-IDEA%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xFFtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xFF\x00\xFF...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../..etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FTSLA%2F3OMKCr5-Elon-Musk-vs-Trump-Who-you-be&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...'}
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header-like input...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xe7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDTRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid- token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity- BUY&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FTDtRohqw-APPLE-Trading-Opportunity-BUY&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...'}
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header-like input...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "/../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart- pattern%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FvILc7FhF-XAU-USD-4h-chart-pattern%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header-like input...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xFFtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:....
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2F0eNOetmO-SmartPhase-Analyzer%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:....
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FB7lt6P2H-HelenP-I-Gold-may-correct-t&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...'}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAAA.....
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGME%2F4WXAzafi-WC-22-14-Target-1800-2400-MOAS&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header-like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xe8AAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "/../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid- token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions- Tech&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FLuCEPmvJ-Geopolitical-Tensions-Tech&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Malformed JSON to test parsing errors...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: {...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: "type": "invalid_json",...
Solution:	Handle malformed messages gracefully to prevent crashes.

Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public
---------------	--

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: "data": "unclosed bracket...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: # XSS attempt to check for reflected scripts...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: alert('XSS')...

Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: # Large payload to test buffer overflow or DoS...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High

Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Invalid WebSocket frame (binary data)...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: \x00\xff\xfe\xfd...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Command injection attempt...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
-------	------------------------

Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: {"command": "whoami; ls"}...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # SQL injection attempt...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."}
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Expression evaluation attempt...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: \${{7*7}}...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Null bytes to test input sanitization...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: {"data": "\0\0\0"}...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Oversized header-like input...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: {"headers": "X" * 5000}...
Solution:	Handle malformed messages gracefully to prevent crashes.

Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public
---------------	--

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: # Invalid UTF-8 sequence...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: # Empty message...

Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: {}...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: # Malformed protocol message...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: GET / HTTP/1.1...

Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: Host: example.com...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: Upgrade: websocket...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High

Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: Connection: Upgrade...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: {"data": "■■■■"}...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
-------	------------------------

Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Oversized message for DoS (Vuln #58)...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: {"message": "B" * 2000000}...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: \x83\x04test...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: \x8B\x04test...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: \x01\x00...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Invalid payload length (Vuln #26) - Protocol Fuzz...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: \x81\x0Atest...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: \x81\xfftest...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: \x81\x04testtest...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Handle malformed messages gracefully to prevent crashes.

Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public
---------------	--

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: \x81\x04test...

Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: \xC1\x04test...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High

Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: \x89\x7E\x00\x7EAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA ...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
-------	------------------------

Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: \x81\x02\xff\xff...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: \x81\x05te\x00st...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: \x81\x04\x00\xff\x00\xff...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Handle malformed messages gracefully to prevent crashes.

Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public
---------------	--

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: \x82\x04text...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: \x88\x04\x03\xE7OK...

Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: \x88\x7D\x03xE8AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA ...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High

Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Path traversal attempt (Vuln #74)...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: {"path": "../../../../etc/passwd"}...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Query parameter flood (Vuln #75)...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
-------	------------------------

Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: {"query": "param=" + "X" * 1000}...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: Origin: http://malicious.com...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Handle malformed messages gracefully to prevent crashes.

Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public
---------------	--

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: Origin:...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: Origin: null...
Solution:	Handle malformed messages gracefully to prevent crashes.

Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public
---------------	--

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: # Missing authentication cookie (Vuln #41)...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: Cookie:...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: # Invalid authentication token (Vuln #43)...

Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: Authorization: Bearer invalid-token...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe- ws/public crashed or closed connection on payload: # Expired authentication token (Vuln #42)...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe- ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High

Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: \xFF\x04test...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
-------	------------------------

Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Crash
Risk Level:	High
Description:	WebSocket at wss://pushstream.tradingview.com/message-pipe-ws/public crashed or closed connection on payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Handle malformed messages gracefully to prevent crashes.
Affected URL:	wss://pushstream.tradingview.com/message-pipe-ws/public

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header-like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "/../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FGBPJPY%2Fqmdl8NHt-GBPJPY-Potential-Downsides%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHuc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHuc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHuc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHuc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHuc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHuc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHuc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHuc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHuc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHuc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHuc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHuc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHuc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUC7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FsHUc7X7X-GOLD-1H-CHART-ROUTE-MAP-UPD&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../..etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSD%2FoGIQMLDI-Bitcoin-Consolidation-Easy-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVE-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVE-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVE-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVE-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVE-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVE-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVE-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVE-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header-like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVE-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVE-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVE-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVE-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xe7OK...

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVE-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVE-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVE-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVE-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid- token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FCADJPY%2FQWljXVEm-CADJPY-1700-PIPS-Swing-Conc&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xe7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xe8AAAAA... AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAMD%2FhZOQSigB-AMD-BREAKOUT-COMING%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../..etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHBTC%2F0BPj6GNp-Ethereum-vs-Bitcoin-450-Gro&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../..etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FURTH%2F39H75NAU-The-MSCI-World-index-sets-a-n&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xFFtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xFF\x00\xFF...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwbICwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FbwblCwa6-EMD-Trend-InvestorUnknown%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xe7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FETHUSD%2F52atrb7w-ETHEREUM-THE-NEW-BOND-OF-TH&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header-like input...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xFFtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xFF\x00\xFF...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../..etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid- token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix- for-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FNFLX%2F13NbNUHR-Profit-taking-on-Netflix-for-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...'}
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header-like input...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xe8AAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "/../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid- token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar- Chan&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT.P%2FcNfThsC2-BITCOIN-Buyback-bar-Chan&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xFFtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2FEdEL00bP-Risk-Adjusted-Momentum-Oscillator&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xFF\xFE\xFD...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...'}
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24
---------------	--

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "/../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeiierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=script%2Fd3laFa7c-Trend-Impulse-Channels-Zeierman%2F&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...'}
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "/../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FXAUUSD%2FCf8Z2Acv-XAUUSD-Touching-3500-One-Mo&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xFFtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:....
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FEURUSD%2FfbRezOD2-Euro-can-reach-resistance-l&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...'}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-Is-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FIONQ%2FdQMCY2Ge-IONQ-ls-quantum-computing-wor&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...'}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:....
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FAAPL%2FeVfju0Gs-APPLE-Long-Signal-with-Entry-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed JSON to test parsing errors...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: "data": "unclosed bracket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Large payload to test buffer overflow or DoS...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x00\xff\xfe\xfd...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # SQL injection attempt...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '...}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \${{7*7}}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized header- like input...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "\xFF\xFE\xFD"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed protocol message...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Upgrade: websocket...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"data": "■■■■"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x8B\x04test...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\xfftest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x89\x7E\x00\x7EAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x02\xff\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x82\x04text...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x04\x03\xE7OK...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \x88\x7D\x03\xE8AAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"path": "../../../../etc/passwd"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: http://malicious.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.

Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24
---------------	---

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Cookie:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
-------	--------------------------------

Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Expired authentication token (Vuln #42)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \xFF\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium

Description:	WebSocket at wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24 responds to malformed payload: \\x81\\x7F\\x00\\x00\\x00\\x00\\x00\\x10\\x00\\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://data.tradingview.com/socket.io/websocket?from=chart%2FBTCUSDT%2FXK7xkYnA-Bitcoin-will-make-a-small-&date;=2025-06-13T11%3A30%3A24

Target URL: <https://www.twitch.tv>

Scan Duration:	191.82 seconds
URLs Crawled:	28
WebSocket Endpoints Found:	1
Attack Performed:	True
Attack Type:	WebSocket Tests
High Severity Findings:	2
Medium Severity Findings:	87
Low Severity Findings:	0

WebSocket Endpoints:


#	URL
1	wss://irc-ws.chat.twitch.tv/

Crawled URLs:

#	URL
---	-----

1	https://www.twitch.tv/?lang=cs
2	https://www.twitch.tv/?lang=pl
3	https://www.twitch.tv/?lang=pt-br
4	https://www.twitch.tv/?lang=ja
5	https://www.twitch.tv/?lang=it
6	https://www.twitch.tv/?lang=el
7	https://www.twitch.tv/?lang=es-mx
8	https://www.twitch.tv/?lang=ro
9	https://www.twitch.tv/?lang=vi
10	https://www.twitch.tv/?lang=hu
11	https://www.twitch.tv/?lang=sv
12	https://www.twitch.tv/?lang=da
13	https://www.twitch.tv/?lang=fr
14	https://www.twitch.tv/?lang=ru
15	https://www.twitch.tv/?lang=zh-cn
16	https://www.twitch.tv
17	https://www.twitch.tv/?lang=bg

18	https://www.twitch.tv/?lang=fi
19	https://www.twitch.tv/?lang=nl
20	https://www.twitch.tv/?lang=tr
21	https://www.twitch.tv/?lang=es
22	https://www.twitch.tv/?lang=pt
23	https://www.twitch.tv/?lang=sk
24	https://www.twitch.tv/?lang=zh-tw
25	https://www.twitch.tv/?lang=th
26	https://www.twitch.tv/?lang=de
27	https://www.twitch.tv/?lang=ko
28	https://www.twitch.tv/?lang=no



Detected Vulnerabilities:

Name:	Missing Origin Check
Risk Level:	High
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ accepts connections from unauthorized origin 'http://malicious-site.com'.
Solution:	Implement strict Origin header validation (whitelist allowed domains).
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Malformed JSON to test parsing errors...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: {...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: "type": "invalid_json",...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: "data": "unclosed bracket...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # XSS attempt to check for reflected scripts...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: alert('XSS')...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Large payload to test buffer overflow or DoS...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Invalid WebSocket frame (binary data)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \x00\xff\xfe\xfd...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Command injection attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: {"command": "whoami; ls"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # SQL injection attempt...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '..."
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Expression evaluation attempt...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \${7*7}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Null bytes to test input sanitization...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: {"data": "\0\0\0"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Oversized header-like input...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: {"headers": "X" * 5000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Invalid UTF-8 sequence...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: {"data": "\xFF\xFE\xFD"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Empty message...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: {}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Malformed protocol message...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: GET / HTTP/1.1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: Host: example.com...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: Upgrade: websocket...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: Connection: Upgrade...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: {"data": "■■■■"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Oversized message for DoS (Vuln #58)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: {"message": "B" * 2000000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \x83\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \x8B\x04test...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \x01\x00...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \x81\x0Atest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \x81\xfftest...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \x81\x04testtest...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \x81\x84\x00\x00\x00\x00test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \x81\x04test...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \xC1\x04test...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \x89\x7E\x00\x7EAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \x81\x02\xff\xff...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \x81\x05te\x00st...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \x81\x04\x00\xff\x00\xff...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \x82\x04text...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \x88\x04\x03\xE7OK...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \x88\x7D\x03\xE8AAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAA...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Path traversal attempt (Vuln #74)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: {"path": "../etc/passwd"}...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Query parameter flood (Vuln #75)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: {"query": "param=" + "X" * 1000}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # PostMessage abuse attempt (Vuln #68)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: {"message": "window.postMessage('malicious','*')"}...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: Origin: http://malicious.com...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Missing Origin header for origin check (Vuln #65...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: Origin:...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Invalid Origin header for origin check (Vuln #65...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: Origin: null...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Missing authentication cookie (Vuln #41)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: Cookie:...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Invalid authentication token (Vuln #43)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: Authorization: Bearer invalid-token...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Expired authentication token (Vuln #42)...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Malformed WebSocket frame with invalid opcode se...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \xFF\x04test...

Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at wss://irc-ws.chat.twitch.tv/ responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x10\x00\x00{"data": "...
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	wss://irc-ws.chat.twitch.tv/

Target URL: http://example-game.com

Scan Duration:	19.54 seconds
URLs Crawled:	1
WebSocket Endpoints Found:	0
Attack Performed:	False
Attack Type:	None
High Severity Findings:	0
Medium Severity Findings:	0
Low Severity Findings:	0


WebSocket Endpoints:

#	URL
	No WebSocket endpoints found.

Crawled URLs:

#	URL
---	-----

1	http://example-game.com
---	---



Target URL: <https://www.discord.com>

Scan Duration:	7.32 seconds
URLs Crawled:	1
WebSocket Endpoints Found:	0
Attack Performed:	False
Attack Type:	None
High Severity Findings:	0
Medium Severity Findings:	0
Low Severity Findings:	0


WebSocket Endpoints:

#	URL
	No WebSocket endpoints found.

Crawled URLs:

#	URL
---	-----

1	https://www.discord.com
---	---



Target URL: <https://www.binance.com>

Scan Duration:	8.91 seconds
URLs Crawled:	1
WebSocket Endpoints Found:	0
Attack Performed:	False
Attack Type:	None
High Severity Findings:	0
Medium Severity Findings:	0
Low Severity Findings:	0


WebSocket Endpoints:

#	URL
	No WebSocket endpoints found.

Crawled URLs:

#	URL
---	-----

1	https://www.binance.com
---	---



Target URL: <https://www.figma.com>

Scan Duration:	173.75 seconds
URLs Crawled:	500
WebSocket Endpoints Found:	21
Attack Performed:	False
Attack Type:	None
High Severity Findings:	0
Medium Severity Findings:	0
Low Severity Findings:	0

WebSocket Endpoints:

#	URL
1	wss://www.figma.com/api/livegraph?pv=1&p;r=a1a17419a903a192&pt;=1750049518&ph;=lYX_uBP9aTQ9ZnNGaw-T2d26TU7MhC3Z5QLsiCwtWWQ&userId;=&anonUse;rld=&clientType;=web&commitHash;=ad1decab81b93062806ae8f35c89b833940e2dcf&preload;=%7B%7D&clientId;=https%3A%2F%2Fwww.figma.com%2Flogin_iframe%3Flocale%3Den-us%26type%3Dfooter%26autofocus%3Dfalse%26form_state%3Dsign_up&connectionType;=initial&r; econnect=0

2	wss://www.figma.com/api/livegraph?pv=1&p; r=2a502a7ae3f1b7bb&pt;=1750049562&ph;=nM2N XvMpPLailufy6POiirbkNhCZYVOQhWWjr9_etic& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Fdevelopers%2Fapi%2 F&connectionType;=initial&reconnect;=0
3	wss://www.figma.com/api/livegraph?pv=1&p; r=da6c9f9140b6b063&pt;=1750049522&ph;=v2tu FpJ5UAYaxdTVuQU3M0B_IPtqrZ6sX2ufj0ykuD0& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Flogin_iframe%3Floc ale%3Den-us%26type%3Dfooter%26autofocus% 3Dfalse%26form_state%3Dsign_up&connectio; nType=initial&reconnect;=0
4	wss://www.figma.com/api/livegraph?pv=1&p; r=89dbe832048324ed&pt;=1750049563&ph;=lf9f K0CO6OaNP-SJxiE9muRkBWjOYbdaFa0Kbgr2fgo& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Fsignup&connectionT; ype=initial&reconnect;=0
5	wss://www.figma.com/api/livegraph?pv=1&p; r=6e799fc9fd215a72&pt;=1750049490&ph;=th7n aHoRwEdh4BxSpwNeK8iq0AKFOIDljT7uL29RyNk& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Fdevelopers&connect; ionType=initial&reconnect;=0
6	wss://www.figma.com/api/livegraph?pv=1&p; r=c2a4369b44cee07c&pt;=1750049497&ph;=V6GP _M7snqjnK0lWs8tzatOvHFE33psGA3Ldmm0gNjQ& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Fcommunity%2Fui- kits&connectionType;=initial&reconnect;=0

7	wss://www.figma.com/api/livegraph?pv=1&p; r=aa7456f417fca3b9&pt;=1750049562&ph;=dG5w Fsc_AzW7lZnlrBWLAvzrGm8HO1-jZQo-ajs85K0& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Fbuzz%2Fnew%2F&conn; ectionType=initial&reconnect;=0
8	wss://www.figma.com/api/livegraph?pv=1&p; r=c713743b8c592d62&pt;=1750049497&ph;=aM2P M152V6kMV8MczVa_6gwpaJVySZF7lvR6e_rK06k& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Fcommunity%2Fdesign -tools%3Fresource_type%3Dplugins&connect; ionType=initial&reconnect;=0
9	wss://www.figma.com/api/livegraph?pv=1&p; r=9ed5d3303249c98e&pt;=1750049497&ph;=G0ei 1EcI2xCRIY4Xa_dQCgGTV2rjNHkgvgnxkxhQn5s& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Fcommunity%2Ficons& connectionType=initial&reconnect;=0
10	wss://www.figma.com/api/livegraph?pv=1&p; r=10a809f22c01101b&pt;=1750049568&ph;=oaZc qU172Bw6GVCRpTx2ZtlNbWkpBL4Q41zHWit4CCM& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Flogin_iframe%3Floc ale%3Dja%26type%3Dfooter%26autofocus%3Df alse%26form_state%3Dsign_up&connectionTy; pe=initial&reconnect;=0
11	wss://www.figma.com/api/livegraph?pv=1&p; r=6e92130a658173b4&pt;=1750049496&ph;=J1jT 0lfdLXEQnFWUlp5pcCLLKZtdg2_8_7Y906p5s& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Fcommunity&connect; onType=initial&reconnect;=0

12	wss://www.figma.com/api/livegraph?pv=1&p; r=558c3b2f67fb1d0d&pt;=1750049490&ph;=n_85 UzIOT6lhPcbNWOBiTI54Wrt1rYE5I3q8SVBWxuY& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Fsignup&connectionT; ype=initial&reconnect;=0
13	wss://www.figma.com/api/livegraph?pv=1&p; r=598a4490cbe8029a&pt;=1750049562&ph;=cCWx 83j- wisjw2f3V0fqL7wNfv8lyTulQ26ZmENITWY&user; Id=&anonUserId;=&clientType;=web&commitHas; h=ad1decab81b93062806ae8f35c89b833940e2d cf&preload;=%7B%7D&clientUrl;=https%3A%2F% 2Fwww.figma.com%2Fsignup%3Flocale%3Den- us&connectionType;=initial&reconnect;=0
14	wss://www.figma.com/api/livegraph?pv=1&p; r=9db5ad7a27cd91ce&pt;=1750049569&ph;=59I7 Y71gGbrXhCPcpuV31pke2Ini2W- DyTCnyV_qoAl&userId;=&anonUserId;=&clientT; ype=web&commitHash;=ad1decab81b93062806ae 8f35c89b833940e2dcf&preload;=%7B%7D&clien; tUrl=https%3A%2F%2Fwww.figma.com%2Flogin %3Flocale%3Den- us&connectionType;=initial&reconnect;=0
15	wss://www.figma.com/api/livegraph?pv=1&p; r=a2af9cdf6b1f43f2&pt;=1750049578&ph;=sWW4 7aEapxWwCfLiXAOMRB57MbjbVQXn_2gGtFHMvYM& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Flogin_iframe%3Floc ale%3Dfr-fr%26type%3Dfooter%26autofocus% 3Dfalse%26form_state%3Dsign_up%26signup_ source%3Ddesign&connectionType;=initial&r; econnect=0
16	wss://www.figma.com/api/livegraph?pv=1&p; r=2258ffdd624d0b95&pt;=1750049562&ph;=4nuV TyiKn0GGuV4s9IYhwI0az12oQw5IMkh6Rv0roxY& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Fdevelopers%2Fapi%2 3library-analytics%5C&connectionType;=ini tial&reconnect;=0

17	wss://www.figma.com/api/livegraph?pv=1&p; r=d550ee51f802fca6&pt;=1750049490&ph;=RtAg nfKGLLeLAr2cAmBZw8XxUO44MqLojDqS-CSawA9c& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Flogin&connectionTy; pe=initial&reconnect;=0
18	wss://www.figma.com/api/livegraph?pv=1&p; r=2aa729b744abe240&pt;=1750049562&ph;=rYKG Qm4j5Yg3HysDu5vYThhKQpG51PcjNJemr5u1Lkw& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Flogin_iframe%3Fwit h_community_header%3Dtrue%26type%3Dfixed modal%26one_tap_origin%3Dgoogle_one_tap_ logged_out_community&connectionType;=init ial&reconnect;=0
19	wss://www.figma.com/api/livegraph?pv=1&p; r=191648cb5d28a09f&pt;=1750049562&ph;=fHD0 VC4AcMj_xjgWlmY1JoL35EFhf8wU8aKbilJ2Tnk& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Flogin_iframe%3Floc ale%3Den-us%26type%3Dfooter%26autofocus% 3Dfalse%26form_state%3Dsign_up&connectio; nType=initial&reconnect;=0
20	wss://www.figma.com/api/livegraph?pv=1&p; r=edb5036ce26bcc91&pt;=1750049490&ph;=oDI9 XGdLo9VxTe0VOJcnLT55XPsmjDZW2PmRHFwGrqQ& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Fcommunity&connecti; onType=initial&reconnect;=0
21	wss://www.figma.com/api/livegraph?pv=1&p; r=d086279ffed8710f&pt;=1750049562&ph;=68P1 tmaS0btZXDHQOEcCp9_-j0TH64a7f5qK-cJ_tDA& userId=&anonUserId;=&clientType;=web&commi; tHash=ad1decab81b93062806ae8f35c89b83394 0e2dcf&preload;=%7B%7D&clientUrl;=https%3A %2F%2Fwww.figma.com%2Ffile%2FgGpts9zMtNJ JUN8zy57DjY%2FFlow-Chart-Template%2Fdupl icate%2F&connectionType;=initial&reconnec; t=0

Crawled URLs:

#	URL
1	https://www.figma.com/ai/
2	https://www.figma.com/_next/static/chunks/1284-533c792fa18e03ca.js
3	https://www.figma.com/ko-kr/figjam/brainstorming-tool
4	https://www.figma.com/affiliate-program
5	https://www.figma.com/fr-fr/figma-vs-sketch
6	https://www.figma.com/nl-nl
7	https://www.figma.com/ja-jp/
8	https://www.figma.com/community/file/1382482747894195592/marketing-strategy
9	https://www.figma.com/nl-nl/figjam/teamvergaderingen
10	https://www.figma.com/_next/static/chunks/webpack-37371b1b45fe2f3c.js
11	https://www.figma.com/de-de
12	https://www.figma.com/es-la/contact/
13	https://www.figma.com/es-es/figjam/mapa-mental/
14	https://www.figma.com/developers/api/

15	https://www.figma.com/_next/static/chunks/5170-926dc61429eeb7c9.js
16	https://www.figma.com/_next/static/chunks/app/%5Blang%5D/(bespoke)/page-99e5eb5e4db83534.js
17	https://www.figma.com/fonts
18	https://www.figma.com/de-de/
19	https://www.figma.com/customers/sprints-with-stripe
20	https://www.figma.com/ko-kr/buzz/
21	https://www.figma.com/es-es/?context=localeChange
22	https://www.figma.com/pl-pl/slides
23	https://www.figma.com/community/file/1382445842871959915/product-roadmap
24	https://www.figma.com/fr-fr/figjam/post-it-virtuels
25	https://www.figma.com/community/tag/wireframe
26	https://www.figma.com/pt-br/figjam/ferramenta-brainstorming
27	https://www.figma.com/nl-nl/kleurenwiel
28	https://www.figma.com/pt-br/figma-vs-sketch
29	https://www.figma.com/sub-processors/
30	https://www.figma.com/customers/qonto-on-business-value-of-figma
31	https://www.figma.com/resource-library

32	https://www.figma.com/webpack-artifacts/assets/809-3c2d8754aa7ada71.min.js.br
33	https://www.figma.com/webpack-artifacts/assets/svg-302ead25cc92a224.min.js.br
34	https://www.figma.com/best-practices
35	https://www.figma.com/_next/static/chunks/app/%5Blang%5D/error-6935510a61330871.js
36	https://www.figma.com/prototyping
37	https://www.figma.com/_next/static/chunks/bf76e631-48206d26f67211b9.js
38	https://www.figma.com/nl-nl/designsystemen/
39	https://www.figma.com/release-notes/
40	https://www.figma.com/qr-code-generator
41	https://www.figma.com/es-la/web-development
42	https://www.figma.com/community/website-templates/portfolio?editor_type=sites
43	https://www.figma.com/resource-library/what-is-cmyk
44	https://www.figma.com/customers/doctor-anywhere-designing-healthcare-experiences-faster
45	https://www.figma.com/pl-pl/contact/
46	https://www.figma.com/pt-br/ux-design-tool/
47	https://www.figma.com/contact

48	https://www.figma.com/customers/designers-use-figma-to-bring-uber-to-the-unbanked
49	https://www.figma.com/fr-fr/education
50	https://www.figma.com/es-es/
51	https://www.figma.com/de-de/slides/
52	https://www.figma.com/es-la/pricing
53	https://www.figma.com/nl-nl/ux-ontwerptool/?context=localeChange
54	https://www.figma.com/netflix
55	https://www.figma.com/ko-kr/
56	https://www.figma.com/de-de/figjam/mind-map
57	https://www.figma.com/nl-nl/enterprise
58	https://www.figma.com/fr-fr/professional/
59	https://www.figma.com/community/plugin/837098402230990991/Axure
60	https://www.figma.com/fr-fr/enterprise
61	https://www.figma.com/signup.txt?locale=ko-kr&_rsc=nxr4n
62	https://www.figma.com/_next/static/chunks/app/%5Blang%5D/%5B...slug%5D/page-a91a4ec399390843.js
63	https://www.figma.com/blog/zoom-case-study
64	https://www.figma.com/ja-jp/education/

65	https://www.figma.com/pl-pl/contact
66	https://www.figma.com/file/PQkFgQA77pIJM_rxMs8PXWt/Roadmap-review-template/duplicate
67	https://www.figma.com/community/file/138_2483546106051977/startup-pitch\
68	https://www.figma.com/es-es/design-systems/?context=localeChange
69	https://www.figma.com/fr-fr/organization
70	https://www.figma.com/pl-pl/systemy-projektowania\
71	https://www.figma.com/es-es/sites\
72	https://www.figma.com/ja-jp/figjam/mind-map/?context=localeChange
73	https://www.figma.com/figjam/brainstorming-tool
74	https://www.figma.com/i18n-artifacts/locales/f2fe2d05804512c759e88b08cf55e9cbe68e16dd
75	https://www.figma.com/colors
76	https://www.figma.com/customers/lifted-from-the-dark-ages-vanquis
77	https://www.figma.com/color-palettes
78	https://www.figma.com/_next/static/chunks/main-app-81598376d33642e5.js
79	https://www.figma.com/_next/static/chunks/8829-c394f12f58fde78e.js
80	https://www.figma.com/de-de/farbkreis
81	https://www.figma.com/nl-nl/webdesign/?context=localeChange

82	https://www.figma.com/community/widgets
83	https://www.figma.com/figjam/online-whiteboard
84	https://www.figma.com/figjam/agile-workflows
85	https://www.figma.com/events
86	https://www.figma.com/es-es/professional
87	https://www.figma.com/ja-jp/events/
88	https://www.figma.com/_next/static/chunks/app/not-found-0ef2a53c826cffbb.js
89	https://www.figma.com/es-la/sites
90	https://www.figma.com/nl-nl/ai/
91	https://www.figma.com/figma-vs-adobe-xd
92	https://www.figma.com/pt-br/figjam-vs-miro/?context=localeChange
93	https://www.figma.com/de-de/sites/
94	https://www.figma.com/design/
95	https://www.figma.com/es-es/figjam/mapa-mental
96	https://www.figma.com/fr-fr/web-design/?context=localeChange
97	https://www.figma.com/login_iframe?with_community_header=true&type=;fixedmodal&one_tap_origin=google_one_tap_logged_out_community
98	https://www.figma.com/de-de/make

99	https://www.figma.com/pricing
100	https://www.figma.com/customers/vanguard -designs-fifty-percent-faster
101	https://www.figma.com/blog/stitch-fix - accelerates-design-sprints-by-collaborating-in-figma
102	https://www.figma.com/fr-fr/figjam-vs-miro/?context=localeChange
103	https://www.figma.com/customers/mizuho - bank-improves-efficiency-of-communication
104	https://www.figma.com/fr-fr/ai
105	https://www.figma.com/nl-nl/kleurenwiel/?context=localeChange
106	https://www.figma.com/de-de/figjam/team-meetings
107	https://www.figma.com/fr-fr/events/
108	https://www.figma.com/ko-kr/design-systems/
109	https://www.figma.com/ja-jp/release-notes/
110	https://www.figma.com/
111	https://www.figma.com/pricing/#features
112	https://www.figma.com/best-practices/make-the-most-of-design-system-analytics
113	https://www.figma.com/nl-nl/slides/
114	https://www.figma.com/fr-fr/figjam/strategic-planning/?context=localeChange
115	https://www.figma.com/figjam-vs-miro

116	https://www.figma.com/ko-kr/pricing
117	https://www.figma.com/developers/api#library-analytics\
118	https://www.figma.com/community/file/989635781221754599\
119	https://www.figma.com/login.txt?locale=de-de&_rsc=u5js4
120	https://www.figma.com/ai/our-approach/\
121	https://www.figma.com/signup?locale=en-us
122	https://www.figma.com/fr-fr
123	https://www.figma.com/es-es/ai/\
124	https://www.figma.com/customers/figma-fast-tracked-projects-magnet-monster
125	https://www.figma.com/ui-design-tool
126	https://www.figma.com/ko-kr/design-systems/?context=localeChange
127	https://www.figma.com/blog/figma-organization/#uber-video
128	https://www.figma.com/signup\
129	https://www.figma.com/pt-br/contact/\
130	https://www.figma.com/de-de/prototypen
131	https://www.figma.com/de-de/web-design/?context=localeChange
132	https://www.figma.com/product-managers

133	https://www.figma.com/security
134	https://www.figma.com/color-wheel
135	https://www.figma.com/figjam/mind-map
136	https://www.figma.com/figma-vs-sketch
137	https://www.figma.com/ko-kr/figjam/diagramming-tool
138	https://www.figma.com/de-de/buzz
139	https://www.figma.com/ja-jp/figjam-vs-miro/?context=localeChange
140	https://www.figma.com/es-la/figjam/diagramming-tool/
141	https://www.figma.com/de-de/release-notes
142	https://www.figma.com/ko-kr/downloads
143	https://www.figma.com/file/new?try-plugin-id=1286792998372727741&try-plugin-version-id=68346&try-plugin-name=Color+wheel+palette+generator&is-widget=0&is-playground-file=0&file-uid=1014223665036315863&try-plugin-editor-type=design&from-website-next=true&try-plugin-params=%7B%22initialColor%22%3A%22%237A893E%22%2C%22initialPaletteType%22%3A%22Custom%22%2C%22colors%22%3A%22%237A893E%22%2C%22%23330934%22%2C%22%23C9C683%22%2C%22%23AEE5F9%22%2C%22%235D%22%2C%22locale%22%3A%22en-us%22%2C%22%7D
144	https://www.figma.com/customers/how-qonto-reduces-lead-times
145	https://www.figma.com/education/apply/
146	https://www.figma.com/blog/the-dropbox-guide-to-building-creative-culture
147	https://www.figma.com/de-de/figma-vs-sketch

148	https://www.figma.com/ko-kr/figjam/strategic-planning/?context=localeChange
149	https://www.figma.com/colors/green
150	https://www.figma.com/professional/
151	https://www.figma.com/pl-pl/slides/
152	https://www.figma.com/fr-fr/product-development
153	https://www.figma.com/@k12education/
154	https://www.figma.com/community/file/1383475610293894214/design-review/
155	https://www.figma.com/community/website-templates/landing-pages?editor_type=sites/
156	https://www.figma.com/wireframe-tool
157	https://www.figma.com/es-la/figma-vs-framer
158	https://www.figma.com/community/category/ui-kits
159	https://www.figma.com/buzz
160	https://www.figma.com/pl-pl
161	https://www.figma.com/design
162	https://www.figma.com/nl-nl/make
163	https://www.figma.com/nl-nl/designers
164	https://www.figma.com/fr-fr/release-notes

165	https://www.figma.com/webpack-artifacts/ assets/959-d3715cfadc69d310.min.js.br
166	https://www.figma.com/nl-nl/wireframe- tool/
167	https://www.figma.com/customers/how- vodafone-gets-into-market-quickly
168	https://www.figma.com
169	https://www.figma.com/de- de/figjam/diagramm-erstellen
170	https://www.figma.com/fr-fr/buzz
171	https://www.figma.com/figma-vs-framer
172	https://www.figma.com/community/category /icons
173	https://www.figma.com/_next/static/media /002cf99d1cc0cc01-s.p.ttf
174	https://www.figma.com/pricing/index.txt? _rsc=1oxft
175	https://www.figma.com/pt-br/figjam-vs- miro
176	https://www.figma.com/blog/bulb-case- study
177	https://www.figma.com/community/tag/web
178	https://www.figma.com/nl-nl/
179	https://www.figma.com/ko-kr/color- wheel/
180	https://www.figma.com/ja- jp/?context=localeChange
181	https://www.figma.com/pl-pl/kolo- kolorow/?context=localeChange

182	https://www.figma.com/es-la
183	https://www.figma.com/file/CKKoDHngPNaQa_cjk7Xkpbl/Roadmap-planning-brainstorm-template/duplicate
184	https://www.figma.com/pt-br/figjam/diagramming-tool/?context=localeChange
185	https://www.figma.com/community/file/832_911648132248625
186	https://www.figma.com/reports/2024-forrester-tei
187	https://www.figma.com/education/?context=localeChange
188	https://www.figma.com/release-notes
189	https://www.figma.com/nl-nl/professional/
190	https://www.figma.com/community/file/138_2481559228932486/research-readout
191	https://www.figma.com/customers/?context=localeChange
192	https://www.figma.com/fr-fr/enterprise/
193	https://www.figma.com/pt-br/release-notes
194	https://www.figma.com/de-de/resource-library
195	https://www.figma.com/contact/index.txt?_rsc=wjg4n
196	https://www.figma.com/de-de/reports
197	https://www.figma.com/fr-fr/figjam/outil-brainstorming
198	https://www.figma.com/de-de/ux-design-tool/?context=localeChange

199	https://www.figma.com/de-de/pricing
200	https://www.figma.com/fr-fr/figma-vs- framer
201	https://www.figma.com/community/website- templates/events?editor_type=sites
202	https://www.figma.com/api/resources?sort _by=all_time&resource;_type=site_template &editor;_type=sites&caller;=homepage&page;_ size=6
203	https://www.figma.com/pt-br/customers/
204	https://www.figma.com/de-de/designers
205	https://www.figma.com/de-de/enterprise/
206	https://www.figma.com/es-la/education/
207	https://www.figma.com/pt-br/
208	https://www.figma.com/customers/dev- mode-helps-hp
209	https://www.figma.com/community/website- templates/business?editor_type=sites
210	https://www.figma.com/fr-fr/prototypes
211	https://www.figma.com/webinars
212	https://www.figma.com/ja-jp/education
213	https://www.figma.com/es-la/design- systems
214	https://www.figma.com/es-la/figjam
215	https://www.figma.com/tos/

216	https://www.figma.com/pt-br/design-systems
217	https://www.figma.com/reports
218	https://www.figma.com/file/ZHRX3sbBdWGTz vcTuePDI9/Organization-Chart/duplicate?source=website
219	https://www.figma.com/pl-pl/figjam/kreator-diagramow
220	https://www.figma.com/contact/index.txt?_rsc=1oxft
221	https://www.figma.com/file/GGpts9zMtNJJUN8zy57DjY/Flow-Chart-Template/duplicate
222	https://www.figma.com/resource-library/what-is-color-theory/
223	https://www.figma.com/dev-mode
224	https://www.figma.com/customers/twitter
225	https://www.figma.com/organization
226	https://www.figma.com/buzz/new
227	https://www.figma.com/fr-fr/?context=localeChange
228	https://www.figma.com/customers/how-volkswagen-group-services-used-figma-and-figjam
229	https://www.figma.com/nl-nl/figjam/online-whiteboard
230	https://www.figma.com/_next/static/chunks/2218-ee4a9b700791cf94.js
231	https://www.figma.com/enterprise/?context=localeChange

232	https://www.figma.com/nl-nl/education
233	https://www.figma.com/_next/static/chunks/8294-ef11f8a234f4ba58.js
234	https://www.figma.com/customers/lucky-beard-getting-the-band-together-globally
235	https://www.figma.com/nl-nl/ai
236	https://www.figma.com/de-de/figjam-vs-miro/
237	https://www.figma.com/fr-fr/make
238	https://www.figma.com/fr-fr/ai/
239	https://www.figma.com/customers/organizing-your-design-system
240	https://www.figma.com/de-de/figma-vs-adobe-xd
241	https://www.figma.com/blog/config-2025-recap
242	https://www.figma.com/de-de/customers/
243	https://www.figma.com/_next/static/css/1420c2630a1a8634.css
244	https://www.figma.com/ko-kr/slides/
245	https://www.figma.com/enterprise
246	https://www.figma.com/presentation-maker
247	https://www.figma.com/nl-nl/contact
248	https://www.figma.com/product-integrations

249	https://www.figma.com/careers
250	https://www.figma.com/pl-pl/?context=localeChange
251	https://www.figma.com/_next/static/media/7c42ed55a7834032-s.p.woff2
252	https://www.figma.com/customers/how-figma-helps-gojek-fly
253	https://www.figma.com/es-la/figjam/diagramming-tool
254	https://www.figma.com/pl-pl/sites/
255	https://www.figma.com/slides
256	https://www.figma.com/government
257	https://www.figma.com/es-es/figjam-vs-miro/
258	https://www.figma.com/es-es/design-handoff
259	https://www.figma.com/community/widgets/
260	https://www.figma.com/make
261	https://www.figma.com/wireframe-tool/?context=localeChange
262	https://www.figma.com/pt-br/organization
263	https://www.figma.com/es-la/education
264	https://www.figma.com/ai
265	https://www.figma.com/pl-pl/projektowanie-stron-internetowych/?context=localeChange

266	https://www.figma.com/api/resources?sort_by=all_time&price=all&resource_type=design_template%2Cfigjam_template%2Cslide_template%2Cui_kit%2Cprototype%2Csite_template%2Ccooper_template_file%2Cplugin%2Cwidget&caller=homepage&page_size=12&include_content=false
267	https://www.figma.com/education
268	https://www.figma.com/ja-jp/release-notes
269	https://www.figma.com/fr-fr/slides/
270	https://www.figma.com/ko-kr/figma-vs-sketch
271	https://www.figma.com/pt-br/education
272	https://www.figma.com/release-notes/feed/feed.json
273	https://www.figma.com/engineers
274	https://www.figma.com/ja-jp/figjam/strategic-planning/
275	https://www.figma.com/figjam/strategic-planning/?context=localeChange
276	https://www.figma.com/draw
277	https://www.figma.com/nl-nl/wireframe-tool
278	https://www.figma.com/pt-br/pricing
279	https://www.figma.com/fr-fr/figjam/reunion-de-travail
280	https://www.figma.com/ko-kr/wireframe-tool/?context=localeChange
281	https://www.figma.com/ja-jp/design-systems

282	https://www.figma.com/es-es/buzz
283	https://www.figma.com/education/chromebooks
284	https://www.figma.com/design-systems
285	https://www.figma.com/community/category/presentations\
286	https://www.figma.com/design-study-by-forrester
287	https://www.figma.com/de-de/blog
288	https://www.figma.com/ko-kr/design-systems
289	https://www.figma.com/ux-design-tool
290	https://www.figma.com/color-picker
291	https://www.figma.com/nl-nl/figjam/mindmap
292	https://www.figma.com/fr-fr/figjam/carte-mentale/?context=localeChange
293	https://www.figma.com/_next/static/chunks/5157-bad5c17760ae4605.js
294	https://www.figma.com/_next/static/chunks/7635-29fb1919ee9db3e9.js
295	https://www.figma.com/ja-jp/ai\
296	https://www.figma.com/_next/static/css/c33ceb02a5fe03dc.css
297	https://www.figma.com/api/user
298	https://www.figma.com/ko-kr/enterprise

299	https://www.figma.com/careers/?context=localeChange
300	https://www.figma.com/figjam/diagramming-tool
301	https://www.figma.com/de-de/figjam-vs-miro/?context=localeChange
302	https://www.figma.com/webpack-artifacts/assets/vendor-6df897ea716f39fc.min.js.br
303	https://www.figma.com/legal/tos
304	https://www.figma.com/ja-jp/sites/
305	https://www.figma.com/fr-fr/figjam/tableau-blanc-en-ligne
306	https://www.figma.com/webpack-artifacts/assets/718-4e4bbce1801c8e4c.min.js.br
307	https://www.figma.com/ja-jp/web-design
308	https://www.figma.com/es-es/customers
309	https://www.figma.com/_next/static/chunks/9539-3dfdf70519d8de4.js
310	https://www.figma.com/pt-br/wireframe-tool
311	https://www.figma.com/legal
312	https://www.figma.com/login?locale=en-us
313	https://www.figma.com/de-de/figjam/diagramm-erstellen/?context=localeChange
314	https://www.figma.com/pt-br
315	https://www.figma.com/file/J4qxpHI1UEC6DNhymmXEBb/Strategic-Plan-Template/duplicate

316	https://www.figma.com/es-es/web-design
317	https://www.figma.com/ux-design- tool/?context=localeChange
318	https://www.figma.com/file/srooendCxDdpF 9GuaCHnFV/Bubble-Map/duplicate?source=website\
319	https://www.figma.com/es- es/figjam/agile-workflows
320	https://www.figma.com/nl- nl/figjam/strategische-planning
321	https://www.figma.com/_next/static/chunk s/3490-5eef852f83052bbf.js
322	https://www.figma.com/es-es/figma-vs- framer
323	https://www.figma.com/ko-kr/figjam/mind- map/?context=localeChange
324	https://www.figma.com/_next/static/media /17ffab3726b9623-s.p.woff2
325	https://www.figma.com/pl-pl/\
326	https://www.figma.com/community/file/832 911648132248625\
327	https://www.figma.com/api/resources?sort _by=all_time&resource;_type=slide_templat e&caller;=homepage&page;_size=6
328	https://www.figma.com/ko-kr/design
329	https://www.figma.com/ja-jp/design- systems/\
330	https://www.figma.com/fr-fr/education/\
331	https://www.figma.com/blog/how-elsewhen- builds-digital-products-for-their- clients
332	https://www.figma.com/_next/static/chunk s/fd9d1056-a72101409bda812c.js

333	https://www.figma.com/de-de/education/
334	https://www.figma.com/es-la/customers
335	https://www.figma.com/ko-kr/prototyping
336	https://www.figma.com/pt-br/engineers
337	https://www.figma.com/signup.txt?locale=en-us&_rsc=1hsvt
338	https://www.figma.com/pl-pl/kolo-kolorow/
339	https://www.figma.com/ko-kr/?context=localeChange
340	https://www.figma.com/community-creators
341	https://www.figma.com/de-de/presentation-erstellen
342	https://www.figma.com/pl-pl/buzz
343	https://www.figma.com/ko-kr/sites/
344	https://www.figma.com/es-es/figjam/team-meetings
345	https://www.figma.com/education/
346	https://www.figma.com/ko-kr
347	https://www.figma.com/ko-kr/sites
348	https://www.figma.com/es-la/figjam/herramienta-lluvia-de-ideas
349	https://www.figma.com/nl-nl/?context=localeChange

350	https://www.figma.com/ja-jp/release- notes/?context=localeChange
351	https://www.figma.com/es- la/?context=localeChange
352	https://www.figma.com/blog/crop-ready- four-life-program-ux-design
353	https://www.figma.com/ko- kr/pricing/index.txt?_rsc=nxr4n
354	https://www.figma.com/?context=localeCha nge
355	https://www.figma.com/de-de/figjam/mind- map/
356	https://www.figma.com/es-es
357	https://www.figma.com/de- de/?context=localeChange
358	https://www.figma.com/fr-fr/release- notes/
359	https://www.figma.com/pt-br/design
360	https://www.figma.com/color-contrast- checker/
361	https://www.figma.com/webpack- artifacts/assets/cssbuilder- dd460d366d3655b3.min.js.br
362	https://www.figma.com/nl- nl/figjam/diagrammen- tool/?context=localeChange
363	https://www.figma.com/ux-design-tool/
364	https://www.figma.com/pl- pl/projektowanie-stron-internetowych/
365	https://www.figma.com/ko-kr/web-design/
366	https://www.figma.com/es-es/downloads

367	https://www.figma.com/es-la/product-managers
368	https://www.figma.com/es-la/slides
369	https://www.figma.com/product-integrations/?context=localeChange
370	https://www.figma.com/resource-library/diagramming
371	https://www.figma.com/professional
372	https://www.figma.com/es-es/figjam/diagramming-tool
373	https://www.figma.com/login
374	https://www.figma.com/signup.txt?locale=en-us&_rsc=1oxft
375	https://www.figma.com/fr-fr/product-integrations/
376	https://www.figma.com/ja-jp/web-design/
377	https://www.figma.com/pl-pl/buzz/
378	https://www.figma.com/de-de/design
379	https://www.figma.com/fr-fr/contact/
380	https://www.figma.com/pt-br/?context=localeChange
381	https://www.figma.com/ko-kr/release-notes/?context=localeChange
382	https://www.figma.com/blog
383	https://www.figma.com/pt-br/figjam/mapa-mental

384	https://www.figma.com/ko-kr/ux-design-tool
385	https://www.figma.com/index.txt?_rsc=wjg4n
386	https://www.figma.com/fr-fr/design-systems/
387	https://www.figma.com/ko-kr/figjam/strategic-planning/
388	https://www.figma.com/es-la/enterprise
389	https://www.figma.com/es-es/web-design/?context=localeChange
390	https://www.figma.com/pl-pl/education
391	https://www.figma.com/de-de/slides
392	https://www.figma.com/community/file/1382445842871959915/product-roadmap
393	https://www.figma.com/file/GGpts9zMtNJJUN8zy57DjY/Flow-Chart-Template/duplicate?source=website
394	https://www.figma.com/customers/how-stash-builds-financial-products-customers-trust
395	https://www.figma.com/_next/static/media/rive.aac07d3b.wasm
396	https://www.figma.com/file/Xr6aPrnNfq1ke10wJgQY3a/Mind-Map-Template/duplicate?source=website
397	https://www.figma.com/es-es/slides
398	https://www.figma.com/es-es/circulo-cromatico/
399	https://www.figma.com/signup

400	https://www.figma.com/community/plugins
401	https://www.figma.com/customers/how-datadog-built-enterprise-platform-scaling-design-system/
402	https://www.figma.com/slides/?context=localeChange
403	https://www.figma.com/web-design/
404	https://www.figma.com/ja-jp/figjam-vs-miro
405	https://www.figma.com/fr-fr/
406	https://www.figma.com/color-contrast-checker
407	https://www.figma.com/api/resources?sort_by=all_time&resource_type=plugin&category=design-tools&caller=homepage&page_size=10&include_content=true
408	https://www.figma.com/best-practices/migrating-to-figma/
409	https://www.figma.com/fr-fr/product-integrations
410	https://www.figma.com/pt-br/figma-vs-sketch/
411	https://www.figma.com/es-la/figma-vs-sketch/
412	https://www.figma.com/fr-fr/figjam/carte-mentale
413	https://www.figma.com/es-la/figjam/strategic-planning
414	https://www.figma.com/pt-br/release-notes/
415	https://www.figma.com/figjam/online-sticky-notes

416	https://www.figma.com/fr-fr/events
417	https://www.figma.com/templates
418	https://www.figma.com/web-development
419	https://www.figma.com/ja-jp/events
420	https://www.figma.com/ja-jp/product-integrations/
421	https://www.figma.com/community/file/1383476600772937799/product-review
422	https://www.figma.com/pl-pl/professional
423	https://www.figma.com/community/plugin/837098402230990991/Axure
424	https://www.figma.com/blog/introducing-figma-sites
425	https://www.figma.com/templates/diagramming
426	https://www.figma.com/_next/static/chunks/2152-585465d01a73b741.js
427	https://www.figma.com/pt-br/ai/
428	https://www.figma.com/fr-fr/figma-vs-adobe-xd
429	https://www.figma.com/fr-fr/pricing
430	https://www.figma.com/community/file/862805330899066752
431	https://www.figma.com/downloads
432	https://www.figma.com/_next/static/css/a8b85734f69e2b8c.css


433	https://www.figma.com/developers
434	https://www.figma.com/de-de/legal
435	https://www.figma.com/color-palette-generator
436	https://www.figma.com/newsroom
437	https://www.figma.com/file/Xr6aPrnNfq1ke10wJgQY3a/Mind-Map-Template/duplicate?source=website
438	https://www.figma.com/fr-fr/ui-design-tool
439	https://www.figma.com/customers/how-king-brings-game-design-together
440	https://www.figma.com/community
441	https://www.figma.com/figjam/team-meetings
442	https://www.figma.com/figjam/diagramming-tool/?context=localeChange
443	https://www.figma.com/es-la/figjam/online-whiteboard
444	https://www.figma.com/pt-br/designers
445	https://www.figma.com/sites
446	https://www.figma.com/demo
447	https://www.figma.com/designers
448	https://www.figma.com/de-de/figjam/diagramm-erstellen/
449	https://www.figma.com/figjam/concept-map

450	https://www.figma.com/community/website-templates/personal-websites?editor_type=sites
451	https://www.figma.com/fr-fr/figjam/diagramme
452	https://www.figma.com/es-la/ai/
453	https://www.figma.com/ko-kr/figjam/diagramming-tool/
454	https://www.figma.com/contact/index.txt?_rsc=1aox2
455	https://www.figma.com/pt-br/circulo-cromatico/
456	https://www.figma.com/es-es/prototipos
457	https://www.figma.com/figjam/strategic-planning
458	https://www.figma.com/partners
459	https://www.figma.com/pt-br/figjam/team-meetings
460	https://www.figma.com/de-de/web-development
461	https://www.figma.com/es-es/ux-design-tool/?context=localeChange
462	https://www.figma.com/ja-jp/sites
463	https://www.figma.com/es-es/ui-design-tool
464	https://www.figma.com/nl-nl/ui-design-tool
465	https://www.figma.com/es-la/
466	https://www.figma.com/ko-kr/product-development

467	https://www.figma.com/about
468	https://www.figma.com/product-development
469	https://www.figma.com/es-la/engineers
470	https://www.figma.com/nl-nl/prototyping
471	https://www.figma.com/nl-nl/pricing
472	https://www.figma.com/customers/how-whatagraph-removed-repetitive-design-using-figma
473	https://www.figma.com/es-la/figjam-vs-miro
474	https://www.figma.com/pt-br/figma-vs-adobe-xd
475	https://www.figma.com/nl-nl/events
476	https://www.figma.com/fr-fr/dev-mode
477	https://www.figma.com/pt-br/design-handoff
478	https://www.figma.com/community/website-templates/portfolio?edi
479	https://www.figma.com/fr-fr/roue-chromatique
480	https://www.figma.com/_next/static/chunks/3714-536375c554af7cf7.js
481	https://www.figma.com/customers
482	https://www.figma.com/pricing/index.txt?_rsc=11n6v
483	https://www.figma.com/pt-br/figma-vs-framer

484	https://www.figma.com/ja-jp
485	https://www.figma.com/fr-fr/buzz/
486	https://www.figma.com/de-de/figjam/agile-workflows
487	https://www.figma.com/es-la/slides/
488	https://www.figma.com/_next/static/chunks/5248-815ff638ccea67df.js
489	https://www.figma.com/customers/how-aws-drives-collaboration-between-designers-and-developers-at-scale
490	https://www.figma.com/ja-jp/figma-vs-sketch
491	https://www.figma.com/es-es/ux-design-tool/
492	https://www.figma.com/figjam
493	https://www.figma.com/es-es/figjam/online-whiteboard
494	https://www.figma.com/pt-br/slides
495	https://www.figma.com/es-la/ux-design-tool
496	https://www.figma.com/design-handoff
497	https://www.figma.com/de-de/design-systems
498	https://www.figma.com/es-es/make
499	https://www.figma.com/privacy/
500	https://www.figma.com/web-design

Vulnerability Distribution for <https://www.figma.com>



Vulnerability Summary by Type

Type	Count
Origin Check	2
Authentication	45
Fuzzing	3993
Handshake	0
Payload Handling	0
Session Management	0
Subprotocol	0
Security	0
DoS	0
Cross-Origin	0
Other	0

