
WebSocket Security Scan Report

Executive Summary

| Scan Start Time: | 2025-06-12 12:34:37 |
|-------------------------------------|---------------------|
| Scan End Time: | 2025-06-12 12:36:59 |
| Total Scan Duration: | 142.57 seconds |
| Total URLs Scanned: | 1 |
| High Severity Vulnerabilities: | 14 |
| Medium Severity Vulnerabilities: | 10 |
| Low Severity Vulnerabilities: | 2 |



Detailed Scan Results

Target URL: http://192.168.110.1:8080/


| Scan Duration: | 142.57 seconds |
|----------------------------|-----------------|
| URLs Crawled: | 1 |
| WebSocket Endpoints Found: | 2 |
| Attack Performed: | True |
| Attack Type: | WebSocket Tests |
| High Severity Findings: | 14 |
| Medium Severity Findings: | 10 |
| Low Severity Findings: | 2 |

WebSocket Endpoints:

| # | URL |
|---|----------------------|
| 1 | ws://localhost:8081 |
| 2 | ws://localhost:8081/ |

Crawled URLs:

| # | URL |
|---|----------------------------|
| 1 | http://192.168.110.1:8080/ |



Detected Vulnerabilities:

| Name: | No Compression Negotiation |
|---------------|--|
| Risk Level: | Low |
| Description: | Server at localhost:8081 does not negotiate compression. |
| Solution: | Support permessage-deflate for efficient data transfer. |
| Affected URL: | localhost:8081 |

| Name: | Connection Flood |
|---------------|--|
| Risk Level: | High |
| Description: | WebSocket at ws://localhost:8081 accepts multiple connections without restriction. |
| Solution: | Implement connection rate limiting. |
| Affected URL: | ws://localhost:8081 |

| Name: | Oversized Message |
|---------------|---|
| Risk Level: | High |
| Description: | WebSocket at ws://localhost:8081 accepts oversized message (1MB). |
| Solution: | Enforce maximum message size limits. |
| Affected URL: | ws://localhost:8081 |

| Name: | Max Connections |
|---------------|---|
| Risk Level: | High |
| Description: | WebSocket at ws://localhost:8081 allows excessive connections (20). |
| Solution: | Set a maximum connection limit per client IP. |
| Affected URL: | ws://localhost:8081 |

| Risk Level: | Medium |
|---------------|---|
| Description: | WebSocket at ws://localhost:8081 allows idle connection for 60 seconds. |
| Solution: | Implement idle timeout to close inactive connections. |
| Affected URL: | ws://localhost:8081 |

| Name: | High Compression Ratio |
|---------------|--|
| Risk Level: | Medium |
| Description: | WebSocket at ws://localhost:8081 accepts highly compressible data (100KB). |
| Solution: | Limit compression ratios to prevent DoS. |
| Affected URL: | ws://localhost:8081 |

| Name: | Resource Leak |
|---------------|---|
| Risk Level: | High |
| Description: | WebSocket at ws://localhost:8081 handles rapid connection open/close. |
| Solution: | Ensure proper resource cleanup after connections. |
| Affected URL: | ws://localhost:8081 |

| Risk Level: | Low |
|---------------|--|
| Description: | Server at localhost:8081 does not negotiate compression. |
| Solution: | Support permessage-deflate for efficient data transfer. |
| Affected URL: | localhost:8081 |

| Name: | Connection Flood |
|---------------|---|
| Risk Level: | High |
| Description: | WebSocket at ws://localhost:8081/ accepts multiple connections without restriction. |
| Solution: | Implement connection rate limiting. |
| Affected URL: | ws://localhost:8081/ |

| Name: | Oversized Message |
|---------------|--|
| Risk Level: | High |
| Description: | WebSocket at ws://localhost:8081/ accepts oversized message (1MB). |
| Solution: | Enforce maximum message size limits. |
| Affected URL: | ws://localhost:8081/ |

| Name: | Max Connections |
|-------------|-----------------|
| Risk Level: | High |

| Description: | WebSocket at ws://localhost:8081/ allows excessive connections (20). |
|---------------|--|
| Solution: | Set a maximum connection limit per client IP. |
| Affected URL: | ws://localhost:8081/ |

| Name: | Idle Timeout Abuse |
|---------------|--|
| Risk Level: | Medium |
| Description: | WebSocket at ws://localhost:8081/ allows idle connection for 60 seconds. |
| Solution: | Implement idle timeout to close inactive connections. |
| Affected URL: | ws://localhost:8081/ |

| Name: | High Compression Ratio |
|---------------|---|
| Risk Level: | Medium |
| Description: | WebSocket at ws://localhost:8081/ accepts highly compressible data (100KB). |
| Solution: | Limit compression ratios to prevent DoS. |
| Affected URL: | ws://localhost:8081/ |

| Name: | Resource Leak |
|-------------|---------------|
| Risk Level: | High |

| Description: | WebSocket at ws://localhost:8081/ handles rapid connection open/close. |
|---------------|--|
| Solution: | Ensure proper resource cleanup after connections. |
| Affected URL: | ws://localhost:8081/ |

_

| Name: | Missing CORS Headers |
|---------------|--|
| Risk Level: | Medium |
| Description: | Server at http://localhost:8081/ lacks CORS headers: Access-Control-Allow-Origin, Access- Control-Allow-Methods. |
| Solution: | Configure appropriate CORS headers. |
| Affected URL: | http://localhost:8081/ |

| Name: | Cross-Origin Iframe |
|---------------|--|
| Risk Level: | High |
| Description: | WebSocket at ws://localhost:8081 accepts cross- origin iframe connections. |
| Solution: | Validate Origin header; enforce X-Frame-Options: DENY. |
| Affected URL: | ws://localhost:8081 |

| Name: | Spoofed URL |
|-------------|-------------|
| Risk Level: | High |

| Description: | WebSocket at ws://localhost:8081 accepts connections with spoofed URL ws://malicious.com. |
|---------------|---|
| Solution: | Validate WebSocket URLs and origins. |
| Affected URL: | ws://localhost:8081 |

_

| Name: | Missing CORS Headers |
|---------------|--|
| Risk Level: | Medium |
| Description: | Server at http://localhost:8081/ lacks CORS headers: Access-Control-Allow-Origin, Access- Control-Allow-Methods. |
| Solution: | Configure appropriate CORS headers. |
| Affected URL: | http://localhost:8081/ |

| Name: | Cross-Origin Iframe |
|---------------|---|
| Risk Level: | High |
| Description: | WebSocket at ws://localhost:8081/ accepts cross- origin iframe connections. |
| Solution: | Validate Origin header; enforce X-Frame-Options: DENY. |
| Affected URL: | ws://localhost:8081/ |

| Name: | Spoofed URL |
|-------------|-------------|
| Risk Level: | High |

| Description: | WebSocket at ws://localhost:8081/ accepts connections with spoofed URL ws://malicious.com/. |
|---------------|---|
| Solution: | Validate WebSocket URLs and origins. |
| Affected URL: | ws://localhost:8081/ |

_

| Name: | Invalid Content-Type |
|---------------|--|
| Risk Level: | Medium |
| Description: | Server at localhost:8081 accepted handshake with invalid Content-Type. |
| Solution: | Ignore or validate Content-Type headers for WebSocket handshakes. |
| Affected URL: | localhost:8081 |

| Name: | Missing Security Headers |
|---------------|---|
| Risk Level: | Medium |
| Description: | Server at localhost:8081 lacks security headers: Content-Security-Policy, X-Content-Type-Options, X-XSS-Protection. |
| Solution: | Implement security headers like CSP, X-Content- Type-Options, and X-XSS-Protection. |
| Affected URL: | localhost:8081 |

| Name: | URL Path Traversal |
|-------------|--------------------|
| Risk Level: | High |

| Description: | WebSocket at ws://localhost:8081 is vulnerable to path traversal with path ///etc/passwd. |
|---------------|---|
| Solution: | Sanitize and validate URL paths to prevent directory traversal. |
| Affected URL: | ws://localhost:8081 |

| Name: | Invalid Content-Type |
|---------------|--|
| Risk Level: | Medium |
| Description: | Server at localhost:8081 accepted handshake with invalid Content-Type. |
| Solution: | Ignore or validate Content-Type headers for WebSocket handshakes. |
| Affected URL: | localhost:8081 |

| Name: | Missing Security Headers |
|---------------|---|
| Risk Level: | Medium |
| Description: | Server at localhost:8081 lacks security headers: Content-Security-Policy, X-Content-Type-Options, X-XSS-Protection. |
| Solution: | Implement security headers like CSP, X-Content- Type-Options, and X-XSS-Protection. |
| Affected URL: | localhost:8081 |

| Name: | URL Path Traversal |
|-------------|--------------------|
| Risk Level: | High |

| Description: | WebSocket at ws://localhost:8081/ is vulnerable to path traversal with path ///etc/passwd. | |
|---------------|--|--|
| Solution: | Sanitize and validate URL paths to prevent directory traversal. | |
| Affected URL: | ws://localhost:8081/ | |

Vulnerability Summary by Type

| Туре | Count |
|--------------------|-------|
| Origin Check | 0 |
| Authentication | 0 |
| Fuzzing | 0 |
| Handshake | 6 |
| Payload Handling | 0 |
| Session Management | 0 |
| Subprotocol | 0 |
| Security | 0 |
| DoS | 10 |
| Cross-Origin | 6 |
| Other | 4 |

