



Swagger
Supported by SMARTBEAR

Drug Plant API 1.0 OAS 3.0

API สำหรับระบบข้อมูลพืชเสพติด พร้อม GAP Management System + Admin Scoped Permission

[Authorize](#)

Filter by tag

Authentication

JWT-based authentication endpoints (with PIN for Admin/Super Admin)

**POST****/api/v1/auth/signup** Register new user

Create a new user account with phone number and birthday.

Parameters

[Try it out](#)

No parameters

Request body required

[application/json](#)

Example Value | Schema

```
{
  "phone": "0812345678",
  "firstName": "สมชาย",
  "lastName": "ใจดี",
  "job": "เกษตรกร",
  "region": "ภาคกลาง",
  "province": "เชียงใหม่",
  "district": "เมืองเชียงใหม่",
  "subDistrict": "สุเทพ",
  "birthday": "01/01/1990",
}
```

```
"pdpaConsentAt": "2024-01-15T10:30:00.000Z"
}
```

Responses

Code	Description	Links
201	User successfully registered Media type application/json Controls Accept header. Example Value Schema <pre>{ "accessToken": "...", "refreshToken": "...", "user": { "id": "c1xxx123", "phone": "0812345678", "firstName": "John", "lastName": "Doe", "role": "USER" } }</pre>	No links
400	Invalid input data	No links
429	Too many requests	No links

POST

/api/v1/auth/signin Sign in user



Authenticate user using phone + birthday. Admin/Super Admin will receive tempToken and must verify PIN.

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "phone": "0812345678",
```

```
{
  "birthday": "01/01/1990"
}
```

Responses

Code	Description	Links
200	Successfully authenticated OR PIN required Media type application/json Controls Accept header. Example Value Schema <pre>{ "accessToken": "string", "refreshToken": "string", "user": { "id": "string", "phone": "string", "firstName": "string", "lastName": "string", "role": "string" } }</pre>	No links
401	Invalid credentials	No links
429	Too many requests	No links

POST

/api/v1/auth/verify-pin Verify PIN for Admin/Super Admin



Complete sign in by verifying PIN (Admin/Super Admin only).

Parameters

Try it out

No parameters

Request body **required**

application/json

Example Value | Schema

```
{
  "tempToken": "temp_eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
  "pin": "123456"
}
```

Responses

Code	Description	Links
200	PIN verified successfully, JWT issued Media type application/json Controls Accept header. Example Value Schema <pre>{ "accessToken": "...", "refreshToken": "...", "user": { "id": "c1xxx123", "phone": "0812345678", "firstName": "Admin", "lastName": "User", "role": "ADMIN" }}</pre>	No links
401	Invalid PIN or temp token	No links
429	Too many attempts	No links

POST /api/v1/auth/set-pin Set PIN (self-service)



Set initial PIN for the current Admin/Super Admin account. Accepts both normal access token and set_pin temporary token (from signin when PIN not set). Returns full auth tokens after success. (Not for USER)

Parameters

Try it out

No parameters

Request body **required**

application/json

Example Value | Schema

```
{  "pin": "123456"}
```


Responses

Code	Description	Links
200	PIN set successfully, returns full auth tokens Media type application/json Controls Accept header. Example Value Schema <pre>{ "accessToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...", "refreshToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...", "user": { "id": "clxxx123", "phone": "0812345678", "firstName": "Admin", "lastName": "User", "role": "ADMIN" }}</pre>	No links
401	Unauthorized	No links
403	Forbidden (USER not allowed)	No links

PATCH

/api/v1/auth/change-pin

Change PIN



Change existing PIN (Admin/Super Admin only).

Parameters

Try it out

No parameters

Request body

required

application/json

Example Value

Schema

```
{  "oldPin": "123456",  "newPin": "654321"}
```

Responses

Code	Description	Links
200	PIN changed successfully Media type application/json ▾ Controls Accept header. Example Value Schema <pre>{ "message": "PIN changed successfully."}</pre>	No links
401	Unauthorized	No links
403	Forbidden (USER not allowed)	No links

POST

/api/v1/auth/refresh Refresh access token



Get new access token using refresh token.

Parameters

Try it out

No parameters

Request body **required**

application/json ▾

Example Value | Schema

```
{  "refreshToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9..."}
```

Responses

Code	Description	Links
200	New access token issued	No links

Code	Description	Links
	Media type application/json ▾ Controls Accept header. Example Value Schema <pre>{ "accessToken": "..."} </pre>	
401	Invalid or expired refresh token	No links

Admin Management

Super Admin manages Admin accounts (SUPER_ADMIN only)



POST	/api/v1/admin/create Create new Admin (SUPER_ADMIN only)	
Create Admin with phone, birthday, and PIN		
Parameters		Try it out
No parameters		
Request body required		application/json ▾
Example Value Schema <pre>{ "phone": "0812345678", "firstName": "Admin", "lastName": "User", "job": "เจ้าหน้าที่เกษตร", "region": "ภาคเหนือ", "province": "เชียงใหม่", "district": "เมืองเชียงใหม่", "subDistrict": "ช้างเผือก", "birthday": "01/01/1985", "pin": "123456"} </pre>		
Responses		

Code	Description	Links
201	Admin created successfully Media type application/json ▾ Controls Accept header. Example Value Schema <pre>{ "id": "clxxx123", "phone": "0812345678", "firstName": "Admin", "lastName": "User", "role": "ADMIN", "message": "Admin created successfully. PIN has been set."}</pre>	No links
400	Invalid input or phone already in use	No links
403	Forbidden - Only SUPER_ADMIN	No links

GET**/api/v1/admin** List all Admins (SUPER_ADMIN only)

Get list of all Admin accounts with managed users count

Parameters**Try it out**

No parameters

Responses

Code	Description	Links
200	List of Admins	No links
403	Forbidden - Only SUPER_ADMIN	No links

DELETE**/api/v1/admin/{id}** Delete Admin (SUPER_ADMIN only)

Soft delete Admin account and unassign all managed users

Try it out

Parameters

NameDescription

id * requiredAdmin ID to delete

string
(path)

id

Responses

CodeDescriptionLinks

200Admin deleted successfullyNo links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "message": "Admin deleted successfully."
}
```

400Cannot delete own accountNo links

403Forbidden - Only SUPER_ADMINNo links

404Admin not foundNo links

PATCH /api/v1/admin/{id}/assign-users Assign users to Admin (SUPER_ADMIN only)

Assign multiple USER accounts to specific Admin

Parameters

Try it out

NameDescription

id * requiredAdmin ID

string
(path)

id

Request body required

application/json

▼

Example Value | Schema

```
{
  "userIds": [
    "cluser001",
    "cluser002",
    "cluser003"
  ]
}
```

Responses

Code	Description	Links
200	Users assigned successfully Media type application/json Controls Accept header. Example Value Schema <pre>{ "message": "Assigned 3 users to Admin John Doe." }</pre>	No links
400	Invalid user IDs or not USER role	No links
403	Forbidden - Only SUPER_ADMIN	No links
404	Admin not found	No links

PATCH

/api/v1/admin/reassign/{userId}
Reassign user to different Admin (SUPER_ADMIN only)



Move USER from one Admin to another

Parameters

Try it out

Name	Description
------	-------------

userId * required string (path)	User ID to reassign userId
--	--

Request body required

application/json

Example Value | Schema

```
{
  "newAdminId": "cladmin123"
}
```

Responses

Code	Description	Links
200	User reassigned successfully Media type application/json Controls Accept header. Example Value Schema <pre>{ "message": "User John Smith reassigned to Admin Jane Doe." }</pre>	No links
400	Invalid target user or admin	No links
403	Forbidden - Only SUPER_ADMIN	No links
404	User or Admin not found	No links

GET**/api/v1/admin/stats** Get Dashboard Statistics**Parameters****Try it out**

No parameters

Responses

Code	Description	Links
200	Stats returned	No links

GET**/api/v1/admin/plots** List Pending Plots for Approval

Parameters

[Try it out](#)

Name	Description
------	-------------

status string (query)	Available values : PENDING, APPROVED, REJECTED --
-----------------------------	---

Responses

Code	Description	Links
200		No links

POST**/api/v1/admin/plots/{id}/approve** Approve a plot

Parameters


[Try it out](#)

Name	Description
------	-------------

id * required string (path)	
-----------------------------------	--

Responses

Code	Description	Links
201		No links

POST**/api/v1/admin/plots/{id}/reject** Reject a plot with reason**Parameters****Try it out**

Name	Description
------	-------------

id * required

string

(path)

Request body required

application/json

**Example Value** | Schema

```
{
  "reason": "Images are not clear"
}
```

Responses

Code	Description	Links
201		No links

GET**/api/v1/admin/users** List users in territory

Get list of users with filters for status, province, and pagination

Parameters**Try it out**

Name	Description
------	-------------

status

Filter by membership status

Name	Description
------	-------------

string (query)	Available values : PENDING, APPROVED, REJECTED
--------------------------	--

PENDING ▾

province	Filter by province
----------	--------------------

string (query)

เชียงใหม่

page	Page number (1-indexed)
------	-------------------------

number (query)

Default value : 1

1

limit	Items per page
-------	----------------

number (query)

Default value : 20

20

Responses

Code	Description	Links
200	List of users	No links

Media type

application/json

▼

Controls Accept header.

Example Value | Schema

```
{  "data": [    {      "id": "user123",      "phone": "0812345678",      "firstName": "สมชาย",      "lastName": "ใจดี",      "region": "ภาคเหนือ",      "province": "เชียงใหม่",      "membershipStatus": "PENDING",      "photoUrl": "https://example.com/photo.jpg"    }  ],  "total": 45,  "page": 1,  "limit": 20}
```

POST

/api/v1/admin/users/{userId}/approve

Approve user membership



Approve a pending user

Parameters

Try it out

Name	Description
userId * required string (path)	User ID to approve

Responses

Code	Description	Links
200	User approved successfully	No links

Media type

Code	Description	Links
	application/json ▾ Controls Accept header. Example Value Schema <pre>{ "message": "User สมชาย ใจดี has been approved."}</pre>	
404	User not found	No links

POST

/api/v1/admin/users/{userId}/reject Reject user membership



Reject a pending user with reason

Parameters

[Try it out](#)

Name	Description
userId * required string (path)	User ID to reject
	userId

Request body required

application/json ▾

Example Value | Schema

```
{  "reason": "ข้อมูลไม่ครบถ้วน"}
```

Responses

Code	Description	Links
200	User rejected successfully	No links
	Media type	
	application/json ▾	

Code	Description	Links
	Controls Accept header.	
	Example Value Schema	
	<pre>{ "message": "User สมชาย ใจดี has been rejected. Reason: ข้อมูลไม่ครบถ้วน"}</pre>	
404	User not found	No links

GET

/api/v1/admin/gap-analytics Get GAP Status Analytics



Parameters

Try it out

Name	Description
------	-------------

region	Filter by region
--------	------------------

string (query)	
-------------------	--

province	Filter by province
----------	--------------------

string (query)	
-------------------	--

Responses

Code	Description	Links
200		No links

GET

/api/v1/admin/statistics/trends Get User Registration Trends



Parameters

Try it out

Name	Description
------	-------------

metric	Available values : USER_REGISTRATION, PLOT_CREATION
--------	---

string (query)	
-------------------	--

	Default value : USER_REGISTRATION
--	-----------------------------------

Name	Description
period string (query)	Available values : 7d, 30d Default value : 7d
	7d

Responses		
Code	Description	Links
200		No links

POST

/api/v1/admin/profile/photo

Upload Profile Photo



Parameters

Try it out

No parameters

Request body required

multipart/form-data

file

string(\$binary)

Responses		
Code	Description	Links
201		No links

Users

User management endpoints (with Admin Scoped Permission)

GET

/api/v1/users/me

Get current user profile



Retrieve authenticated user information

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	User profile retrieved successfully Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": "clxxx123", "phone": "0812345678", "firstName": "John", "lastName": "Doe", "job": "Farmer", "birthday": "1990-01-01T00:00:00.000Z", "role": "USER", "region": "ภาคเหนือ", "province": "เชียงใหม่", "district": "เมืองเชียงใหม่", "subDistrict": "ช้างเผือก", "managedByAdminId": "cladmin123", "createdAt": "2024-01-01T00:00:00.000Z", "updatedAt": "2024-01-01T00:00:00.000Z"} </pre>	No links
401	Unauthorized	No links
404	User not found	No links

PATCH /api/v1/users/me Update current user profile (partial)



Partially update authenticated user information

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "firstName": "John",
  "lastName": "Doe",
  "job": "Farmer",
  "phone": "0812345678",
  "region": "ภาคเหนือ",
  "province": "เชียงใหม่",
  "district": "เมืองเชียงใหม่",
  "subDistrict": "สุเทพ",
  "photoUrl": "/uploads/profile.jpg"
}
```

Responses

Code	Description	Links
200	User profile updated successfully	No links
400	Invalid input or phone already in use	No links
401	Unauthorized	No links

PUT

/api/v1/users/me Update current user profile (full)



Update authenticated user profile with firstName, lastName, phone, job, and location fields

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "firstName": "John",
  "lastName": "Doe",
  "job": "Farmer",
  "phone": "0812345678",
}
```



```
"region": "ภาคเหนือ",
"province": "เชียงใหม่",
"district": "เมืองเชียงใหม่",
"subDistrict": "สุเทพ",
"photoUrl": "/uploads/profile.jpg"
}
```

Responses

Code	Description	Links
200	User profile updated successfully	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "id": "clxxx123",
  "phone": "0812345678",
  "firstName": "John",
  "lastName": "Doe",
  "job": "Farmer",
  "region": "ภาคเหนือ",
  "province": "เชียงใหม่",
  "district": "เมืองเชียงใหม่",
  "subDistrict": "ช้างเผือก",
  "role": "USER",
  "createdAt": "2024-01-01T00:00:00.000Z",
  "updatedAt": "2024-01-01T00:00:00.000Z"
}
```

400	Invalid input or phone already in use	No links
401	Unauthorized	No links

DELETE

/api/v1/users/me

Deactivate current user account



Soft delete current user account. Contact support to restore.

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Account deactivated successfully	No links
Media type application/json ▾ Controls Accept header. Example Value Schema <pre>{ "message": "Account deactivated successfully. Contact support to re store."}</pre>		
401	Unauthorized	No links

GET

/api/v1/users/stats Get user statistics

Retrieve user statistics (Admin/Super Admin only)

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Statistics retrieved successfully	No links
Media type application/json ▾ Controls Accept header. Example Value Schema <pre>{ "total": 150, "byRole": { "USER": 140, "ADMIN": 8, "SUPER_ADMIN": 2 }, "recentlyCreated": 12, "activeUsers": 145}</pre>		

Code	Description	Links
403	Forbidden - Insufficient permissions	No links

GET

/api/v1/users List all users



Get paginated list of users (Admin sees only managed users, Super Admin sees all)

Parameters

[Try it out](#)

Name	Description
page number (query)	1
limit number (query)	10
role string (query)	Filter by role Available values : USER, ADMIN, SUPER_ADMIN --
includeDeleted boolean (query)	false

Responses

Code	Description	Links
200	Users retrieved successfully Media type application/json Controls Accept header. Example Value Schema <pre>{ "data": [{</pre>	No links

Code	Description	Links
403	Forbidden	No links

GET

/api/v1/users/{id} Get user by ID



Retrieve specific user information (Admin/Super Admin only)

Parameters

Try it out

Name	Description
id * required string (path)	User ID id
includeDeleted boolean (query)	false 

Responses

Code	Description	Links
200	User retrieved successfully	No links
403	Forbidden	No links
404	User not found	No links

PATCH

/api/v1/users/{id} Update user by ID



Update specific user information (Admin/Super Admin only)

Parameters

Try it out

Name	Description
id * required string (path)	User ID

id

Request body required

application/json

Example Value | Schema

```
{
  "firstName": "John",
  "lastName": "Doe",
  "job": "Farmer",
  "phone": "0812345678",
  "region": "ภาคเหนือ",
  "province": "เชียงใหม่",
  "district": "เมืองเชียงใหม่",
  "subDistrict": "สุเทพ",
  "photoUrl": "/uploads/profile.jpg"
}
```

Responses

Code	Description	Links
200	User updated successfully	No links
400	Invalid input	No links
403	Forbidden	No links
404	User not found	No links

DELETE

/api/v1/users/{id} Delete user



Soft delete user (Admin can only delete managed users, Super Admin can delete all)

Parameters

Try it out

Name	Description
id * required string (path)	User ID to delete

id

Responses

Code	Description	Links
200	User deleted successfully	No links
	Media type application/json Controls Accept header. Example Value Schema <pre>{ "message": "User deleted successfully."}</pre>	
400	Cannot delete own account	No links
403	Forbidden	No links
404	User not found	No links

PATCH /api/v1/users/{id}/role Change user role



Change user role (SUPER_ADMIN only)

Parameters

Try it out

id * required	Target user ID
string (path)	id

application/json 

```
{
  "role": "ADMIN"
}
```

Code	Description	Links
200	Role updated successfully	<i>No link</i>
400	Cannot change own role	<i>No link</i>
403	Forbidden - Only SUPER_ADMIN	<i>No link</i>
404	User not found	<i>No link</i>



Try it out

```
id * required      User ID to restore
string
(path)             id
```

Responses

Code	Description	Links
200	User restored successfully	No links
403	Forbidden	No links
404	User not found or not deleted	No links

plots

 Plot/Land management with PostGIS

GET

/api/v1/plots/summary สรุปข้อมูลสำหรับหน้า Dashboard (with Admin Scope)

USER: เห็นแค่ของตัวเอง, ADMIN: เห็นของ User ที่ดูแล, SUPER_ADMIN: เห็นทั้งหมด

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	คืนข้อมูลสรุปพื้นที่ / จำนวนแปลง / ผลผลิต / แปลงเสี่ยง Media type application/json ▾ Controls Accept header. Example Value Schema <pre>{ "totalArea": 12.5, "totalPlots": 3, "totalYield": 3500, "riskyPlots": 1 }</pre>	No links
401	Unauthorized	No links

POST

/api/v1/plots สร้างแปลงใหม่ของผู้ใช้ที่ล็อกอินอยู่

สร้างแปลงพร้อม GeoJSON geometry (Polygon/MultiPolygon)

Parameters

[Try it out](#)

No parameters

Request body required

[application/json](#) ▼

Example Value | Schema

```
{
  "userId": "clxxx123",
  "name": "แปลงข้าวโพดหน้าบ้าน",
  "description": "แปลงปลูกข้าวโพดหวาน พื้นที่ 5 ไร่",
  "ownerName": "นายสมชาย ใจดี",
  "ownerTel": "0812345678",
  "species": "ข้าวโพดหวาน",
  "growerId": "GID-67001",
  "treeCount": 500,
  "statusText": "กำลังปลูก",
  "cropStatusText": "ระยะออกดอก",
  "cropMonth": "มกราคม",
  "cropYear": 2024,
  "cropGeog": "REGION_01",
  "region": "ภาคเหนือ",
  "province": "เชียงใหม่",
  "district": "เมืองเชียงใหม่",
  "subDistrict": "ช้างเผือก",
  "cropYield": 2500.5,
  "yieldEstimate": 3000,
  "imageUrls": [
    "https://example.com/plot1.jpg"
  ],
  "geometry": {
    "type": "Polygon",
    "coordinates": [
```

Responses

Code	Description	Links
200	คืนข้อมูลการสร้างแปลงสำเร็จ (id + message)	No links

Media type

[application/json](#) ▼

Controls Accept header.

Example Value | Schema

Code	Description	Links
	<pre>{ "id": "clxxx123", "message": "Plot created successfully." }</pre>	
400	Invalid input data or geometry	No links
401	Unauthorized	No links

GET

/api/v1/plots ดึงรายการแปลง พร้อม Filter / Search / Pagination (with Admin Scope)



USER: เห็นเฉพาะแปลงตัวเอง, ADMIN: เห็นแปลงของ User ที่ดูแล, SUPER_ADMIN: เห็นทั้งหมด

Parameters

Try it out

Name	Description
ownerId string (query)	ใช้เฉพาะ Super Admin เพื่อดูของ user คนอื่น clxxx123
q string (query)	ค้นหาจากชื่อแปลง / รายละเอียด / สายพันธุ์ / Grower ID ข้าวโพด
province string (query)	กรุงเทพมหานคร เชียงใหม่
district string (query)	กรุงเทพมหานคร เมืองเชียงใหม่
status string (query)	สถานะแปลง (PENDING, APPROVED, REJECTED) Available values : PENDING, APPROVED, REJECTED APPROVED
includeDeleted boolean (query)	รวมแปลงที่ถูกลบแบบ soft delete หรือไม่ Default value : false false
page number (query)	หน้า (เริ่มจาก 1) Default value : 1

Name	Description
------	-------------

limit
number
(query)

จำนวนรายการต่อหน้า (max 100)

Default value : 20

sortBy
string
(query)

เรียงลำดับตามฟิลด์

Available values : createdAt, updatedAt, name, province



sortOrder
string
(query)

เรียงลำดับแบบ asc / desc

Available values : asc, desc



Responses

Code	Description	Links
200	คืนรายการแปลงตามเงื่อนไข พร้อม pagination metadata	No links
401	Unauthorized	No links

GET**/api/v1/plots/{id}** ดึงรายละเอียดแปลงจาก id (with Admin Scope)

USER: เข้าถึงได้เฉพาะแปลงตัวเอง, ADMIN: เข้าถึงได้แปลงของ User ที่ดูแล, SUPER_ADMIN: เข้าถึงได้ทั้งหมด

Parameters

[Try it out](#)

Name	Description
------	-------------

id * required
string
(path)

Plot ID

includeDeleted ถ้า true และเป็น Admin/Super Admin จะสามารถดูแปลงที่ถูก soft delete ได้

Name **Description****boolean**
(query)

false

**Responses****Code****Description****Links**

200

คืนข้อมูลแปลงตาม id พร้อม geometry และ GAP status

No links

401

Unauthorized

No links

403

Forbidden - ไม่มีสิทธิ์เข้าถึงแปลงนี้

No links

404

Plot not found

No links

PATCH**/api/v1/plots/{id}** แก้ไขข้อมูลแปลงตาม id (with Admin Scope)

USER: แก้ไขได้เฉพาะแปลงตัวเอง, ADMIN: แก้ไขได้แปลงของ User ที่ดูแล, SUPER_ADMIN: แก้ไขได้ทั้งหมด

Parameters**Try it out****Name****Description****id** * required

Plot ID

string
(path)

id

Request body required

application/json

**Example Value** | Schema

```
{
  "name": "แปลงข้าวโพดหน้าบ้าน (อัปเดต)",
  "description": "อัปเดตข้อมูลแปลงเพิ่ม",
  "ownerName": "string",
  "ownerTel": "0812345678",
  "cropStatusText": "string",
  "species": "string",
  "treeCount": 0,
  "imageUrls": [
    "string"
  ],
  "cropMonth": "string",
}
```

```
"cropYear": 0,
"cropGeog": "string",
"region": "string",
"province": "string",
"district": "string",
"subDistrict": "string",
"cropYield": 0,
"yieldEstimate": 0,
"geometry": {}
}
```

Responses

Code	Description	Links
200	คืนข้อมูลแปลงที่ถูกอัปเดตแล้ว	No links
400	Invalid input or geometry	No links
401	Unauthorized	No links
403	Forbidden - ไม่มีสิทธิ์แก้ไขแปลงนี้	No links
404	Plot not found	No links

DELETE**/api/v1/plots/{id}** ลบแปลง (Soft Delete with Admin Scope)

USER: ลบได้เฉพาะแปลงตัวเอง, ADMIN: ลบได้แปลงของ User ที่ดูแล, SUPER_ADMIN: ลบได้ทั้งหมด

Parameters

[Try it out](#)

Name	Description
------	-------------

id * required	Plot ID
----------------------	---------

string (path)	
------------------	--

Responses

Code	Description	Links
200	คืนผลลัพธ์การลบ	No links

Code	Description	Links
	Media type application/json ▾ Controls Accept header. Example Value Schema <pre>{ "success": true, "message": "Plot deleted successfully (Soft Delete)"}</pre>	
401	Unauthorized	No links
403	Forbidden - ไม่มีสิทธิ์ลบแปลงนี้	No links
404	Plot not found	No links

gap GAP Record Management (หมวด 1.1)

**POST****/api/v1/plots/{plotId}/gap/reset**

ล้างข้อมูล GAP ทั้งหมด (Reset Season) with Admin Scope



Warning: ลบข้อมูล 1.1-1.6 ทั้งหมด! ต้องส่ง confirm: "RESET" ใน body และไม่มี Exported Lot ค้างอยู่

Parameters

Try it out**Name****Description****plotId** * required

Plot ID

string
(path)**Request body** required**application/json** ▾**Example Value** | Schema

```
{  "confirm": "RESET"}
```

Responses

Code	Description	Links
200	ล้างข้อมูลสำเร็จ	No links
409	Conflict: มี Exported Lot ค้างอยู่	No links

GET

/api/v1/plots/{plotId}/gap

ดึงข้อมูล GAP Record ล่าสุดของแปลง (หมวด 1.1 with Admin Scope)



ดึง GAP Record ที่ active (ไม่ถูกลบ) ล่าสุด - Admin เข้าถึงได้เฉพาะแปลงของ User ที่ดูแล

Parameters

Try it out

Name	Description
------	-------------

plotId * required

Plot ID

string
(path)

Responses

Code	Description	Links
200	คืนข้อมูล GAP Record หรือ null ถ้าไม่มี	No links
403	Forbidden - ไม่มีสิทธิ์	No links
404	Plot not found	No links

PUT

/api/v1/plots/{plotId}/gap

สร้างหรืออัปเดต GAP Record ของแปลง (Upsert with Admin Scope)



ถ้ามี record อยู่แล้วจะอัปเดต, ถ้าไม่มีจะสร้างใหม่

Parameters

Try it out

Name

Description

plotId * required

Plot ID

string

(path)

plotId

Request body required

application/json

Example Value | Schema

```
{  "farmerName": "นายสมชาย ใจดี",  "cropType": "ข้าวโพดหวาน",  "cropVariety": "พันธุ์ไฮบริด KSC-101",  "irrigationSystem": "สปริงเกอร์",  "waterSource": "น้ำบาดาล",  "waterQualityNote": "น้ำใส ไม่มีกลิ่น pH 7.0",  "farmingSystem": "NON_ORGANIC",  "seasonLabel": "รอบปลูก 2568/1",  "startDate": "2024-01-15",  "endDate": "2024-06-30"}
```

Responses

Code	Description	Links
200	คืนข้อมูล GAP Record ที่สร้าง/อัปเดต	No links
400	Invalid input data	No links
403	Forbidden	No links

GET

/api/v1/plots/{plotId}/gap/all

ล็อก

↑

ดึงรายการ GAP Records ทั้งหมดของแปลง (with Admin Scope)

รองรับหลาย season/รอบปลูก

Parameters

Try it out

Name

Description

plotId * required

Plot ID

string

Name

Description

(path)

plotId

Responses

Code	Description	Links
200	คืนรายการ GAP Records (เรียงจากใหม่ไปเก่า)	No links

GET

/api/v1/plots/{plotId}/gap/summary

สรุปสถานะ GAP ของแปลง (with Admin Scope)



ใช้แสดงใน Dashboard - นับจำนวน GREEN/YELLOW/RED

Parameters

Try it out

Name	Description
plotId * required string (path)	Plot ID plotId

Responses

Code	Description	Links
200	คืนสถิติ GAP Media type application/json Controls Accept header. Example Value Schema <pre>{ "total": 3, "statusBreakdown": { "NONE": 0, "GREEN": 2, "YELLOW": 1, } }</pre>	No links

Code

Description

Links

```
"RED": 0
},
"overallStatus": "YELLOW"
}
```

PATCH

/api/v1/plots/{plotId}/gap/{gapRecordId}

แก้ไขข้อมูล GAP Record แบบ Partial (with Admin Scope)



อัปเดตเฉพาะฟิลด์ที่ส่งมา (ไม่ต้องส่งทั้งหมด)

Parameters

Try it out

Name

Description

plotId * required

Plot ID

string

(path)

plotId

gapRecordId * required

GAP Record ID

string

(path)

gapRecordId

Request body required

application/json



Example Value | Schema

```
{
  "farmerName": "string",
  "cropType": "string",
  "cropVariety": "string",
  "irrigationSystem": "string",
  "waterSource": "string",
  "waterQualityNote": "string",
  "farmingSystem": "ORGANIC",
  "seasonLabel": "string",
  "startDate": "2026-02-11",
  "endDate": "2026-02-11",
  "gapStatus": "NONE"
}
```

Responses

Code	Description	Links
200	คืนข้อมูล GAP Record ที่อัปเดตแล้ว	<i>No links</i>
400	Invalid input data	<i>No links</i>
404	GAP Record not found	<i>No links</i>

DELETE **/api/v1/plots/{plotId}/gap/{gapRecordId}**  

ลบ GAP Record (Soft Delete with Admin Scope)

ลบ record โดยไม่ลบออกจาก database จริง

Parameters Try it out

Name	Description
plotId * required string (path)	Plot ID plotId
gapRecordId * required string (path)	GAP Record ID gapRecordId

Responses

Code	Description	Links
200	ลบสำเร็จ Media type application/json ▼ Controls Accept header. Example Value Schema <pre>{ "success": true, "message": "GAP Record deleted successfully"}</pre>	No links
404	GAP Record not found	No links

gap-inputs

GAP Inputs Management (หมวด 1.2)



GET **/api/v1/plots/{plotId}/inputs** ดึงรายการปัจจัยการผลิตของแปลง (GAP 1.2)  

ดึงรายการเมล็ดพันธุ์, ปุ๋ย, สารเคมี, วัสดุ พร้อม filter และ pagination

Parameters

Try it out

Name	Description
plotId * required string (path)	Plot ID plotId
gapRecordId string (query)	กรองตาม GAP Record ID clxxx456
type string (query)	กรองตามประเภทปัจจัยการผลิต Available values : SEED, FERTILIZER, PESTICIDE, MATERIAL FERTILIZER
isApproved boolean (query)	กรองเฉพาะสารเคมีที่อนุญาต/ไม่อนุญาต true
q string (query)	ค้นหาจากชื่อปัจจัยการผลิต ปุ๋ยไนโตรเจน
page number (query)	หน้าที่ต้องการ (pagination) Default value : 1 1
limit number (query)	จำนวน record ต่อหน้า Default value : 20 20
sortBy string (query)	เรียงลำดับตามฟิลด์ Available values : usedDate, createdAt, name, type usedDate
sortOrder string (query)	ทิศทางการเรียง Available values : asc, desc desc

Responses

Code	Description	Links
200	คืนรายการปัจจัยการผลิต Media type application/json ▾ Controls Accept header. Example Value Schema <pre>[{ "id": "c1xxx123", "type": "FERTILIZER", "name": "ปุ๋ยไนโตรเจน 15-15-15", "source": "บริษัท เคมีภัณฑ์ จำกัด", "usedDate": "2024-12-01", "amount": 10.5, "unit": "kg", "isApproved": true }]</pre>	No links
401	Unauthorized	No links
403	Forbidden - ไม่มีสิทธิ์เข้าถึงแปลงนี้	No links

POST

/api/v1/plots/{plotId}/inputs เพิ่มรายการปัจจัยการผลิตใหม่ในแปลง



บันทึกการใช้ปุ๋ย, สารเคมี, เมล็ดพันธุ์ หรือวัสดุอื่น ๆ

Parameters

Try it out

NameDescription

plotId * required

Plot ID

string
(path)

plotId

Request body required

application/json ▾

Example Value | Schema

```
{
  "gapRecordId": "c1xxx456",
  "type": "FERTILIZER",
```

```
{
  "name": "ปุ๋ยในโตรเจน 15-15-15",
  "source": "บริษัท เคมีภัณฑ์ จำกัด",
  "batchCode": "LOT-2024-001",
  "expiryDate": "2026-12-31",
  "usedDate": "2025-11-27",
  "amount": 10.5,
  "unit": "kg",
  "appliedBy": "นายสมศักดิ์",
  "notes": "พ่นทุก 7 วัน หลังฝนตก",
  "isApproved": true
}
```

Responses

Code	Description	Links
200	คืนข้อมูลปัจจัยการผลิตที่สร้างใหม่	No links
400	Invalid input data	No links

PUT

/api/v1/plots/{plotId}/inputs/{id} แก้ไขรายการปัจจัยการผลิตของแปลง



อัปเดตข้อมูลการใช้ปัจจัยการผลิต

Parameters

Try it out

Name	Description
plotId * required string (path)	Plot ID plotId
id * required string (path)	GAP Input ID id

Request body required

application/json

Example Value | Schema

```
{
  "gapRecordId": "string",
  "type": "SEED",
  "name": "string",
  "source": "string",
  "batchCode": "string",
}
```

```
"expiryDate": "2026-02-11",
"usedDate": "2026-02-11",
"amount": 0,
"unit": "string",
"appliedBy": "string",
"notes": "string",
"isApproved": true
}
```

Responses

Code	Description	Links
200	คืนข้อมูลปัจจัยการผลิตที่อัปเดตแล้ว	No links
404	GAP Input not found	No links

DELETE**/api/v1/plots/{plotId}/inputs/{id}** ลบรายการปัจจัยการผลิตของแปลง (Soft Delete)

ลบโดยไม่ลบออกจาก database จริง

Parameters

[Try it out](#)

Name	Description
plotId * required string (path)	Plot ID plotId
id * required string (path)	GAP Input ID id

Responses

Code	Description	Links
200	คืนผลลัพธ์การลบ Media type application/json ▾	No links

Code	Description	Links
	Controls Accept header. Example Value Schema <pre>{ "success": true }</pre>	
404	GAP Input not found	No links

field-management Field Activities Management (หมวด 1.3)



GET

/api/v1/plots/{plotId}/field-activities ดึงรายการกิจกรรมการจัดการแปลง (GAP 1.3)

ดึงรายการกิจกรรม เช่น การเตรียมดิน, การให้น้ำ, การกำจัดวัชพืช, IPM, เหตุการณ์เสี่ยง พร้อม pagination

Parameters

[Try it out](#)

Name	Description
plotId * required string (path)	Plot ID plotId
activityType string (query)	กรองตามประเภทกิจกรรม Available values : SOIL_PREP, WATER_QUALITY, WEED_CONTROL, IPM_PEST_CONTROL, RISK_EVENT --
q string (query)	ค้นหาจากรายละเอียดกิจกรรม ไถพรวน
page number (query)	หน้าที่ต้องการ (pagination) Default value : 1 1
limit number (query)	จำนวน record ต่อหน้า Default value : 20

Name	Description
	20
sortBy string (query)	เรียงลำดับตามฟิลด์ Available values : activityDate, createdAt, activityType activityDate
sortOrder string (query)	ทิศทางการเรียง Available values : asc, desc desc

Responses

Code	Description	Links
200	คืนรายการกิจกรรมพร้อม pagination metadata Media type application/json Controls Accept header. Example Value Schema <pre>{ "data": [{ "id": "clxxx123", "activityType": "SOIL_PREPARATION", "activityDate": "2024-12-01", "description": "ไถพรวนดิน เตรียมแปลงปลูกข้าวโพด", "machineUsed": "รถไถนา" }], "meta": { "total": 25, "page": 1, "limit": 20, "totalPages": 2 }}</pre>	No links
401	Unauthorized	No links
403	Forbidden - ไม่มีสิทธิ์เข้าถึงแปลงนี้	No links
404	Plot not found	No links

POST

/api/v1/plots/{plotId}/field-activities

สร้างรายการกิจกรรมการจัดการแปลงใหม่



บันทึกกิจกรรม เช่น ไถดิน, พ่นยา, รดน้ำ พร้อมแนบรูป before/after

Parameters

Try it out

Name	Description
plotId * required	Plot ID
string (path)	plotId

Request body required

application/json

Example Value | Schema

```
{  "activityType": "SOIL_PREP",  "activityDate": "2024-12-01",  "description": "ไถพรวนดิน เตรียมแปลงปลูกข้าวโพด",  "beforeImages": [    "https://example.com/before1.jpg"  ],  "afterImages": [    "https://example.com/after1.jpg"  ],  "machineUsed": "รถไถนา",  "chemicalUsed": "ปุ๋ยหมัก",  "workerName": "นายสมชาย",  "riskLevel": "HIGH",  "riskImpact": "น้ำท่วมแปลง เสียหาย 30%",  "mitigation": "ระบายน้ำ และปลูกใหม่",  "gpsLat": 13.7563,  "gpsLng": 100.5018}
```

Responses

Code	Description	Links
200	คืนข้อมูลกิจกรรมที่สร้างใหม่	No links
400	Invalid input data	No links

ดึงข้อมูลกิจกรรมเดียว พร้อมรูปภาพ before/after

Parameters

[Try it out](#)

Name	Description
------	-------------

plotId * required

Plot ID

string

(path)

id * required

Activity ID

string

(path)

Responses

Code	Description	Links
200	คืนรายละเอียดกิจกรรม	No links
404	Activity not found	No links

PUT

/api/v1/plots/{plotId}/field-activities/{id} แก้ไขรายการกิจกรรมการจัดการแปลง



อัปเดตข้อมูลกิจกรรม (Full update)

Parameters

[Try it out](#)

Name	Description
------	-------------

plotId * required

Plot ID

string

(path)

id * required

Activity ID

string

(path)

Request body required

application/json

Example Value | Schema

```
{
  "activityType": "SOIL_PREP",
  "activityDate": "2026-02-11",
  "description": "string",
  "beforeImages": [
    "string"
  ],
  "afterImages": [
    "string"
  ],
  "machineUsed": "string",
  "chemicalUsed": "string",
  "workerName": "string",
  "riskLevel": "LOW",
  "riskImpact": "string",
  "mitigation": "string",
  "gpsLat": 13.7563,
  "gpsLng": 100.5018
}
```

Responses

Code	Description	Links
200	คืนข้อมูลกิจกรรมที่อัปเดตแล้ว	No links
404	Activity not found	No links

DELETE

/api/v1/plots/{plotId}/field-activities/{id}

ลบรายการกิจกรรมการจัดการแปลง (Soft Delete)



ลบกิจกรรมโดยไม่ลบออกจาก database จริง

Parameters

Try it out

Name	Description
plotId * required	Plot ID
string (path)	plotId

Responses

 $\wedge$

GET

/api/v1/plots/{plotId}/harvests ดึงรายการการเก็บเกี่ยว (GAP 1.4)



ตั้งรายการการเก็บเกี่ยวของแปลง พร้อม Lot Number สำหรับ Traceability

Parameters

Try it out

Name	Description
------	-------------

plotId * required

Plot ID

string

(*path*)

plotId

lotNumber

ค้นหาจาก Lot Number

string

(query)

PLOT-20241201-0001

Name	Description
------	-------------

q	ค้นหาจากชื่อผู้เก็บเกี่ยว
---	---------------------------

string (query)	สมชาย
-------------------	------------------------------------

page	หน้าที่ต้องการ (pagination)
------	-----------------------------

number (query)	Default value : 1
-------------------	-------------------

limit	จำนวน record ต่อหน้า
-------	----------------------

number (query)	Default value : 20
-------------------	--------------------

sortBy	เรียงลำดับตามฟิลด์
--------	--------------------

string (query)	Available values : harvestDate, createdAt, yieldAmount
-------------------	--



sortOrder	ทิศทางการเรียง
-----------	----------------

string (query)	Available values : asc, desc
-------------------	------------------------------



Responses

Code	Description	Links
------	-------------	-------

200	คืนรายการการเก็บเกี่ยวพร้อม pagination	No links
-----	--	----------

POST**/api/v1/plots/{plotId}/harvests** สร้างรายการการเก็บเกี่ยวใหม่

สร้างรายการการเก็บเกี่ยวใหม่ พร้อม Auto-generate Lot Number

Parameters

[Try it out](#)

Name

Description

plotId * required

Plot ID

string

(path)

plotId

Request body required

application/json

Example Value | Schema

```
{  "harvestDate": "2024-12-15",  "harvestedBy": "นายสมชาย, นางสาวหญิง",  "equipmentUsed": "มีดเกี่ยว, ตะกร้า",  "yieldAmount": 2500.5,  "yieldUnit": "kg",  "qualityGrade": "A",  "notes": "ผลผลิตดี คุณภาพสูง"}
```

Responses

Code	Description	Links
200	คืนข้อมูลการเก็บเกี่ยวที่สร้างใหม่พร้อม Lot Number	No links

GET

/api/v1/plots/{plotId}/harvests/{id} ดึงรายละเอียดการเก็บเกี่ยว



Parameters

Try it out

Name

Description

plotId * required

Plot ID

string

(path)

plotId

id * required

Harvest ID

string

(path)

id

Responses

localhost:3000/docs#/Feedback/FeedbackController_getStats

52/92

Code	Description	Links
200	คืนรายละเอียดการเก็บเกี่ยว	No links

PUT

/api/v1/plots/{plotId}/harvests/{id} แก้ไขรายการการเก็บเกี่ยว

Parameters

Try it out

Name	Description
------	-------------

plotId * required	Plot ID
--------------------------	---------

string (path)	plotId
------------------	-------------------------------------

id * required	Harvest ID
----------------------	------------

string (path)	id
------------------	---------------------------------

Request body **required**

application/json ▼

Example Value | Schema

```
{
  "harvestDate": "2026-02-11",
  "harvestedBy": "string",
  "equipmentUsed": "string",
  "yieldAmount": 0,
  "yieldUnit": "string",
  "qualityGrade": "string",
  "notes": "string"
}
```

Responses

Code	Description	Links
200	คืนข้อมูลการเก็บเกี่ยวที่อัปเดตแล้ว	No links

DELETE

/api/v1/plots/{plotId}/harvests/{id} ลบรายการการเก็บเกี่ยว (Soft Delete)

Parameters

Try it out

Name	Description
------	-------------

plotId * requiredstring
(path)

Plot ID

id * requiredstring
(path)

Harvest ID

Responses

Code	Description	Links
------	-------------	-------

200

คืนผลลัพธ์การลบ

No links

post-harvest Post-Harvest Processing (หมวด 1.5)

GET

/api/v1/harvests/{harvestId}/post-harvest
ดึงรายการกระบวนการหลังการเก็บเกี่ยว (GAP 1.5)

ดึงรายการกระบวนการหลังเก็บเกี่ยว เช่น การคัดแยก, การล้าง, การบรรจุ, การเก็บรักษา พร้อม pagination

Parameters

Try it out

Name	Description
------	-------------

harvestId * requiredstring
(path)

Harvest ID

processType

string
(query)

ค้นหาจากประเภทกระบวนการ

q

string
(query)

ค้นหาทั่วไป

Name	Description
page number (query)	หน้าที่ต้องการ (pagination) <i>Default value</i> : 1 1
limit number (query)	จำนวน record ต่อหน้า <i>Default value</i> : 20 20
sortBy string (query)	เรียงลำดับตามฟิลด์ <i>Available values</i> : processDate, createdAt processDate
sortOrder string (query)	ทิศทางการเรียง <i>Available values</i> : asc, desc desc

Responses

Code	Description	Links
200	คืนรายการกระบวนการหลังการเก็บเกี่ยวพร้อม pagination	No links

Media type

application/json ▼

Controls Accept header.

Example Value | Schema

```
{
  "data": [
    {
      "id": "clxxx123",
      "processType": "การคัดแยก",
      "processDate": "2024-12-16",
      "description": "คัดแยกผลผลิตตามเกรดคุณภาพ A, B, C",
      "storageTemp": 4.5,
      "storageLocation": "โกดังเย็น ห้อง A"
    }
  ],
  "meta": {
    "total": 10,
  }
}
```

Code	Description	Links
	<pre>"page": 1, "limit": 20, "totalPages": 1 } }</pre>	
401	Unauthorized	No links
403	Forbidden - ไม่มีสิทธิ์เข้าถึง harvest นี้	No links
404	Harvest not found	No links

POST

/api/v1/harvests/{harvestId}/post-harvest

สร้างรายการกระบวนการหลังการเก็บเกี่ยวใหม่

บันทึกกระบวนการ เช่น คัดแยก, ล้าง, บรรจุ

Parameters

Try it out

Name	Description
harvestId * required string (path)	Harvest ID

harvestId

Request body required

application/json

Example Value | Schema

```
{
  "processDate": "2024-12-16",
  "processType": "การคัดแยก",
  "description": "คัดแยกผลผลิตตามเกรดคุณภาพ A, B, C",
  "sortingDone": true,
  "washingDone": true,
  "packagingType": "ถุงพลาสติก",
  "packagingAmount": 100,
  "packagingUnit": "ถุง",
  "storageLocation": "โกดังเย็น ห้อง A",
  "storageTemp": 4.5,
  "storageHumidity": 85,
  "notes": "เก็บในอุณหภูมิต่ำเพื่อรักษาความสด"
}
```

Responses

Code	Description	Links
200	คืนข้อมูลกระบวนการหลังการเก็บเกี่ยวที่สร้างใหม่	No links
400	Invalid input data	No links

GET

/api/v1/harvests/{harvestId}/post-harvest/{id}

ดึงรายละเอียดกระบวนการหลังการเก็บเกี่ยว



ดึงข้อมูลเดียว พร้อมรายละเอียดการบรรจุและเก็บรักษา

Parameters

Try it out

Name	Description
harvestId * required string (path)	Harvest ID harvestId
id * required string (path)	Post-Harvest ID id

Responses

Code	Description	Links
200	คืนรายละเอียดกระบวนการหลังการเก็บเกี่ยว	No links
404	Post-harvest record not found	No links

PUT

/api/v1/harvests/{harvestId}/post-harvest/{id}

แก้ไขรายการกระบวนการหลังการเก็บเกี่ยว



อัปเดตข้อมูลกระบวนการ (Full update)

Parameters

Try it out

id

application/json

```
{
  "processDate": "2026-02-11",
  "processType": "string",
  "description": "string",
  "sortingDone": true,
  "washingDone": true,
  "packagingType": "string",
  "packagingAmount": 0,
  "packagingUnit": "string",
  "storageLocation": "string",
  "storageTemp": 0,
  "storageHumidity": 0,
  "notes": "string"
}
```

No links



Try it out

Name	Description
------	-------------

harvestId * requiredstring
(path)

Harvest ID

id * requiredstring
(path)

Post-Harvest ID

Responses

Code	Description	Links
------	-------------	-------

200

คืนผลลัพธ์การลบ

No links

Media type

Controls Accept header.

Example Value | Schema

```
{
  "success": true,
  "message": "Post-harvest record deleted successfully"
}
```

404

Post-harvest record not found

No links

worker-training

Worker Training Management (หมวด 1.6)



GET

/api/v1/plots/{plotId}/trainings ดึงรายการฝึกอบรม/สุชนามัย (GAP 1.6)



ดึงรายการการอบรมแรงงาน, การตรวจสอบสุชนามัย, การดูแลห้องน้ำ/น้ำดื่ม

Parameters

Try it out

Name	Description
------	-------------

plotId * requiredstring
(path)

Plot ID

Name	Description
page number <i>(query)</i>	หน้าเริ่มต้น (default 1) 1
limit number <i>(query)</i>	จำนวนรายการต่อหน้า (default 20) 20
status string <i>(query)</i>	กรองตามสถานะการอบรม Available values : PLANNED, COMPLETED, CANCELLED -- ▾
q string <i>(query)</i>	ค้นหาจากหัวข้อ/วิทยากร/โน้ต ความปลอดภัย

Responses

Code	Description	Links
200	คืนรายการการฝึกอบรม Media type application/json ▾ Controls Accept header. Example Value Schema <pre>[{ "id": "clxxx123", "trainingDate": "2024-12-20", "trainingTopic": "การใช้สารเคมีอย่างปลอดภัย", "trainer": "เจ้าหน้าที่เกษตรอำเภอ", "status": "COMPLETED", "attendees": ["นาย ก", "นาง ข"] }]</pre>	No links
401	Unauthorized	No links
403	Forbidden - ไม่มีสิทธิ์เข้าถึงแปลงนี้	No links

POST /api/v1/plots/{plotId}/trainings เพิ่มบันทึกการฝึกอบรม

บันทึกการจัดอบรม พร้อมรายชื่อผู้เข้าร่วมและสื่อนามัย

Parameters

Try it out

NameDescription

plotId * required
string
(path)

Plot ID

plotId

Request body required

application/json

Example Value | Schema

```
{
  "trainingDate": "2024-12-20",
  "trainingTopic": "การใช้สารเคมีอย่างปลอดภัย",
  "trainer": "เจ้าหน้าที่เกษตรอำเภอ",
  "attendees": 25,
  "status": "COMPLETED",
  "certificateUrl": "string",
  "materialUrl": "string",
  "hygieneNotes": "พนักงานทุกคนสวมหน้ากากและถุงมือ",
  "hygieneFlags": [
    "FIRST_AID",
    "PROTECTIVE_GEAR"
  ],
  "facilitiesCheck": "ห้องน้ำสะอาด มีสบู่ล้างมือ",
  "notes": "string"
}
```

Responses

Code	Description	Links
200	คืนข้อมูลการฝึกอบรมที่สร้างใหม่	No links
400	Invalid input data	No links

GET

/api/v1/plots/{plotId}/trainings/{id} ดึงรายละเอียดการฝึกอบรม



ดึงข้อมูลเดียว พร้อมใบประกาศนียบัตรและเอกสารประกอบ

Try it out

Parameters

NameDescription

plotId * required

Plot ID

string
(path)

id * required

Training ID

string
(path)

Responses

Code	Description	Links
200	คืนรายละเอียดการฝึกอบรม	No links
404	Training record not found	No links

PUT

/api/v1/plots/{plotId}/trainings/{id} แก้ไขบันทึกการฝึกอบรม



อัปเดตข้อมูลการอบรม (Full update)

Parameters

Try it out

NameDescription

plotId * required

Plot ID

string
(path)

id * required

Training ID

string
(path)

Request body required

application/json

Example Value | Schema

```
{
  "trainingDate": "2024-12-20",
  "trainingTopic": "การใช้สารเคมีอย่างปลอดภัย",
  "trainer": "เจ้าหน้าที่เกษตรอำเภอ",
  "attendees": 25,
  "status": "COMPLETED",
  "certificateUrl": "string",
  "materialUrl": "string",
  "hygieneNotes": "พนักงานทุกคนสวมหน้ากากและถุงมือ",
  "hygieneFlags": [
    "FIRST_AID",
    "PROTECTIVE_GEAR"
  ],
  "facilitiesCheck": "ห้องน้ำสะอาด มีสบู่ล้างมือ",
  "notes": "string"
}
```

Responses

Code	Description	Links
200	คืนข้อมูลการฝึกอบรมที่อัปเดตแล้ว	No links
404	Training record not found	No links

DELETE

/api/v1/plots/{plotId}/trainings/{id} ลบบันทึกการฝึกอบรม (Soft Delete)



ลบโดยไม่ลบออกจาก database จริง

Parameters

Try it out

Name	Description
plotId * required string (path)	Plot ID plotId
id * required string (path)	Training ID id

Responses

Code	Description	Links
200	คืนผลลัพธ์การลบ Media type application/json ▾ Controls Accept header. Example Value Schema <pre>{ "success": true, "message": "Deleted successfully"}</pre>	No links
404	Training record not found	No links

traceability Traceability & Lot Management (หมวด 1.7)



GET

/api/v1/traceability/{lotNumber} ดูรายงานตรวจสอบย้อนกลับ (Scan QR)

Parameters

Try it out

Name

Description

lotNumber * requiredstring
(path)

Responses

Code

Description

Links

200

No links

POST

/api/v1/traceability/plots/{plotId}/create-lot สร้าง Lot ใหม่สำหรับการส่งออก/แปรรูป

Parameters

Try it out

Name

Description

plotId * required

string

(path)

plotId

Request body required

application/json

Example Value | Schema

```
{  "productionDate": "2024-12-25",  "expiryDate": "2025-01-05",  "batchSize": 50,  "batchUnit": "box",  "destination": "ตลาดไท",  "isExported": false}
```

Responses

Code

Description

Links

201

No links

PATCH

/api/v1/traceability/{id} แก้ไข Traceability Lot



Parameters

Try it out

Name

Description

id * required

string

(path)

id

Request body required

application/json

Example Value | Schema

```
{  "productionDate": "2024-12-25",  "expiryDate": "2025-01-05",  "batchSize": 50,  "batchUnit": "box",
```

```
"destination": "ตลาดไท",  
"isExported": false  
}
```

Responses

Code	Description	Links
200		No links

DELETE**/api/v1/traceability/{id}** ลบ Traceability Lot (Soft Delete)

Parameters

[Try it out](#)

Name	Description
------	-------------

id * required

string

(path)

Responses

Code	Description	Links
200		No links

notifications

**GET****/api/v1/notifications** List notifications for current user

Parameters

[Try it out](#)

Name	Description
------	-------------

page

number

(query)

หน้าที่ต้องการ (pagination)

Default value : 1

Name	Description
------	-------------

limit
number
(query)

จำนวนรายการต่อหน้า

Default value : 20

isRead
boolean
(query)

กรองเฉพาะที่อ่านแล้ว/ยังไม่อ่าน

false



Responses

Code	Description	Links
------	-------------	-------

200

Notifications with pagination

No links

POST

/api/v1/notifications Create a notification (For testing/manual)



Parameters

Try it out

No parameters

Request body **required**

application/json



Example Value | Schema

```
{
  "title": "New Activity Recorded",
  "message": "User John Doe recorded a new planting activity.",
  "type": "INFO",
  "userId": "user123",
  "isRead": false
}
```

Responses

Code	Description	Links
201	Notification created	No links

PATCH

/api/v1/notifications/{id}/read

Mark notification as read



Parameters

Try it out

Name	Description
id * required string (path)	id

Responses

Code	Description	Links
200		No links
404	Notification not found	No links

DELETE

/api/v1/notifications/{id}

Delete notification



Parameters

Try it out

Name	Description
id * required string (path)	id

Responses

Code	Description	Links
200		No links
404	Notification not found	No links

Admin Messages

**POST****/api/v1/admin/messages** Send a new message to another Admin

Parameters

Try it out

No parameters

Request body required

application/json

**Example Value** | Schema

```
{
  "recipientId": "clxxx123",
  "subject": "Meeting Request",
  "message": "Please review the latest report."
}
```

Responses

Code	Description	Links
201		No links

GET**/api/v1/admin/messages** Get list of messages (Inbox/Sent)

Parameters

Try it out

Name	Description
type	Available values : INBOX, SENT
string	
(query)	Default value : INBOX

INBOX



Name	Description
------	-------------

page
number
(*query*)

1

limit
number
(query)

20

Responses

Code	Description	Links
------	-------------	-------

200

No links

POST

/api/v1/admin/messages/{id}/reply Reply to a message



Parameters

Try it out

Name	Description
------	-------------

```
id * required
string
(path)
```

id

Request body required

application/json



Example Value | Schema

```
{
  "message": "I will review it shortly."
}
```

Responses

Code	Description	Links
201		No links

upload

**POST****/api/v1/upload** อัปโหลดไฟล์รูปภาพ (รับไฟล์เดียว)

Parameters

[Try it out](#)

No parameters

Request body required

multipart/form-data ▾

file
string(\$binary)

Responses

Code	Description	Links
201		No links

reports

**GET****/api/v1/reports/plots/{plotId}/gap.pdf** Export GAP report (PDF) for a plot

Parameters

[Try it out](#)

Name	Description
------	-------------

plotId * required
string
(path)

Responses

Code	Description	Links
200	PDF stream Media type application/pdf Controls Accept header.	No links
401	Unauthorized	No links
403	Forbidden (out of scope)	No links
404	Plot not found	No links

Locations

GET

/api/v1/locations/provinces Get all provinces

ดึงจังหวัดทั้งหมด หรือ filter ตามภูมิภาค

Parameters

Try it out

Name	Description
region string (query)	Filter by region (e.g., "ภาคเหนือ") ภาคเหนือ

Responses

Code	Description	Links
200	List of provinces Media type application/json Controls Accept header.	No links

Code	Description	Links
------	-------------	-------

Example Value	Schema
----------------------	--------

```
{
  "data": [
    {
      "id": 1,
      "code": "50",
      "nameTh": "เชียงใหม่",
      "nameEn": "Chiang Mai",
      "region": "ภาคเหนือ"
    }
  ],
  "total": 77
}
```

GET

/api/v1/locations/districts Get districts by province



ดึงอำเภอตามจังหวัด

Parameters

Try it out

Name	Description
------	-------------

provinceCode * required	รหัสจังหวัด (e.g., "50")
--------------------------------	--------------------------

string

(query)

Responses

Code	Description	Links
------	-------------	-------

200	List of districts	No links
-----	-------------------	----------

Media type

application/json

Controls Accept header.

Example Value	Schema
----------------------	--------

```
{
  "data": [
    {
      "id": 1,
      "code": "5001",
      "nameTh": "เมืองเชียงใหม่",
      "nameEn": "Mueang Chiang Mai",
      "provinceCode": "50"
    }
  ]
}
```

Code	Description	Links
400	provinceCode is required	No links

GET

/api/v1/locations/subdistricts Get subdistricts by district



ดึงตำบลตามอำเภอ

Parameters

Try it out

Name	Description
districtCode * required string (query)	รหัสอำเภอ (e.g., "5001") 5001

Responses

Code	Description	Links
200	List of subdistricts	No links

Media type

application/json ▾

Controls Accept header.

Example Value | Schema

```
{
  "data": [
    {
      "id": 1,
      "code": "500101",
      "nameTh": "ศรีภูมิ",
      "nameEn": "Si Phum",
      "districtCode": "5001",
      "postalCode": "50200"
    }
  ],
  "total": 16
}
```

Code	Description	Links
400	districtCode is required	No links

gap-compliance



GET

/api/v1/plots/{plotId}/gap/compliance

GAP Compliance Dashboard (1.1–1.7) for a plot

Parameters

Try it out

Name	Description
plotId * required string (path)	plotId

Responses

Code	Description	Links
200	Dashboard computed from DB real-time	No links
401	Unauthorized	No links
403	Forbidden (out of scope)	No links
404	Plot not found	No links

GET

/api/v1/plots/{plotId}/gap/missing

Missing Data Analyzer (table-ready) for a plot

Parameters

Try it out

Name	Description
plotId * required string (path)	plotId

Responses		
Code	Description	Links
200	Missing table grouped by 1.1–1.7	No links
401	Unauthorized	No links
403	Forbidden (out of scope)	No links
404	Plot not found	No links

health



GET

/api/v1/health

Health Check

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200		No links

Audit Logs



GET

/api/v1/admin/audit-logs

Get all audit logs (Admin only)

^

Parameters

Try it out

Name	Description
page string (query)	page

Name	Description
limit string <i>(query)</i>	limit
action string <i>(query)</i>	Filter by action: APPROVE, REJECT, CREATE, UPDATE, DELETE action
targetType string <i>(query)</i>	Filter by target type: PLOT, USER, etc. targetType

Responses

Code	Description	Links
200		No links

Support Tickets

^

POST

/api/v1/support/tickets

Create a new support ticket

^

Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "subject": "Application crashes on startup",
  "message": "I cannot open the app after the latest update...",
  "category": "BUG",
  "priority": "MEDIUM"
}
```

Responses

Code	Description	Links
201		No links

GET

/api/v1/support/tickets Get all tickets (Admin sees all, User sees own)**Parameters**

Try it out

Name	Description
status string (query)	Available values : OPEN, IN_PROGRESS, RESOLVED, CLOSED --
userId string (query)	Filter by User ID (Admin only) userId

Responses

Code	Description	Links
200		No links

GET

/api/v1/support/tickets/{id} Get ticket details**Parameters**

Try it out

Name	Description
id * required string (path)	id

Responses

Code	Description	Links
200		No links

POST**/api/v1/support/tickets/{id}/reply** Reply to a ticket**Parameters****Try it out**

Name	Description
------	-------------

id * required
string
(path)

Request body required

application/json

**Example Value** | Schema

```
{
  "message": "We have received your request and are looking into it."
}
```

Responses

Code	Description	Links
201		No links

PATCH**/api/v1/support/tickets/{id}/status**

Update ticket status (Admin only or User closing own ticket)

**Parameters****Try it out**

Name	Description
------	-------------

id * required
string
(path)

Request body required

application/json

Example Value | Schema

```
{
  "status": "IN_PROGRESS"
}
```

Responses

Code	Description	Links
200		No links

PUT

/api/v1/support/tickets/{id}/close

Close a ticket (Legacy - usage of PATCH /status recommended)

lock icon

chevron icon

Parameters

Try it out

Name	Description
id * required string (path)	id

Responses

Code	Description	Links
200		No links

Feedback

chevron icon

POST

/api/v1/feedback/rate-app

Submit app rating and feedback

lock icon

chevron icon

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "rating": 5,
  "feedback": "Great app! Love the GAP tracking features.",
  "appVersion": "1.2.3",
  "platform": "android",
  "deviceModel": "Samsung Galaxy S21"
}
```

Responses

Code	Description	Links
201	Rating submitted successfully	No links
400	Invalid rating data	No links
401	Unauthorized	No links

GET

/api/v1/feedback/my-rating

Get current user rating

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Returns user rating if exists	No links

GET

/api/v1/feedback/stats

Get app rating statistics (public)

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Returns rating statistics	No links

Schemas



SignupDto ▾ {
 phone* > [...]
 firstName* > [...]
 lastName* > [...]
 job > [...]
 region* > [...]
 province* > [...]
 district > [...]
 subDistrict > [...]
 birthday* > [...]
 pdpaConsentAt* > [...]
}

SigninDto ▾ {
 phone* > [...]
 birthday* > [...]
}

VerifyPinDto ▾ {
 tempToken* > [...]
 pin* > [...]
}

SetPinDto ▾ {
 pin* > [...]
}

ChangePinDto ▾ {

oldPin* > [...]
newPin* > [...]

}

RefreshTokenDto ▾ {

refreshToken* > [...]

}

UpdateUserDto ▾ {

firstName > [...]
lastName > [...]
job > [...]
phone > [...]
region > [...]
province > [...]
district > [...]
subDistrict > [...]
photoUrl > [...]

}

UpdateUserRoleDto ▾ {

role* > [...]

}

CreateAdminDto ▾ {

phone* > [...]
firstName* > [...]
lastName* > [...]
job > [...]
region > [...]
province > [...]
district > [...]
subDistrict > [...]
birthday* > [...]
pin* > [...]

}

```
AssignUsersDto ▾ {  
  userIds* > [...]  
}
```

```
ReassignUserDto ▾ {  
  newAdminId* > [...]  
}
```

```
RejectPlotDto ▾ {  
  reason* > [...]  
}
```

```
RejectUserDto ▾ {  
  reason* > [...]  
}
```

```
GeometryDto ▾ {  
}
```


CreatePlotDto ▾ {

userId > [...]
name* > [...]
description > [...]
ownerName > [...]
ownerTel > [...]
species > [...]
growerId > [...]
treeCount > [...]
statusText > [...]
cropStatusText > [...]
cropMonth > [...]
cropYear > [...]
cropGeog > [...]
region > [...]
province > [...]
district > [...]
subDistrict > [...]
cropYield > [...]
yieldEstimate > [...]
imageUrls > [...]
geometry* > {...}

example: { "type": "Polygon", "coordinates": [[[100.5, 13.7], [100.6, 13.7], [100.6, 13.8], [100.5, 13.8], [100.5, 13.7]]] }

}

```
UpdatePlotDto  ▾ {  
  name                > [...]  
  description          > [...]  
  ownerName           > [...]  
  ownerTel            > [...]  
  cropStatusText      > [...]  
  species             > [...]  
  treeCount           > [...]  
  imageUrls           > [...]  
  cropMonth           > [...]  
  cropYear            > [...]  
  cropGeog            > [...]  
  region              > [...]  
  province            > [...]  
  district            > [...]  
  subDistrict         > [...]  
  cropYield           > [...]  
  yieldEstimate       > [...]  
  geometry            > {...}  
}
```

```
CreateNotificationDto  ▾ {  
  title*              > [...]  
  message             > [...]  
  type*              > [...]  
  userId             > [...]  
  isRead             > [...]  
}
```

```
SendMessageDto  ▾ {  
  recipientId*        > [...]  
  subject*            > [...]  
  message*            > [...]  
}
```

```
ReplyMessageDto  ▾ {  
  message*           > [...]  
}
```

```
ResetGapDataDto  ∨ {  
  confirm*      > [...]  
}
```

```
CreateGapRecordDto  ∨ {  
  farmerName*    > [...]  
  cropType        > [...]  
  cropVariety     > [...]  
  irrigationSystem > [...]  
  waterSource     > [...]  
  waterQualityNote > [...]  
  farmingSystem*  > [...]  
  seasonLabel*    > [...]  
  startDate*      > [...]  
  endDate         > [...]  
}
```

```
UpdateGapRecordDto  ∨ {  
  farmerName      > [...]  
  cropType        > [...]  
  cropVariety     > [...]  
  irrigationSystem > [...]  
  waterSource     > [...]  
  waterQualityNote > [...]  
  farmingSystem    > [...]  
  seasonLabel     > [...]  
  startDate       > [...]  
  endDate         > [...]  
  gapStatus       > [...]  
}
```

```
CreateGapInputDto ▾ {  
  gapRecordId      > [...]  
  type*            > [...]  
  name*            > [...]  
  source           > [...]  
  batchCode        > [...]  
  expiryDate       > [...]  
  usedDate         > [...]  
  amount           > [...]  
  unit             > [...]  
  appliedBy        > [...]  
  notes            > [...]  
  isApproved       > [...]  
}
```

```
UpdateGapInputDto ▾ {  
  gapRecordId      > [...]  
  type             > [...]  
  name             > [...]  
  source           > [...]  
  batchCode        > [...]  
  expiryDate       > [...]  
  usedDate         > [...]  
  amount           > [...]  
  unit             > [...]  
  appliedBy        > [...]  
  notes            > [...]  
  isApproved       > [...]  
}
```

CreateFieldManagementDto ▾ {

```
activityType*      > [...]
activityDate*      > [...]
description*       > [...]
beforeImages       > [...]
afterImages        > [...]
machineUsed        > [...]
chemicalUsed       > [...]
workerName         > [...]
riskLevel          > [...]
riskImpact         > [...]
mitigation         > [...]
gpsLat             > [...]
gpsLng             > [...]
```

}

UpdateFieldManagementDto ▾ {

```
activityType      > [...]
activityDate      > [...]
description        > [...]
beforeImages      > [...]
afterImages       > [...]
machineUsed       > [...]
chemicalUsed      > [...]
workerName        > [...]
riskLevel         > [...]
riskImpact        > [...]
mitigation        > [...]
gpsLat            > [...]
gpsLng            > [...]
```

}

CreateHarvestDto ▾ {

```
harvestDate*      > [...]
harvestedBy*      > [...]
equipmentUsed     > [...]
yieldAmount*      > [...]
yieldUnit*        > [...]
qualityGrade      > [...]
notes             > [...]
```

}

UpdateHarvestDto ∨ {

harvestDate > [...]
harvestedBy > [...]
equipmentUsed > [...]
yieldAmount > [...]
yieldUnit > [...]
qualityGrade > [...]
notes > [...]

}

CreatePostHarvestDto ∨ {

processDate* > [...]
processType* > [...]
description* > [...]
sortingDone > [...]
washingDone > [...]
packagingType > [...]
packagingAmount > [...]
packagingUnit > [...]
storageLocation > [...]
storageTemp > [...]
storageHumidity > [...]
notes > [...]

}

UpdatePostHarvestDto ∨ {

processDate > [...]
processType > [...]
description > [...]
sortingDone > [...]
washingDone > [...]
packagingType > [...]
packagingAmount > [...]
packagingUnit > [...]
storageLocation > [...]
storageTemp > [...]
storageHumidity > [...]
notes > [...]

}

CreateWorkerTrainingDto ∨ {

trainingDate*	> [...]
trainingTopic*	> [...]
trainer*	> [...]
attendees	> [...]
status*	> [...]
certificateUrl	> [...]
materialUrl	> [...]
hygieneNotes	> [...]
hygieneFlags	> [...]
facilitiesCheck	> [...]
notes	> [...]

}

UpdateWorkerTrainingDto ∨ {

trainingDate	> [...]
trainingTopic	> [...]
trainer	> [...]
attendees	> [...]
status	> [...]
certificateUrl	> [...]
materialUrl	> [...]
hygieneNotes	> [...]
hygieneFlags	> [...]
facilitiesCheck	> [...]
notes	> [...]

}

CreateTraceabilityLotDto ∨ {

productionDate*	> [...]
expiryDate	> [...]
batchSize*	> [...]
batchUnit*	> [...]
destination	> [...]
isExported	> [...]

}

UpdateTraceabilityLotDto ∨ {

productionDate > [...]
expiryDate > [...]
batchSize > [...]
batchUnit > [...]
destination > [...]
isExported > [...]

}

CreateSupportTicketDto ∨ {

subject* > [...]
message* > [...]
category* > [...]
priority > [...]

}

ReplyTicketDto ∨ {

message* > [...]

}

UpdateTicketStatusDto ∨ {

status* > [...]

}

RateAppDto ∨ {

rating* > [...]
feedback > [...]
appVersion > [...]
platform > [...]
deviceModel > [...]

}