Nama: Putri Wahdaniyah Iskandar

NIM : 2009106077 Kelas : Informatika B

SourceCode Main.dart

```
lib > nain.dart > main
       import 'package:flutter/material.dart';
       import 'MainPage.dart';
       Run | Debug | Profile
  4
       void main() {
       runApp(const MyApp());
       class MyApp extends StatelessWidget {
         const MyApp({Key? key}) : super(key: key);
 11
         @override
         Widget build(BuildContext context) {
 12
 13
           return MaterialApp(
             home: MainPage(),
          ); // MaterialApp
 15
 17
```

SourceCode MainPage.dart

```
import 'package:flutter/material.dart';
class MainPage extends StatelessWidget {
const MainPage({Key? key}) : super(key: key);
 @override
 Widget build(BuildContext context) {
  var lebar = MediaQuery.of(context).size.width;
  var scaffold = Scaffold(
   appBar: AppBar(
    leading: IconButton(
     icon: Icon(Icons.home),
     onPressed: () {},
    ),
    title: Text("HAIR STYLE SALON PUTRI"),
    flexibleSpace: Container(
     decoration: BoxDecoration(
       gradient: LinearGradient(
        begin: Alignment.topLeft,
        end: Alignment.bottomCenter,
        colors: <Color>[Colors.red, Colors.pink],
```

```
backgroundColor: Color.fromARGB(255, 240, 238, 238),
body: ListView(
 children: [
  Column(
   crossAxisAlignment: CrossAxisAlignment.center,
   children: [
    Container(
      width: 500,
      height: 350,
      margin: EdgeInsets.only(top: 61),
      decoration: BoxDecoration(
       image: DecorationImage(
        image: AssetImage("assets/hair2.jpg"),
     ),
     Text(
      "Hair Style Salon",
      style: TextStyle(
       fontSize: 30,
       fontWeight: FontWeight.bold,
       color: Colors.black,
     ),
     Text(
      "Welcome Beauty;)",
      textAlign: TextAlign.center,
     ),
     SizedBox(
      height: 25,
     SingleChildScrollView(
      scrollDirection: Axis.horizontal,
      child: Row(
       mainAxisAlignment: MainAxisAlignment.spaceAround,
       children: [
        Container(
         width: 250,
         height: 150,
         margin: EdgeInsets.only(right: 10),
         decoration: BoxDecoration(
          image: DecorationImage(
            image: AssetImage("assets/hair.jpg"),
```

```
Container(
    width: 250,
    height: 150,
    margin: EdgeInsets.only(right: 10),
    decoration: BoxDecoration(
     image: DecorationImage(
       image: AssetImage("assets/hair1.jpg"),
   Container(
    width: 250,
    height: 150,
    margin: EdgeInsets.only(right: 10),
    decoration: BoxDecoration(
     image: DecorationImage(
       image: AssetImage("assets/head.jpg"),
   Container(
    width: 250,
    height: 150,
    margin: EdgeInsets.only(right: 10),
    decoration: BoxDecoration(
     image: DecorationImage(
       image: AssetImage("assets/hair3.jpg"),
    ),
   ),
SizedBox(
height: 25,
),
Column(
children: <Widget>[
   crossAxisAlignment: CrossAxisAlignment.center,
   mainAxisAlignment: MainAxisAlignment.spaceAround,
   children: <Widget>[
    SizeContainer(isActive: true, size: "Color Hair"),
    SizeContainer(isActive: true, size: "Cut Hair"),
    SizeContainer(isActive: true, size: "CreamBath"),
    SizeContainer(isActive: true, size: "Wash Hair"),
    SizeContainer(isActive: true, size: "Mask Hair"),
```

```
),
],
),
MyButton()
],
),
),
);
return scaffold;
}
```

```
class SizeContainer extends StatelessWidget {
const SizeContainer({Key? key, this.isActive = false, required this.size})
   : super(key: key);
 final bool isActive;
 final String size;
 @override
 Widget build(BuildContext context) {
 return Container(
   width: 85,
   height: 60,
   alignment: Alignment.center,
   decoration: BoxDecoration(
    color: isActive? Colors.pink: Colors.pink,
    borderRadius: BorderRadius.circular(6),
    border: Border.all(
     width: 1,
     color: Colors.black,
   child: Text(
    size,
    style: TextStyle(
     fontSize: 15,
     fontWeight: FontWeight.bold,
     color: isActive? Colors.white: Colors.white,
```

```
class MyButton extends StatelessWidget {
  const MyButton({Key? key}) : super(key: key);
  @override
  Widget build(BuildContext context) {
  return Container(
```

Penjelasan dan SS Program:

Di program appbar ini menggunakan warna gradient dan memiliki icon home yang bisa juga tekan button homenya dengan menggunakan onPressed.

```
appBar: AppBar(
    leading: IconButton(
    icon: Icon(Icons.home),
    onPressed: () {},
    ),
    title: Text("HAIR STYLE SALON PUTRI"),
    flexibleSpace: Container(
    decoration: BoxDecoration(
        gradient: LinearGradient(
        begin: Alignment.topLeft,
        end: Alignment.bottomCenter,
        colors: <Color>[Colors.red, Colors.pink],
        ),
    ),
    ),
}
```

Tampilan ini untuk mengatur warna background yang ingin kita gunakan. backgroundColor: Color.fromARGB(255, 240, 238, 238),

```
Lalu pada tampilan ini kita menggunakan listview dan untuk bisa ngescroll gambar ke bawah kita bisa menggunakan fungsi column lalu crossAxisAlignment: CrossAxisAlignment.center, untuk melihat tampilan gambar images sebelum itu kita bisa reveal in file explore terlebih dahulu dan pilih gambar taruh di assets.
```



Selanjutnya pada tampilan ini kita menggunakan fungsi text

```
Text(

"Welcome Beauty;)",

textAlign: TextAlign.center,
),
SizedBox(
height: 25,
),
```

Hair Style Salon

Welcome Beauty ;)

Untuk Tampilan ini Saya menggunakan ScrollDirection untuk bisa menggeser slide gambar secara horizontal lalu mengatur jarak gambar dengan menggunakan mainAxisAlignment: MainAxisAlignment.spaceAround, dan mengatur container lalu memasukan image


```
SingleChildScrollView(
         scrollDirection: Axis.horizontal,
         child: Row(
          mainAxisAlignment: MainAxisAlignment.spaceAround,
          children: [
           Container(
            width: 250,
            height: 150,
            margin: EdgeInsets.only(right: 10),
            decoration: BoxDecoration(
              image: DecorationImage(
               image: AssetImage("assets/hair.jpg"),
             ),
            ),
           ),
           Container(
            width: 250,
            height: 150,
            margin: EdgeInsets.only(right: 10),
            decoration: BoxDecoration(
             image: DecorationImage(
               image: AssetImage("assets/hair1.jpg"),
             ),
           ),
           Container(
            width: 250,
            height: 150,
            margin: EdgeInsets.only(right: 10),
            decoration: BoxDecoration(
              image: DecorationImage(
               image: AssetImage("assets/head.jpg").
```

```
),
),
),
Container(
width: 250,
height: 150,
margin: EdgeInsets.only(right: 10),
decoration: BoxDecoration(
image: DecorationImage(
image: AssetImage("assets/hair3.jpg"),
),
),
),
),
),
SizedBox(
height: 25,
```









Pada Tampilan ini menggunakan row untuk menampilkan button secara menyamping atau horizontal lalu di bagian ini pula saya masih belum bisa untuk menekan tombol button di setiap kotaknya karna masih belum bisa.

```
return scaffold;
}
}
```

Di bagian ini pula untuk mengatur decoration yang ada di button yang kita gunakan lalu kita bisa mengatur colornya dan menggunakan border radius untuk membuat lengkungan kecil yang ada di kotak dan border all pula berfungsi untuk menambahkan garis tepi hitam yang ada pada setiap button.

```
class SizeContainer extends StatelessWidget {
 const SizeContainer({Key? key, this.isActive = false, required this.size})
   : super(key: key);
 final bool is Active;
 final String size;
 @override
 Widget build(BuildContext context) {
  return Container(
   width: 85,
   height: 60,
   alignment: Alignment.center,
   decoration: BoxDecoration(
    color: isActive? Colors.pink: Colors.pink,
    borderRadius: BorderRadius.circular(6),
    border: Border.all(
     width: 1,
     color: Colors.black,
    ),
   child: Text(
    size,
    style: TextStyle(
     fontSize: 15,
     fontWeight: FontWeight.bold,
      color: isActive? Colors.white: Colors.white,
    ),
   ),
```

Color Hair Cut Hair CreamBath Wash Hair Mask Hair

Di tombol reservasi ini pula kita bisa mengklik tombol button tersebut karna adanya onProssed di dalam itu shape yang kita gunakan adalah rectangleborder.

```
class MyButton extends StatelessWidget {
 const MyButton({Key? key}) : super(key: key);
 @override
 Widget build(BuildContext context) {
  return Container(
   width: 220,
   height: 55,
   margin: EdgeInsets.only(top: 50),
   child: TextButton(
    style: TextButton.styleFrom(
     backgroundColor: Colors.pink,
     shape: RoundedRectangleBorder(
       borderRadius: BorderRadius.circular(10),
     ),
    onPressed: () {},
    child: Text(
     "Reservasi",
     style: TextStyle(
       color: Color(0xffffffff),
    ),
```

Reservasi

Clean Flutter:

```
[posttest4_2009106077] flutter clean

Deleting build... 349ms

Deleting .dart_tool... 615ms

Deleting .packages... 7ms

Deleting Generated.xcconfig... 7ms

Deleting flutter_export_environment.sh... 0ms

exit code 0
```