

SIMPLE COMMANDS OSSP

Topic 1: Basic Linux Commands

Sl. No.	Command	Purpose	Example
1	pwd	Display the current working directory	pwd
2	clear	Clear the terminal screen	clear
3	history	Display previously executed commands	history
4	whoami	Display the current logged-in username	whoami
5	date	Display the current system date and time	date
6	cal	Display the calendar	cal
7	hostname	Display the system hostname	hostname
8	uname -a	Display operating system information	uname -a
9	exit	Exit the terminal	exit

```
monish_putti@monhh: ~  
monish_putti@monhh:~$ pwd  
/home/monish_putti  
monish_putti@monhh:~$ history  
1  e  
2  y  
3  Y  
4  pwd  
5  ls  
6  whoami  
7  ls  
8  cal  
9  history  
10 ls  
11 nano moni.c  
12 gcc moni.c -o moni  
13 ./moni  
14 sudo apt update  
15 wsl -l -v  
16 sudo apt update  
17 sudo apt install gcc  
18 gcc --version  
19 ls  
20 gcc moni.c -o moni  
21 sudo apt install build-essential  
22 ls /usr/include/stdio.h  
23 gcc moni.c -o moni  
24 nano moni.c  
25 gcc moni.c -o moni  
26 ./moni  
27 nano username.c
```

```
monish_putti@monhh: ~
137 cal
138 hostname
139 uname -a
140 exit
141 pwd
142 history
monish_putti@monhh:~$ whoami
monish_putti
monish_putti@monhh:~$ date
Tue Aug  4 12:51:17 UTC 2026
monish_putti@monhh:~$ cal
    August 2026
Su Mo Tu We Th Fr Sa
                1
 2  3  4  5  6  7  8
 9 10 11 12 13 14 15
16 17 18 19 20 21 22
23 24 25 26 27 28 29
30 31
monish_putti@monhh:~$ hostname
monhh
monish_putti@monhh:~$ uname -a
Linux monhh 6.6.87.2-microsoft-standard-WSL2 #1 SMP PREEMPT_DYNAMIC Thu Jun  5 18:30:46 UTC 2025 x86_64 GNU/Linux
monish_putti@monhh:~$
```

Topic 2: Directory Management

10	ls	List files and directories	ls
11	ls -l	Display detailed file information	ls -l
12	ls -a	Display all files including hidden files	ls -a
13	cd	Change the current directory	cd Documents
14	cd ..	Move to the parent directory	cd ..
15	mkdir	Create a new directory	mkdir OSLab
16	rmdir	Remove an empty directory	rmdir Test
17	find	Search for files and directories	find . -name "*.c"
18	locate	Quickly locate files	locate hello.c

```
monish_putti@monhh: ~
monish_putti@monhh:~$ uname -a
Linux monhh 6.6.87.2-microsoft-standard-WSL2 #1 SMP PREEMPT_DYNAMIC Thu Jun  5 18:30:46 UTC 2025 x86_64 GNU/Linux
monish_putti@monhh:~$ ls
OSLab  exec.c  fork    forkexec  hello  moni  pid  pidparentchild  username  wait
exec   file1.txt  fork.c  forkexec.c  hello.c  moni.c  pid.c  pidparentchild.c  username.c  wait.c
monish_putti@monhh:~$ ls -l
total 184
drwxr-xr-x 2 monish_putti monish_putti 4096 Aug  4 07:00 OSLab
-rwxr-xr-x 1 monish_putti monish_putti 15992 Jul 31 09:55 exec
-rw-r--r-- 1 monish_putti monish_putti 163 Jul 31 09:55 exec.c
-rw-r--r-- 1 monish_putti monish_putti 0 Aug  4 07:18 file1.txt
-rwxr-xr-x 1 monish_putti monish_putti 15992 Jul 31 09:48 fork
-rw-r--r-- 1 monish_putti monish_putti 106 Jul 31 09:48 fork.c
-rwxr-xr-x 1 monish_putti monish_putti 16080 Jul 31 09:56 forkexec
-rw-r--r-- 1 monish_putti monish_putti 273 Jul 31 09:55 forkexec.c
-rwxr-xr-x 1 monish_putti monish_putti 15952 Aug  4 03:43 hello
-rw-r--r-- 1 monish_putti monish_putti 80 Aug  4 03:43 hello.c
-rwxr-xr-x 1 monish_putti monish_putti 15952 Jul 31 09:31 moni
-rw-r--r-- 1 monish_putti monish_putti 80 Jul 31 09:31 moni.c
-rwxr-xr-x 1 monish_putti monish_putti 15992 Jul 31 09:47 pid
-rw-r--r-- 1 monish_putti monish_putti 113 Jul 31 09:46 pid.c
-rwxr-xr-x 1 monish_putti monish_putti 16088 Jul 31 09:54 pidparentchild
-rw-r--r-- 1 monish_putti monish_putti 296 Jul 31 09:53 pidparentchild.c
-rwxr-xr-x 1 monish_putti monish_putti 16056 Jul 31 09:45 username
-rw-r--r-- 1 monish_putti monish_putti 161 Jul 31 09:45 username.c
-rwxr-xr-x 1 monish_putti monish_putti 16032 Jul 31 09:54 wait
-rw-r--r-- 1 monish_putti monish_putti 281 Jul 31 09:54 wait.c
monish_putti@monhh:~$ ls -a
.  .bashrc  .local  exec  fork.c  hello.c  pid.c  username.c
.. .cache  .motd_shown  exec.c  forkexec  moni  pidparentchild  wait
```

```

monish_putti@monhh: ~
-rw-r--r-- 1 monish_putti monish_putti 281 Jul 31 09:54 wait.c
monish_putti@monhh:~$ ls -a
.          .bashrc    .local      exec         fork.c      hello.c     pid.c        username.c
..         .cache     .motd_shown exec.c       forkexec    moni         pidparentchild wait
.bash_history .config   .profile    file1.txt   forkexec.c  moni.c      pidparentchild.c wait.c
.bash_logout .lessht   OSLab       fork         hello       pid         username
monish_putti@monhh:~$ cd Documents
-bash: cd: Documents: No such file or directory
monish_putti@monhh:~$ cd OSLab
monish_putti@monhh:~/OSLab$ cd ..
monish_putti@monhh:~$ mkdir OSLab
mkdir: OSLab: File exists
monish_putti@monhh:~$ mkdir Demo
monish_putti@monhh:~$ rmdir Test
rmdir: failed to remove 'Test': No such file or directory
monish_putti@monhh:~$ find . -name "*.c"
./exec.c
./pid.c
./moni.c
./fork.c
./hello.c
./pidparentchild.c
./forkexec.c
./OSLab/hello.c
./username.c
./wait.c
monish_putti@monhh:~$ locate hello.c
/home/monish_putti/hello.c
monish_putti@monhh:~$

```

Topic 3: File Management			
19	touch	Create a new empty file	touch file1.txt
20	cat	Display file contents	cat file1.txt
21	cp	Copy files or directories	cp a.txt b.txt
22	mv	Move or rename files	mv old.txt new.txt
23	rm	Delete a file	rm test.txt
24	head	Display first lines of a file	head hello.c
25	tail	Display last lines of a file	tail hello.c
26	more	View a file page by page	more file.txt
27	less	Scroll through a file	less hello.c
28	wc	Count lines, words and characters	wc hello.c
29	diff	Compare two files	diff a.txt b.txt
30	sort	Sort file contents	sort data.txt
31	uniq	Remove duplicate lines	uniq data.txt
32	grep	Search for text inside a file	grep main hello.c

```
monish_putti@monhh: ~/OSLab
./wait.c
monish_putti@monhh:~$ locate hello.c
/home/monish_putti/hello.c
monish_putti@monhh:~$ cd ~/OSLab
monish_putti@monhh:~/OSLab$ touch file1.txt file2.txt data.txt test.txt
monish_putti@monhh:~/OSLab$ echo "Hello Linux" > file1.txt
echo "Operating Systems Lab" >> file1.txt

echo "Hello Linux" > file2.txt
echo "OS Lab Practical" >> file2.txt

echo -e "orange\napple\nbanana\napple\nmango" > data.txt
monish_putti@monhh:~/OSLab$ touch sample.txt
monish_putti@monhh:~/OSLab$ cat file1.txt
Hello Linux
Operating Systems Lab
monish_putti@monhh:~/OSLab$ cp file1.txt copy.txt
monish_putti@monhh:~/OSLab$ ls
copy.txt data.txt file1.txt file2.txt hello.c sample.txt test.txt
monish_putti@monhh:~/OSLab$ mv copy.txt renamed.txt
monish_putti@monhh:~/OSLab$ rm test.txt
monish_putti@monhh:~/OSLab$ head hello.c
#include <stdio.h>

int main() {
    printf("Hello, World!\n");
    return 0;
}
monish_putti@monhh:~/OSLab$ tail hello.c
#include <stdio.h>
```

```
monish_putti@monhh: ~/OSLab
}
monish_putti@monhh:~/OSLab$ tail hello.c
#include <stdio.h>

int main() {
    printf("Hello, World!\n");
    return 0;
}
monish_putti@monhh:~/OSLab$ more file1.txt
Hello Linux
Operating Systems Lab
monish_putti@monhh:~/OSLab$ less hello.c
monish_putti@monhh:~/OSLab$ wc hello.c
 6 10 80 hello.c
monish_putti@monhh:~/OSLab$ diff file1.txt file2.txt
2c2
< Operating Systems Lab
---
> OS Lab Practical
monish_putti@monhh:~/OSLab$ sort data.txt
apple
apple
banana
mango
orange
monish_putti@monhh:~/OSLab$ uniq data.txt
orange
apple
banana
apple
```

```

monish_putti@monhh: ~/OSLab
monish_putti@monhh:~/OSLab$ sort data.txt
apple
apple
banana
mango
orange
monish_putti@monhh:~/OSLab$ uniq data.txt
orange
apple
banana
apple
mango
monish_putti@monhh:~/OSLab$ sort data.txt | uniq
apple
banana
mango
orange
monish_putti@monhh:~/OSLab$ grep Hello file1.txt
Hello Linux
monish_putti@monhh:~/OSLab$ grep main hello.c
int main() {
monish_putti@monhh:~/OSLab$

```

Topic 4: File Editing			
33	nano	Create or edit a file	nano hello.c
34	vi	Edit a file using Vim editor	vi hello.c
Topic 5: C Program Compilation and Execution			
35	gcc	Compile a C program	gcc hello.c -o hello
36	./program	Execute the compiled program	./hello
37	which	Locate the executable of a command	which gcc
38	whereis	Locate binary, source, and manual pages	whereis gcc
39	man	Display manual pages	man gcc

```

monish_putti@monhh: ~/OSLab
mango
monish_putti@monhh:~/OSLab$ sort data.txt | uniq
apple
banana
mango
orange
monish_putti@monhh:~/OSLab$ grep Hello file1.txt
Hello Linux
monish_putti@monhh:~/OSLab$ grep main hello.c
int main() {
monish_putti@monhh:~/OSLab$ nano hello.c
monish_putti@monhh:~/OSLab$ y
y: command not found
monish_putti@monhh:~/OSLab$ gcc hello.c -o hello
monish_putti@monhh:~/OSLab$ ./hello
Hello, World!
monish_putti@monhh:~/OSLab$ which gcc
/usr/bin/gcc
monish_putti@monhh:~/OSLab$ whereis gcc
gcc: /usr/bin/gcc /usr/lib/gcc /usr/libexec/gcc /usr/share/gcc /usr/share/man/man1/gcc.1.gz
monish_putti@monhh:~/OSLab$ man gcc
monish_putti@monhh:~/OSLab$

```

Topic 6: Process Management

40	ps	Display running processes	ps
41	ps -ef	Display all running processes	ps -ef
42	top	Monitor running processes	top
43	kill	Terminate a process	kill 1234
44	kill -9	Forcefully terminate a process	kill -9 1234
Topic 7: Job Control			
45	jobs	Display background jobs	jobs
46	bg	Resume a job in the background	bg %1
47	fg	Bring a job to the foreground	fg %1
48	&	Run a process in the background	./hello &

```

monish_putti@monhh: ~
wsl: Failed to start the systemd user session for 'monish_putti'. See journalctl for more details.
monish_putti@monhh:~$ ps
  PID TTY          TIME CMD
  325 pts/0    00:00:00 bash
  434 pts/0    00:00:00 ps
monish_putti@monhh:~$ ps -ef
UID          PID    PPID  C STIME TTY          TIME CMD
root         1        0   7 13:17 ?        00:00:00 /sbin/init
root         2        1   0 13:17 ?        00:00:00 /init
root         8        2   0 13:17 ?        00:00:00 plan9 --control-socket 7 --log-level 4 --server-fd 8
root        51        1   2 13:17 ?        00:00:00 /usr/lib/systemd/systemd-journald
systemd+    83        1   0 13:17 ?        00:00:00 /usr/lib/systemd/systemd-resolved
root        90        1   3 13:17 ?        00:00:00 /usr/lib/systemd/systemd-udevd
root       167        1   0 13:17 ?        00:00:00 /bin/sh /usr/lib/systemd/scripts/chronyd-starter.sh
root       168        1   0 13:17 ?        00:00:00 /usr/sbin/cron -f -P
message+   170        1   0 13:17 ?        00:00:00 @dbus-daemon --system --address=systemd: --nofork --
root       180        1   2 13:17 ?        00:00:00 /usr/bin/python3 /usr/bin/networkd-dispatcher --run-
root       191        1   0 13:17 ?        00:00:00 /usr/lib/systemd/systemd-logind
root       197        1   1 13:17 ?        00:00:00 /usr/libexec/wsl-pro-service
syslog     200        1   0 13:17 ?        00:00:00 /usr/sbin/rsyslogd -n -iNONE
root       222        1   0 13:17 hvc0    00:00:00 /usr/sbin/agetty --noreset --noclear --issue-file=/e
root       224        1   2 13:17 ?        00:00:00 /usr/bin/python3 /usr/share/unattended-upgrades/unat
_chrony    243       167   0 13:17 ?        00:00:00 /usr/sbin/chronyd -n -F 1 -x
root       244        1   0 13:17 tty1    00:00:00 /usr/sbin/agetty --noreset --noclear --issue-file=/e
_chrony    247       243   0 13:17 ?        00:00:00 /usr/sbin/chronyd -n -F 1 -x
root       305        1   0 13:17 ?        00:00:00 /usr/lib/systemd/systemd-timedated
root       322        2   0 13:17 ?        00:00:00 /init
root       323       322   0 13:17 ?        00:00:00 /init
monish_+   325       323   0 13:17 pts/0    00:00:00 -bash
root       326        2   0 13:17 ?        00:00:00 login -- monish_putti

```

```

monish_putti@monhh: ~
monish_+ 447 325 0 13:17 pts/0 00:00:00 ps -ef
monish_putti@monhh:~$ top
top - 13:18:02 up 35 min, 1 user, load average: 0.51, 0.14, 0.05
Tasks: 27 total, 1 running, 26 sleeping, 0 stopped, 0 zombie
%Cpu(s): 0.0 us, 0.1 sy, 0.0 ni, 99.8 id, 0.1 wa, 0.0 hi, 0.0 si, 0.0 st
MiB Mem : 7651.7 total, 6829.0 free, 547.7 used, 427.2 buff/cache
MiB Swap: 2048.0 total, 2048.0 free, 0.0 used, 7104.0 avail Mem

  PID USER      PR  NI   VIRT   RES   SHR  S  %CPU  %MEM    TIME+  COMMAND
  90 root        20   0  35348  11808  8928  S   0.3   0.2   0:00.38 systemd-udevd
 457 monish_+    20   0   8192   5760  3744  R   0.3   0.1   0:00.02 top
    1 root        20   0  24144  14532  11076  S   0.0   0.2   0:00.99 systemd
    2 root        20   0   3072   1584   1584  S   0.0   0.0   0:00.01 init-systemd(Ub
    8 root        20   0   3072   1872   1872  S   0.0   0.0   0:00.00 init
   51 root        19  -1  33820  12240  11232  S   0.0   0.2   0:00.28 systemd-journal
   83 systemd+    20   0  22400  13968  11520  S   0.0   0.2   0:00.10 systemd-resolve
  167 root        20   0   2880   1728   1728  S   0.0   0.0   0:00.08 chronyd-starter
  168 root        20   0   4464   2880   2736  S   0.0   0.0   0:00.02 cron
  170 message+    20   0   8784   4608   4320  S   0.0   0.1   0:00.07 dbus-daemon
  180 root        20   0  44080  28220  13680  S   0.0   0.4   0:00.34 networkd-dispat
  191 root        20   0  18200   9072   8064  S   0.0   0.1   0:00.11 systemd-logind
  197 root        20   0 1792292  13392  11376  S   0.0   0.2   0:00.13 wsl-pro-service
  200 syslog      20   0 220532   4752   4176  S   0.0   0.1   0:00.10 rsyslogd
  222 root        20   0   5528   2736   2592  S   0.0   0.0   0:00.01agetty
  224 root        20   0 123444  31768  17424  S   0.0   0.4   0:00.25 unattended-upgr
  243 _chrony      20   0  23864  10476   6480  S   0.0   0.1   0:00.06 chronyd
  244 root        20   0   5484   2592   2448  S   0.0   0.0   0:00.01agetty
  247 _chrony      20   0  12080   2096   1584  S   0.0   0.0   0:00.00 chronyd
  305 root        20   0  16512   7344   6336  S   0.0   0.1   0:00.04 systemd-timedat
 322 root        20   0   3088    864    864  S   0.0   0.0   0:00.00 SessionLeader

```

```

monish_putti@monhh: ~
monish_putti@monhh:~$ jobs
monish_putti@monhh:~$ bg %1
-bash: bg: %1: no such job
monish_putti@monhh:~$ fg %1
-bash: fg: %1: no such job
monish_putti@monhh:~$ ./hello &
[1] 499
monish_putti@monhh:~$ Hello, World!
monish_putti@monhh:~$

```

Topic 8: File Permissions and Links			
49	chmod	Change file permissions	chmod +x script.sh
50	chmod 755	Set read, write, and execute permissions	chmod 755 script.sh
51	ln	Create a hard link	ln file1 file2
52	ln -s	Create a symbolic link	ln -s file1 shortcut
Topic 9: Disk and Memory Information			
53	df -h	Display disk space usage	df -h
54	du -sh	Display directory size	du -sh .
55	free -h	Display memory usage (Linux)	free -h

Topic 10: User and Environment Management			
56	id	Display user and group IDs	id
57	env	Display environment variables	env
58	export	Set an environment variable	export PATH=\$PATH:.
59	alias	Create a command shortcut	alias ll='ls -l'

```

monish_putti@monhh: ~
monish_putti@monhh:~$ jobs
monish_putti@monhh:~$ bg %1
-bash: bg: %1: no such job
monish_putti@monhh:~$ fg %1
-bash: fg: %1: no such job
monish_putti@monhh:~$ ./hello &
[1] 499
monish_putti@monhh:~$ Hello, World!
monish_putti@monhh:~$ touch script.sh
[1]+  Done                  ./hello
monish_putti@monhh:~$ chmod +x script.sh
monish_putti@monhh:~$ ls -l script.sh
-rwxr-xr-x 1 monish_putti monish_putti 0 Aug  4 13:20 script.sh
monish_putti@monhh:~$ chmod 755 script.sh
monish_putti@monhh:~$ ls -l script.sh
-rwxr-xr-x 1 monish_putti monish_putti 0 Aug  4 13:20 script.sh
monish_putti@monhh:~$ touch file1
monish_putti@monhh:~$ ln file1 file2
monish_putti@monhh:~$ ls -li
total 188
2360 drwxr-xr-x 2 monish_putti monish_putti 4096 Aug  4 12:56 Demo
2742 drwxr-xr-x 2 monish_putti monish_putti 4096 Aug  4 13:09 OSLab
48402 -rwxr-xr-x 1 monish_putti monish_putti 15992 Jul 31 09:55 exec
48403 -rw-r--r-- 1 monish_putti monish_putti 163 Jul 31 09:55 exec.c
2370 -rw-r--r-- 2 monish_putti monish_putti 0 Aug  4 13:21 file1
1853 -rw-r--r-- 1 monish_putti monish_putti 0 Aug  4 07:18 file1.txt
2370 -rw-r--r-- 2 monish_putti monish_putti 0 Aug  4 13:21 file2
48396 -rwxr-xr-x 1 monish_putti monish_putti 15992 Jul 31 09:48 fork
48397 -rw-r--r-- 1 monish_putti monish_putti 106 Jul 31 09:48 fork.c

```

```

monish_putti@monhh: ~
48400 -rwxr-xr-x 1 monish_putti monish_putti 16032 Jul 31 09:54 wait
48401 -rw-r--r-- 1 monish_putti monish_putti 281 Jul 31 09:54 wait.c
monish_putti@monhh:~$ ln -s file1 shortcut
monish_putti@monhh:~$ ls -l
total 188
drwxr-xr-x 2 monish_putti monish_putti 4096 Aug  4 12:56 Demo
drwxr-xr-x 2 monish_putti monish_putti 4096 Aug  4 13:09 OSLab
-rwxr-xr-x 1 monish_putti monish_putti 15992 Jul 31 09:55 exec
-rw-r--r-- 1 monish_putti monish_putti 163 Jul 31 09:55 exec.c
-rw-r--r-- 2 monish_putti monish_putti 0 Aug  4 13:21 file1
-rw-r--r-- 1 monish_putti monish_putti 0 Aug  4 07:18 file1.txt
-rw-r--r-- 2 monish_putti monish_putti 0 Aug  4 13:21 file2
-rwxr-xr-x 1 monish_putti monish_putti 15992 Jul 31 09:48 fork
-rw-r--r-- 1 monish_putti monish_putti 106 Jul 31 09:48 fork.c
-rwxr-xr-x 1 monish_putti monish_putti 16080 Jul 31 09:56 forkexec
-rw-r--r-- 1 monish_putti monish_putti 273 Jul 31 09:55 forkexec.c
-rwxr-xr-x 1 monish_putti monish_putti 15952 Aug  4 03:43 hello
-rw-r--r-- 1 monish_putti monish_putti 80 Aug  4 03:43 hello.c
-rwxr-xr-x 1 monish_putti monish_putti 15952 Jul 31 09:31 moni
-rw-r--r-- 1 monish_putti monish_putti 80 Jul 31 09:31 moni.c
-rwxr-xr-x 1 monish_putti monish_putti 15992 Jul 31 09:47 pid
-rw-r--r-- 1 monish_putti monish_putti 113 Jul 31 09:46 pid.c
-rwxr-xr-x 1 monish_putti monish_putti 16088 Jul 31 09:54 pidparentchild
-rw-r--r-- 1 monish_putti monish_putti 296 Jul 31 09:53 pidparentchild.c
-rwxr-xr-x 1 monish_putti monish_putti 0 Aug  4 13:20 script.sh
lrwxrwxrwx 1 monish_putti monish_putti 5 Aug  4 13:21 shortcut -> file1
-rwxr-xr-x 1 monish_putti monish_putti 16056 Jul 31 09:45 username
-rw-r--r-- 1 monish_putti monish_putti 161 Jul 31 09:45 username.c
-rwxr-xr-x 1 monish_putti monish_putti 16032 Jul 31 09:54 wait
-rw-r--r-- 1 monish_putti monish_putti 281 Jul 31 09:54 wait.c

```

```
monish_putti@monhh: ~  
-rw-r--r-- 1 monish_putti monish_putti 281 Jul 31 09:54 wait.c  
monish_putti@monhh:~$ df -h  
Filesystem      Size  Used Avail Use% Mounted on  
none            3.8G  0  3.8G   0% /usr/lib/modules/6.6.87.2-microsoft-standard-WSL2  
none            3.8G  4.0K  3.8G   1% /mnt/wsl  
drivers         179G  115G  65G  64% /usr/lib/wsl/drivers  
/dev/sdd        1007G  2.0G  954G   1% /  
none            3.8G  76K  3.8G   1% /mnt/wslg  
none            3.8G  0  3.8G   0% /usr/lib/wsl/lib  
rootfs          3.8G  2.7M  3.8G   1% /init  
none            3.8G  552K  3.8G   1% /run  
none            3.8G  0  3.8G   0% /run/lock  
none            3.8G  0  3.8G   0% /run/shm  
none            3.8G  76K  3.8G   1% /mnt/wslg/versions.txt  
none            3.8G  76K  3.8G   1% /mnt/wslg/doc  
C:\             179G  115G  65G  64% /mnt/c  
D:\             147G  213M  147G   1% /mnt/d  
E:\             151G  147M  151G   1% /mnt/e  
none            1.0M  0  1.0M   0% /run/credentials/systemd-journald.service  
tmpfs           3.8G  0  3.8G   0% /tmp  
none            1.0M  0  1.0M   0% /run/credentials/systemd-resolved.service  
none            1.0M  0  1.0M   0% /run/credentials/getty@tty1.service  
none            1.0M  0  1.0M   0% /run/credentials/console-getty.service  
tmpfs           766M  0  766M   0% /run/user/1000  
monish_putti@monhh:~$ du -sh  
340K .  
monish_putti@monhh:~$ free -h  
              total        used        free      shared  buff/cache   available  
Mem:           7.5Gi        557Mi        6.9Gi        3.5Mi        164Mi        6.9Gi  
Swap:          2.0Gi          0B        2.0Gi
```

```
monish_putti@monhh: ~  
tmpfs           766M  0  766M   0% /run/user/1000  
monish_putti@monhh:~$ du -sh  
340K .  
monish_putti@monhh:~$ free -h  
              total        used        free      shared  buff/cache   available  
Mem:           7.5Gi        557Mi        6.9Gi        3.5Mi        164Mi        6.9Gi  
Swap:          2.0Gi          0B        2.0Gi  
monish_putti@monhh:~$ id  
uid=1000(monish_putti) gid=1000(monish_putti) groups=1000(monish_putti),4(adm),24(cdrom),27(sudo),30(dip),46(plugdev),100(users)  
monish_putti@monhh:~$ env  
SHELL=/bin/bash  
WSL2_GUI_APPS_ENABLED=1  
WSL_DISTRO_NAME=Ubuntu  
NAME=monhh  
PWD=/home/monish_putti  
LOGNAME=monish_putti  
HOME=/home/monish_putti  
LANG=C.UTF-8  
WSL_INTEROP=/run/WSL/323_interop  
LS_COLORS=rs=0:di=01;34:ln=01;36:mh=00:pi=40;33:so=01;35:do=01;35:bd=40;33;01:cd=40;33;01:or=40;31;01:mi=00:su=37;41:sg=30;43:ca=00:tw=30;42:ow=34;42:st=37;44:ex=01;32:*.tar=01;31:*.tgz=01;31:*.arc=01;31:*.arj=01;31:*.taz=01;31:*.lha=01;31:*.lzh=01;31:*.lzh=01;31:*.lzma=01;31:*.tlz=01;31:*.txz=01;31:*.tzo=01;31:*.t7z=01;31:*.zip=01;31:*.z=01;31:*.dz=01;31:*.gz=01;31:*.lrz=01;31:*.lz=01;31:*.lzo=01;31:*.xz=01;31:*.zst=01;31:*.tzst=01;31:*.bz2=01;31:*.bz=01;31:*.tbz=01;31:*.tbz2=01;31:*.taz=01;31:*.deb=01;31:*.rpm=01;31:*.jar=01;31:*.war=01;31:*.ear=01;31:*.sar=01;31:*.rar=01;31:*.alz=01;31:*.ace=01;31:*.zoo=01;31:*.cpio=01;31:*.7z=01;31:*.rz=01;31:*.cab=01;31:*.wim=01;31:*.swm=01;31:*.dwm=01;31:*.esd=01;31:*.avif=01;35:*.jpg=01;35:*.jpeg=01;35:*.mjpg=01;35:*.mjpeg=01;35:*.gif=01;35:*.bmp=01;35:*.pbm=01;35:*.pgm=01;35:*.ppm=01;35:*.tga=01;35:*.xbm=01;35:*.xpm=01;35:*.tif=01;35:*.tiff=01;35:*.png=01;35:*.svg=01;35:*.svgz=01;35:*.mng=01;35:*.pcx=01;35:*.mov=01;35:*.mpg=01;35:*.mpeg=01;35:*.m2v=01;35:*.mkv=01;35:*.webm=01;35:*.webp=01;35:*.ogm=01;35:*.mp4=01;35:*.m4v=01;35:*.mp4v=01;35:*.vob=01;35:*.qt=01;35:*.nuv=01;35:*.wmv=01;35:*.asf=01;35:*.rm=01;35:*.rmvb=01;35:*.flc=01;35:*.avi=01
```

```

monish_putti@monhh: ~
cal/Programs/Antigravity/bin:/mnt/c/Users/MONISH_PUTTI/AppData/Roaming/npm:/mnt/c/Users/MONISH_PUTTI/AppData/Local/Programs/Microsoft VS Code/bin:/mnt/c/Users/MONISH_PUTTI/AppData/Local/Python/bin:/snap/bin
DBUS_SESSION_BUS_ADDRESS=unix:path=/run/user/1000/bus
HOSTTYPE=x86_64
PULSE_SERVER=unix:/mnt/wslg/PulseServer
_=/usr/bin/env
monish_putti@monhh:~$ export MYNAME=Monish
monish_putti@monhh:~$ echo $MYNAME
Monish
monish_putti@monhh:~$ alias ll='ls -l'
monish_putti@monhh:~$ ll
total 188
drwxr-xr-x 2 monish_putti monish_putti 4096 Aug  4 12:56 Demo
drwxr-xr-x 2 monish_putti monish_putti 4096 Aug  4 13:09 OSLab
-rwxr-xr-x 1 monish_putti monish_putti 15992 Jul 31 09:55 exec
-rw-r--r-- 1 monish_putti monish_putti 163 Jul 31 09:55 exec.c
-rw-r--r-- 2 monish_putti monish_putti 0 Aug  4 13:21 file1
-rw-r--r-- 1 monish_putti monish_putti 0 Aug  4 07:18 file1.txt
-rw-r--r-- 2 monish_putti monish_putti 0 Aug  4 13:21 file2
-rwxr-xr-x 1 monish_putti monish_putti 15992 Jul 31 09:48 fork
-rw-r--r-- 1 monish_putti monish_putti 106 Jul 31 09:48 fork.c
-rwxr-xr-x 1 monish_putti monish_putti 16080 Jul 31 09:56 forkexec
-rw-r--r-- 1 monish_putti monish_putti 273 Jul 31 09:55 forkexec.c
-rwxr-xr-x 1 monish_putti monish_putti 15952 Aug  4 03:43 hello
-rw-r--r-- 1 monish_putti monish_putti 80 Aug  4 03:43 hello.c
-rwxr-xr-x 1 monish_putti monish_putti 15952 Jul 31 09:31 moni
-rw-r--r-- 1 monish_putti monish_putti 80 Jul 31 09:31 moni.c
-rwxr-xr-x 1 monish_putti monish_putti 15992 Jul 31 09:47 pid
-rw-r--r-- 1 monish_putti monish_putti 113 Jul 31 09:46 pid.c
-rwxr-xr-x 1 monish_putti monish_putti 16088 Jul 31 09:54 pidparentchild

```

```

monish_putti@monhh: ~
-rw-r--r-- 1 monish_putti monish_putti 161 Jul 31 09:45 username.c
-rwxr-xr-x 1 monish_putti monish_putti 16032 Jul 31 09:54 wait
-rw-r--r-- 1 monish_putti monish_putti 281 Jul 31 09:54 wait.c
monish_putti@monhh:~$ ls -l
total 188
drwxr-xr-x 2 monish_putti monish_putti 4096 Aug  4 12:56 Demo
drwxr-xr-x 2 monish_putti monish_putti 4096 Aug  4 13:09 OSLab
-rwxr-xr-x 1 monish_putti monish_putti 15992 Jul 31 09:55 exec
-rw-r--r-- 1 monish_putti monish_putti 163 Jul 31 09:55 exec.c
-rw-r--r-- 2 monish_putti monish_putti 0 Aug  4 13:21 file1
-rw-r--r-- 1 monish_putti monish_putti 0 Aug  4 07:18 file1.txt
-rw-r--r-- 2 monish_putti monish_putti 0 Aug  4 13:21 file2
-rwxr-xr-x 1 monish_putti monish_putti 15992 Jul 31 09:48 fork
-rw-r--r-- 1 monish_putti monish_putti 106 Jul 31 09:48 fork.c
-rwxr-xr-x 1 monish_putti monish_putti 16080 Jul 31 09:56 forkexec
-rw-r--r-- 1 monish_putti monish_putti 273 Jul 31 09:55 forkexec.c
-rwxr-xr-x 1 monish_putti monish_putti 15952 Aug  4 03:43 hello
-rw-r--r-- 1 monish_putti monish_putti 80 Aug  4 03:43 hello.c
-rwxr-xr-x 1 monish_putti monish_putti 15952 Jul 31 09:31 moni
-rw-r--r-- 1 monish_putti monish_putti 80 Jul 31 09:31 moni.c
-rwxr-xr-x 1 monish_putti monish_putti 15992 Jul 31 09:47 pid
-rw-r--r-- 1 monish_putti monish_putti 113 Jul 31 09:46 pid.c
-rwxr-xr-x 1 monish_putti monish_putti 16088 Jul 31 09:54 pidparentchild
-rw-r--r-- 1 monish_putti monish_putti 296 Jul 31 09:53 pidparentchild.c
-rwxr-xr-x 1 monish_putti monish_putti 0 Aug  4 13:20 script.sh
lrwxrwxrwx 1 monish_putti monish_putti 5 Aug  4 13:21 shortcut -> file1
-rwxr-xr-x 1 monish_putti monish_putti 16056 Jul 31 09:45 username
-rw-r--r-- 1 monish_putti monish_putti 161 Jul 31 09:45 username.c
-rwxr-xr-x 1 monish_putti monish_putti 16032 Jul 31 09:54 wait
-rw-r--r-- 1 monish_putti monish_putti 281 Jul 31 09:54 wait.c

```