

JUMP TO

CTRL-/

API OVERVIEW

Introduction

API Basics



API Lifecycle



Troubleshooting



AUTHENTICATION

Authentication overview

API Scopes

REFERENCE OVERVIEW

Global API parameters

Video reference



Player reference



Playlist reference



Subtitle reference



Edit a playlist

Ask AI

POST

https://partner.api.dailymotion.com/rest/playlist/{PLAYLIST_ID}

CREDENTIALS

Bearer

token



BEARER

Recent Requests

TIME

STATUS

USE

Make a request to see history.

0 Requests This Month

Path Params

PLAYLIST_ID

D

string

required

The unique identifier of your playlist.

Query Params

LANGUAGE



Shell



Node



Ruby

php

PHP



Python



REQUEST

Examples

```
$ python -m pip install requests
1 import requests
2
3 url = "https://partner.api.dailymotion.com/rest/playlist/PLAYLIST_ID"
4
5 headers = {"content-type": "application/x-www-form-urlencoded"}
6
7 response = requests.post(url, headers=headers)
8
9 print(response.text)
```



Try It!

RESPONSE

User reference	>
Reports reference	>
PARTNER ENDPOINTS (SERVER SIDE)	
Authentication	>
Upload	>
Video	>
Player	>
Playlists	▼
Get a playlist	GET
List videos connected to a playlist	GET
List playlists	GET
Create a playlist	POST
Edit a playlist	POST
Add a video to a playlist	POST
Replace multiple videos in a playlist	POST
Remove all videos from a playlist	DEL
Remove a video from a playlist	DEL
Delete a playlist	DEL
Subtitles	>
User	>

fields string

List of fields to return.

To add several fields, separate each value with a comma (i.e. created_time,owner).

Sample of possible values:

```
created_time
description_id
name
owner
private
updated_time
video_total
```

See the [exhaustive list of possible values and their description.](#)

Click [Try It!](#) to start a request and see the response here!

Form Data

CLIENT SIDE ENDPOINTS

- Authentication >
- Upload >
- Video >
- Player >
- Playlist >
- Subtitles >
- User >

REPORTING API

- Download a report POST
- Create a report POST

PLAYER WEB SDK

- Web SDK - Player methods
- Web SDK - Player events
- Web SDK - Player states
- Web SDK - Player runtime parameters

PLAYER ANDROID SDK

- Android SDK - Player methods
- Android SDK - Player events
- Android SDK - Player states

name

string

Short descriptive name of this playlist.

Min length:
1

Max length:
50

description

string

Comprehensive description of this playlist.

Min length:
1

Max length:
2 000

private

boolean

True if this playlist is private.

Response

—

200

 Updated 23 days ago

Android SDK - Player runtime parameters

[← Create a playlist](#)[Add a video to a playlist →](#)

PLAYER IOS SDK

iOS SDK - Player methods

iOS SDK - Player events

iOS SDK - Player states

iOS SDK - Player runtime parameters

Did this page help you?

☐ Yes ☐ No