

JUMP TO CTRL-/

API OVERVIEW

- Introduction
- API Basics >
- API Lifecycle >
- Troubleshooting >

AUTHENTICATION

- Authentication overview
- API Scopes

REFERENCE OVERVIEW

- Global API parameters
- Video reference >
- Player reference >
- Playlist reference >
- Subtitle reference >

List my videos

Ask AI

`https://partner.api.dailymotion.com/rest/user/{PROFILE_ID}/videos` CREDENTIALS BEARER

Bearer token

Recent Requests

TIME	STATUS	USER
Make a request to see history.		
0 Requests This Month		

Path Params

PROFILE_ID

string
required

The unique identifier of your Dailymotion profile.

LANGUAGE

- Shell
- Node
- Ruby
- PHP
- Python

REQUEST

```
$ python -m pip install requests
1 import requests
2
3 url = "https://partner.api.dailymotion.com/rest/user/PROFILE_ID/videos"
4
5 response = requests.get(url)
6
7 print(response.text)
```



Try It!

RESPONSE

User reference	>
Reports reference	>
PARTNER ENDPOINTS (SERVER SIDE)	
Authentication	>
Upload	>
Video	▼
Get a video	GET
List videos	GET
List my videos	GET
Create a video	POST
Edit a video	POST
Delete a video	DEL
Player	>
Playlists	>
Subtitles	>
User	>
CLIENT SIDE ENDPOINTS	
Authentication	>
Upload	>
Video	>
Player	>
Playlist	>

Query Params

fields

string

List of fields to return.

To add several fields, separate each value with a comma (i.e. title,description)

Sample of possible values:

title

description

id

channel

content_provider_id

country

created_time

duration

embed_html

embed_url

geoblocking

is_created_for_kids

language

mode

private

private_id

Click [Try It!](#) to start a request and see the response here!

Subtitles	>	publish_date	
User	>	published_url	
REPORTING API		See the exhaustive list of possible values and their description.	
Download a report	POST		
Create a report	POST		
PLAYER WEB SDK			
Web SDK - Player methods		availability	<input type="text"/>
Web SDK - Player events		boolean	
Web SDK - Player states		Filter - Limit the result set to available videos.	
Web SDK - Player runtime parameters			
PLAYER ANDROID SDK			
Android SDK - Player methods		channel	<input type="text"/>
Android SDK - Player events		string	
Android SDK - Player states		Filter -	
Android SDK - Player runtime parameters		Limit the result set to this category.	
PLAYER IOS SDK		Possible values:	
iOS SDK - Player methods		animals	
iOS SDK - Player events		auto	
iOS SDK - Player states		creation	
		fun kids	
		lifestyle	
		music	
		news	
		people	

iOS SDK - Player runtime parameters

school
shortfilms
sport
tech
travel tv
videogames
webcam

[See all video categories.](#)

created_after
string
Filter - Limit the result set to videos created after this date and time.
Timestamp sample value:
1287507036

created_before
string
Filter - Limit the result set to videos created before this date and time.
Timestamp sample

value: 12875 07036	
ids string	<input type="text"/>
Limit the result set to this list of video identifiers (works only with xIDs).	
languages string	<input type="text"/>
Limit the result set to this list of languages. Language is declarative and corresponds to the user-declared spoken language of the video. If you wish to retrieve content curated for a specific locale, use the <code>localization_global</code> parameter instead.	
Sample	

values: ["fr", "en" ,"it"]	
live boolean	<input type="text"/>
Limit the result set to live streaming videos.	
live_offair boolean	<input type="text"/>
Limit the result set to off-air live streaming videos.	
live_onair boolean	<input type="text"/>
Limit the result set to on-air live streaming videos.	
live_upcoming boolean	<input type="text"/>
Limit the result set to upcoming live streaming videos.	

longer_than string Limit the results to videos with a duration longer than or equal to the specified number of minutes. Sample value: 3600	<input type="text"/>
mode string Limit the result set to videos of this mode. Possible values: vod Or live	<input type="text"/>
no_live boolean Limit the result set to non-live streaming videos.	<input type="text"/>
no_live_recording boolean	<input type="text"/>

Limit the result set to live recording videos.	
<div><div>password_protected</div><div>boolean</div><div>Limit the result set to password protected partner videos.</div></div>	<input type="text"/>
<div><div>private</div><div>boolean</div><div>Limit the result set to private videos.</div></div>	<input type="text"/>
<div><div>search</div><div>string</div><div>Limit the result set to this full text search.</div><div>Sample value:</div><div>football</div></div>	<input type="text"/>
<div><div>shorter_than</div><div>integer</div></div>	<input type="text"/>

Limit the results to videos with a duration shorter than or equal to the specified number of minutes.
Sample value: 60

sort string

Change the default result set ordering.
Notes: The relevance filter can only be used in conjunction with the search filter.

Possible values:
recent
visited
visited-hour
visited-today
visited-week
visited-month
relevance

<div>random</div> <div>trending</div> <div>old live-</div> <div>audience</div> <div>least-</div> <div>visited</div> <div>live-</div> <div>airing-</div> <div>time OR id-</div> <div>asc</div>	
<div>tags string</div> <div>Limit the result set to this full text search of video tags. By default perform 'AND' operation between terms. Use enclosing parenthesis '()' on the query to perform 'OR' operation.</div> <div>Sample value:</div> <div>["party", "John Doe"]</div>	<div></div>
<div>unpublished</div> <div>boolean</div> <div>Limit the result set to</div>	<div></div>



unpublished
videos.

Response

— 200

 Updated 23 days ago

[← List videos](#) [Create a video →](#)

Did this page help you?
 Yes  No