

JUMP TO CTRL-/

API OVERVIEW

- Introduction
- API Basics >
- API Lifecycle >
- Troubleshooting >

AUTHENTICATION

- Authentication overview
- API Scopes

REFERENCE OVERVIEW

- Global API parameters
- Video reference >
- Player reference >
- Playlist reference >
- Subtitle reference >

Edit a user

Ask AI ▾

POST `https://partner.api.dailymotion.com/rest/user/{PROFILE_ID}` **CREDENTIALS** **BEARER** `token`

Recent Requests

TIME	STATUS	USER
Make a request to see history.		
0 Requests This Month		

Path Params

PROFILE_ID

string

required

The unique identifier of a Dailymotion profile.

LANGUAGE

- Shell
- Node
- Ruby
- PHP
- Python

REQUEST

Examples ▾

```
$ python -m pip install requests
1 import requests
2
3 url = "https://partner.api.dailymotion.com/rest/user/PROFILE_ID"
4
5 headers = {"content-type": "application/x-www-form-urlencoded"}
6
7 response = requests.post(url, headers=headers)
8
9 print(response.text)
```



Try It!

RESPONSE

User reference	>
Reports reference	>
PARTNER ENDPOINTS (SERVER SIDE)	
Authentication	>
Upload	>
Video	>
Player	>
Playlists	>
Subtitles	>
User	▼
Retrieve a user	GET
List users	GET
Edit a user	POST
CLIENT SIDE ENDPOINTS	
Authentication	>
Upload	>
Video	>
Player	>
Playlist	>
Subtitles	>
User	>

Query Params

fields string

List of fields to return.

To add several fields, separate each value with a comma (i.e. description,username)

.

Sample of possible values:

country
description
id
language
screenname
url
username
videos_total

See the exhaustive list of possible values and their description.

Click [Try It!](#) to start a request and see the response here!

REPORTING API

Download a report POST

Create a report POST

PLAYER WEB SDK

Web SDK - Player methods

Web SDK - Player events

Web SDK - Player states

Web SDK - Player runtime parameters

PLAYER ANDROID SDK

Android SDK - Player methods

Android SDK - Player events

Android SDK - Player states

Android SDK - Player runtime parameters

PLAYER IOS SDK

iOS SDK - Player methods

iOS SDK - Player events

iOS SDK - Player states

iOS SDK - Player runtime parameters

Form Data

address

string

Postal address of this user.

Sample value: 715 5th Avenue

advanced_statistics

boolean

advanced-statistics criteria of this user.

avatar_url

string

URL of an image to change profile avatar.

Sample value: http://www.example.org

birthday

date

Birthday date of this user.

Timestamp sample value: 532652400	
city string City of residence of this user. Sample value: new york city	<input type="text"/>
country string Country of residence of this user. Allowed values are ISO 3166-1 alpha-2 country codes . Sample value: us	<input type="text"/>
cover_url string URL of this user's cover image (original size). Sample value: http://www	<input type="text"/>

<code>.example.org</code>	
description	<input type="text"/>
string	
Comprehensive description of this user.	
**Sample value: ** Hi, I'm John and I'm here to break everything!	
Min length: 1	
Max length: 2 000	
email string	<input type="text"/>
Email address of this user.	
Sample value: john.doe@provider.com	
facebook_url	<input type="text"/>
string	
Facebook profile URL of this user.	

Sample value: https://www.facebook.com/johndoe424	
first_name string First name of this user. Sample value: John Min length: 1 Max length: 150	<input type="text"/>
fullname string Full name of this user. Sample value: John Min length: 1 Max length: 50	<input type="text"/>
gender string Gender of this user. Possible values: female male other or	<input type="text"/>

prefer-not-to-answer	
<div><div>instagram_url</div><div></div></div> <div>string</div> <div>Instagram profile URL of this user.</div> <div>Sample value:</div> <div>https://www.instagram.com/johndoe424</div>	
<div><div>language</div><div></div></div> <div>string</div> <div>Language used by this user.</div> <div>Allowed values are <u>ISO-639-3 alpha-2 and alpha-3 language codes</u>.</div> <div>Sample value:</div> <div>en</div>	
<div><div>last_name</div><div></div></div> <div>string</div> <div>Last name of this user.</div> <div>Possible values:</div> <div>Doe</div>	

<div>Min length: 1</div> <div>Max length: 150</div>	
<div>screenname</div> <div>string</div> <div>Returns this user's full name or login depending on the user's preferences.</div> <div>Sample value: johndoe424</div> <div>Min length: 1</div> <div>Max length: 50</div>	<input type="text"/>
<div>username</div> <div>string</div> <div>User account credentials login.</div> <div>Sample value: johndoe424</div>	<input type="text"/>
<div>website_url</div> <div>string</div> <div>Personal website URL of this user.</div> <div>Sample</div>	<input type="text"/>

value:

https://ww
w.johndoe42
4.com

webhook_e

vents

string

Comma-
separated
list of events
to subscribe
to.

Possible
values:

video.crea
ted
video.dele
ted
video.publ
ished
video.comp
lete
video.form
at.processi
ng
video.form
at.ready
video.form
at.error
video.form
at.deleted

Guide:
[Webhooks](#)

webhook_u

rl

string

The URL that will receive webhook notifications.
Guide:
[Webhooks](#)

Response

200

Updated 23 days ago

← List users Authentica
 tion →