

JUMP TO CTRL-/

API OVERVIEW

- Introduction
- API Basics >
- API Lifecycle >
- Troubleshooting >

AUTHENTICATION

- Authentication overview
- API Scopes

REFERENCE OVERVIEW

- Global API parameters
- Video reference >
- Player reference >
- Playlist reference >
- Subtitle reference >

List my Players

Ask AI

`https://partner.api.dailymotion.com/rest/user/{PROFILE_ID}/players` CREDENTIALS BEARER

Bearer token

Recent Requests

TIME	STATUS	USER
Make a request to see history.		
0 Requests This Month		

Path Params

PROFILE_ID

string

required

The unique identifier of your Dailymotion profile.

LANGUAGE

- Shell
- Node
- Ruby
- PHP
- Python

CREDENTIALS

Bearer token

REQUEST

```
$ python -m pip install requests
1 import requests
2
3 url = "https://partner.api.dailymotion.com/rest/user/PROFILE_ID"
4
5 response = requests.get(url)
6
7 print(response.text)
```



Try It!

RESPONSE

User reference	>
Reports reference	>
PARTNER ENDPOINTS (SERVER SIDE)	
Authentication	>
Upload	>
Video	>
Player	▼
Get a Player	GET
List my Players	GET
Create a Player	POST
Edit a Player	POST
Delete a Player	DEL
Playlists	>
Subtitles	>
User	>
CLIENT SIDE ENDPOINTS	
Authentication	>
Upload	>
Video	>
Player	>
Playlist	>
Subtitles	>

Query Params

search

string

Limit the result set to this full text search.

fields string

List of fields to return.

To add several fields, separate each value with a comma (i.e. label,id)

Sample of possible values:

label
autostart
id owner
embed_html
_url
embed_scri
pt_url
lib_script
_url

See the [exhaustive list of possible](#)

Click [Try It!](#) to start a request and see the response here!

User >

REPORTING API

Download a report POST

Create a report POST

PLAYER WEB SDK

Web SDK - Player methods

Web SDK - Player events

Web SDK - Player states

Web SDK - Player runtime parameters

PLAYER ANDROID SDK

Android SDK - Player methods

Android SDK - Player events

Android SDK - Player states

Android SDK - Player runtime parameters

PLAYER IOS SDK

iOS SDK - Player methods

iOS SDK - Player events

iOS SDK - Player states

iOS SDK - Player runtime parameters

values and their description.

limit
integer
Maximum number of items to return per page.
Max 100 items per page.

page
integer
The page number to load.

Response

200

 Updated 23 days ago

← **Get a Player**

Create a Player →

Did this page help you?

 Yes  No