Dailymotion API   📖 Guides   ⚗ Recipes   <> Reference   📢 Changelog

🔍 Search   CTRL-K

JUMP TO   CTRL-/

API OVERVIEW

Introduction

API Basics   >

API Lifecycle   >

Troubleshooting   >

🔒 **AUTHENTICATION**

Authentication overview

API Scopes

REFERENCE OVERVIEW

Global API parameters

Video reference   >

Player reference   >

Playlist reference   >

Subtitle reference   >

Edit a Player

✦ Ask AI ⌄

POST https://partner.api.dailymotion.com/rest/player/{PLAYER_ID}

Recent Requests

TIME	STATUS	USE
Make a request to see history.		
0 Requests This Month		

Path Params

PLAYER_ID
string
required

The unique identifier of your Dailymotion profile.

LANGUAGE

⌖// Shell   🟢 Node   💎 Ruby   php PHP   🐍 Python   ⋮

CREDENTIALS   BEARER ⓘ

Bearer   token   🔒

REQUEST   Examples ⌄

```
$ python -m pip install requests
1 import requests
2
3 url = "https://partner.api.dailymotion.com/rest/player/PLAYER_
4
5 headers = {"content-type": "application/x-www-form-urlencoded"
6
7 response = requests.post(url, headers=headers)
8
9 print(response.text)
```

📋   Try It!

RESPONSE

Query Params

fields string ［　　　　　　　］

List of fields to return.

To add several fields, separate each value with a comma (i.e. `label,id`)

Sample of possible values:
`label` `autostart` `id` `owner` `embed_html_url` `embed_script_url` `lib_script_url`

See the [exhaustive list of possible values and their description](#).

Form Data

Click ［ Try It! ］ to start a request and see the response here!

label string

The name of
your Player.

aspect_ratio

string

Specify the
aspect ratio
of the Player.
**Possible
values:**
`16:9` `4:3`
`1:1` `3:4`
`9:16`
`inherit`

autostart

string

Control how
the Player
handles
autoplay.
**Possible
values:** `on`
`off`
`firstTimeV`
`iewable`

autoskip_after

integer

After how
many
seconds the
video is
skipped
(min: `10`).

Note: Needs to be combined with `"enable_au toskip": true` .
Sample value: `20`

color string

Change the default highlight color used in the controls.
Sample value: `00aaff`

contextual_ content_fre shness integer

Define the freshness of the content (in days) that can be selected by the contextual embed feature.
Note: Needs to be combined with `"enable_co`

```
ntextual_co
ntent":
true
```
Sample value: `1800`

---

contextual_content_source

string

Define if your contextual content should be taken from your Organization, your channel, or Dailymotion's global catalog.
Note: Needs to be combined with `"enable_contextual_content": true`
Possible values:
`channel`
`organization`
`dailymotion`

enable_ads

boolean

Whether to enable ads and associated tracking.
Default:
true

enable_ads _controls

boolean

Whether to display the Player controls during an ad.
Default:
true

enable_aut omatic_rec ommendati ons

boolean

Whether to enable automatic recommend ations.
Default:
true

enable_aut onext

boolean

Whether to
automaticall
y play the
next video
item.
Default:

`true`

---

enable_aut
oskip

boolean

Whether to
activate the
"Autoskip"
feature.
Default:

`false`

---

enable_cha
nnel_link

boolean

Whether to
activate the
link on the
channel
owner.
Default:

`true`

---

enable_clic
k_to_unmut
e

boolean

Whether to
enable the
click to

unmute
feature.
Default:
  `true`

enable_con   [   ]
textual_con
tent
boolean

Whether to
load relevant
content
based on
contextual
information
from the
embedder
page.
Default:
  `false`

enable_con   [   ]
textual_con
tent_fallbac
k
boolean

When
 `enable_con`
`textual_con`
`tent` **is**
activated:
Whether to
allow the
contextual
embed
feature to
play less
relevant

videos from your channel or other sources, to avoid displaying an empty player when content with high relevancy is not available.
Default: `true`

enable_con textual_con tent_freshn ess
boolean

When `enabl e_contextua l_content` **is activated:** Whether to activate the "Contextual content freshness" feature.
If set to `true` **:** Combine with `contextual _content_fr eshness` to define the

freshness of the content (in days).
Default:
`false`

enable_cust om_recom mendation s
boolean

Whether to enable custom recommend ations.
Default:
`false`

enable_dm_ logo
boolean

Whether to display the Dailymotion logo.
Default:
`true`

enable_eco _mode
boolean

Whether to enable **eco mode** to apply a quality limit.

Default:
`true`

enable_goo
gle_policy_
ui
boolean

When `pip`
is activated:
Whether to
activate the
UI to be
Google
policy
compliant
(e.g.: PIP
close button
outside
Player UI).
Default:
`false`

enable_info
boolean

Whether to
display the
video title
and owner
information.
Default:
`true`

enable_key
board_shor
tcuts
boolean

Whether to
enable the

keyboard
shortcuts.
Default:
  true

**enable_leg
acy_pip**
string

When
enabled,
player
displays the
legacy PiP
version

**enable_live
_offair_scre
en**
boolean

Whether to
display
streaming
status before
and after live
streaming.
Default:
  false

**enable_pai
d_partners
hip_label**
boolean

Whether to
enable the
paid
partnership
label (if the
playing

video is
flagged as
such).
Default:
`false`

**enable_play
back_contr
ols**
boolean

Whether to
display the
Player
controls
during a
video.
Default:
`true`

**enable_rece
ive_url_loca
tion**
boolean

Allow Player
to receive
full page
URL where
Player is
embedded.
Default:
`true`

**enable_shar
ing**
boolean

Whether to
enable the
sharing

button.
Default:
true

**enable_shar
ing_url_loca
tion**
boolean

Whether to
share the
location
where the
video is
embedded
(video URL
by default).
Default:
true

**enable_star
t_pip_expa
nded**
boolean

When `pip`
is `true` :
Whether to
start PiP in
expanded
mode on
mobile.
Default:
false

**enable_star
tscreen_dm
_link**
boolean

Whether to show the "Watch on Dailymotion" link on the start screen.
Default:
   true

enable_sub titles

boolean

Whether to activate the subtitles in the Player.
Default:
   true

enable_tap_ to_unmute

boolean

Whether to enable the tap to unmute feature.
Default:
   true

enable_title s_in_video_ cards

boolean

Whether to show the videos titles in the

carousel on
the end
screen.
Default:
  `true`

**enable_vide
o_title_link**

boolean

Whether to
activate the
link on the
video title.
Default:
  `true`

**enable_wait
_for_custo
m_config**

boolean

Whether to
configure
the Player to
wait for the
custom
config
object
before
starting
playback.
Default:
  `false`

**enable_wat
ch_now_car
d**

boolean

Whether to
display one
video card
after
playback.
Default:
`true`

pip string

Whether to
activate
Picture-in-
Picture
mode.
**Possible
values:**
- `instant` :
PiP launches
as soon as
the Player is
loaded.
- `on` : PiP
enabled.
- `off` : PiP
disabled.

**recommen
dations_opt
imisation**
string

Optimise
recommend
ations based
on the
selected
model.
**Possible
values:**
-

`monetizati
on` :
Recommend
s videos with
high revenue
potential.
-
 `engagement`
:
Recommend
s videos
relevant to
the initial
one, with a
focus on
content
generating
more user
interactions.
- `views` :
Recommend
s videos
relevant to
the initial
one, with a
focus on
content
generating
more views.

**wait_for_cu
stom_confi
g_delay**

integer

When `enabl
e_wait_for_
custom_conf
ig` `is` `true` :
How long to

wait before the ad request is made (min: 1s – max: 10s).
Min: `1`
Max: `10`

watermark_ image_type
string

Image type of the watermark.
Possible values:
`none` `from_chann el` `custom`

watermark_ link_type
string

Type of watermark link.
Possible values:
`none` `from_chann el` `custom`

watermark_ link_url
string

URL of the watermark

link.
**Sample
value:**
`https://ww`
`w.dailymoti`
`on.com`

Response

— 200

🕐 **Updated 1 day ago**

← **Create a Player**

Delete a Player →

Did this page help you?
👍 Yes   👎 No