

[Dailymotion API](#)[Guides](#)[Recipes](#)[Reference](#)[Changelog](#) [Search](#)

CTRL-K

[JUMP TO](#)

CTRL-I

Client credentials method

[Ask AI](#)

API OVERVIEW

[Introduction](#)[API Basics](#)[API Lifecycle](#)[Troubleshooting](#)

AUTHENTICATION

[Authentication overview](#)[API Scopes](#)

REFERENCE OVERVIEW

[Global API parameters](#)[Video reference](#)[Player reference](#)[Playlist reference](#)[Subtitle reference](#)

Grant type	Value	Public API key	Private API key
Client credentials Used for server-to-server communication or when the client acts on its own behalf: the client sends its API key and API secret directly to the token endpoint Uses partner.api.dailymotion.com endpoints	client_credentials	X	✓

 Updated about 1 month ago

[User reference](#)[Reports reference](#)

← Reports specifications and rate limiting (GraphQL)

Request access token →

PARTNER ENDPOINTS (SERVER SIDE)

[Authentication](#)[Client credentials method](#)[Request access token](#)**POST**[Get access token details](#)**GET**

Did this page help you?  Yes  No

[Cookie Policy](#) [Privacy Policy](#) [Terms of Use](#) [Legal Notices](#) © 2025 Dailymotion[Upload](#)[Video](#)[Player](#)[Playlists](#)[Subtitles](#)[User](#)

CLIENT SIDE ENDPOINTS

[Authentication](#)[Upload](#)[Video](#)[Player](#)[Playlist](#)[Subtitles](#)[User](#)

REPORTING API

Download a report 

Create a report 

PLAYER WEB SDK

Web SDK - Player methods

Web SDK - Player events

Web SDK - Player states

Web SDK - Player runtime parameters

PLAYER ANDROID SDK

Android SDK - Player methods

Android SDK - Player events

Android SDK - Player states

Android SDK - Player runtime
parameters

PLAYER IOS SDK

iOS SDK - Player methods

iOS SDK - Player events

iOS SDK - Player states

iOS SDK - Player runtime parameters