

Dailymotion API

Guides

Recipes

Reference

Changelog

Search

CTRL-K

JUMP TO

CTRL-/

API OVERVIEW

Introduction

API Basics

API Lifecycle

Troubleshooting

AUTHENTICATION

Authentication overview

API Scopes

REFERENCE OVERVIEW

Global API parameters

Video reference

Player reference

Playlist reference

Subtitle reference

Add subtitles

Ask AI ▾

LANGUAGE



Shell



Node



Ruby



PHP



Python



POST

https://partner.api.dailymotion.com/rest/video/{VIDEO_ID}/subtitles ...

BEARER ⓘ

Bearer token



Recent Requests

TIME	STATUS	USER
Make a request to see history.		
0 Requests This Month		

REQUEST

Examples ▾

```
$ python -m pip install requests
1 import requests
2
3 url = "https://partner.api.dailymotion.com/rest/video/VIDEO_ID"
4
5 payload = { "format": "SRT" }
6 headers = {"content-type": "application/x-www-form-urlencoded"}
7
8 response = requests.post(url, data=payload, headers=headers)
9
10 print(response.text)
```



Try It!

RESPONSE

User reference >

Reports reference >

PARTNER ENDPOINTS (SERVER SIDE)

Authentication >

Upload >

Video >

Player >

Playlists >

Subtitles >
 List subtitles connected to a video **GET**
 Add subtitles **POST**
 Delete subtitles **DEL**

User >

CLIENT SIDE ENDPOINTS

Authentication >

Upload >

Video >

Player >

Playlist >

Subtitles >

User >

Add subtitles

Query Params**fields** string

List of fields to return.

Possible**values:**format id
item_type
language
language_1
label and
url .

Learn more

about

[available](#)[fields values](#).Click **Try It!** to start a request and see the response here!**Form Data****url** string**required**

URL pointing to the subtitle file in one of the valid formats.

- You don't need to host the file, you can use the **GET**

REPORTING API

Download a report

POST

Create a report

POST**PLAYER WEB SDK**

Web SDK - Player methods

Web SDK - Player events

Web SDK - Player states

Web SDK - Player runtime parameters

PLAYER ANDROID SDK

Android SDK - Player methods

Android SDK - Player events

Android SDK - Player states

Android SDK - Player runtime parameters

PLAYER IOS SDK

iOS SDK - Player methods

iOS SDK - Player events

iOS SDK - Player states

iOS SDK - Player runtime parameters

/file/upload
ressource to
create a temporary URL
to a file of your own,
just like when you upload
a video source file.

- If you host your own file, the file will be fetched and the subtitles URL will point to a local copy.

language

string

required

Language of the added subtitles.
Allowed

values are
ISO-639-3
alpha-2 and
alpha-3
language
codes.Ex:
en

format
string
required
Defaults to SRT
Data format
SRT only is
supported, if
you have an
other format
please
convert it to
SRT.

Response

— 200

⌚ Updated 23 days ago

← **List subtitles connected to a video** **Delete subtitles** →

Did this page help you?

 Yes  No