
College Question Paper

Subject: Essentials of Web Technologies

Semester: 5 | Academic Year: 2026-27 | Regulation: R23

SET-I

Descriptive Questions

1. (6 marks)

Discuss AngularJS form submission process.

2. (6 marks)

Explain regular expressions in JavaScript with suitable examples.

3. (6 marks)

Explain JavaScript operators with suitable examples.

4. (6 marks)

Explain the features and advantages of JavaScript.

5. (12 marks)

Compare Inline, Internal and External CSS. Discuss their advantages, disadvantages and suitable applications.

6. (12 marks)

Design a responsive webpage using HTML5 and CSS incorporating the Box Model, selectors and multiple style sheets.

Objective Questions

1. Which loop executes at least once?

- A. for
- B. while
- C. do..while
- D. foreach

2. Which CSS has the highest priority?

- A. External CSS
- B. Internal CSS
- C. Browser Default
- D. Inline CSS

3. Which CSS selector selects elements with a specific class?

- A. #
- B. .
- C. *
- D. @

4. Which directive attaches a controller to HTML?

- A. ng-controller
- B. ng-app
- C. ng-init
- D. ng-click

5. AngularJS supports _____ data binding.

- A. One-way
- B. Two-way
- C. Three-way
- D. No binding

6. Which HTML tag defines the root element of an HTML document?

- A. <head>
- B. <body>
- C. <html>
- D. <title>

7. Which directive binds input values?

- A. ng-bind
- B. ng-model
- C. ng-view
- D. ng-repeat

8. AngularJS expressions are enclosed within

- A. ()
- B. []
- C. { { } }
- D. < >

9. Which operator checks both value and data type?

- A. ==
- B. =
- C. ===
- D. !=

10. Which statement is used for decision making?

- A. for
- B. while
- C. if
- D. break

SET-II

Descriptive Questions

1. (6 marks)

Explain the CSS Box Model with a neat diagram.

2. (6 marks)

Analyze the importance of regular expressions in client-side validation.

3. (6 marks)

Illustrate two-way data binding in AngularJS.

4. (6 marks)

Explain AngularJS directives used in form validation.

5. (12 marks)

Design a complete student registration form using HTML5 incorporating various input controls, validation attributes and semantic elements.

6. (12 marks)

Compare primitive data types and objects in JavaScript with suitable examples.

Objective Questions

1. Which HTML5 element is used to represent independent, self-contained content?

- A. <section>
- B. <article>
- C. <header>
- D. <footer>

2. Which HTML tag is used to create a table row?

- A. <td>
- B. <table>
- C. <tr>
- D. <th>

3. Which keyword is used to create an object?

- A. object
- B. class
- C. new
- D. create

4. Which directive is used for form validation?

- A. ng-model
- B. ng-required
- C. ng-disabled
- D. ng-options

5. AngularJS is developed by

- A. Microsoft
- B. Oracle
- C. Google
- D. IBM

6. Which tag is used to insert an image into a webpage?

- A. <picture>
- B. <image>
- C.
- D. <src>

7. Which property defines the space outside the border?

- A. padding
- B. border
- C. margin
- D. outline

8. Which method removes the last array element?

- A. shift()
- B. pop()
- C. splice()
- D. delete()

9. Which directive initializes an AngularJS application?

- A. ng-start
- B. ng-app
- C. ng-init
- D. ng-controller

10. Which directive handles button click events?

- A. ng-click
- B. ng-change
- C. ng-submit
- D. ng-focus