SPECIAL MOTOR VEHICLE PERMIT

Washington State
Department of Transportation

Oversize/Overweight Self-Issue 01/02/2018 **Permit Number:** 002634458 **Expires:** 01/04/2018 **Start:** Office: Self Issuer Self Issuer **Order #:** 1277443 12/29/2017 1:50 PM **Original Permit #: Issued:** Report #: **Total Fee: Company Name:** ROYAL FARMS TRANSPORT INC 10.00 Credit Address: P O BOX 393 24 2nd ST S **WISHEK** ND 58495 **Power Unit No: 29 Power Unit Axles:** 41 Miles: License: **Trailer Unit Axles:** KM: 2126P 66 VIN: 3HSDJAPR0GN220126 Lic State: ND 2016 Make: International Year: Load/Transportation Item: LAND DOLL DISK Note: This is a One-Way Single Trip Permit authorizing to move an item one-way only. From: ID To: CHENEY **Routing:** Refer To Following Page(s). **Max Weights** LB KG Max Dimensions **Feet Meters** Gross Width 12ft 2' 3.7084 Legal Height 13ft 6" 4.1148 **Excess Gross Overall Length** Not Applicable Not Applicable Trlr/Load Length **Gross Axle** 53ft 0' 16.1544

Special Conditions:

Legal Axle

Excess Axle

** OVERSIZE LOAD SIGNS REQUIRED (EXCEPT THOSE EXEMPTED PER WAC 468-38-075) ** FORM 560-002 ATTACHED.
**APPROVED PERMIT ROUTE DOES NOT GUARANTEE HEIGHT CLEARANCES ** CERTAIN OVERLENGTH REQUIREMENTS ARE EXEMPTED PER WAC 468-38-075. ** IF TRAVELING ON CITY OR COUNTY STREETS, LOCAL APPROVAL MUST BE OBTAINED. ** REFER TO FORM 560-002 FOR ESCORT CAR REQUIREMENTS. ** CARRY PERMIT IN VEHICLE AT ALL TIMES. Carrier MUST Check website: www.wsdot.wa.gov/commercialvehicle/ prior to movement for any revised restrictions/conditions and overheight clearances. All Oversize/Overweight permitted vehicles must stop at all open weigh stations, regardless of the transponder signal. A driver is responsible to ensure that any watercraft or other equipment is free of aquatic invasive species prior to entering Washington State. Call 1-877-933-9847 if you have questions.

Front Overhang

Rear Overhang

1ft 1"

0.3302

READ THIS BEFORE SIGNING

The undersigned permittee acknowledges that he or she has read and understands the permit and the associated attachments in their entirety and agrees to comply with these documents. The undersigned permittee acknowledges that the permit has been issued with the specific understanding that all applicable Washington State Laws, Administrative Codes, regulations and conditions will be complied with and that the information contained herein is true and correct. The undersigned permittee must contact local jurisdictions when not operating on state highways.

conditions will be complied with and that the information contained contact local jurisdictions when not operating on state highways.	i herein is true and correct.	The undersigned permittee mus
As the permittee I acknowledge that I am responsible for verifying reSIGNED $$ X	strictions and overhead clear	rances prior to travel.
PERMIT NOT VALID UNLESS SIGNED BY PERMITTEE For failure to obtain, misrepresentation, or violation of special suspension of permit without refund.		IAL PERMITS - PENALTY : s for a fine, confiscation and

SPECIAL MOTOR VEHICLE OVERSIZE/OVERWEIGHT PERMIT



Permit Number 002634458

ATTACHMENT

Start Date 1/2/2018

ROUTE FOR THIS PERMIT

Expire Date 1/4/2018

It is the responsibility of the permit applicant to check, or prerun, their proposed route to provide for safe maneuvers around any restrictions as necessary.

Route Nbr	MP From	MP To
со	0.00	5.00
90	299.82	270.55
904	16.96	10.00

Restriction Comment - *WSDOT Does Not Guarantee Height Clearances*

County/City Roads (requires local jurisdiction approval)

Permit for indicated route is approved: Permit holder is responsible for verifying restrictions and overhead clearances prior to travel

Permit for indicated route is approved: Permit holder is responsible for verifying restrictions and overhead clearances prior to travel

Means County Road - Does not need to be pulled on Permit tool, as they will be auto included once the user inputs the starting or ending destination in the state of WA.

The Only Two Roads used here are 90 & 904 - Wondering if we need to create a database of which are Interstate Routes, which are US Highways and so on.

^{**}Based on your permitted route and dimensions, vertical clearance information for state road overcrossings along your route is displayed below which you need to be aware of to safely move your load. The permit holders must be aware that there may be other restrictions, not listed below, that will need to be taken into account to ensure the safe movement of the load.



Special Motor Vehicle Permit Regulations and Conditions

A signed permit must be carried in the power unit at all times.

Pilot/Escort Vehicle Requirements

A pilot/escort vehicle and operator must comply with the requirements of WAC 468-38-100 Escort vehicle requirements. Pilots/Escort vehicles are required when:

- Vehicle(s) or load exceeds 11 feet in width; escort vehicles (both front and rear) are required on all two-lane highways.
- 2. Vehicle(s) or load exceeds 14 feet wide; one rear escort vehicle is required on multiple-lane highways.
- 3. Trailor length including load exceeds 105 ft., of a tractor/traileer combination, requires a rear escort vehicle on all two-lane highways.
- 4. Trailer length including load exceeds 125 ft., of a tractor/trailer combinatio, requires a rear escort vehicle on multiple-lane highways.
- Rear overhang of a tractor/trailer or truck/trailer combination exceeds 1/3 of the trailer length including load, requires one rear escort vehicle on two-lane highways.
- Rear overhang exceeds 20 feet on a single unit vehicle, requires one rear escort vehicle on twolane highways.
- 7. Loads exceed 14 feet and 6 inches high, one escort vehicle is required in front equipped with a height pole. Manufactured housing requires front escort with height pole when exceeding 15 feet in height. The Department does not guarantee height clearances; therefore, on any route where the height is in question, a front escort vehicle equipped with a height pole should be used.
- 8. The vehicle(s) or load exceeds twelve feet in width on a multilane highway and has a height that requires a front pilot/escort vehicle: One rear pilot/escort vehicle is required.
- 9. In the opinion of the Department of Transportation, escort vehicles are necessary to protect the traveling public, for any overdimensional and/or overweight move, either across, upon, or along a highway. Holidays and Related Times on which Permit Movements are Prohibited (WAC 468 -38-175) Overweight vehicles that cannot maintain the speed of the surrounding traffic flow, and all over dimensional vehicles/loads are prohibited on the holidays of New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, day after Thanksgiving Day, Christmas Day, and during the afternoon of the day preceding said holidays.

Nighttime Movements (WAC 468-38-075)

A vehicle or vehicle combinations not exceeding the defined envelope of 12 feet wide, 14 feet 6 inches high and 105 feet long, including legal overhang(s), may move at night. A vehicle or vehicle combination which exceeds the defined envelope may also be permitted to move at night on state highways subject to Department preferred hours/routes of travel, and must have "Nighttime movement approved" stated on permits. All night moves must comply with published curfew restrictions. Night means one-half hour after sunset to one-half hour before sunrise. Vehicle and load must have proper lighting (49 CFR 393.11).

Winter Road Restrictions

Movement by permit is prohibited in areas where any of the following signs are displayed: "TRACTION ADVISORY OVERSIZE VEHICLES PROHIBITED", VEHICLES OVER 10,000GVWR CHAINS REQUIRED", and "ALL VEHICLES CHAINS REQUIRED EXCEPT ALL-WHEEL DRIVE" except as specified in WAC 468-38-075.

Railroad Crossing Emergencies

Call 1-888-877-7267

Other Regulations relating to the movement of permitted loads are printed in Chapter 468-38 WAC (Washington Administrative Code).

THE USE OF COUNTY ROADS OR CITY STREETS is

subject to approval by the jurisdiction that maintains those roadways. This permit from the State of Washington does not authorize the use of roadways under local jurisdiction.

Commuter Curfew Hours (see page 2)
Warning: Rules are subject to change. Holders
of extended permits (monthly, annual) are
subject to current rule. Rules, as described
herein, should be periodically reviewed for
updates to insure compliance.

Commuter Curfew Hours: (Monday through Friday only)
Vehicles operating under a Special Motor Vehicle Permit that are required to display "Oversize Load" signs are restricted from the following areas during the listed times (table). Exception: Vehicles with over dimension in width only and do not exceed the width limits of the table are not subject to curfew hours. Over weight is not a factor in this restriction unless the vehicle cannot maintain the speed of surrounding traffic.

Vicinity	SR	Direction	Mile Post	Location and Boundaries	Hours (M-F)	Width
Seattle -	2	EB	0 - 2.42	I-5 to SR 204	3-7 PM	9'
Everett		WB	2.42 - 0		6-9 AM	9'
	5	NB	127.48 - 155.94	SR 512 to SR 599	6-9 AM, 3-6 PM	10'
		SB	155.94 - 127.48		3-6 PM	10'
		NB	155.94 - 174.58	SR 599 to SR 523	6-9 AM, 3-6 PM	9'
		SB	174.58 - 155.94		6-9 AM, 3-6 PM	9'
		NB	174.58 - 199.11	SR 523 to SR 528	3-6 PM	10'
		SB	199.11 - 174.58		6-9 AM, 3-6 PM	10'
		NB	199.11 - 206.08	SR 528 to SR 531	4-6 PM	10'
		SB	206.08 - 199.11		7-9 AM, 4-6 PM	10'
	18	EB	.01 - 4.15	I-5 to SR 164	6-9 AM, 3-7 PM	10'
		WB	4.1501		6-9 AM, 3-7 PM	10'
		EB	4.15 - 11.38	SR 164 to SR 516	6:30-8:30 AM, 3-7 PM	10'
		WB	11.38 - 4.15		6-9 AM, 3-7 PM	10'
	90	EB	2.54 - 9.93	I-5 to I-405	6-9 AM, 3-7 PM	10'
		WB	9.93 - 2.54		6-9 AM, 3-7 PM	10'
		EB	9.93 - 18.36	I-405 to Sunset I/C	3-7 PM	10'
		WB	18.36 - 9.93		6-9 AM, 3-7 PM	10'
	167	NB	5.98 - 14.33	SR 512 to SR 18	6-9 AM	10'
		SB	14.33 - 5.98		3-7 PM	10'
		NB	14.33 - 26.29	SR 18 to I-405	6-9 AM, 3-7 PM	10'
		SB	26.29 - 14.33		3-7 PM	10'
	405	NB	0 - 30.32	Entire Route	6-9 AM, 3-7 PM	10'
		SB	30.32 - 0		6-9 AM, 3-7 PM	10'
	518	EB	0 - 3.81	SR 509 to I-5	6-9 AM, 3-7 PM	10'
		WB	3.81 - 0		6-9 AM, 3-7 PM	10'
	522	EB	11.10 - 14.09	I-405 to SR 9	3-7 PM	10'
		WB	14.09 - 11.10		6-9 AM	10'
Tacoma	5	NB	118 - 127.48	Exit 118 to SR 512	6:30-8:30 AM, 4-6 PM	10'
		SB	127.48 - 118		6:30-8:30 AM, 4-6 PM	10'
	16	EB	10.28 - 0	I-5 to Olympic Drive	6-9 AM	10'
		WB	0 - 10.28		3-7 PM	10'
	512	EB	0 - 8.74	I-5 to SR 161	3-7 PM	10'
		WB	8.74 - 0		7-9 AM, 3-7 PM	10'
		EB	8.74 - 12.06	SR 161 to SR 167	3-7 PM	10'
		WB	12.06 - 8.74		3-7 PM	10'
Olympia	5	NB	99 - 109	Exit 99 to Exit 109	4-6 PM	10'
		SB	109 - 99		4-6 PM	10'
Vancouver	5	NB	0 - 7.48	Oregon to I-205	3-6 PM	10'
	-005	SB	7.48 - 0	10 15	6-9 AM	10'
	205	NB	26.59 – 37.16	Oregon to I-5	4-7 PM	10'
1.7	400	SB	37.16 - 26.59	I-5 to Oregon	6-9 AM	10'
Kelso	433	NB	.94 - 0	Lewis and Clark Bridge	6-9 AM, 3-7 PM	10'
Chalcara	00	SB	094	Madically to liberty lie 7.	6-9 AM, 3-7 PM	10'
Spokane	90	EB	272.66 - 295.73	Medical Lk. to Liberty Lk. Exit	6-9 AM, 3-7 PM	11'2"
		WB	296.64 - 272.96	Liberty Lk. to Medical Lk. Exit	6-9 AM, 3-7 PM	11'2"