Whoops, looks like something went wrong.

3/3 ErrorException in 4fef2789fc9d7c22408ff8caf12ab79e9bbb315c.php line 63:

Trying to get property of non-object (View: C:\xampp\htdocs\pasighat\resources\views\layouts\adminPanelTable.blade.php) (View: C:\xampp\htdocs\pasighat\resources\views\layouts\adminPanelTable.blade.php)

- 1. in 4fef2789fc9d7c22408ff8caf12ab79e9bbb315c.php line 63
- $2. \ \ at \ \underline{CompilerEngine} -> handle View Exception (\textit{object}(\underline{ErrorException}), \ '1') \ in \ Php Engine. php \ line \ 44$
- 4. at CompilerEngine->get('C:\xampp\htdocs\pasighat\resources\views/admin/homeMenu/generalNotice/generalNotice.blade.php', object(Factory">array("_env" => object(Factory), 'app' => object(Application), 'errors' => object(ViewErrorBaq), 'general_notice' => object(Collection)))) in View.php line 149
- 5. at <u>View</u>->getContents() in View.php line 120
- 6. at View->renderContents() in View.php line 85
- 7. at View->render() in Response.php line 45
- 8. at $\underline{Response} \operatorname{\gt{->setContent}}(object(\underline{View})) \text{ in Response.php line 201}$
- 9. at \to_construct(object(View">\to_i)) in Router.php line 1028
- 10. at Router->prepareResponse(object(Request), object(View)) in Router.php line 653
- $11. \ \ \text{at} \ \underline{\text{Router}}{>} \text{Illuminate} \\ \text{Routing} \\ \text{(} \textit{object}(\underline{\text{Request}})\text{) in Pipeline.php line 53}$
- 13. at SubstituteBindings->handle(object(Request), object(Closure)) in Pipeline.php line 137
- 14. at Pipeline | Closure | (object(Request)) in Pipeline.php line 33
- 15. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in VerifyCsrfToken.php line 65
- 16. at VerifyCsrfToken->handle(object(Request), object(Closure)) in Pipeline.php line 137
- 17. at Pipeline (object(Request)) in Pipeline.php line 33
- $18. \ \ at \ \underline{Pipeline}{-} > Illuminate \setminus Routing \setminus \{closure\} (object (\underline{Request})) \ in \ Share Errors From Session. php \ line \ 49$
- 19. at ShareErrorsFromSession->handle(object(Request), object(Closure)) in Pipeline.php line 137
- 20. at Pipeline | Closure | (object (Request)) in Pipeline.php line 33
- 21. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in StartSession.php line 64
- 22. at StartSession->handle(object(Request), object(Closure)) in Pipeline.php line 137
- 23. at $\underline{\text{Pipeline}}{->}\text{Illuminate}\\\\\text{Pipeline}\\\\\text{(}\textit{object}\\\\\underline{\text{(}\textit{nequest)}\text{)}}\text{ in Pipeline.php line 33}$
- 24. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in AddQueuedCookiesToResponse.php line 37
- $25. \ \ at \ \underline{AddQueuedCookiesToResponse} \\ > handle (object(\underline{Request}), \ object(\underline{Closure})) \ in \ Pipeline.php \ line \ 137 \ and \ Pipeline.php \ Pipeline.ph$
- 26. at $\underline{\text{Pipeline}}\text{->Illuminate}\\\text{Pipeline}\\\{\text{closure}\}\\(\text{object}\\(\underline{\text{Request}}))\text{ in Pipeline.php line 33}$
- 27. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in EncryptCookies.php line 59
- 28. at EncryptCookies->handle(object(Request), object(Closure)) in Pipeline.php line 137
- 29. at Pipeline | (object(Request)) in Pipeline.php line 33
- 30. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in Pipeline.php line 104
- 31. at Pipeline->then(object(Closure)) in Router.php line 655
- 32. at Router->runRouteWithinStack(object(Route), object(Request)) in Router.php line 629
- 33. at \underline{Router} ->dispatchToRoute($object(\underline{Request})$) in Router.php line 607
- 34. at Router->dispatch(object(Request)) in Kernel.php line 268
- 35. at $\underline{\text{Kernel->Illuminate}}(\text{closure})$ in Pipeline.php line 53
- $36. \ \ at \ \underline{Pipeline} > Illuminate \setminus Routing \setminus \{closure\} (object (\underline{Request})) \ in \ CheckFor Maintenance Mode. php \ line \ 46$
- $37. \ \ at \ \underline{CheckForMaintenanceMode}{-} > handle (\textit{object}(\underline{Request}), \textit{object}(\underline{Closure})) \ in \ Pipeline.php \ line \ 137 \ \ at \ \underline{CheckForMaintenanceMode}{-} > handle (\textit{object}(\underline{Request}), \textit{object}(\underline{Closure})) \ in \ Pipeline.php \ line \ 137 \ \ at \ \underline{CheckForMaintenanceMode}{-} > handle (\textit{object}(\underline{Request}), \textit{object}(\underline{Closure})) \ in \ Pipeline.php \ line \ 137 \ \ at \ \underline{CheckForMaintenanceMode}{-} > handle (\textit{object}(\underline{Request}), \textit{object}(\underline{Closure})) \ in \ \underline{CheckForMaintenanceMode}{-} > handle (\textit{object}(\underline{Request}), \textit{object}(\underline{Closure})) \ in \ \underline{CheckForMaintenanceMode}{-} > handle (\textit{object}(\underline{Closure}), \textit{object}(\underline{Closure})) \ in \ \underline{CheckForMaintenanceMode}{-} > handle (\textit{object}(\underline{Closure})) \ i$
- 38. at Pipeline (object(Request)) in Pipeline.php line 33
- 39. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in Pipeline.php line 104
- 40. at $\underline{\text{Pipeline}}\text{->}\text{then}(object(\underline{\text{Closure}}))$ in Kernel.php line 150
- 41. at Kernel->sendRequestThroughRouter(object(Request)) in Kernel.php line 117
- 42. at Kernel->handle(object(Request)) in index.php line 54
- 2/3 ErrorException in 4fef2789fc9d7c22408ff8caf12ab79e9bbb315c.php line 63:

Trying to get property of non-object (View: C:\xampp\htdocs\pasighat\resources\views\layouts\adminPanelTable.blade.php)

- $1. \ \ in\ 4 fef 2789 fc 9 d7c 22408 ff 8 caf 12 ab 79e 9bbb 315c. php\ line\ 63$
- 2. at CompilerEngine->handleViewException(object(ErrorException), '2') in PhpEngine.php line 44
- 3. at https://examps/htdocs/pasighat/storage/framework/views/4fef2789fc9d7c22408ff8caf12ab79e9bbb315c.php, array('__env' => object(Factory), 'app' => object(Application), 'errors' => object(ViewErrorBag), 'obLevel' => '1', 'general_notice' => object(Collection), '__currentLoopData' => object(Collection), 'item' => object(GeneralNoticeConnector), 'loop' => null')) in CompilerEngine.php line 59
- 4. at CompilerEngine Sect('C:\xampp\htdocs\pasighat\resources\views/layouts/adminPanelTable.blade.php">Sect('Collection), 'app' Object(Application), 'errors' Sectory), 'obLevel' Sectory), 'general_notice' Sectory), 'igeneral_notice' Sector

- 5. at <u>View</u>->getContents() in View.php line 120 6. at View->renderContents() in View.php line 85
- 7. at View->render() in a08b04cb39a287150df9561d8b431b23ce0747c1.php line 118
- 8. at include('C:\xampp\htdocs\pasighat\storage\framework\views\a08b04cb39a287150df9561d8b431b23ce0747c1.php') in PhpEngine.php line 42
- 9. at PhpEngine->evaluatePath('C:\xampp\htdocs\pasighat\storage\framework\views/a08b04cb39a287150df9561d8b431b23ce0747c1.php', array('__env' => object(Factory), 'app' => object(Application), 'errors' => object(ViewErrorBag), 'general_notice' => object(Collection))) in CompilerEngine.php line 59
- => object(<u>Factory</u>), 'app' => object(<u>Application</u>), 'errors' => object(<u>ViewErrorBag</u>), 'general_notice' => object(<u>Collection</u>))) in View.php line 149
- 11. at <u>View</u>->getContents() in View.php line 120
- 12. at View->renderContents() in View.php line 85
- 13. at View->render() in Response.php line 45
- 14. at Response->setContent(object(View)) in Response.php line 201
- 15. at Response->__construct(object(View)) in Router.php line 1028
- 16. at Router->prepareResponse(object(Request), object(View)) in Router.php line 653
- 17. at Router | Router | Router | Router | Illuminate | Routing | Router | Router
- 18. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in SubstituteBindings.php line 41
- 19. at <u>SubstituteBindings</u>->handle(object(<u>Request</u>), object(<u>Closure</u>)) in Pipeline.php line 137
- 20. at Pipeline | Pipeline | Pip
- 21. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in VerifyCsrfToken.php line 65
- 22. at VerifyCsrfToken->handle(object(Request), object(Closure)) in Pipeline.php line 137
- 23. at Pipeline | Closure | (object (Request)) in Pipeline.php line 33
- 24. at Pipeline->Illuminate\Routing\(closure\)(object(Request)) in ShareErrorsFromSession.php line 49
- $25. \ \ \text{at} \ \underline{ShareErrorsFromSession} \\ \text{handle} (object(\underline{Request}), \ object(\underline{Closure})) \ \text{in} \ Pipeline.php \ line} \ 137$
- 26. at Pipeline (object(Reguest)) in Pipeline.php line 33
- 27. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in StartSession.php line 64
- 28. at <u>StartSession</u>->handle(object(<u>Request</u>), object(<u>Closure</u>)) in Pipeline.php line 137
- 29. at $\underline{Pipeline} \sim Pipeline \land (closure) \land (object(\underline{Request})) \ in \ Pipeline. php \ line \ 33$
- 30. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in AddQueuedCookiesToResponse.php line 37
- 31. at AddQueuedCookiesToResponse->handle(object(Request), object(Closure)) in Pipeline.php line 137
- 32. at Pipeline (closure)(object(Request)) in Pipeline.php line 33
- 33. at $\underline{Pipeline}{->}Illuminate\\Routing\\\{closure\}(object(\underline{Request})) \ in \ EncryptCookies.php \ line \ 59$
- 34. at EncryptCookies->handle(object(Request), object(Closure)) in Pipeline.php line 137
- 35. at Pipeline | Closure | (Object (Request)) in Pipeline.php line 33
- $36. \ \ \text{at} \ \underline{\text{Pipeline-}} \\ \text{Illuminate} \\ \text{Routing} \\ \text{(} \textit{object} \\ \text{(} \underline{\text{Request}} \\ \text{)}) \ \text{in} \ \text{Pipeline.php line 104} \\$
- 37. at Pipeline->then(object(Closure)) in Router.php line 655
- 38. at Router->runRouteWithinStack(object(Route), object(Request)) in Router.php line 629
- 39. at Router->dispatchToRoute(object(Request)) in Router.php line 607
- 40. at Router->dispatch(object(Request)) in Kernel.php line 268
- 41. at Kernel->Illuminate\Foundation\Http\{closure}(object(Request)) in Pipeline.php line 53
- 42. at Pipeline | Silluminate | Routing | (closure) (object (Request)) in CheckForMaintenanceMode.php line 46
- 43. at Closure) in Pipeline.php line 137
- 44. at Pipeline | Pipeline | Pip
- 45. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in Pipeline.php line 104
- 46. at Pipeline->then(object(Closure)) in Kernel.php line 150
- 47. at Kernel->sendRequestThroughRouter(object(Request)) in Kernel.php line 117
- 48. at Kernel->handle(object(Request)) in index.php line 54

Error Exception in 4fef2789fc9d7c22408ff8caf12ab79e9bbb315c.php line 63: 1/3

Trying to get property of non-object

- 1. in 4fef2789fc9d7c22408ff8caf12ab79e9bbb315c.php line 63
- 2. at HandleExceptions->handleError('8', 'Trying to get property of non-object', $\label{lem:controller} $$ 'C: \mathbb{R}^{2} + \mathbb$ object(Factory), 'app' => object(Application), 'errors' => object(ViewErrorBag), 'obLevel' => '1', 'general_notice' => object(Collection), 'currentLoopData' => object(Collection), 'item' => object(GeneralNoticeConnector), 'loop' => null), 'obLevel' => '2', __env' => object(Factory), 'app' => object(Application), 'errors' => object(ViewErrorBag), 'general_notice' => object(Collection), '_currentLoopData' object(Collection), 'item' => object(GeneralNoticeConnector), 'loop' => null)) in 4fef2789fc9d7c22408ff8caf12ab79e9bbb315c.php line 63 currentLoopData' =>
- 3. at include('C:\xampp\htdocs\pasighat\storage\framework\views\4fef2789fc9d7c22408ff8caf12ab79e9bbb315c.php') in PhpEngine.php line 42
- $4. \quad at \ \underline{PhpEngine}\ -> evaluatePath ('C:\xampp\htdocs\pasighat\storage\framework\views/4fef2789fc9d7c22408ff8caf12ab79e9bbb315c.php', and the property of the property o$ array('__env' => object(Factory), 'app' => object(Application), 'errors' => object(ViewErrorBag), 'obLevel' => '1', 'general_notice' => object(Collection), '__currentLoopData' => object(Collection), 'item' => object(GeneralNoticeConnector), 'loop' => null')) in CompilerEngine.php
- 5. at CompilerEngine > get('C:\xampp\htdocs\pasighat\resources\views/layouts/adminPanelTable.blade.php', object(Factory">env' => object(Factory), object(Collection">env' => object(Collection), object(Collection")">env' => object(Collection), object(Collection")">env' => object(Collection), object(Collection")">env' => object(Collection</a
- 6. at View->getContents() in View.php line 120
- 7. at <u>View</u>->renderContents() in View.php line 85
- 8. at View->render() in a08b04cb39a287150df9561d8b431b23ce0747c1.php line 118
- $9. \ \ at include ('C:\times hampp\htdocs\pasighat\storage\framework\views\a08b04cb39a287150df9561d8b431b23ce0747c1.php') in PhpEngine.php line 42 and the ph$
- $10. \ \ at \ \underline{\underline{PhpEngine}}{>} evaluate Path ('C: \xampp \tdocs \pasighat \storage \framework \views/a08b04cb39a287150df9561d8b431b23ce0747c1.php', and applied to the path of the path$ array('_env' => object(Factory), 'app' => object(Application), 'errors' => object(ViewErrorBag), 'general_notice' => object(Collection))) in CompilerEngine.php line 59

- 11. at CompilerEngine Set('C:\xampp\htdocs\pasighat\resources\views/admin/homeMenu/generalNotice/generalNotice.blade.php', array('__env' => object(Factory), 'app' => object(Application), 'errors' => object(ViewErrorBag), 'general_notice' => object(Collection))) in View.php line 149
- 12. at View->getContents() in View.php line 120
- 13. at View->renderContents() in View.php line 85
- 14. at <u>View</u>->render() in Response.php line 45
- 15. at Response->setContent(object(View)) in Response.php line 201
- 16. at Response->__construct(object(View)) in Router.php line 1028
- 17. at Router->prepareResponse(object(Request), object(View)) in Router.php line 653
- 18. at Router->Illuminate (closure)(object(Request)) in Pipeline.php line 53
- 19. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in SubstituteBindings.php line 41
- $20. \ \ \text{at} \ \underline{SubstituteBindings-} > \text{handle}(\underline{object(\underline{Request})}, \ \underline{object(\underline{Closure})}) \ \text{in} \ Pipeline.php \ line} \ 137$
- 21. at Pipeline | Closure | (Object (Request)) in Pipeline.php line 33
- 23. at VerifyCsrfToken->handle(object(Request), object(Closure)) in Pipeline.php line 137
- 24. at $\underline{Pipeline}$ ->Illuminate\Pipeline\{closure}(object($\underline{Reguest}$)) in Pipeline.php line 33
- 25. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in ShareErrorsFromSession.php line 49
- 26. at handle(object(Request)">handle(object(Request), object(Closure)) in Pipeline.php line 137
- 27. at $\underline{\text{Pipeline}}$ ->Illuminate\Pipeline\{closure}(object($\underline{\text{Request}}$)) in Pipeline.php line 33
- 28. at Pipeline->Illuminate\Routing\(closure\) (object(Request)) in StartSession.php line 64
- 29. at <u>StartSession</u>->handle(object(<u>Request</u>), object(<u>Closure</u>)) in Pipeline.php line 137
- 30. at $\underline{Pipeline}$ ->Illuminate\Pipeline\{closure}(object($\underline{Request}$)) in Pipeline.php line 33
- 31. at Pipeline->Illuminate\Routing\{closure\}(object(Request)) in AddQueuedCookiesToResponse.php line 37
- 32. at AddQueuedCookiesToResponse->handle(object(Request), object(Closure)) in Pipeline.php line 137
- 33. at Illuminate\Pipeline\{closure}">Pipeline->Illuminate\Pipeline\{closure} (object(Request)) in Pipeline.php line 33
- 34. at Pipeline->Illuminate\Routing\{closure}(object(Request)) in EncryptCookies.php line 59
- 35. at EncryptCookies->handle(object(Request), object(Closure)) in Pipeline.php line 137
- 36. at Pipeline | Closure | (object (Request)) in Pipeline.php line 33
- 37. at Pipeline->Illuminate\Routing\(closure\)(object(Request)) in Pipeline.php line 104
- 38. at Pipeline->then(object(Closure)) in Router.php line 655
- 39. at Router->runRouteWithinStack(object(Route), object(Request)) in Router.php line 629
- 40. at Router->dispatchToRoute(object(Request)) in Router.php line 607
- 41. at Router->dispatch(object(Request)) in Kernel.php line 268
- 42. at $\underline{\text{Kernel}} \rightarrow \text{Illuminate} \rightarrow \text{Foundation} + \text{Http} \in \text{Gosure}$ in Pipeline.php line 53
- 43. at Pipeline-Illuminate\Routing\(closure\)(object(Request)) in CheckForMaintenanceMode.php line 46
- 44. at CheckForMaintenanceMode->handle(object(Request), object(Closure)) in Pipeline.php line 137
- 45. at $\underline{\text{Pipeline}}$ ->Illuminate\Pipeline\{closure}(object($\underline{\text{Reguest}}$)) in Pipeline.php line 33
- 46. at $\underline{Pipeline}$ ->Illuminate\Routing\{closure}(object($\underline{Request}$)) in Pipeline.php line 104
- 47. at Pipeline->then(object(Closure)) in Kernel.php line 150
- 48. at <u>Kernel</u>->sendRequestThroughRouter(object(<u>Request</u>)) in Kernel.php line 117
- 49. at Kernel->handle(object(Request)) in index.php line 54