Supplementary Material for "Rule Mining for Local Boundary Detection in Melodies"

Peter van Kranenburg peter.van.kranenburg@meertens.knaw.nl

This is supplementary material for: P. van Kranenburg (2020). Rule Mining for Local Boundary Detection in Melodies. *Proceedings of the 21st International Society for Music Information Retrieval Conference*, Montréal, Canada.

Contents

1 Features				
	1.1	Elementary Pitch Features	1	
	1.2	Elementary Rhythm Features	4	
	1.3	Elementary Lyric Features	5	
	1.4	Features from Previous Models	6	
	1.5	Features related to the Ground Truth	7	
2 Discovered Rule Sets				
	2.1	MTC – Elementary Pitch and Rhythm (El. NoLyr)	8	
	2.2	MTC – All Features (All)		
	2.3		11	
	2.4		13	
	2.5	CHOR – Elementary Pitch and Rhythm (El. NoLyr)	15	
	2.6		16	
3	3 Examples			
	3.1	MTC – Elementary Pitch and Rhythm (El. NoLyr)	17	
	3.2	EFSC – Elementary Pitch and Rhythm (El. NoLyr)		
	3.3	CHOR – Elementary Pitch and Rhythm (El. NoLyr)		

1 Features

Each feature describes a property of a 5-gram consisting of five consecutive notes from a melody. Feature names ending with {-first, -second, -third, -fourth, -fifth} refer to the first till the fifth note of the 5-gram respectively. The overview is ordered according to the groups as presented in the paper. Some features occur in more than one group. Notably, the features that are based on Narmour's conditions of closure also occur in the elementary pitch and rhythm features.

1.1 Elementary Pitch Features

Scale degree of the pitch. The scale degree of the tonic is 1. Integer. $1 \leq scale degree \leq 7$.

1. scaledegreefirst

- 2. scaledegreesecond
- 3. scaledegreethird
- 4. scaledegreefourth
- 5. scaledegreefifth

Diatonic pitch. This is the index of the pitch, counting the natural pitches (disregarding any alteration). The tonic in octave 0 has index 0. Integer. $diatonic pitch \ge 0$.

- 6. diatonicpitchfirst
- 7. diatonicpitchsecond
- 8. diatonicpitchthird
- 9. diatonicpitchfourth
- 10. diatonicpitchfifth

Midi pitch. This is the midi note number of the pitch as defined in the midi standard. Integer.

- 11. midipitchfirst
- 12. midipitchsecond
- 13. midipitchthird
- 14. midipitchfourth
- 15. midipitchfifth

Interval. The pitch interval in semitones with the preceding note. Integer.

- 16. intervalfirst
- 17. intervalsecond
- 18. intervalthird
- 19. interval fourth
- 20. intervalfifth

Center of Gravity. Defined in [8]. Indicates whether the tone has the potential to function as the tonic for the preceding tone. From [8]:

"Intervals in which the second tone has the functional implication of being the center of gravity [...], were coded as 1; other intervals were coded as 0. Hence, the ascending minor second $(2^4:15)$, perfect fourth $(2^2:3)$, and minor sixth $(2^3:5)$ and the descending major second $(2^3:9)$, major third $(2^2:5)$, tritone $(2^5:45)$, perfect fifth $(2^1:3)$, and major seventh $(2^3:15)$ were coded as 1. All the other intervals were coded as 0."

Boolean.

- 21. VosCenterGravityfirst
- 22. VosCenterGravitysecond
- $23. \ \ Vos Center Gravity third$
- 24. VosCenterGravityfourth
- 25. VosCenterGravityfifth

Harmony as defined in [8] relates to the degree of dissonance of the pitch interval with the preceding note. From [8]:

"Harmony was coded as follows: unison = 0; tritone = 1; minor-sixth/major-seventh = 2; major-second/minor-seventh = 3; minor-third/major-sixth = 4; major-third/minor-sixth = 5; perfect-fourth/perfect-fifth = 6; octave = 7."

The first "minor-sixth" should be "minor-second". Integer.

- 26. VosHarmonyfirst
- 27. VosHarmonysecond
- 28. VosHarmonythird

- 29. VosHarmonyfourth
- 30. VosHarmonyfifth

The pitch contour relative to the previous note. Lower: '-', equal: '=', higher: '+'.

- 31. contourfirst
- 32. contoursecond
- 33. contourthird
- 34. contourfourth
- 35. contourfifth

Whether the pitch contour of the first three notes changes direction or not. Lateral movement is considered a distinct direction. Related to Narmour's sixth condition of closure [3, p. 11]. Boolean.

36. registraldirectionchange

The next feature is a more strict measure of change of direction. It is only True if the first interval is ascending and the second interval is descending or vice versa. In all other cases (also including lateral movement) the value is False. Boolean.

37. contourreversal

Whether the second note is preceded by a large interval (≥ 6 semitones) AND the third note is preceded by a small interval (≤ 4 semitones). Related to Narmour's fifth condition of closure [3, p. 11]. Boolean.

38. largetosmall

Whether the first two intervals are both ascending or both descending. Boolean.

- 39. isascending
- 40. isdescending

The difference between the highest and the lowest of the five notes in semitones. Integer.

41. ambitus

Whether the diatonic interval preceding the second note is a leap OR the diatonic interval preceding the third note is a leap. Any interval larger than a third is considered a leap. Boolean.

42. containsleap

Contour of several of the preceding features. For the pitch intervals, a distinction is made between the size and direction of the interval. The intervals are the intervals preceding the notes of the 5-gram. Less: '-', equal: '=', greater: '+'.

- 43. intervalsizefirstsecond
- 44. intervalsizesecondthird
- 45. intervalsizethirdfourth
- 46. intervalsizefourthfifth
- $47.\ \ interval dir first second$
- 48. intervaldirsecondthird
- 49. intervaldirthirdfourth
- 50. intervaldirfourthfifth
- 51. diatonicpitchfirstsecond 52. diatonicpitchsecondthird
- 52. diatomepitensecondimid
- 53. diatonicpitchthirdfourth
- 54. diatonicpitchfourthfifth55. VosHarmonyfirstsecond
- 56. VosHarmonysecondthird
- 57. VosHarmonythirdfourth
- 58. VosHarmonyfourthfifth

1.2 Elementary Rhythm Features

The 'numerator' and 'denominator' of the current meter at the first note of the 5-gram. Integer.

- 59. meternumerator
- 60. meterdenominator

The duration of the beat as determined by the meter-model of music21. Float.

61. beatduration

The number of beats in one measure as determined by the meter-model of music21. Integer.

62. beatcount

The metric weight (beatstrength) of the onset time note as computed by the meter-model of music21. This is determined by the meter and the position of the note within the measure. Float.

- 63. beatstrengthfirst
- 64. beatstrengthsecond
- 65. beatstrengththird
- 66. beatstrengthfourth
- 67. beatstrengthfifth

The inter-onset-interval of the note in units of the duration of the beat. This is the time span from the onset of the note to the onset of the next note. Float.

- 68. IOIbeatfractionfirst
- 69. IOIbeatfractionsecond
- 70. IOIbeatfractionthird
- 71. IOIbeatfractionfourth
- 72. IOIbeatfractionfifth

Whether the third note is longer than the second note, and the second note is longer than the first note. Boolean.

73. durationcummulation

Whether the note starts on the beat or not. Boolean.

- 74. onthebeatfirst
- 75. onthebeatsecond
- 76. onthebeatthird
- 77. onthebeatfourth
- 78. onthebeatfifth

Whether the offset of the third note is the at same position in the measure as the onset of the very first note of the melody. Boolean.

79. completesmeasuresong

Whether the time-span between the onset of the first note of the melody and the onset of the third note of the 5-gram is dividable by the length of the beat. Boolean.

80. completesbeatsong

First order contour of the beatstrength and the Inter Onset Interval. {less than, equal, greater than}.

- 81. beatstrengthfirstsecond
- 82. beatstrengthsecondthird
- 83. beatstrengththirdfourth
- 84. beatstrengthfourthfifth
- 85. IOIbeatfractionfirstsecond

- 86. IOIbeatfractionsecondthird
- 87. IOIbeatfractionthirdfourth
- 88. IOIbeatfractionfourthfifth

1.3 Elementary Lyric Features

The following features are related to the lyric syllable that goes with a note. In the case of a melisma, the syllable is attached to the final note of the melisma. The reason is that we are interested in detecting the contribution of lyric properties to melodic closure: we want to recognise the final note of a phrase. The other notes in a melisma get value False for all of the features. For labeling non-content words, detection of rhyme, and determining the word stress, the methods as described in [7] are used.

Whether the syllable that goes with the note is stressed or not. Boolean.

- 89. wordstressfirst
- 90. wordstressecond
- 91. wordstressthird
- 92. wordstressfourth
- 93. wordstressfifth

Whether the word that ends at the note rhymes with any other word in the lyrics. Only for content words. Boolean.

- 94. rhymesfirst
- 95. rhymessecond
- 96. rhymesthird
- 97. rhymesfourth
- 98. rhymesfifth

The time span between the onset of the third note of the 5-gram and the closest preceding note in the melody at which a rhyme word ends. Measured in number of notes (Integer), and number of beats (Float).

- 99. rhyme_noteoffset
- 100. rhyme_beatoffset

Whether the word that goes with the note is a content word or not. Content word: True, non-content word: False. Boolean.

- 101. noncontentwordfirst
- 102. noncontentwordsecond
- 103. noncontentwordthird
- 104. noncontentwordfourth
- 105. noncontentwordfifth

Whether a word ends at the note. Also True for words of one syllable. Boolean.

- 106. wordendfirst
- 107. wordendsecond
- 108. wordendthird
- 109. wordendfourth
- 110. wordendfifth

The position of the note in a melisma. First note: 'start', middle notes: 'in', final note or syllabic: 'end'.

- 111. melismastatefirst
- 112. melismastatesecond
- 113. melismastatethird

- 114. melismastatefourth
- 115. melismastatefifth

Contour of the word stress. Lower: '-', equal: '=', higher: '+'.

- 116. wordstressfirstsecond
- 117. wordstressecondthird
- 118. wordstressthirdfourth
- 119. wordstressfourthfifth

1.4 Features from Previous Models

Information content of the note as computed by the IDyOM model [4]. Float.

- 120. informationcontentfirst
- 121. informationcontentsecond
- 122. informationcontentthird
- 123. information content fourth
- 124. informationcontentfifth

The following features are related to the six conditions of closure as stated by Narmour [3, p. 11]:

- "1. a rest, an onset of another structure, or a repetition interrupts an implied patterning;
- 2. metric emphasis is strong;
- 3. consonance resolves dissonance;
- 4. duration moves cumulatively (short note to long note);
- 5. intervalic motion moves from large interval to small interval;
- 6. registral direction changes (up to down, down to up, lateral to up, lateral to down, up to lateral, or down to lateral)."

For condition 1, no features are included because the rests are related to the ground truth (see Section 3.1.2 in the paper). For condition 3, no features are included because there is no information on harmony included in the data. The features are also included in the groups of elementary pitch and rhythm features.

- 36. registraldirectionchange
- 37. contourreversal
- 38. largetosmall
- 63. beatstrengthfirst
- 64. beatstrengthsecond
- 65. beatstrengththird
- 66. beatstrengthfourth
- 67. beatstrengthfifth
- 73. durationcummulation
- 43. intervalsizefirstsecond
- 44. intervalsizesecondthird
- $45. \ \ interval size third fourth$
- 46. intervalsizefourthfifth 47. intervaldirfirstsecond
- 48. intervaldirsecondthird
- 49. intervaldirthirdfourth
- 50. intervaldirfourthfifth

the values for pitch proximity and pitch reversal as defined in [5]. Float.

125. pitchproximityfirst

- 126. pitchproximitysecond
- 127. pitchproximitythird
- 128. pitchproximityfourth
- 129. pitchproximityfifth
- 130. pitchreversalfirst
- 131. pitchreversalsecond
- 132. pitchreversalthird
- 133. pitchreversalfourth
- 134. pitchreversalfifth

Whether the Grouper algorithm [6] classifies the note as a phrase end. Boolean.

- 135. grouperfirst
- 136. groupersecond
- 137. grouperthird
- 138. grouperfourth
- 139. grouperfifth

The sum of the values for the quantised GTTM GPRs 2a, 2b, 3a, and 3d, as defined in [2]. Float.

- 140. gprsumfirst
- 141. gprsumsecond
- 142. gprsumthird
- 143. gprsumfourth
- 144. gprsumfifth

The Local Boundary Strength as computed by the LBDM [1]. Float.

- 145. lbdmfirst
- 146. lbdmsecond
- 147. lbdmthird
- 148. lbdmfourth
- 149. lbdmfifth

The contour of the information content. Lower: '-', equal: '=', higher: '+'.

- 150. informationcontentfirstsecond
- 151. informationcontentsecondthird
- 152. informationcontentthirdfourth
- $153.\ \ information content fourth fifth$

1.5 Features related to the Ground Truth

Whether the offset of the third note is the at same position in the measure as the onset of the first note of the phrase. Boolean.

154. completesmeasurephrase

Whether the time-span between the onset of the first note of the phrase and the onset of the third note of the 5-gram is dividable by the length of the beat. Boolean.

155. completesbeatphrase

The distance between the third note of the 5-gram and the beginning of the phrase, both as number of notes (Integer), and as number of beats (Float).

- 156. noteoffset
- 157. beatoffset

Whether the note is followed by a rest. Boolean.

```
158. nextisrestfirst
```

159. nextisrestsecond

160. nextisrestthird

161. nextisrestfourth

162. nextisrestfifth

2 Discovered Rule Sets

2.1 MTC – Elementary Pitch and Rhythm (El. NoLyr)

```
Rule 0:
                                                          (IOIbeatfractionthird >= 1.666667) and
  (IOIbeatfractionthirdfourth = -) and
                                                          (completesbeatsong = False)
                                                          => class=boundary (206.0/17.0)
  (completesmeasuresong = True) and
  (IOIbeatfractionthird >= 1.25) and
                                                        Rule 7:
  (meternumerator >= 4) and
                                                          (IOIbeatfractionthirdfourth = -) and
  (IOIbeatfractionfirst <= 0.666667)
                                                          (completesmeasuresong = True) and
                                                          (VosHarmonyfourth >= 4) and
  => class=boundary (739.0/54.0)
                                                          (contourthird = -) and
Rule 1:
  (IOIbeatfractionthirdfourth = -) and
                                                          (intervalfifth >= 0) and
  (completesmeasuresong = True) and
                                                          (contourfirst = -) and
  (IOIbeatfractionthird \geq= 1) and
                                                          (VosHarmonythird <= 3)
  (IOIbeatfractionsecondthird = +) and
                                                          => class=boundary (128.0/20.0)
                                                        Rule 8:
  (beatstrengthfourth >= 1)
  => class=boundary (705.0/88.0)
                                                          (IOI beatfractionthirdfourth = -) and
Rule 2:
                                                          (completesmeasuresong = True) and
                                                          (VosHarmonyfourth >= 4) and
  (IOIbeatfractionthirdfourth = -) and
  (completesmeasuresong = True) and
                                                          (IOIbeatfractionfifth <= 0.5) and
  (IOIbeatfractionthird >= 1.25) and
                                                          (intervalfifth >= 2) and
  (IOIbeatfractionfifth \leq 1.5) and
                                                          (midipitchfourth <= 68) and
  (VosHarmonyfourth >= 4) and
                                                          (VosHarmonyfirst <= 4)
  (intervalsecond <= 0) and
                                                          => class=boundary (87.0/10.0)
  (diatonicpitchthird <= 30)
                                                        Rule 9:
  => class=boundary (272.0/15.0)
                                                          (IOIbeatfractionthirdfourth = -) and
Rule 3:
                                                          (completesmeasuresong = True) and
  (IOIbeatfractionthirdfourth = -) and
                                                          (IOIbeatfractionfifth <= 0.5) and
  (completesmeasuresong = True) and
                                                          (IOIbeatfractionsecondthird = +) and
  (beatstrengthfirst \leftarrow 0.5) and
                                                          (intervaldirthirdfourth = +) and
                                                          (VosCenterGravitysecond = True)
  (IOIbeatfractionthird >= 1.333333) and
                                                          => class=boundary (113.0/19.0)
  (meternumerator >= 4) and
  (beatstrengthsecond <= 0.25)
                                                        Rule 10:
  => class=boundary (136.0/14.0)
                                                          (IOIbeatfractionthirdfourth = -) and
Rule 4:
                                                          (completesmeasuresong = True) and
  (IOIbeatfractionthirdfourth = -) and
                                                          (IOIbeatfractionthird >= 1.333333) and
  (completesmeasuresong = True) and
                                                          (IOIbeatfractionfirst <= 1) and
  (VosHarmonyfourth >= 4) and
                                                          (diatonicpitchthirdfourth = =)
  (interval fifth >= 0) and
                                                          => class=boundary (154.0/47.0)
  (IOIbeatfractionfifth <= 0.333333) and
                                                        Rule 11:
  (midipitchfourth <= 67) and
                                                          (IOI beatfractionthirdfourth = -) and
  (beatduration >= 1.5)
                                                          (completesmeasuresong = True) and
                                                          (VosHarmonyfourth >= 4) and
  => class=boundary (102.0/12.0)
Rule 5:
                                                          (beatstrengthfirst <= 0.5) and
  (IOIbeatfractionthirdfourth = -) and
                                                          (IOIbeatfractionsecondthird = +) and
                                                          (contourfirst = +)
  (completesmeasuresong = True) and
  (intervaldirthirdfourth = +) and
                                                          => class=boundary (124.0/42.0)
  (intervalfifth >= 0) and
                                                        Rule 12:
  (diatonicpitchthirdfourth = =)
                                                          (IOIbeatfractionthirdfourth = -) and
                                                          (IOIbeatfractionthird >= 0.833333) and
  => class=boundary (436.0/92.0)
                                                          (beatstrengththird <= 0.5) and
Rule 6:
  (IOIbeatfractionthirdfourth = -) and
                                                          (intervalthird <= 0) and
  (intervaldirthirdfourth = +) and
                                                          (IOIbeatfractionsecondthird = +) and
```

```
(IOIbeatfractionthirdfourth = -) and
                                                           (IOIbeatfractionthird >= 1) and
  (beatstrengthfourth >= 0.5)
  => class=boundary (293.0/77.0)
                                                           (completesmeasuresong = True) and
Rule 13:
                                                           (intervalthird <= 1) and
                                                           (diatonicpitchfirst \geq= 33) and
  (IOIbeatfractionthirdfourth = -) and
  (IOIbeatfractionthird >= 0.833333) and
                                                           (IOIbeatfractionfirstsecond = +)
  (intervalthird <= 1) and
                                                          => class=boundary (73.0/21.0)
  (beatstrengthfifth >= 1) and
                                                        Rule 22:
  (IOIbeatfractionfirst <= 1) and
                                                           (IOIbeatfractionthirdfourth = -) and
                                                           (completesmeasuresong = True) and
  (VosHarmonyfourth >= 6)
                                                           (IOIbeatfractionfifth <= 0.75) and
  => class=boundary (99.0/18.0)
                                                           (intervalthird <= 1) and
Rule 14:
  (IOIbeatfractionthirdfourth = -) and
                                                           (VosHarmonyfourth <= 0) and
  (IOIbeatfractionthird >= 1.666667) and
                                                           (intervalfirst <= 1)</pre>
  (IOIbeatfractionfifth <= 0.75) and
                                                           => class=boundary (180.0/84.0)
  (interval fourth >= 0)
                                                        Rule 23:
  => class=boundary (230.0/80.0)
                                                           (IOIbeatfractionsecondthird = +) and
                                                           (VosHarmonyfourth >= 4) and
Rule 15:
  (IOIbeatfractionthirdfourth = -) and
                                                           (IOIbeatfractionthird >= 2.5)
  (IOIbeatfractionthird >= 0.833333) and
                                                          => class=boundary (59.0/17.0)
  (completesmeasuresong = True) and
                                                        Rule 24:
                                                           (IOIbeatfractionthird >= 0.666667) and
  (IOIbeatfractionsecond <= 0.666667) and
  (contoursecond = -) and
                                                           (completesmeasuresong = True) and
                                                           (IOIbeatfractionfifth \leftarrow 0.75) and
  (VosHarmonythird <= 2) and
  (interval fourth >= 0)
                                                           (intervaldirthirdfourth = +) and
                                                           (contoursecond = -) and
  => class=boundary (37.0/6.0)
                                                           (intervalfifth >= -1)
Rule 16:
                                                           => class=boundary (198.0/79.0)
  (IOIbeatfractionthirdfourth = -) and
  (IOIbeatfractionthird >= 1.25) and
                                                        Rule 25:
                                                           (completesmeasuresong = True) and
  (beatcount <= 2) and
  (interval fifth >= 0) and
                                                           (VosHarmonyfourth >= 4) and
  (diatonicpitchfifth <= 32)
                                                           (diatonicpitchsecondthird = -) and
                                                           (contourfirst = -) and
  => class=boundary (214.0/65.0)
                                                           (midipitchsecond <= 66) and
Rule 17:
                                                           (IOIbeatfractionthirdfourth = =) and
  (IOIbeatfractionthirdfourth = -) and
                                                           (intervalfourth >= 7)
  (completesmeasuresong = True) and
                                                          => class=boundary (46.0/9.0)
  (VosHarmonyfourth >= 4) and
  (contourfirst = -) and
                                                        Rule 26:
  (interval fourth <= -4)
                                                           (completesmeasuresong = True) and
  => class=boundary (75.0/29.0)
                                                           (VosHarmonyfourth >= 4) and
                                                           (onthebeatthird = True) and
Rule 18:
  (IOIbeatfractionthirdfourth = -) and
                                                           (IOIbeatfractionfifth \leq 0.75) and
  (IOIbeatfractionthird >= 1) and
                                                           (beatcount <= 2) and
  (beatstrengththird <= 0.5) and
                                                           (VosHarmonyfirst <= 3) and
                                                           (scaledegreesecond <= 3)</pre>
  (intervalthird \leftarrow 0) and
  (onthebeatfifth = True) and
                                                           => class=boundary (187.0/75.0)
  (IOIbeatfractionfifth <= 0.666667)
                                                        Rule 27:
  => class=boundary (138.0/49.0)
                                                           (completesmeasuresong = True) and
                                                           (beatstrengththirdfourth = -) and
Rule 19:
                                                           (IOIbeatfractionfourthfifth = =) and
  (IOIbeatfractionthirdfourth = -) and
                                                           (intervaldirthirdfourth = +) and
  (completesmeasuresong = True) and
  (IOIbeatfractionfifth <= 0.666667) and
                                                           (contourfirst = -)
                                                           => class=boundary (177.0/81.0)
  (intervalthird <= 1) and
  (IOIbeatfractionfirst <= 0.333333) and
  (beatstrengthfifth >= 1) and
                                                           (IOIbeatfractionthird >= 0.666667) and
  (VosHarmonysecond >= 3)
                                                           (completesmeasuresong = True) and
                                                           (IOIbeatfractionfifth <= 0.75) and
  => class=boundary (78.0/22.0)
                                                           (intervalthird <= 0) and
Rule 20:
  (IOIbeatfractionthirdfourth = -) and
                                                           (VosHarmonyfourth >= 4) and
  (IOIbeatfractionthird >= 2.5) and
                                                           (midipitchsecond >= 72)
                                                           => class=boundary (118.0/55.0)
  (interval fourth >= 0) and
                                                        Rule 29:
  (IOIbeatfractionsecond <= 2)
  => class=boundary (86.0/14.0)
                                                           (IOIbeatfractionthird >= 1.25) and
Rule 21:
                                                           (beatstrengththird <= 0.5) and
```

```
(IOIbeatfractionfifth <= 0.75) and
(IOIbeatfractionfifth <= 0.5) and
(VosHarmonyfourth >= 4) and
(VosHarmonyfirst <= 3)
=> class=boundary (114.0/48.0)
(Rule 30:
(IOIbeatfractionsecondthird = +) and
(VosHarmonyfirst <= 3) and
(interval dirthird fourth = +) and
(VosHarmonyfirst <= 3) and
(interval second <= -2)
(IOIbeatfractionthird >= 0.666667) and
=> class=boundary (143.0/67.0)
```

2.2 MTC – All Features (All)

```
(IOIbeatfractionsecondthird = -)
Rule 0:
  (grouperthird = True) and
                                                          => class=boundary (146.0/26.0)
  (rhymesthird = True) and
                                                        Rule 8:
  (1bdmthird >= 0.280929)
                                                          (rhymesthird = True) and
                                                          (beatstrengththird \geq 0.5) and
  => class=boundary (2413.0/149.0)
Rule 1:
                                                          (wordendsecond = False) and
                                                          (noncontentwordfourth = True) and
  (grouperthird = True) and
  (wordendthird = True) and
                                                          (midipitchthird <= 68) and
  (informationcontentfourth >= 7.252784) and
                                                          (IOIbeatfractionfifth <= 0.666667)
  (contourthird = -) and
                                                          => class=boundary (154.0/30.0)
  (lbdmfifth <= 0.159635)
                                                        Rule 9:
  => class=boundary (641.0/33.0)
                                                          (grouperthird = True) and
Rule 2:
                                                          (wordendthird = True) and
  (grouperthird = True) and
                                                          (wordendsecond = False) and
  (wordendthird = True) and
                                                          (completesmeasuresong = True)
  (completesmeasuresong = True) and
                                                          => class=boundary (222.0/58.0)
  (IOIbeatfractionthirdfourth = -) and
                                                        Rule 10:
  (rhyme_noteoffset >= 4)
                                                          (rhymesthird = True) and
  => class=boundary (761.0/74.0)
                                                          (beatstrengththird >= 0.5) and
Rule 3:
                                                          (rhyme_noteoffset >= 5) and
                                                          (beatstrengththird \leftarrow 0.5) and
  (grouperthird = True) and
  (rhymesthird = True) and
                                                          (gprsumthird >= 0.0625) and
  (completesmeasuresong = True)
                                                          (lbdmthird \geq 0.175048) and
  => class=boundary (399.0/75.0)
                                                          (noncontentwordfourth = True)
                                                          => class=boundary (62.0/7.0)
Rule 4:
  (grouperthird = True) and
                                                        Rule 11:
  (wordendthird = True) and
                                                          (rhymesthird = True) and
  (lbdmthird >= 0.201473) and
                                                          (beatstrengththird >= 0.5) and
  (informationcontentfourth >= 8.011659)
                                                          (rhyme\_noteoffset >= 4) and
  => class=boundary (302.0/51.0)
                                                          (IOIbeatfractionfifth <= 0.75) and
Rule 5:
                                                          (beatstrengththird <= 0.5) and
                                                          (wordstressfifth = True) and
  (rhymesthird = True) and
  (beatstrengththird >= 0.5) and
                                                          (gprsumthird >= 0.0625) and
  (rhyme_noteoffset >= 4) and
                                                          (intervalfirst <= -2) and
  (lbdmthird \geq 0.151685) and
                                                          (meterdenominator >= 4)
  (intervaldirthirdfourth = +) and
                                                          => class=boundary (43.0/2.0)
  (VosHarmonyfirstsecond = -)
                                                        Rule 12:
  => class=boundary (101.0/13.0)
                                                          (rhymesthird = True) and
Rule 6:
                                                          (onthebeatthird = True) and
  (rhymesthird = True) and
                                                          (grouperthird = True) and
  (beatstrengththird >= 0.5) and
                                                          (wordendfirst = False)
  (rhyme_noteoffset >= 4) and
                                                          => class=boundary (68.0/22.0)
  (lbdmthird \geq 0.152494) and
                                                        Rule 13:
  (intervalthird <= 0) and
                                                          (rhymesthird = True) and
  (noncontentwordfifth = True)
                                                          (completesmeasuresong = True) and
  => class=boundary (120.0/27.0)
                                                          (rhyme_beatoffset >= 2.25) and
Rule 7:
                                                          (lbdmfifth \leq 0.043461) and
  (rhymesthird = True) and
                                                          (beatstrengthfourth <= 0.25)
  (beatstrengththird >= 0.5) and
                                                          => class=boundary (111.0/30.0)
  (rhyme_noteoffset >= 4) and
                                                        Rule 14:
  (wordendsecond = False) and
                                                          (rhymesthird = True) and
  (lbdmthird \geq 0.0777) and
                                                          (beatstrengththird >= 0.5) and
```

```
(IOIbeatfractionthirdfourth = -) and
                                                           (wordendsecond = False) and
  (rhyme\_noteoffset >= 4) and
  (informationcontentthird <= 1.824062) and
                                                           (wordstressfourth = True) and
  (pitchproximityfirst <= 1) and
                                                           (rhyme_noteoffset >= 6) and
                                                           (rhyme\_noteoffset <= 9) and
  (informationcontentfourth >= 3.827067)
  => class=boundary (87.0/36.0)
                                                           (lbdmfifth \leq 0.181148) and
                                                           (informationcontentsecond <= 3.571858)
Rule 15:
  (rhymesthird = True) and
                                                           => class=boundary (136.0/42.0)
  (completesmeasuresong = True) and
                                                        Rule 19:
                                                           (grouperthird = True) and
  (noncontentwordfourth = True) and
  (lbdmthird \geq 0.045752) and
                                                           (wordendthird = True) and
                                                           (IOIbeatfractionthirdfourth = -) and
  (midipitchfourth <= 62)</pre>
                                                           (beatstrengththird \leftarrow 0.5) and
  => class=boundary (46.0/12.0)
Rule 16:
                                                           (wordstressthirdfourth = +)
  (rhymesthird = True) and
                                                           => class=boundary (47.0/13.0)
  (onthebeatthird = True) and
                                                        Rule 20:
  (grouperthird = True) and
                                                           (completesmeasuresong = True) and
                                                           (IOIbeatfractionthirdfourth = -) and
  (beatstrengthfirst >= 1)
  => class=boundary (20.0/7.0)
                                                           (wordstressfourth = True) and
                                                           (grouperthird = True)
Rule 17:
  (rhymesthird = True) and
                                                           => class=boundary (119.0/40.0)
  (completesmeasuresong = True) and
  (rhyme\_beatoffset >= 2.333333) and
                                                           (rhymesthird = True) and
                                                           (IOIbeatfractionthird >= 0.666667) and
  (lbdmfifth \leq 0.226475) and
  (intervaldirfourthfifth = +) and
                                                           (lbdmthird >= 0.26002) and
                                                           (informationcontentfourth >= 6.399741) and
  (lbdmfirst >= 0.054977)
                                                           (wordendfifth = True)
  => class=boundary (88.0/31.0)
                                                           => class=boundary (131.0/64.0)
Rule 18:
```

2.3 EFSC – Elementary Pitch and Rhythm (El. NoLyr)

```
Rule 0:
                                                          (VosCenterGravitysecond = True)
  (completesmeasuresong = True) and
                                                          => class=boundary (100.0/7.0)
  (IOIbeatfractionthirdfourth = -) and
                                                        Rule 4:
  (contourthird = -) and
                                                          (completesmeasuresong = True) and
  (beatstrengthfirst <= 0.5) and
                                                          (IOIbeatfractionsecondthird = +) and
  (IOIbeatfractionthird >= 1.333333) and
                                                          (IOIbeatfractionfifth \leq 1) and
                                                          (IOIbeatfractionthird >= 1.333333) and
  (IOIbeatfractionfifth <= 1)
  => class=boundary (1284.0/41.0)
                                                          (beatstrengthfourthfifth = -)
Rule 1:
                                                          => class=boundary (318.0/36.0)
  (completesmeasuresong = True) and
                                                        Rule 5:
  (IOIbeatfractionthirdfourth = -) and
                                                          (completesmeasuresong = True) and
  (contourthird = -) and
                                                          (IOIbeatfractionsecondthird = +) and
  (intervalfifth >= 0) and
                                                          (IOIbeatfractionfirstsecond = =) and
  (scaledegreefourth <= 5) and
                                                          (VosHarmonyfourth >= 6) and
  (meternumerator >= 4) and
                                                          (intervalfifth >= 4)
  (beatstrengthfifth >= 0.25)
                                                          => class=boundary (113.0/14.0)
  => class=boundary (316.0/32.0)
                                                        Rule 6:
Rule 2:
                                                          (completesmeasuresong = True) and
  (completesmeasuresong = True) and
                                                          (IOIbeatfractionthirdfourth = -) and
  (IOIbeatfractionsecondthird = +) and
                                                          (intervalfifth >= 0) and
  (IOIbeatfractionfourthfifth = =) and
                                                          (beatstrengthfirst <= 0.5) and
                                                          (beatstrengthfifth >= 0.5) and
  (IOIbeatfractionthird >= 1.5) and
                                                          (beatstrengthfourth <= 0.25) and
  (contoursecond = -)
  => class=boundary (446.0/44.0)
                                                          (scaledegreefourth <= 2)
Rule 3:
                                                          => class=boundary (68.0/5.0)
  (completesmeasuresong = True) and
                                                        Rule 7:
  (IOIbeatfractionthirdfourth = -) and
                                                          (completesmeasuresong = True) and
  (contourthird = -) and
                                                          (IOIbeatfractionsecondthird = +) and
  (intervaldirthirdfourth = +) and
                                                          (IOIbeatfractionfifth <= 1) and
  (interval fifth >= 0) and
                                                          (IOIbeatfractionthird >= 1.333333) and
  (beatcount <= 2) and
                                                          (beatstrengthfirst <= 0.5) and
```

	(beatstrengthfirst <= 0.25) and
(beatcount <= 2)	(IOIbeatfractionsecondthird = $-$) and
=> class=boundary (90.0/5.0)	<pre>(meternumerator >= 4)</pre>
Rule 8:	=> class=boundary (55.0/1.0)
(completesmeasuresong = True) and	Rule 16:
(IOIbeatfractionthirdfourth = -) and	(completesmeasuresong = True) and
(VosHarmonyfourth >= 4) and	(beatstrengththird >= 0.5) and
(contourfirst = -) and	(IOIbeatfractionfourthfifth = =) and
(scaledegreefourth <= 1)	(contourthird = -) and
=> class=boundary (96.0/11.0)	(IOIbeatfractionfirstsecond = +) and
Rule 9:	(beatstrengthfourth <= 0.25) and
(completesmeasuresong = True) and	(IOIbeatfractionthird >= 0.666667)
(IOIbeatfractionsecondthird = +) and	=> class=boundary (65.0/16.0) Rule 17:
(IOIbeatfractionfourthfifth = =) and (intervaldirthirdfourth = +) and	(completesmeasuresong = True) and
(beatstrengthfifth >= 1) and	(beatstrengththird >= 0.5) and
(VosHarmonysecond >= 2) and	(IOIbeatfractionfourthfifth = =) and
(interval fourth <= 1)	(VosHarmonyfourth >= 4) and
=> class=boundary (53.0/4.0)	(IOIbeatfractionfirst <= 0.666667) and
Rule 10:	(contoursecond = -) and
(completesmeasuresong = True) and	(midipitchthird <= 66) and
(beatstrengththird >= 0.5) and	(VosCenterGravityfifth = False)
(IOIbeatfractionfourthfifth = =) and	=> class=boundary (47.0/8.0)
(contourfirst = -) and	Rule 18:
(intervaldirthirdfourth = +) and	(completesmeasuresong = True) and
(VosCenterGravitythird = True)	(beatstrengththird >= 0.5) and
=> class=boundary (304.0/67.0)	(IOIbeatfractionfourthfifth = =) and
Rule 11:	(contoursecond = -) and
(completesmeasuresong = True) and	(VosHarmonyfourth ≤ 0) and
(IOIbeatfractionsecondthird = +) and	(scaledegreesecond >= 5) and
(IOIbeatfractionfifth <= 1) and	(beatstrengthfourth <= 0.25)
(contourfirst = -) and	=> class=boundary (54.0/2.0)
(intervalfifth >= -1) and	Rule 19:
(scaledegreefirst >= 4) and	(completesmeasuresong = True) and
(intervaldirsecondthird = =)	(IOIbeatfractionthirdfourth = -) and
=> class=boundary (133.0/24.0)	(intervalthird <= 1) and
Rule 12:	(intervalfifth >= 0) and
(completesmeasuresong = True) and	(intervaldirsecondthird = +) and
(IOIbeatfractionthirdfourth = -) and	(IOIbeatfractionfirst <= 0.5) and
<pre>(intervalthird <= -2) and (contourfirst = -) and</pre>	(scaledegreefirst >= 4) => class=boundary (63.0/8.0)
(beatstrengthfirstsecond = +)	Rule 20:
=> class=boundary (97.0/15.0)	(completesmeasuresong = True) and
Rule 13:	(beatstrengththird >= 0.5) and
(completesmeasuresong = True) and	(IOIbeatfractionfifth <= 0.75) and
(IOIbeatfractionsecondthird = +) and	(contourthird = -) and
(IOIbeatfractionfifth <= 1) and	(beatstrengthsecond >= 1) and
(VosHarmonyfirst <= 3) and	(beatstrengthfourth <= 0.25) and
(intervalfourth >= 0) and	(contourreversal = False)
(VosHarmonyfirst >= 2)	=> class=boundary (89.0/17.0)
=> class=boundary (577.0/215.0)	Rule 21:
Rule 14:	(completesmeasuresong = True) and
(completesmeasuresong = True) and	(IOIbeatfractionthirdfourth = -) and
(IOIbeatfractionsecondthird = +) and	(intervalfifth >= 0) and
(IOIbeatfractionfourthfifth = =) and	(VosHarmonyfourth $>= 4$) and
(midipitchthird <= 69) and	(contourfirst = -) and
(VosHarmonyfirst <= 3) and	(IOIbeatfractionfirstsecond = =) and
(VosHarmonyfourth >= 5)	<pre>(midipitchsecond <= 69)</pre>
=> class=boundary (90.0/22.0)	=> class=boundary (38.0/6.0)
Rule 15:	Rule 22:
(completesmeasuresong = True) and	(completesmeasuresong = True) and
(beatstrengththird >= 0.5) and	<pre>(completesmeasuresong = True) and (IOIbeatfractionthirdfourth = -) and</pre>
	(completesmeasuresong = True) and

	(diatonicpitchsecond >= 30) and
(intervaldirthirdfourth = +) and	(beatstrengthsecond <= 0.25) and
(beatstrengthsecond >= 1)	(VosHarmonyfirstsecond = +) and
=> class=boundary (77.0/27.0)	(diatonicpitchthird >= 30) and
Rule 23:	(scaledegreefourth >= 3)
(completesmeasuresong = True) and	=> class=boundary (45.0/8.0)
•	Rule 30:
(beatstrengththird >= 0.5) and	
(IOIbeatfractionfourthfifth = =) and	(completesmeasuresong = True) and
(VosHarmonyfourth >= 4) and	(beatstrengththird >= 0.5) and
(contourfirst = -) and	(IOIbeatfractionfourthfifth = =) and
(intervaldirsecondthird = =) and	(VosHarmonyfirst \leq 4) and
(beatstrengthfifth >= 1)	(VosHarmonyfourth \geq 5) and
=> class=boundary (74.0/22.0)	(scaledegreefirst <= 4) and
Rule 24:	(ambitus <= 2)
(completesmeasuresong = True) and	=> class=boundary (170.0/67.0)
(beatstrengththird >= 0.5) and	Rule 31:
(IOIbeatfractionfifth <= 0.75) and	(completesmeasuresong = True) and
(VosHarmonyfourth >= 4) and	(beatstrengththird >= 0.5) and
(midipitchsecond >= 71) and	(IOIbeatfractionfifth <= 0.75) and
<u>-</u>	(intervalthird <= -2) and
(beatstrengthfourth >= 0.5) and	
(scaledegreefifth <= 3) and	(beatcount <= 2) and
(diatonicpitchfirst >= 31)	(scaledegreethird >= 5)
=> class=boundary (52.0/9.0)	=> class=boundary (68.0/28.0)
Rule 25:	Rule 32:
(completesmeasuresong = True) and	<pre>(completesmeasuresong = True) and</pre>
(beatstrengththird >= 0.5) and	(IOIbeatfractionthirdfourth = -) and
(IOIbeatfractionfifth <= 0.75) and	(intervalthird \leftarrow -2) and
(beatcount <= 2) and	(scaledegreefourth <= 1)
(beatstrengthfirst <= 0.25) and	=> class=boundary (77.0/31.0)
(beatstrengthfourthfifth = +)	Rule 33:
=> class=boundary (170.0/54.0)	(completesmeasuresong = True) and
Rule 26:	(beatstrengththird >= 0.5) and
	(VosHarmonyfourth >= 4) and
(completesmeasuresong = True) and	(interval fourth <= -4) and
(IOI) eatfractionsecondthird = +) and	
(IOIbeatfractionfifth <= 1.5) and	(diatonicpitchfourth <= 25) and
(VosHarmonyfirstsecond = +) and	(onthebeatfourth = False)
(ambitus <= 1)	=> class=boundary (65.0/19.0)
=> class=boundary (160.0/59.0)	Rule 34:
Rule 27:	(IOIbeatfractionsecondthird = +) and
(completesmeasuresong = True) and	(IOIbeatfractionthird >= 1.5) and
(IOIbeatfractionsecondthird = +) and	(beatstrengththird <= 0.5) and
(VosHarmonyfourth >= 4) and	(intervalfourth >= 0)
(IOIbeatfractionfirstsecond = =) and	=> class=boundary (379.0/122.0)
(beatstrengthfourth >= 1)	Rule 35:
=> class=boundary (77.0/29.0)	(completesmeasuresong = True) and
Rule 28:	(IOIbeatfractionthird >= 0.666667) and
	(IOIbeatfractionfifth <= 1.5) and
(completesmeasuresong = True) and	(contourfirst = -) and
(beatstrengththird >= 0.5) and	
(IOIbeatfractionfourthfifth = =) and	(VosHarmonyfourth >= 4) and
(VosHarmonyfirst <= 3) and	(beatstrengthfirst <= 0.25)
(diatonicpitchfourth <= 28) and	=> class=boundary (133.0/47.0)
(ambitus <= 1) and	Rule 36:
(VosHarmonyfirstsecond = +)	(completesmeasuresong = True) and
=> class=boundary (45.0/13.0)	(beatstrengththird ≥ 0.5) and
Rule 29:	(IOIbeatfractionfourthfifth = =) and
(completesmeasuresong = True) and	(midipitchfirst >= 68) and
(beatstrengththird >= 0.5) and	(scaledegreefourth <= 3) and
(IOIbeatfractionfourthfifth = =) and	(scaledegreefourth >= 3) and
(VosHarmonyfirst <= 4) and	(VosHarmonyfirst <= 2)
(diatonicpitchthird <= 30) and	=> class=boundary (126.0/60.0)
(aratomicprocutinina (= 50) and	, class boundary (120.0/00.0/

2.4 EFSC – All Features (NoLyr)

Rule 0:	=> class=boundary (99.0/27.0)
(grouperthird = True) and	Rule 9:
(completesmeasuresong = True) and	(completesmeasuresong = True) and
(lbdmthird >= 0.3675)	(beatstrengththird >= 0.5) and
=> class=boundary (2823.0/130.0)	($lbdmfifth \le 0.405343$) and
Rule 1:	<pre>(pitchproximityfirst <= 3) and</pre>
(completesmeasuresong = True) and	(pitchproximityfourth >= 3) and
(grouperthird = True) and	(diatonicpitchthird <= 30) and
(IOIbeatfractionthirdfourth = -)	(lbdmthird >= 0.175) and
=> class=boundary (849.0/136.0)	(intervalfifth >= 2)
Rule 2:	=> class=boundary (138.0/39.0)
(completesmeasuresong = True) and	Rule 10:
(pitchproximityfourth >= 3) and	(completesmeasuresong = True) and
(grouperthird = True) and	(beatstrengththird ≥ 0.5) and
(contourfirst = -)	<pre>(pitchproximityfirst <= 3) and</pre>
=> class=boundary (180.0/29.0)	(grouperthird = True) and
Rule 3:	(lbdmfifth <= 0.053061) and
(completesmeasuresong = True) and	(intervalthird <= 1) and
(grouperthird = True) and	(lbdmfirst >= 0.009545)
(IOIbeatfractionsecondthird = +) and	=> class=boundary (49.0/7.0)
(pitchproximityfirst <= 3) and	Rule 11:
(IOIbeatfractionfifth <= 1)	(completesmeasuresong = True) and
=> class=boundary (143.0/29.0)	(beatstrengththird >= 0.5) and
Rule 4:	(lbdmfifth <= 0.338097) and
(completesmeasuresong = True) and	(pitchproximityfirst <= 3) and
(grouperthird = True) and	(intervaldirthirdfourth = +) and
(lbdmthird >= 0.134601) and	(lbdmthird >= 0.210598) and
(informationcontentthirdfourth = +) and	(VosCenterGravitythird = True) and
(pitchproximitysecond <= 2)	(diatonicpitchthird <= 28) and
=> class=boundary (44.0/12.0)	(1bdmsecond >= 0.046053) and
Rule 5:	(lbdmfirst <= 0.227273) and
(completesmeasuresong = True) and	(IOIbeatfractionfifth >= 0.333333)
(beatstrengththird >= 0.5) and	=> class=boundary (51.0/8.0)
(IOIbeatfractionfourthfifth = =) and	Rule 12:
(contourthird = -) and	(completesmeasuresong = True) and
(contourfirst = -) and	(beatstrengththird >= 0.5) and
(intervalfifth >= 0) and	(lbdmfifth <= 0.405343) and
(beatstrengthfifth >= 1)	(contourthird = -) and
=> class=boundary (214.0/49.0)	(informationcontentfirst <= 2.304833) and
Rule 6:	(beatstrengthfirst <= 0.25) and
(completesmeasuresong = True) and	(lbdmfirst >= 0.078509)
(beatstrengththird >= 0.5) and	=> class=boundary (65.0/15.0)
<pre>(IOIbeatfractionfourthfifth = =) and (intervaldirthirdfourth = +) and</pre>	Rule 13:
	(grouperthird = True) and
<pre>(isdescending = True) and (contourfourth = =)</pre>	(informationcontentfourth >= 9.936357)
	=> class=boundary (602.0/102.0)
=> class=boundary (93.0/20.0)	Rule 14:
Rule /:	(completes measures ong = True) and
<pre>(completesmeasuresong = True) and (beatstrengththird >= 0.5) and</pre>	(beatstrengththird >= 0.5) and (1bdmfifth <= 0.338097) and
(lbdmfifth <= 0.175) and	
	(pitchproximityfirst <= 3) and
(contourthird = -) and	<pre>(pitchproximityfourth >= 3) and (diatonicpitchthird <= 30) and</pre>
(beatcount <= 2) and	(scaledegreethird >= 3) and
(1bdmsecond >= 0.09373) and	8
(gprsumsecond >= 0.375) => class=boundary (156.0/29.0)	(IOIbeatfractionfirst <= 0.75) and (1bdmfourth <= 0.05403)
Rule 8:	
	=> class=boundary (128.0/45.0)
<pre>(completesmeasuresong = True) and (lbdmthird >= 0.125) and</pre>	Rule 15:
(lbdmfifth <= 0.11896) and	(completesmeasuresong = True) and
(beatstrengththird >= 0.5) and	<pre>(beatstrengththird >= 0.5) and (IOIbeatfractionfourthfifth = =) and</pre>
(interval fifth >= 0) and	(intervaldirthirdfourth = +) and
(beatcount <= 2) and (beatcount <= 2) and	(diatonicpitchfirstsecond = -) and
<pre>(pitchproximityfourth >= 4)</pre>	(informationcontentthirdfourth = +) and

<pre>(VosCenterGravityfifth = False) => class=boundary (111.0/43.0) Rule 16: (completesmeasuresong = True) and (lbdmthird >= 0.125) and (lbdmfifth <= 0.207617) and (beatstrengththird >= 0.5) and (intervalfifth >= 0) and (beatstrengthfourthfifth = -) and (lbdmsecond <= 0.068445) and (ambitus >= 1) and (scaledegreesecond >= 3)</pre>	<pre>(gprsumfirst >= 0.6875) and (lbdmfifth <= 0.05) => class=boundary (70.0/27.0) Rule 19: (completesmeasuresong = True) and (grouperthird = True) and (midipitchfifth >= 71) and (lbdmsecond >= 0.03227) and (intervalfirst <= 0) => class=boundary (51.0/13.0) Rule 20: (completesmeasuresong = True) and (lbdmfifth <= 0.479864) and</pre>
<pre>(scaledegreesecond >= 3) => class=boundary (84.0/28.0)</pre>	(beatstrengththird >= 0.5) and
Rule 17:	(pitchproximityfirst <= 3) and
<pre>(completesmeasuresong = True) and (lbdmfifth <= 0.329891) and (beatstrengththird >= 0.5) and (pitchreversalfirst >= 0) and (beatstrengthfirst <= 0.25) and (beatstrengthfifth >= 1) and (IOIbeatfractionsecond >= 2) => class=boundary (93.0/17.0) Rule 18:</pre>	<pre>(pitchproximityfourth >= 4) and (lbdmsecond >= 0.070175) and (containsleap = False) and (lbdmfifth >= 0.089286) => class=boundary (65.0/20.0) Rule 21: (completesmeasuresong = True) and (lbdmfifth <= 0.359573) and (beatstrengththird >= 0.5) and</pre>
<pre>(completesmeasuresong = True) and (beatstrengththird >= 0.5) and (pitchproximityfirst <= 3) and (beatcount <= 2) and</pre>	(pitchreversalfirst >= 0) and (intervalthird <= -2) and (scaledegreesecond >= 6) and (gprsumfifth >= 0.3) => class=boundary (95.0/44.0)

2.5 CHOR – Elementary Pitch and Rhythm (El. NoLyr)

```
Rule 0:
                                                          (contoursecond = -)
  (completesmeasuresong = True) and
                                                          => class=boundary (47.0/3.0)
  (intervaldirthirdfourth = +) and
                                                        Rule 5:
  (IOIbeatfractionfourthfifth = =) and
                                                          (completesmeasuresong = True) and
  (IOIbeatfractionfirstsecond = +) and
                                                          (interval fourth >= 0) and
  (beatstrengththirdfourth = -)
                                                          (beatstrengththird >= 0.5) and
  => class=boundary (257.0/10.0)
                                                          (IOIbeatfractionfourthfifth = =) and
Rule 1:
                                                          (VosHarmonyfifth <= 0) and
  (completesmeasuresong = True) and
                                                          (VosCenterGravityfourth = False)
  (IOIbeatfractionthird >= 2) and
                                                          => class=boundary (40.0/3.0)
  (IOIbeatfractionfourthfifth = =) and
                                                          (IOIbeatfractionthird >= 2) and
  (beatstrengthsecond <= 0.25)
 => class=boundary (368.0/4.0)
                                                          (intervaldirthirdfourth = +) and
Rule 2:
                                                          (beatstrengthfirstsecond = +) and
  (completesmeasuresong = True) and
                                                          (beatcount >= 4)
  (VosHarmonyfourth >= 4) and
                                                          => class=boundary (137.0/5.0)
  (contourfourth = +) and
                                                        Rule 7:
  (contourfirst = -)
                                                          (IOIbeatfractionthird >= 2) and
 => class=boundary (255.0/42.0)
                                                          (intervaldirthirdfourth = +) and
                                                          (VosHarmonyfourth >= 4)
Rule 3:
                                                          => class=boundary (50.0/6.0)
  (completesmeasuresong = True) and
  (VosHarmonyfourth <= 0) and
                                                        Rule 8:
  (IOIbeatfractionfifth <= 1) and
                                                          (completesmeasuresong = True) and
  (beatstrengthfourth <= 0.25)
                                                          (VosHarmonyfourth >= 4) and
  => class=boundary (320.0/79.0)
                                                          (interval dirfirst second = -) and
Rule 4:
                                                          (intervalthird <= 1)
  (completesmeasuresong = True) and
                                                          => class=boundary (144.0/67.0)
  (VosHarmonyfourth >= 4) and
                                                          (IOIbeatfractionthird >= 3) and
  (IOIbeatfractionfirstsecond = +) and
  (diatonicpitchthird <= 30) and
                                                          (IOIbeatfractionfourthfifth = =)
```

```
Rule 11:

=> class=boundary (40.0/4.0)

Rule 10:

(IOIbeatfractionthird >= 3) and
(interval fourth >= 0)

=> class=boundary (21.0/6.0)

Rule 11:

(completes measures ong = True) and
(beatstrengththird fourth = -) and
(IOIbeatfraction first second = +) and
(beatstrengthsecond >= 0.5)

=> class=boundary (73.0/20.0)
```

2.6 CHOR – All Features (NoLyr)

```
Rule 0:
                                                           (pitchproximityfirst <= 4) and
  (grouperthird = True) and
                                                           (beatstrengthfifth >= 1) and
                                                           (gprsumsecond <= 0)
  (completesmeasuresong = True) and
  (IOIbeatfractionfourthfifth = =) and
                                                           => class=boundary (312.0/84.0)
  (lbdmthird \geq= 0.165828) and
                                                        Rule 5:
  (intervalthird <= 2)
                                                           (completesmeasuresong = True) and
  => class=boundary (548.0/6.0)
                                                           (grouperthird = True) and
                                                           (IOIbeatfractionfourthfifth = =) and
Rule 1:
  (completesmeasuresong = True) and
                                                           (diatonicpitchfirstsecond = -)
                                                           => class=boundary (41.0/16.0)
  (intervaldirthirdfourth = +) and
  (grouperthird = True)
                                                        Rule 6:
  => class=boundary (287.0/22.0)
                                                           (IOIbeatfractionthird >= 2) and
Rule 2:
                                                           (intervaldirthirdfourth = +) and
  (completesmeasuresong = True) and
                                                           (beatstrengthfirstsecond = +)
  (beatstrengththirdfourth = -) and
                                                           => class=boundary (129.0/16.0)
  (IOIbeatfractionfirstsecond = +) and
                                                        Rule 7:
  (beatstrengthsecond >= 0.5)
                                                           (completesmeasuresong = True) and
  => class=boundary (259.0/27.0)
                                                           (beatstrengthsecondthird = +) and
                                                           (groupersecond = True) and
Rule 3:
  (grouperthird = True) and
                                                           (interval fifth >= -1)
  (interval fourth \geq = 0) and
                                                           => class=boundary (44.0/8.0)
  (1bdmthird >= 0.412654)
                                                        Rule 8:
  => class=boundary (86.0/6.0)
                                                           (beatstrengththird >= 0.5) and
Rule 4:
                                                           (grouperthird = True) and
                                                           (gprsumsecond <= 0) and
  (completesmeasuresong = True) and
  (beatstrengthsecondthird = +) and
                                                           (informationcontentfourth >= 6.187956) and
  (IOIbeatfractionfifth <= 1) and
                                                           (VosHarmonyfifth <= 4)
  (interval fourth \geq = 0) and
                                                           => class=boundary (67.0/20.0)
```

3 Examples


This section presents 50 random examples for each data set, indicating the predicted class label of the 5-grams. A true positive is indicated with blue notes (only the fist three of the 5-gram are colored) and the index number of the rule. A false positive is indicated with red notes and the index of the rule, and a false negative is indicated with red notes and the label "Miss". True negatives are not indicated. The rule sets from the previous section have been used for classification. The ground truth phrase endings are indicated with fermatas.

3.1 MTC – Elementary Pitch and Rhythm (El. NoLyr)











NLB075412_01




NLB075452_01


 $Er \ liep \ een \ meisjelangs \ de \ straat \ Al \ met \ een \ mand \ vol \\ ei-e-ren, Die holle-die, die holle-da, _Die holle-die, die holle-da. _\\ rule_2 \qquad \qquad rule_5 \qquad rule_2$


NLB075575_01












NLB123278_01



 $S choon \ lief, hoe \ ligt \ gy \ hier \ en \ slaept \ in \quad uwen. eersten. droome? Wil \ opstaen. en \ den \ mei \ ont fa \Bar{A}^{a}n, hy \ staet \ hier \ al \\ rule_9 \qquad \qquad Miss \qquad rule_10 \qquad rule_8$

NLB124565_01



NLB124585_01




NLB124615_01



NLB124681_01



















NLB142316_01 Den bezem, den bezem, Wat doen we der mee, Wat doen we der mee, We vegen.der mee, We vegen.der mee, Den vloer, den vloer. Miss Miss rule_16















3.2 EFSC – Elementary Pitch and Rhythm (El. NoLyr)















































































































3.3 CHOR – Elementary Pitch and Rhythm (El. NoLyr)



rule_2













































































REFERENCES 42













References

- [1] Emilios Cambouropoulos. The local boundary detection model (lbdm) and its application in the study of expressive timing. In *Proc. of the Intl. Computer Music Conf*, 2001.
- [2] Bradley W. Frankland and Annabel J. Cohen. Parsing of melody: Quantification and testing of the local grouping rules of lerdahl and jackendoff's a generative theory of tonal music. *Music Perception*, 21(4):499–543, 2004.

REFERENCES 43

[3] Eugene Narmour. The Analysis and Cognition of Basic Melodic Structures - The Implication-Realization Model. The University of Chicago Press, Chicago and Londen, 1990.

- [4] Marcus T. Pearce, Daniel Müllensiefen, and Geraint A. Wiggins. Melodic grouping in music information retrieval: New methods and applications. In Zbigniew W. Raś and Alicja A. Wieczorkowska, editors, Advances in Music Information Retrieval, volume 274 of Studies in Computational Intelligence, pages 364–388. Springer, Berlin, Heidelberg, 2010.
- [5] E. Glenn Schellenberg. Expectancy in melody: tests of the implication-realization model. *Cognition*, 58(1):75–125, 1996.
- [6] David Temperley. The Cognition of Basic Musical Structures. MIT Press, Cambridge, MA, 2001.
- [7] Peter Van Kranenburg and Folgert Karsdorp. Cadence detection in western traditional stanzaic songs using melodic and textual features. In *Proceedings of the 15th International Society for Music Information Retrieval Conference*, pages 391–396, Taipei, 2014.
- [8] Piet G. Vos and Dennis Pasveer. Goodness ratings of melodic openings and closures. *Perception & Psychophysics*, 64(4):631–639, 2002.