

5-13/2015 (E) (56)  
**HI-TECH BOARD PVT.LTD.**

**Plain & Pre-laminated Particle Board**

At - Ninat, Post - Sarbhon Puni Main Road, Taluka - Bardoli, Dist - Surat (Gujrat) 394 350

10 JUL 2017

To,  
Director (S)  
**MINISTRY OF ENVIRONMENT & FOREST**  
Regional Office, Western Region,  
Kendriya Parayavaran Bhavan,  
Link Road No.3, E-5, Ravi Shankar Nagar  
Bhopal - 462016 (Madhya Pradesh)

|                   |    |
|-------------------|----|
| APCCF             | 05 |
| Sc. 'G'           | 07 |
| Sc. 'F'           |    |
| Sc. 'D'           | cy |
| Sc. 'C'           |    |
| Court Case (Env.) |    |
| RA (Env.)         |    |
| UDC               |    |

**SUB: COMPLIANCE REPORT FOR THE PERIOD OF 1<sup>ST</sup> APRIL 2016 TO 31<sup>ST</sup> MARCH 2017 FOR MANUFACTURING UNIT OF CAPTIVE RESIN AT PLOT NO. 48/P1, SARBHAN PUNI ROAD, NITAN-394230 TAL. BARDOLI, DIST. SURAT BY M/S HI-TECH BOARD PVT. LTD.**

**REF:** F. No. J-11011/10/2012- IA II (I) dated 30<sup>th</sup> January 2015.

Dear Sir,

With reference to the Environmental Clearance obtained from MoEF for our manufacturing unit of captive resin ; we are hereby enclosing the Compliance Report for the period of 1<sup>st</sup> April 2015 to 31<sup>st</sup> March 2016 of Environmental Clearance issued to us.

Now onwards we are giving assurance to you that we will submit six monthly compliance report.

We hope you would find the same in order and do the needful.

Thanking You,

Yours faithfully,

For, **Hi-Tech Board Pvt. Ltd.,**

**Authorized signatory**

**Enclosure: a/a**

Copy to:

- 1) The Member Secretary  
**Gujarat Pollution Control Board**  
Paryavaran Bhavan  
Sector - 10 - A  
Gandhinagar - 382 010






**COMPLIANCE OF ENVIRONMENTAL CLEARANCE (EC)**  
**J-11011/10/2012-IA II(I), DATED: 30<sup>th</sup> January, 2015**  
**1<sup>ST</sup> APRIL 2016 – 31<sup>ST</sup> MARCH 2017**

| SR. NO. | CONDITIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | REMARKS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |                            |   |                                        |           |                                                                                                                                                                                                               |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------------------------|---|----------------------------------------|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.0     | <p>The Ministry of Environment, Forests and Climate Change has examined the application. It is noted that the proposal is for Manufacturing Unit of Captive Resin at Plot No. 48/P1, Sarbhon Puni road, Ninat, Taluka Bardoli, District Surat, Gujarat by M/s Hi-Tech Board Pvt. Ltd. Total land area available is 47450.0 m<sup>2</sup>. Land requirement for the proposed resin unit is 1512 m<sup>2</sup> in the existing plot. Total cost of project is Rs. 29.30 Lakhs. Mindhola River and Purna River are flowing at a distance of 2.2 Km and 7.0 Km respectively. It is reported that no national parks &amp; reserve forests are located within 10 Km distance.</p> <p>Following product will be manufactured:</p> <table border="1"> <tr> <th>S. No.</th><th>Product</th><th>Production Capacity (MTPM)</th></tr> <tr> <td>1</td><td>Melamine Urea Formaldehyde Resin (MUF)</td><td>1500 MTPM</td></tr> </table> | S. No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Product | Production Capacity (MTPM) | 1 | Melamine Urea Formaldehyde Resin (MUF) | 1500 MTPM | <p>Complied.</p> <p>we have obtained for mfg. MUF Resin of 1500 MT/Month from the board vide order No. AWH-83604, Date of issue 11/01/2017. which has validity up to 22/11/2021. Please refer Annexure I.</p> |
| S. No.  | Product                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Production Capacity (MTPM)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |         |                            |   |                                        |           |                                                                                                                                                                                                               |
| 1       | Melamine Urea Formaldehyde Resin (MUF)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 1500 MTPM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |         |                            |   |                                        |           |                                                                                                                                                                                                               |
| 2.0     | <p>Bag filter along with stack of adequate height should be installed to coal/white coal fired boiler &amp; Thermic fluid heater to control particulate emissions. Total fresh water requirement from ground water source will be 15.5 m<sup>3</sup>/day. Industrial effluent will be treated in effluent treatment plant (ETP). Treated effluent shall be used for gardening after achieving water quality as per the standards. No effluent will be discharged outside the plant premises. ETP sludge will be sent to treatment storage and disposal facility for hazardous waste (TSDF). Spent oil will be sent to authorized recyclers/re-processor.</p>                                                                                                                                                                                                                                                              | <p>We have provided Ash settler-2 Nos. &amp; Twin Cyclone Separator as an APC System to our Hot air generator with 40m height stack to bring GPCB prescribed norms of Air emission. Source of water is ground water for industrial &amp; domestic activity. Refer Annexure II for Waste water Analysis.</p> <p>Treated effluent will be re-used and re-cycled within the factory premises. No effluent will be discharged outside the factory premises.</p> <p>Fly Ash will be sent to Brick manufacturers and Used Oil will be re-used as lubricants in</p> |         |                            |   |                                        |           |                                                                                                                                                                                                               |

HI-TECH BOARD PVT. LTD.



DIRECTOR



|            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                      |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | the machineries within the premises only OR it will be sent to MoEF authorized re-processors.                                                                                                                        |
| <b>3.0</b> | Public hearing/public consultation meeting was conducted on 14 <sup>th</sup> March, 2014.                                                                                                                                                                                                                                                                                                                                                                                                                                  | —                                                                                                                                                                                                                    |
| <b>4.0</b> | Synthetic Organic Chemicals Industry located outside the notified industrial area/estate are listed at S.N. 5(f) under category 'A' and appraised at Central level.                                                                                                                                                                                                                                                                                                                                                        | —                                                                                                                                                                                                                    |
| <b>5.0</b> | The proposal was considered by the Expert Appraisal Committee (Industry) in its meetings held during 30th September, 2013-1st October, 2013 and 29th-30th October, 2014 respectively. Project Proponent and the EIA Consultant namely M/s. Enkay Enviro Services Pvt. Ltd. has presented EIA / EMP report as per the TOR. EAC has found the EIA / EMP Report and additional information to be adequate and in full consonance with the presented TORs. The Committee recommended the proposal for environmental clearance. | —                                                                                                                                                                                                                    |
| <b>6.0</b> | Based on the information submitted by the project proponent, the Ministry of Environment, Forests and Climate Change hereby accords environmental clearance to above project under the provisions of EIA Notification dated 14 <sup>th</sup> September 2006, subject to the compliance of the following Specific and General Conditions:                                                                                                                                                                                   | —                                                                                                                                                                                                                    |
| <b>A.</b>  | <b>SPECIFIC CONDITIONS:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                      |
| i)         | National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21 <sup>st</sup> July, 2010 and amended time to time shall be followed by the unit.                                                                                                                                                                                                                                                                                                               | Complied                                                                                                                                                                                                             |
| ii)        | Bag filter along with stack of adequate height should be installed to coal/white coal fired boiler & Thermic fluid heater to control particulate emissions.                                                                                                                                                                                                                                                                                                                                                                | Ash settler-2 Nos. & Twin Cyclone Separator as an APC System to our Hot air generator with 40m height stack to bring GPCB prescribed norms of Air emission.<br>The Stack monitoring Report is shown in Annexure III. |

HI-TECH BOARD PVT. LTD.


*[Signature]*

DIRECTOR



|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                    |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| iii)  | In plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Adequate dust suppression systems with water spray Shall be provided for storage yard, junction houses. Raw materials loading and unloading area shall be covered and also provided with water spraying system. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored and records maintained. Wet scrubber shall be provided to control process emissions. The emissions shall conform to the limits stipulated by the GPCB. | Adequate dust suppression system is provided for storage yard & junction houses. Raw material (loading & unloading) area is covered and provided water spraying system. We are regularly monitoring fugitive emissions zone, the results are shown in Annexure IV. |
| iv)   | The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.                                                                                                                                                                                                                                                                                                                                                                                                             | Stack of 19 m. Height is provided. And DG set is placed in enclosure to reduce noise. Noise results of project area are shown in Annexure V.                                                                                                                       |
| v)    | The company shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF, the respective Zonal office of CPCB and the Gujarat Pollution Control Board. The levels of PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub> , NO <sub>x</sub> , CO and VOCs in ambient air shall be monitored and displayed at a convenient location near the main gate of the company and at important public places.            | We do not have website. We will make the details readily available at project site                                                                                                                                                                                 |
| vi)   | Total fresh water requirement from ground water source should not exceed 15.5 m <sup>3</sup> /day and prior permission should be obtained from the CGWA/SGWA.                                                                                                                                                                                                                                                                                                                                                                                                                                              | Complied.                                                                                                                                                                                                                                                          |
| vii)  | Industrial effluent will be treated in ETP. Treated effluent shall be used for gardening after achieving water quality as per the standards. Water quality of treated effluent shall meet the norms prescribed by CPCB/SPCB. Water quality of treated effluent shall meet the norms prescribed by CPCB/SPCB. Domestic wastewater shall be disposed through septic tank and soak pit.                                                                                                                                                                                                                       | Treated effluent will be re-used and re-cycled within the factory premises. No effluent will be discharged outside the factory premises. Refer Annexure II for Waste water Analysis.                                                                               |
| viii) | No effluent from the plant shall be discharged outside the factory premises and 'Zero' effluent discharge concept shall be followed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Treated effluent is reused within the factory premises. Zero Effluent Discharge concepts will be followed.                                                                                                                                                         |

HI-TECH BOARD PVT. LTD.



DIRECTOR



|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                              |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ix)   | Process effluent/any wastewater shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.                                                                                                                                                                                                                                                                                                                                           | Reactor is connector to condenser. Pumps are mechanically sealed. Formaldehyde storage tank are separately stored with required safety measures, safe venting, positive sealing connection for filling and draining the tank, grounded for static electricity, flame proof industrial fittings are provided. |
| x)    | The company shall obtain Authorization for collection, storage and disposal of hazardous waste under the Hazardous Waste (Management, Handling and Trans boundary movement) Rules, 2008 and amended as on date for management of Hazardous wastes and prior permission from GPCB shall be obtained for disposal of solid / hazardous waste in the TSDF. Measures shall be taken for firefighting facilities in case of emergency. Disposal of wastes will be as per HW Rules. | Complied.                                                                                                                                                                                                                                                                                                    |
| xi)   | The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All Transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.                                                                                                                                                                                                        | Complied.                                                                                                                                                                                                                                                                                                    |
| xii)  | All the commitments made to the public during the Public Hearing/Public Consultation meeting held on 14th March, 2014 should be satisfactorily implemented and a separate budget for implementing the same should be allocated and information submitted to the Ministry's Regional Office at Bhopal.                                                                                                                                                                         | Complied.                                                                                                                                                                                                                                                                                                    |
| xiii) | At least 2.5 % of the total cost of the project should be earmarked towards the corporate social responsibility and item-wise details along with time bound action plan should be prepared and submitted to the Ministry's Regional Office at Bhopal. Implementation of such program should be ensured accordingly in a time bound manner.                                                                                                                                    | Point Noted.                                                                                                                                                                                                                                                                                                 |
| xiv)  | The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per norms. Risk Assessment in view that workers' quarters are within premises. Formaldehyde Storage Leakage                                                                                                                                                                                                   | Fire fighting facility are provided.                                                                                                                                                                                                                                                                         |

HI-TECH BOARD PVT. LTD.

*[Signature]*  
DIRECTOR



|                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                      |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|
|                               | Prevention Plan shall be submitted to Regional Office within 3 months from the issue of letter.                                                                                                                                                                                                                                                                                                                                                                                      |                                                                      |
| xv)                           | Occupational health surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act.                                                                                                                                                                                                                                                                                                                                                   | Regular surveillance will be carried out.                            |
| xvi)                          | As proposed, green belt over 33 % of the total project area should be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area, in downward direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.                                                                                                                                     | Point noted                                                          |
| xvii)                         | Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment. | complied                                                             |
| <b>B. GENERAL CONDITIONS:</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                      |
| i)                            | The project authorities shall strictly adhere to the stipulations made by the Gujarat Pollution Control Board.                                                                                                                                                                                                                                                                                                                                                                       | Complied                                                             |
| ii)                           | No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.                                                  | Point is noted.                                                      |
| iii)                          | Ambient air quality data should be collected as per NAAQS standards notified by the Ministry on 16 <sup>th</sup> November, 2009.                                                                                                                                                                                                                                                                                                                                                     | Complied<br>Results are shown in Annexure IV                         |
| iv)                           | The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.                                                                                                                                                                   | Complied                                                             |
| v)                            | The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise                                                                                                                                                                                                                                         | Noise was measures in plant and the results are shown in Annexure V. |


HI-TECH BOARD PVT. LTD.

*Best*  
DIRECTOR



|       |                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                     |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).                                                                                                                                                                             |                                                                                                                                                                                     |
| vi)   | The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.                                                                                                             | Rain water harvesting from the roof tops and storm water drains to recharge ground water. Study to identify location is carried out and recharge well is construction under process |
| vii)  | Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.                                          | Complied<br>Training carried out to for all employees                                                                                                                               |
| viii) | Usage of Personnel Protection Equipments (PPEs) by all employees/ workers shall be ensured.                                                                                                                                                                                                                                       | Complied,<br>PPEs are provided to all employees                                                                                                                                     |
| ix)   | The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.    | Comply to the protection measure and safeguards proposed.                                                                                                                           |
| x)    | The company shall undertake all relevant measures for improving the socio economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.                                                                                                                         | Point noted.                                                                                                                                                                        |
| xi)   | The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.                                                                                                                                                                   | Point noted.                                                                                                                                                                        |
| xii)  | A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.                                                                                                                                                     | Complied                                                                                                                                                                            |
| xiii) | The company shall earmark sufficient funds toward capital cost and recurring cost/annum to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment | Will be comply                                                                                                                                                                      |

HI-TECH BOARD PVT. LTD.

  
DIRECTOR



|            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                  |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|            | management/ pollution control measures shall not be diverted for any other purpose.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                  |
| xiv)       | A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parisad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.                                                                                                                                                                                                                                                                                                                                                                                 | Complied                                                                                                                                                                                                         |
| xv)        | The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the Gujarat Pollution Control Board. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.                                                                                                                                                                              | complied                                                                                                                                                                                                         |
| xvi)       | The environmental statement for each financial year ending 31 <sup>st</sup> March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.                                                                                                                                                                                 | Complied                                                                                                                                                                                                         |
| xvii)      | The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <a href="http://envfor.nic.in">http://envfor.nic.in</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry. | Informed to local through on "Times of India, Ahmedabad", on 4 <sup>th</sup> April 2015 and Local Gujarati newspaper "Gujarat Guardian" Surat" on 4 <sup>th</sup> April 2015. Cuttings are shown as Annexure-VI. |
| xviii)     | The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.                                                                                                                                                                                                                                                                                                                                                                                                                                       | Point is noted.                                                                                                                                                                                                  |
| <b>7.0</b> | The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Point is noted.                                                                                                                                                                                                  |
| <b>8.0</b> | The Ministry reserves the right to stipulate additional conditions, if found necessary. The                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Point is noted.                                                                                                                                                                                                  |

HI-TECH BOARD PVT. LTD.

*Shil*

DIRECTOR



|             |                                                                                                                                                                                                                                                                                                                                                                                                        |                 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
|             | company in a time bound manner will implement these conditions.                                                                                                                                                                                                                                                                                                                                        |                 |
| <b>9.0</b>  | The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules. | Point is noted. |
| <b>10.0</b> | Environmental Clearance is issued for manufacturing Unit of Captive Resin at Plot No. 48/P1, Sarbhon Puni road, Ninat, Taluka Bardoli, District Surat, Gujarat to M/s. Hi-Tech Board Pvt. Ltd, Gujarat                                                                                                                                                                                                 | —               |

HI-TECH BOARD PVT. LTD.

*[Signature]*  
DIRECTOR