

ADITYA BIRLA



UTCL/KCW/ENV(MINE-548.78 Hect)/MoEFCC/2023-24 / 605
Date: 08/05/2023

The Deputy Director (S)/Scientist-C,
Ministry of Environment, Forest & Climate Change,
Integrated Regional Office, ARANYA BHAWAN Room no, A-209 & 218,
Jhalana Institutional Area, Jaipur-302004 - RAJASTHAN.

Sub: - Six Monthly Compliance Report of Environmental Clearance for 6.0 MMTPA Mohanpura-Jodhpura Limestone Mine (ML No. 03/2003, ML Area – 548.78 Hect.) of M/s UltraTech Cement Ltd. (Formerly M/s Grasim Industries Ltd.) located near village(s) Mohanpura-Jodhpura, Tehsil- Kotputli, Distt- Jaipur (Raj.)

Ref: - EC letter no. J-11015/350/2008-IA. II (M), dated 30th April, 2010 and NOC from MoEFCC, New Delhi regarding transfer of EC from M/s. Grasim Industries Limited to M/s. UltraTech Cement Limited was received vide letter no. J-11015/350/2008 – IA. II (M) dated 09.07.2020.

Dear Sir,

This has reference to above subject matter & environmental clearance letter. We are herewith submitting point wise **six-monthly compliance Report (for the period from October 2022 to March, 2023)** of Environmental Clearance granted for **Mohanpura-Jodhpura Limestone Mine (ML No. 03/2003(R), ML Area – 548.78 Hect.)** of **M/s UltraTech Cement Ltd.** (Formerly M/s Grasim Industries Ltd.) located near village(s) Mohanpura-Jodhpura, Tehsil- Kotputli, Distt- Jaipur, Rajasthan for 6.0 MMTPA Limestone Mine production.

We hope that your good self will find our above submission in order.

Thanking you,

Yours faithfully,

For UltraTech Cement Ltd.

Unit: Kotputli Cement Works

Bhupendra Khorpia

Agent – Mines

Encl: a/a

Copy to:

1. **Ministry of Environment, Forest & Climate Change**, Indira Paryavaran Bhavan, JorBagh Road, **New Delhi**
2. **Zonal Officer (Central Zone)** Central Pollution Control Board, Vithal Market Peryavaran Parisar, E-5 Arera Colony, **BHOPAL Madhya Pradesh -462016.**
3. **Member Secretary**, Rajasthan State Pollution Control Board, 4, Institutional Area, Jhalana Doongri, **JAIPUR-302004, Rajasthan**
4. **Regional Officer**, Rajasthan State Pollution Control Board, Opp Road No.5, VKI Area, Sikar Road, **JAIPUR, Rajasthan**



UltraTech Cement Ltd.


(Unit : Kotputli Cement Works)

FACTORY : Village : Mohanpura, Tehsil : Kotputli, Distt.: Jaipur – 303 108, Tel / Fax : 0141 - 2378980
JAIPUR OFFICE : Office No. 1, 3rd Floor, Sanghi Upasna Tower, Near Ahinsa Circle C-98, Subhash Marg, C-Scheme, Jaipur-302001 (Raj.)
Tel. : 0141 - 2378979/80/81
REGISTERED OFFICE : UltraTech Cement Ltd., 'B' Wing, Second Floor, Ahura Centre, Mahakali Caves Road, Andheri (East), Mumbai-400 093
CIN No. : L26940MH2000PLC128420

COMPLIANCE REPORT

Name of the Project	:	Mohanpura-Jodhpura Limestone Mine (ML Area- 548.78 ha, ML No. 03/2003(R)) of M/s UltraTech Cement Ltd. located near Village(s) Mohanpura-Jodhpura, Tehsil- Kotputli, District- Jaipur – 303108, Rajasthan for 6million TPA Limestone production.
Environmental Clearance Letter No.	:	J-11015/350/2008-IA. II (M) dated 30/04/2010. NOC from MoEFCC, New Delhi regarding transfer of EC from M/s. Grasim Industries Limited to M/s. UltraTech Cement Limited vide letter no. J-11015/350/2008-IA. II (M) dated 09.07.2020.
Period of Compliance Report	:	October, 2022 to March, 2023

A) SPECIFIC CONDITIONS :

S.N.	CONDITIONS	COMPLIANCE STATUS
(i)	Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India in Contempt Petition(C) No.412/2004 in IA No. 833 in writ petition (C) No. 202 of 1995, as may be applicable to this project.	The contempt petition order is to be treated as an application and cognizance was taken of the illegal mining taking place in forest areas of Aravali hills falling in the State of Rajasthan. As an interim measure any kind of mining in any area in Aravali hills falling in the State of Rajasthan is prohibited. This condition is not applicable to our limestone mine because our ML area is not falling under Aravali hills. In this regard, office letter from Assistant Mining Engineer, Kotputli, District- Jaipur is as follows.
		
(ii)	The environmental clearance is subject to approval of the State Landuse Department, Government of Rajasthan for diversion of agricultural land for non-agricultural use.	A letter with subject “ non-requirement of conversion of land falling under mining lease area ” has been received from the Principal Secretary of Rajasthan Government vide their letter no. F.9 (14) Rev./Gr.-6/10 dated 22/02/2010. Hence, this condition is not applicable.

**GOVERNMENT OF RAJASTHAN
Revenue (Gr.-6) Department**

No.F.9(14)Rev./Gr.-6/10

Dated: February 22, 2010

To,

Shri Sanjay Agrawal,
Executive President,
Grasim Industries Limited
(Unit Grasim Cement - Kotputli)
505, 5th Floor, Sanghi Upasana Tower,
C-98, Subhash Marg,
C-Scheme, Jaipur - 302 001,

SUBJECT: Non-requirement of conversion of land falling under mining lease area.

REFERENCE: Your letter No. GIL/GCK/2009-10/ dated February 19, 2010.

Dear Sir,

With reference to the above-mentioned subject this is to inform you that conversion of land is required only for "surface uses" of land like residential, commercial, industrial etc. No conversion of land is required for undertaking mining activity because the mining activity does not fall within "surface uses" of land. All the rights regarding minerals, including natural gas & oil, vest in the Mines Department and once Mines Department issues a Mining Lease in favour of any person/company, the concerned person/company is free to undertake mining operations without any requirement of conversion of land. If the concerned land is recorded in the khatedari of the concerned person/company, nothing further is required to be done before undertaking mining operations. If, however, the land is recorded in the khatedari of another person, the person/company to whom Mining Lease has been issued has to obtain the consent of the concerned khatedar before taking up the mining activity. However, no conversion of land is required.

Yours faithfully,



(Ashok Sampatram)
Principal Secy. to Government

(iii)	The project proponent shall obtain Consent to Establish and Consent to Operate from the Rajasthan State Pollution Control Board and effectively implement all the conditions stipulated therein.	Consent to Establish and Consent to Operate have been obtained from RSPCB for 6.0 million TPA Limestone production (M.L. Area 548.78 hectare) vide letter no. F(Mines)/Jaipur (Kotputli)/8 (1)/ 2008-2009/ 6217-6221 & Order No. 2010-11/Mines/868 dated 04/01/2011. The renewed consent to operate has been obtained from RSPCB vide letter no. F (Mines)/Jaipur (Kotputli)/253 (1)/ 2017-2018/ 216-220 & Order No. 2022-23/Mines/10468 dated 07/04/2022 with validity upto 31/3/2027. All the stipulated conditions of consent letters have been implemented.
(iv)	The project proponent shall ensure that no natural water course and/or water resources are obstructed due to any mining operations. Adequate measures shall be taken for protection of the 1 st order and 2 nd order streams, if any emanating/ passing through the mine lease during the course of mining operation.	No natural water course / water stream emanates/passes through the mining lease (ML) area. So, there is no such case of obstruction due to mining operation in the area. Key Plan of 10 KM radius from mine lease boundary showing the passage of rivers has been enclosed.
(v)	The top soil shall temporarily be stored at earmarked site(s) only and it should not be kept unutilized for long. The topsoil shall be used for land reclamation and plantation.	The Top soil generated is being simultaneously used for land reclamation and plantation/ greenbelt work.
(vi)	The solid waste (over burden and inter burden) generated during the mining operation shall be stacked at earmarked dump site(s) only and should not be kept active for a long period of time and their phase –wise stabilization shall be carried out. There shall be three waste dumps. The maximum height of the dump shall not exceed 30m having three stages of 10m each and the overall slope of the dumps shall not exceed to 28°. The waste dumps shall be scientifically vegetated with suitable native species to prevent erosion and surface run off. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forests and its Regional Office, Lucknow on six monthly basis.	The solid waste (overburden and inter-burden) generated during the mining operation is being stacked at designated places within the mining lease area as per the approved Mining Plan. Dumps are being maintained & stabilized in phase wise manner. Height of dumps are maintained as per approved mining plan and they have been suitably terraced with each stage of 10 m height. Part area of OB Clay dump has been covered under vegetation with suitable native species. Compliance status of EC conditions is being submitted to MoEFCC - Regional Office, Integrated Regional office Jaipur, MoEFCC–Head Office, New Delhi; CPCB-Zonal Office, Bhopal; RSPCB – Head Office & Regional Office, Jaipur in soft copy in every six month. Half yearly compliance submitted through e-mail (soft copy) on 19.11.2022, as per the paragraph 10 (ii) of MoEFCC notification dated 26/11/2018.
(vii)	The entire excavated area of 133.90ha left as void shall be converted into water body. The higher benches of excavated void/mining pit shall be terraced and plantation done to stabilize the slopes. The slope of higher benches shall be made gentler for easy accessibility by local people to use the water body. Peripheral fencing shall be carried out all along the excavated area.	Present mining pit is active one and there is no exhausted/ abandoned mining pit for creation of water body. Rain water falling in the mine pit area is collected and is preserved in the sump developed at the deepest portion of mine pit and this rain water is used for plantation work and dust suppression in mine area and in cement plant, etc. During monsoon in the year 2022-23, about 2.52 Lakh M ³ of rain water was preserved in the mine sump, which was used for plantation work and dust suppression in mine area and in cement plant, etc. However, the condition will be taken care once such stage of mine is arrived & will be maintained at conceptual stage. All the safety aspect and safety care are taken as per the mining plan.
		
	A view of Systematic Hill Benches	A view of Systematic Mine Working

(viii)	Catch drains and siltation ponds of appropriate size shall be constructed for the working pit, soil waste, soil and mineral dumps to arrest flow of silt and sediment directly into the agricultural fields, the Sota River and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after the monsoon and maintained properly. Garland drains, settling tanks and check dams of appropriate size, gradient and length shall be constructed both around the mine pit and solid waste dumps to prevent run off of water and flow of sediments directly into the agricultural fields, the Sota River and other water bodies and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.	The catch drains / garland drains have been provided around the existing OB/waste dumps & active working pit. Siltation ponds have been made in the mine area to arrest flow of silt and sediments into the agricultural fields. The Sota river is approx. 2.0 km away in NW direction & Sabi river is approx. 7.25 km away in South direction from the mine area and there is no natural water course / water stream emanating /passing through the ML area. The water collected in siltation ponds & other developed ponds in mine area is utilized for ground water recharging. The drains & siltation ponds are desilted before & after monsoon and are maintained in good condition. The garland drains of 1 – 1.5 m depth have been constructed & maintained around active mine pit and at the toe of waste dumps & are channelized to siltation pond/recharging ponds. These garland drains and siltation ponds arrest the runoff and flow of silt/ sediments into the agricultural fields. No water stream originates /passes through our mining lease area.
--------	---	--



View of Pond before de-siltation



View of Pond after de-siltation



Photographs showing OB dump, Catch drains, Retaining wall, Garland drains & view of Siltation pond


(ix)	Dimension of the retaining wall at the toe of the solid waste dumps and the OB benches within the mine to check run-off and siltation should be based on the rain fall data.	Retaining wall of about 1935 mtr Length with 1.5m height has been constructed around the existing waste rock dumps to check run-off and siltation.
 Photographs showing Permanent Retaining walls and garland drains around the OB dump		
(x)	Plantation shall be raised in an area of 166ha including a 7.5m wide green belt in the safety zone around the mining lease, around waste dump, around water body, along the roads etc. by planting the native species in consultation with the local DFO/Agriculture Department. The density of the trees should be around 2000 plants per ha. Greenbelt shall be developed all along the mine lease area in a phased manner and shall be completed within one year.	The plantation/ green belt development is our ongoing program. Plantation has been developed in the safety zone around areas of mining activities i.e. around mine pit, waste/OB dump, around water body, along the sides of roads & around mine office/ mine workshop as per approved mining plan by planting native species with consultation and authenticated by Range Forest Officer, Kotputli. Native species like Neem, Kala Siris, Karanj, Shisham. Khair, Gulmohar, Amaltas, Khejri, etc. have been planted. Green belt has been developed covering 7.5 m safety zone around mining activity areas. Plantation/ green belt is developed in phased manner as per approved mining plan. Total safety zone of 7.5m wide covering 8.2 ha. area around mining activity areas has been completed. During the year 2022-23, 4000 nos. of saplings have been planted. So far, 100321 no. of plants have been planted, which includes different native species covering 54.5 hectares of mining lease area & out of which 90759 no. of plants have survived with survival rate of about 90.8%. Presently total land put to use for mining & allied activities is about 118.51 hectares. Plantation/greenbelt has been developed over 54.5 hectares of land, which is about 46% of total land put to use. So, we have already exceeded the required 33% area under plantation/greenbelt. Plantation/ greenbelt development shall be continued up to the end of mine life as per Mining Plan approved by Indian Bureau of Mines.

YEAR-WISE PLANTATION/ GREEN BELT DEVELOPMENT DETAILS (WITHIN MINES AREA)

Year	Mines Area used (In Hect.)	Planted (In Nos.)	Survived (In Nos.)	Survival Rate (%)	Area Covered (In Hect.)	Greenery developed (%)
2007-08	118.51 ha area has been used for mining/ allied activities	1260	1200	95.2	1.5	46% (Plantation/ Greenbelt has been developed over an area of 54.5 ha. against 118.51 ha of area used for mining/ allied activities.)
2008-09		1890	1800	95.2	2.5	
2009-10		4850	4344	89.6	7	
2010-11		9255	8789	95.0	8.5	
2011-12		8007	7604	95.0	9.5	
2012-13		8054	6538	81.2	7	
2013-14		8228	7129	86.6	5	
2014-15		9119	8386	92.0	2	
2015-16		8086	7381	91.3	1	
2016-17		8031	7281	90.7	0.5	
2017-18		7041	6059	86.1	1	
2018-19		10000	9870	98.7	3	
2019-20		4500	3728	82.8	1.5	
2020-21		4000	3400	85.0	1.5	
2021-22		4000	3700	92.5	1.5	
2022-23		4000	3850	96.3	1.5	
Total		100321	91059	90.8%	54.5	

CONTROL INDICATORS

NOs OF TREES PLANTED & SURVIVAL RATE :- MINE



GLIMPSES OF GREEN BELT/ PLANTATION AT MINE SITE



Slope of OB Dump covered under vegetation



At Mines Entry



Plantation near Mine Office Area



Plantation at Mine Haul roads near crusher dump hopper



Plantation around surrounding area of Limestone crusher plant



Towards New Mohanpura (Rehabilitated) Village



Along the sides of public road passing through ML area towards Village Jodhpura¹– Kansli



Plant view with Plantation inside plant & colony



Between Mines & Residential Area

(xi)	Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as around crushing and screening plant, loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	To control the dust emission during unloading of limestone at the crusher dump hopper, double layered covering with rubber pad on all the three sides have been provided. Beside this, permanent water sprinkling system through auto spray nozzles have been provided. Water spray starts when dumper unloads limestone. Bag house has been also provided at limestone crusher along with Bag filters at all transfer points and screening area for control of dust emission. Two number of water tankers fitted with water sprinkling arrangements are regularly deployed throughout the shift for dust suppression at mines haul roads, operating face, loading points, blasting area, etc. The Ambient Air Quality parameters are well within the prescribed norms. (AAQ monitoring results in core as well buffer zones given in general condition (v) compliance)
------	---	---



Covered limestone crusher dump hopper with Sprinkling arrangements



Bag House for Crusher Stack & Bag filters at Limestone transfer points with covered conveyor belts



Water spray arrangements (through water tankers) for mine haul roads and working area

(xii)	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	Three number of rain water harvesting ponds have been developed at mines area as conservation measures to augment the ground water resources of the area. Details are as follows: • One recharge pond of 1.5 Lakh M³ capacity developed at the mine foot hill near crusher towards NE direction • One recharge pond of 1.0 Lakh M³ capacity developed near village Kujota. • One recharge pond of capacity 1.0 Lakh M³ developed near village Mohanpura. The rain water of entire mining lease area is channelized into rain water harvesting ponds developed in the area through catch drains/diversion channels/ garland drains/slopes. Apart from these, 19 nos. Rain water harvesting structures have been developed in our cement plant & colony area. The rain water in cement plant & colony area is channelized into harvesting structures i.e. injection wells / open wells/ ponds through paved rain water drains from entire Roof top of plant & colony buildings, paved area/ roads, etc. We are committed for continual implementation of conservation measures/ rain water harvesting measures for augmenting the ground water resources of the area. We have developed appropriate ground water recharge measures for augmentation of ground water at our premises, which are in line with the permission obtained from the Central Ground Water Board.
-------	--	---

GLIMPSES OF RAIN WATER HARVESTING MEASURES AT MINING LEASE AREA



Recharging pond at mine foot hill



Recharging pond near village- Mohanpura



Recharging pond near village Kujota

(xiii)	Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and installing new piezometers during the mining operation. The periodic monitoring [(at least four times in a year- pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State Ground Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forests and its Regional Office Lucknow, the Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity, necessary corrective measures shall be carried out.	Eight number of piezometers (two piezometers in each area i.e. Mine area, Cement Plant, Colony & nearby villages) have been constructed for ground water level monitoring. Monitoring of ground water level is being carried out through piezometers by using Water Level meter/sounder on monthly basis and AWRL as per CGWA notification dtd. 24.09.2020. Other than this, monitoring of ground water level is being also carried out periodically i.e. during Pre-monsoon (April-May); Monsoon (August); Post-Monsoon (November) and Winter (January) by third party expert engaged in the field of ground water study. The ground water quality analysis is being carried out twice in a year i.e. Pre-monsoon (April/May) & Post-monsoon (November) by EPA/MoEFCC Approved Notified Lab. The Annual compliance report along with the monitored data of ground water withdrawal, ground water level & quality for the period from Pre-monsoon, 2021 to Pre-Monsoon, 2022 has been submitted to the CGWB Office - Jaipur, CGWA Office-New Delhi, IRO MoEFCC Office-Jaipur & SPCB Offices-Jaipur along with our renewal application dtd.19.09.2022 through website. Presently there is no seepage in mine working pit, therefore there is no impact/ depletion of ground water table due to mining activity. However, appropriate ground water recharge structures have been developed for augmentation of ground water of the area, which are in line with the permission obtained from the Central Ground Water Board.
(xiv)	Appropriate mitigative measures shall be taken to prevent pollution of the Sota River and the Sabi River in consultation with the State Pollution Control Board.	No natural water course / water stream originates/ passes through the Mining Lease area. So, there is no surface water body link between the mining lease area with Sota River and Sabi River. Also, rain water falling in mining activity area are collected within mining lease area for rain water harvesting / ground water recharge. Hence, there is no chance of pollution to Sota & Sabi River due to our mining activities. A Key plan showing the passage of stream/nallah/rivers within 10 KM radius of mine lease boundary is enclosed as Annexure-1.
(xv)	The project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of ground water required for the project in view of the availability of water, as the area falls in over exploited block.	We have obtained the permission/NOC from Central Ground Water Authority (CGWA) vide NOC no CGWA/NOC/IND/REN/2/2021/6324 dated 08.10.2021 with validity from 25/09/20220 to 24/09/2022 for withdrawal of 3190 KLD ground water for our cement plant, colony & mining project and we have applied renewal application dtd.19/09/2022 permission is awaited.

NOC obtained for Ground Water Withdrawal for Cement Plant, Power Plant, Mining projects & Domestic use and also obtained the NOC for mining below the ground water table and dewatering of inflow water from mines:



भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन, नदी विकास
और गंगा संरक्षण विभाग
केन्द्रीय भूमि जल प्राधिकरण
Government of India
Ministry of Jal Shakti
Department of Water Resources,
River Development & Ganga Rejuvenation
Central Ground Water Authority

(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र)

NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

Project Name:	M/s Ultra Tech Cement Ltd.		
Project Address:	M/s Ultra Tech Cement Ltd., (formerly M/s Grasim Industries), Village Mohanpura		
Village:	Jodhpura	Block:	Kotputli
District:	Jaipur	State:	Rajasthan
Pin Code:			
Communication Address:	Ultratech Cement Ltd. (Kotputli Cement Works) Village Mohanpura, Tehsil Kotputli., Kotputli, Jaipur, Rajasthan - 303108		
Address of CGWB Regional Office :	Central Ground Water Board Western Region, 6-a, Jhalana Doongri, Jaipur, Rajasthan - 302004		

1. NOC No.:	CGWA/NOC/IND/REN/2/2021/6324											
2. Application No.:	21-4/11/RJ/IND/2005				3. Category:	Over Exploited						
					(GWRE 2020)							
4. Project Status:	Existing Ground Water				5. NOC Type:	Renewal						
6. Valid from:	25/09/2020				7. Valid up to:	24/09/2022						
8. Ground Water Abstraction Permitted:												
Fresh Water		Saline Water		Dewatering		Total						
m ³ /day	m ³ /year	m ³ /day	m ³ /year	m ³ /day	m ³ /year	m ³ /day	m ³ /year					
3190.00	1164350.00											
9. Details of ground water abstraction /Dewatering structures												
Total Existing No.:15						Total Proposed No.:0						
	DW	DCB	BW	TW	MP	MPu	DW	DCB	BW	TW	MP	MPu
Abstraction Structure*	0	0	0	14	1	0	0	0	0	0	0	0
*DW- Dug Well, DCB-Dug-cum-Bore Well, BW-Bore Well, TW-Tube Well, MP-Mine Pit,MPu-Mine Pumps												
10. Ground Water Abstraction/Restoration Charges paid (Rs.):							9340320.00					
11. Number of Piezometers(Observation wells) to be constructed/ monitored & Monitoring mechanism.				No. of Piezometers		Monitoring Mechanism						
						Manual		DWLR**		DWLR With Telemetry		
**DWLR - Digital Water Level Recorder.				2		0		1		1		

(Compliance Conditions given overleaf)

This is an auto generated document & need not to be signed.

1&/11, जामनगर हाउस, मन्सिंग रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23282561 Fax: 23282551, 23286743

Website: cgwa-not.gov.in

पानी बचावे - जीवन बचावे
SAVE WATER - SAVE LIFE

(xvi)	Suitable rainwater harvesting measures on long term basis shall be planned and implemented in consultation with the Regional Director, Central Ground Water Board.	Developed 22 nos. of artificial recharge structures/ measures inside cement plant, colony, and mines /nearby area for harvesting of rain water & augmentation of ground water resources of the area. Details of existing rain water harvesting structures/ measures are as follows: PLANT PREMISES: We have constructed/ developed 11 rain water harvesting structures in cement plant area. The storm water drains have been constructed & have been connected with rooftop of entire plant buildings, paved areas, roads, etc. for the collection of rain water and to channelize it into rain water harvesting structures. Cleaning of drain and rain water structures is carried out twice in a year i.e. before monsoon and after monsoon period. COLONY PREMISES: We have constructed/ developed 07 rain water harvesting structures in colony area i.e. 03 injection wells/tube wells, 03 injection wells a/w open wells and 01 open well have been constructed along with desilting /filter pit. The storm water drains have been constructed & connected with rooftop of entire colony building, paved areas, roads, etc. for the collection of rain water and to channelize it into rain water harvesting structures. Cleaning of drain and rain water structures is done twice in a year i.e. before monsoon and after monsoon period. LIMESTONE MINES & NEARBY AREAS: We have developed 04 recharging ponds (one at the mine foot hill, 01 is near village Kujota & 01 is near village Mohanpura 01 is near Hiroda temple Kansli). The rain water of entire mine area & nearby area is channelized through natural slope/ catch drains/diversion channels/ garland drains into all the rain water harvesting ponds made for the purpose. The company is committed to continual implementation and improvement of conservation measures/ rain water harvesting measures for augmenting the ground water resources of the area.
-------	---	--

GLIMPSES OF RAIN WATER HARVESTING MEASURES



Rooftop Rain Water Harvesting

Storm Water Drains To recharge structures

Injection Well along with filter and de-silting pits

Open Well- Injection Well along with filter and de-silting pits



Reservoir at Mines foothills



Reservoir near village areas



Piezometers

(xvii)

Vehicular emissions shall be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The mineral transportation within the mine shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded.

Vehicular emissions are under control & to ensure that six monthly monitoring of vehicular emission/ pollution under control (PUC) of all HEMM is carried out regularly. The PUC monitoring was done on 25.01.2023 with validity upto 24.07.2023. The periodicity / schedule of monitoring is strictly adhered. They are maintained as per original equipment condition by experienced engineers and mechanics. SOP has been framed for proper and safe operation of the machineries. Employees are regularly trained to follow SOP.

A full-fledged workshop has been provided for regular and effective maintenance of all HEMM used in mining operations and in transportation of mineral.

Mineral transportation is carried out by heavy duty dumpers equipped with latest technology to the crusher, which has been installed within the mining lease area. Hence no long distance/ outside transportation of limestone is carried out through vehicles from mine area. Also, minerals transported are in boulder form, which are generated by blasting the in-situ massive rocks. The dust emission is controlled by regular water spraying on haul roads as well as water spraying over muck pile at mine faces by water tankers. These precautions have minimized dust pollution during transportation of minerals. Care is taken at mines to minimize dust emission at its sources. A weigh bridge has been provided at mine area to ensure that the transportation of limestone is done as per designated load of vehicles & not to be overloaded.



A view of Mines workshop for mines vehicles/HEMM maintenance

1/23, 4:34 PM

परिवहन विभाग
Transport Department, Rajasthan

प्रदूषण नियंत्रण प्रमाण पत्र
POLLUTION UNDER CONTROL CERTIFICATE
[Approved by Department of Transport, Government of Rajasthan, Jaipur]
परिवहन विभाग राजस्थान सरकार से मान्यता प्राप्त
(Under the PCRA Rules 1989)

15487824

VALID IN ALL INDIA
Photo of Vehicle

Pucc No : D16RJ32112293
Vehicle No : RJ32EA0154
Customer Name : ULTRATECH CEMENT LIMITED
Customer Mobile : 9887440322
Year : 01-11-2008
Type of Vehicle : TIPPER
Make : KOMATSU
Model : HD 465
Test Date : 25-01-2023
Time : 10:50:56 AM
Valid Up To : 24-07-2023
Center Name : Rajaram Mobile Pollution Van, (RJ50-GA-0827)
Center Address : Kotputli, Jaipur (7976166366)
Licence No : RJ32-17/16
Test Result : Pass

Flushing Cycle

Avg	RPM Min	RPM Max	Temp
767		2365	0

Sr. No.	RPM Min	RPM Max	Km	MSU%	Temp
1	720	2402	0.767	28.1	000.0
2	720	2364	0.716	26.5	000.0
3	720	2391	0.823	29.8	000.0
Mean			0.769	28.1	

Prescribed Limit for Diesel vehicle	1/m(Light Absorption Co-efficient)	Hartridge Units (HSU)%
Free Acceleration BS II & III	2.45	65
Free Acceleration BS IV	1.62	50
Free Acceleration BS VI 4/3 wheelers	0.7 / 1.5	26 / 48

Validity Six Months for Bharat Stage III or below and one year for Bharat Stage IV/VI vehicles.

Get Certificate renewed within the expiry date.

Seal of Testing Station

Testing Station Code D16RJ32

CERTIFICATE IS ONLY VALID IF SMS RECEIVED FROM REIL/TRANSPORT DEPT. KINDLY DESTROY THE INVALID CERTIFICATE.

Transport Dept. Govt. of Rajasthan

Veh Reg No : RJ32EA0154
PUC No. : D16RJ32112293
Valid up to : 24-07-2023

Transport Dept. Govt. of Rajasthan

Veh Reg No : RJ32EA0154
PUC No. : D16RJ32112293
Valid up to : 24-07-2023

A sample of PUC Certificate for Mines Vehicles/HEMM

(xviii)	Controlled blasting shall be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented.	Controlled blasting is practiced by optimum explosive charge, delay pattern for each hole, use of NONEL, etc. Bottom initiation, a latest technology, is followed resulting in reduction of noise level and ground vibration to a great extent. The blasting operation is being carried out only at day time. Use of secondary rock breakers for breaking of oversize boulders instead of secondary blasting also eliminates ground vibration and fly rocks as well as minimizes dust generation. To control ground vibration and to arrest fly rock/ boulders, we have implemented all the recommendations of CIMFR, Nagpur as well as guidelines issued by DGMS, Dhanbad.
(xix)	The project proponent shall take all mitigative measures during the mining operation to ensure that the buildings/ structures in the nearby areas shall not be affected due to blasting.	Controlled blasting is practiced to control the ground vibration. Ground vibration is being monitored daily to check the vibration limit during blasting as per blasting SOP at desired monitoring stations. There is no effect on buildings/ structures in nearby areas due to blasting activities.



Date/Time: Vert at 14:27:30 March 25, 2023
 Trigger Source: Geo: 0.500 mm/s
 Range: Geo: 254.0 mm/s
 Record Time: 3.0 sec at 2048 sps
 Operator/Setup: Operator/UTCL MMB

Serial Number: UM20692 V 10-900C Micromate ISEE
 Battery Level: 3.7 Volts
 Unit Calibration: December 16, 2022 by UES New Delhi
 File Name: UM20692_20230325142730_IDFW

Notes:
 Location:
 Client:
 User Name:
 General:

Microphone: Linear Weighting
 PSPL: 117.6 dB(L) at 1.859 sec
 ZC Freq: 18.3 Hz
 Channel Test: Passed (Freq = 10.7 Hz Amp = 1258 mv)

	Tran	Vert	Long	
PPV	1.408	1.687	2.735	mm/s
ZC Freq	37	43	39	Hz
Time (Rel. to Trig)	0.180	0.124	0.260	sec
Peak Acceleration	0.063	0.089	0.123	g
Peak Displacement	0.006	0.006	0.006	mm
Sensor Check	Passed	Passed	Passed	
Peak Vector Sum	2.745 mm/s at 0.249 sec			



A sample of ground vibration monitoring report

(xx)	Drills shall either be operated with dust extractors or equipped with water injection system.	Drill machines are equipped with in built ecofriendly water injection system and dust extractors, which controls the dust emission during drilling operation at source. Machines are also equipped with sound & dust proof AC cabins.
  Photographs of Drilling Machine equipped with wet drilling arrangements		
(xxi)	Mineral handling area shall be provided with the adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.	The mineral handling area i.e. Limestone crusher has been provided with Bag house along with Bag filter arrangements at all transfer points & screening plant for the control of dust emission. Water sprinkling system, double layered covering with rubber pads have been provided on all the 3 sides of the limestone crusher dump hopper to control dust emission during unloading of limestone by dumpers. Beside this, permanent water sprinkling system through auto spray nozzles have been provided. Water spray starts when dumper unloads limestone. The dust control equipments are checked regularly & maintained. Wet drilling arrangements and dust extractors have been provided in drill machines for dust suppression during drilling operation. Two number of water tankers fitted with water sprinkling arrangements are deployed throughout the working shifts for dust suppression at mines haul roads, operating face, loading points, etc. Apart from above, all the mining machinery deployed at mines area are equipped with latest technology to minimize emission.
(xxii)	Sewage treatment plant shall be installed for the colony. ETP shall also be provided for the workshop and wastewater generated during the mining operation.	Oil & Grease trap tank/ up flow filter has been provided at mines workshop premises for the treatment/separation of oil & grease from workshop waste water. The treated waste water, from mines workshop through Oil-Water separator, is being re-utilized for washing of mines vehicles/machineries. Sewage treatment plant of 500 KLD capacity has been installed at colony area for treatment of domestic effluent/sewage from Colony, Plant & Mines areas. Treated water from STP is being utilized for plantation / horticulture activities. We are maintaining the status of zero discharge of effluent. Testing of domestic waste water of STP NABL Approved Lab-Annexure-2



STP for domestic waste water/sewage treatment

Oil & grease trap for mine workshop effluent treatment

In house testing of domestic waste water through Sewage Treatment Plant (STP) during the period from Oct, 2022 and Mar, 2023 are as given below:


Treated Domestic Waste Water Analysis (Average Values)								
(Period from Oct ; 2022 to Mar ;2023)								
Location	Outlet of STP	Results (Month Avearge)						Prescribed
S/N	Parameters	Oct-22	Nov-22	Dec-22	Jan-23	Feb-23	Mar-23	Standards
1	pH	7.70	7.03	7.90	8.09	8.01	7.98	Between 5.5 to 9.0
2	Oil & Grease	0.04	0.02	0.03	Nil	Nil	Nil	Not to exceed 10 mg/l
3	Total Suspended Solids (TSS)	30.35	30.85	31.03	33.83	35.32	36.48	Not to exceed 100 mg/l
4	Total Ammonical Nitrogen (as N)	9.46	9.22	9.69	10.01	10.03	10.38	Not to exceed 50 mg/l
5	Bio-Chemical Oxygen Demand (BOD) (3 Days at 27°C)	9.50	9.20	9.53	10.06	10.14	10.24	Not to exceed 30 mg/l
6	Chemical Oxygen Demand (COD)	97.1	90.88	98.41	103.66	103.18	105.75	Not to exceed 250 mg/l

Testing of domestic waste water through Sewage Treatment Plant (STP) during the period from Oct, 2022 and Mar, 2023 by NABL Approved Lab

Location	Out let STP	Results (Month		
S/N	Parameters	Prescribed		
		Dec-22	Mar-23	Standards
1	pH	7.45	7.76	Between 5.5 to 9.0
2	Oil & Grease	BDL	BDL	Not to exceed 10 mg/l
3	Total Suspended Solids (TSS)	6.30	5.60	Not to exceed 100 mg/l
4	Total Ammonical Nitrogen (as N)	4.23	3.82	Not to exceed 50 mg/l
5	Bio-Chemical Oxygen Demand (BOD) (3 Days at 27°C)	5.45	5.20	Not to exceed 30 mg/l
6	Total Kjeldhal Nitrogen as N	6.12	6.12	Not to exceed 100 mg/l
	Residual free Chlorine	BDL	BDL	Not to exceed 1.0 mg/l
	Sulphide	BDL	BDL	Not to exceed 2.0 mg/l
7	Chemical Oxygen Demand (COD)	26.00	24.00	Not to exceed 250 mg/l

Annexure 2

(xxiii)	Pre-placement medical examination and periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.	Pre-placement medical examination and periodical medical examination of the workers/employees engaged in the mining operation is being carried out as per the prescribed schedule in Mines Rules and the records of the same are being maintained properly. As per the reports, no occupational ailment has been observed.
(xxiv)	Digital processing of the entire lease area using remote sensing technique should be done regularly once in three years for monitoring land use pattern and report submitted to MoEF and its Regional Office.	The digital processing of the entire lease area using remote sensing technique for monitoring of land use pattern has been carried out and report has been submitted to the Director, MoEFCC (Mines) New Delhi; Regional Office, MoEFCC-Lucknow; Member Secretary and Regional Officer, RSPCB-Jaipur vide our letter no. UTCL/KCW/MINES/2020-21/91 dated 12/10/2020.
(xxv)	Land oustees and land losers/affected people should be rehabilitated as per the National Policy on Resettlement and Rehabilitation of project Affected Families (NPRR), 2003.	Land oustees and land losers/affected people have been rehabilitated & compensated as per the guidelines.
(xxvi)	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	The necessary infrastructures and facilities were provided during the projects for construction labour within the site. They were removed after completion of the project.
(xxvii)	The critical parameters such as RSPM (Particulate matter with size less than 10micron i.e., PM ₁₀), NO _x in the ambient air within the impact zone, peak particle velocity at 300m distance or within the nearest habitation, whichever is closer shall be monitored periodically. Further, quality of discharged water shall also be monitored [(TDS, DO, PH and Total Suspended Solids (TSS)]. The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the main gate of the Company in public domain. The circular No. J-20012/1/2006-1A.II (M) dated 27.05.2009 issued by Ministry of Environment and Forests, which is available on the website of the Ministry www.envfor.nic.in shall also be referred in this regard for its compliance.	The critical parameters such as RSPM (PM₁₀), NO_x along with SPM, PM_{2.5} and SO₂ for ambient air quality are being monitored twice in a month at mine's core zone & buffer zone. Peak particle velocity at 300m distance or within the nearest habitation is being monitored regularly. The treated waste water generated from mine workshop is being re-utilized for washing vehicles/machineries at mine site by separating oil & grease from water through oil-water separator, which involves separation tank by up flow filter. So there is no discharge of waste water & we are maintaining zero discharge of waste water from mine premises. The monitored data are being uploaded on the website of the company as well as displayed on display board provided for the physical & monitored data of mine in public domain at mines office gate. We are complying with the requirement of MoEFCC circular no. J-20012/1/2006-1A.II (M) dated 27.05.2009 regarding monitoring of key environmental parameters in mining projects.



Display Board For Key parameters information at Mines Office Gate In Public Domain

(xxviii)	A Final Mine Closure Plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.	Final Mine Closure Plan will be submitted to MoEFCC, five years in advance for approval.
----------	---	--

B. GENERAL CONDITIONS :

S.N.	CONDITIONS	COMPLIANCE STATUS
(i)	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests.	Mechanized opencast mining is followed for production of limestone. EC Obtained from MoEFCC, New Delhi for expansion of Limestone production capacity from 4.0 MMTPA to 6.0 MMTPA vide letter no. J-11015/350/2008-IA.II (M) dated 30/04/2010.
(ii)	No change in the calendar plan including excavation, quantum of mineral limestone (minor mineral) and waste should be made.	Excavation is being carried out as per IBM approved Mining Plan. Production of limestone for the year 2022-23 was 4.3286 Million Tonnes (4,328,608 Tonnes)
(iii)	Conservation measures for protection of flora and fauna in the core & buffer zone should be drawn up in consultation with the local forest and wildlife department and effectively implemented.	There is no endangered fauna observed in core & buffer zone as per the authenticated list from Range forest officer (RFO), Kotputli, Jaipur. We are planting the local native plant species in our mines, cement factory and colony area, which are as per authenticated list by RFO, Kotputli and regularly organize environment awareness program and distribute plants/saplings to the nearby area people for the conservation of flora & fauna in the area.

**GRASIM CEMENT LIMESTONE, KOTPUTLI
ML AREA – 548.78 HECT**

FAUNA IN STUDY AREA

S.No.	English Name	Zoological Name	Hindi/Local Name	Schedule as per Wild life Act 1972
CORE ZONE				
1.	House crow	<i>Corvus splendens</i>	Koora	Schedule V
2.	Sparrow	<i>Passer domesticus</i>	Gauriyya	Schedule IV
3.	Weaver bird	<i>Ploceus philippinus</i>	Baya	Schedule IV
4.	Hare	<i>Lepus nigricollis</i>	Khargosh	Schedule IV
5.	Pigeon	<i>Columba livia</i>	Kabutar	Schedule IV
6.	Indian Myna	<i>Acridotheres tristis</i>	Koyal	Schedule IV
BUFFER ZONE				
1.	Five Stripped Squamel	<i>Funambulus Pennanti</i>	Githari	Schedule IV
2.	Hare	<i>Lepus nigricollis</i>	Khargosh	Schedule IV
3.	Blue bull	<i>Boselaphus tragocamelus</i>	Nilgai	Schedule III
4.	Rat	<i>Rattus rattus</i>	Chuha	Schedule V
5.	Mouse	<i>Mus sp.</i>	Chuha	Schedule V
6.	Toads	<i>Bufo Malanosciotus</i>	Mendhak	Schedule IV
7.	Bull Frog	<i>Rana Tigrina</i>	Mendhak	Schedule IV
8.	Little Green Bee-eater	<i>Merops orientalis</i>	Patringa	Schedule IV
9.	Laughing Dove	<i>Streptopelia senegalensis</i>	Fakhta	Schedule IV
10.	House crow	<i>Corvus splendens</i>	Koora	Schedule V
11.	Short eared Owl	<i>Asio flammeus</i>	Ullu	Schedule IV
12.	Grey Partridge	<i>Francolinus pondicerianus</i>	Teetar	Schedule IV
13.	Pigeon	<i>Columba livia</i>	Kabutar	Schedule IV
14.	Red-vented Bulbul	<i>Pycnonotus cafer</i>	Bulbul	Schedule III
15.	Sparrow	<i>Passer domesticus</i>	Gauriyya	Schedule IV
16.	Baya Weaver	<i>Ploceus philippinus</i>	Baya	Schedule IV
17.	Woodpecker	<i>Dendrocopos mahrattensis</i>	Kathphora	Schedule IV
18.	Indian Myna	<i>Acridotheres tristis</i>	Koyal	Schedule IV
19.	Camel	<i>Camelus dromedarius</i>	Unt	—

Range Officer (Forest)
Kotputli Dist. Jaipur
कोटपुतली (जयपुर) राज.

**GRASIM CEMENT LIMESTONE, KOTPUTLI
ML AREA – 548.78 HECT**

FLORA IN STUDY AREA

Listing of flora:-

S.No.	Common Name	Botanical Name
CORE ZONE		
1.	Khair	<i>Acacia catechu</i>
2.	Neem	<i>Azadirachta indica</i>
3.	Bangad	<i>Ficus bengalensis</i>
4.	Shisham	<i>Dalbergia sissoo</i>
5.	Kala siris	<i>Adina lebbek</i>
BUFFER ZONE		
1.	Gulmohar	<i>Delonix regia</i>
2.	Chikona	<i>Diospyros montana</i>
3.	Amia	<i>Emblica officinalis</i>
4.	Gular	<i>Ficus glomerata</i>
5.	Bel	<i>Aegle marmelos</i>
6.	Karanj	<i>Pongamia pinnata</i>
7.	Khair	<i>Acacia catechu</i>
8.	Gurjan	<i>Lannea coromandelica</i>
9.	Ghawda	<i>Anogeissus latifolia</i>
10.	Tendu	<i>Diospyros melanoxylon</i>
11.	Kalasadonda	<i>Lagerstromia parviflora</i>
12.	Dheh	<i>Impatiens cylindrica</i>
13.	Jacaranda	<i>Jacaranda mimosaefolia</i>
14.	Aam	<i>Mangifera indica</i>
15.	Neel	<i>Indigofera tinctoria</i>
16.	Henna	<i>Lawsonea inermis</i>
17.	Kadambo	<i>Mitragyna parviflora</i>
18.	Jungle jaleb	<i>Pithecellobium dulce</i>
19.	Ashoka	<i>Polysiphia longifolia</i>
21.	Munja	<i>Saccharum munja</i>
22.	Kusum	<i>Schleichera oleosa</i>
23.	Basra	<i>Sorghum halepense</i>
24.	Isil	<i>Tamarindus indica</i>
25.	Khas	<i>Variania zizanioides</i>
26.	Jhad ber	<i>Ziziphus nummularia</i>
27.	Dudhi	<i>Wrightia tinctoria</i>
28.	Ghatber	<i>Ziziphus xylocarpus</i>
29.	Sagwan	<i>Tectona grandis</i>
30.	Sadal	<i>Terminalia tomentosa</i>
31.	Giloya	<i>Tinospora cordifolia</i>
32.	Khajur	<i>Phoenix sylvestris</i>
33.	Jeelna	<i>Mimosa rubicarpa</i>
34.	Kokoda	<i>Memecodia dioica</i>
35.	Gugal	<i>Gomolofora guggul</i>
36.	Khejri	<i>Prosopis cineraria</i>
37.	Rohida	<i>Tecomella undulata</i>

Range Officer (Forest)
Kotputli Dist. Jaipur
कोटपुतली (जयपुर) राज.

(iv)	Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for RSPM (Particulate matter with size less than 10 micron i.e., PM ₁₀), NO _x monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Four ambient air quality monitoring stations have been established in mine core zone as well in buffer zone as decided in consultation with the RO-RSPCB. The prescribed ambient air quality parameters by board are being monitored twice in a month. The frequency of Ambient Air quality-monitoring parameters undertaken as per the MoEFCC circular no. J-20012/1/2006-1A.II (M) dated 27.05.2009. Air quality monitoring at core and buffer zone of mine lease area is also being carried out by EPA/MoEFCC Approved laboratory . Annexure-3
------	--	---


In-house Ambient Air Quality monitoring data for Mines Core zone & Buffer zone during the period from

Oct, 2022 and March, 2023 are as given below:


Location → Parameters ↓		CORE ZONE				BUFFER ZONE			
		Near Mines Office	Near Limestone Crusher	Near Mines Haul Road	Near Mines Face	Near Village - Jodhpura	Near Village - Kansli	Near Village - Gordhanpura	Near Village - Ajitpura
		All values are in µg/m ³							
SPM	Min.	258.7	290.50	279.30	278.90	156.2	169.30	145.30	135.30
	Max.	410.7	479.10	444.40	432.10	186.6	193.30	197.30	169.50
	Avg.	314.90	383.75	357.57	359.99	173.7	183.43	178.68	153.91
PM ₁₀	Min.	40.3	34.2	38.2	36.3	40.1	40.4	38.20	35.20
	Max.	68.9	91.2	83.2	87.6	64.2	69.1	78.30	58.70
	Avg.	52.21	54.7	55.7	56.4	51.6	57.0	59.07	46.36
PM _{2.5}	Min.	24.3	24.1	24.3	25.1	26.3	24.3	26.80	22.70
	Max.	53.4	58.8	51.1	56.6	43.2	49.9	54.60	41.10
	Avg.	39.40	38.8	37.6	38.8	35.5	39.8	42.03	32.19
SO ₂	Min.	6.3	8.2	7.2	7.1	6.3	6.9	7.10	6.10
	Max.	9.2	9.5	9.7	9.1	8.4	9.5	8.90	8.30
	Avg.	7.60	8.7	8.6	8.3	7.4	8.0	7.96	6.93
NO _x	Min.	17.3	24.1	22.3	20.1	17.4	18.6	17.30	15.30
	Max.	28.7	30.1	30.2	30.4	24.2	27.9	26.70	25.20
	Avg.	22.30	26.7	26.9	25.6	20.3	22.575	22.99	18.98

Note : Parameters limits as per National Ambient Air Quality Standards

**ULTRATECH CEMENT LTD.(UNIT:KOTPUTLI CEMENT WORKS)
AMBIENT AIR QUALITY AT MINES: CORE ZONE**



**ULTRATECH CEMENT LTD.(UNIT:KOTPUTLI CEMENT WORKS)
AMBIENT AIR QUALITY AT MINES: BUFFER ZONE**



Ambient air quality monitoring data for mine core zone monitored by NABL approved laboratories during the period Oct to March -23

Location → Parameters		Core Zone							
		Near Mines Office		Near Limestone Crusher		Near mines Haul Road		Near Mines Face/Mines (Mining pits)	
		Dec-22	Mar-23	Dec-22	Mar-23	Dec-22	Mar-23	Dec-22	Mar-23
		All values are in µg/m ³							
PM ₁₀ (Particulate Matter Size less than 10 µm)	100 µg/m ³	59.85	56.13	63.10	60.29	68.21	66.38	60.23	57.95
PM _{2.5} (Particulate Matter Size less than 2.5µm)	60 µg/m ³	38.34	35.52	34.68	32.71	37.24	35.16	39.23	36.08
Sulphur dioxide SO ₂	80 µg/m ³	13.54	11.75	12.45	11.34	11.34	10.45	12.11	10.71
Nitrogen dioxide NO ₂	80 µg/m ³	27.56	24.26	23.56	21.02	22.34	21.09	20.45	22.59
Ozone (O ₃)	100 µg/m ³	29.34	26.84	24.78	23.14	25.78	26.36	18.67	20.27
Lead (Pb)	1.0 µg/m ³	0.14	0.12	0.24	0.22	0.21	0.21	0.17	0.18
Carbon Monoxide CO	4 mg/m ³	0.78	0.75	0.72	0.69	0.61	0.57	0.61	0.63
Ammonia (NH ₃)	400 µg/m ³	20.56	18.28	10.12	9.82	7.21	6.12	7.23	6.86
Benzene (C ₆ H ₆)	05 µg/m ³	BDL (<1.0)	BDL (<1.0)	BDL (<1.0)	BDL (<1.0)	BDL (<1.0)	BDL (<1.0)	BDL (<1.0)	BDL (<1.0)
Benzo(a) pyrene (BaP) Particulate phase only	01 µg/m ³	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)
Arsenic (As)	6 ng/m ³	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)
Nickel (Ni)	20 ng/m ³	3.45	3.04	4.04	3.83	4.11	3.82	3.56	3.24

Ambient air quality monitoring data for Buffer Zone monitored by NABL approved laboratories during the period Oct to March -23

Location → Parameters		Core Zone							
		Near Village- Jodhpura		Near Village- Kansli		Near Village- Gordhanpura		Near Village- Ajitpura	
		Dec-22	Mar-23	Dec-22	Mar-23	Dec-22	Mar-23	Dec-22	Mar-23
		All values are in µg/m ³							
PM ₁₀ (Particulate Matter Size less than 10 µm)	100 µg/m ³	62.10	65.41	54.57	57.72	84.28	79.43	70.27	73.06
PM _{2.5} (Particulate Matter Size less than 2.5µm)	60 µg/m ³	35.36	37.10	33.54	34.64	42.78	44.25	39.29	40.52
Sulphur dioxide SO ₂	80 µg/m ³	10.25	10.17	11.23	10.38	12.86	11.92	9.79	9.46
Nitrogen dioxide NO ₂	80 µg/m ³	23.23	24.28	23.01	22.04	24.28	26.59	19.23	18.34
Ozone (O ₃)	100 µg/m ³	20.13	22.93	15.67	17.45	26.47	24.64	21.29	22.58
Lead (Pb)	1.0 µg/m ³	BDL (<0.02)	BDL (<0.02)	BDL (<0.02)	BDL (<0.02)	BDL (<0.2)	BDL (<0.2)	BDL (<0.02)	BDL (<0.02)

		)	)						
Carbon Monoxide CO	4 mg/m ³	0.68	0.71	0.72	0.64	0.80	0.76	0.57	0.59
Ammonia (NH ₃)	400 µg/m ³	14.37	15.65	13.34	15.05	21.56	23.22	12.59	11.16
Benzene (C ₆ H ₆)	05 µg/m ³	BDL (<1.0)	BDL (<1.0)	BDL (<1.0)	BDL (<1.0)	BDL (<1.0)	BDL (<1.0)	BDL (<1.0)	BDL (<1.0)
Benzo(a) pyrene (BaP) Particulate phase only	01 µg/m ³	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)
Arsenic (As)	6 ng/m ³	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)	BDL (<0.5)
Nickel (Ni)	20 ng/m ³	2.21	1.94	1.45	1.27	2.53	2.84	BDL (<1.0)	BDL (<1.0)

Annexure-3

(v)	Data on ambient air quality RSPM (Particulate matter with size less than 10 micron i.e., PM ₁₀), & NO _x should be regularly submitted to the Ministry of Environment and Forests including its Regional office located at Lucknow and the State Pollution Control Board / Central Pollution Control Board once in six months.	Data of ambient air quality i.e. RSPM (PM ₁₀), NO _x along with SPM, PM _{2.5} and SO ₂ are being submitted along with six monthly compliance reports to MoEFCC, CPCB and RSPCB offices as well as with the quarterly compliance report to RSPCB. The ambient air quality parameters are within the prescribed limits.															
(vi)	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Fugitive dust emissions from all the sources are being controlled & for that we have: • Deployed two water tankers fitted with water sprinkling arrangement for dust suppression at mines haul roads, operating face, loading points, etc. • Provided Water sprinkling system along with double layer covering with rubber pad at the limestone crusher dump hopper to control dust emission during unloading of limestone. • Provided Bag house at limestone crusher along with Bag filters at all transfer points for control of dust emission & are maintained properly. • Drill machines are equipped with wet drilling system and dust extractors to control dust emission. • All mining equipments have been provided with dust proof AC operator cabins, which provide dust free working environment.															
(vii)	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs.	We have provided all the measures to control noise level below the prescribed limits in the work environment. The Work zone noise level monitored by in house in the month of March -2023 is as follows: <table border="1"> <thead> <tr> <th>S.N .</th><th>Monitoring Location Near Work Zone Area</th><th>Noise Level (dB (A) Leq)</th></tr> </thead> <tbody> <tr> <td>1</td><td>Drilling Area</td><td>84.90</td></tr> <tr> <td>2</td><td>Dozing Area</td><td>77.60</td></tr> <tr> <td>3</td><td>Excavation area</td><td>75.70</td></tr> <tr> <td>4</td><td>Dumping area</td><td>80.90</td></tr> </tbody> </table>	S.N .	Monitoring Location Near Work Zone Area	Noise Level (dB (A) Leq)	1	Drilling Area	84.90	2	Dozing Area	77.60	3	Excavation area	75.70	4	Dumping area	80.90
S.N .	Monitoring Location Near Work Zone Area	Noise Level (dB (A) Leq)															
1	Drilling Area	84.90															
2	Dozing Area	77.60															
3	Excavation area	75.70															
4	Dumping area	80.90															


		Full-fledged workshop has been provided for regular maintenance of all the vehicles/ HEMM used in mining operation. Noise proof/AC operator cabin have been provided in all the HEMM. In addition, ear plugs / muffs are provided to the workers engaged in mining activities. The Ambient Noise Level monitoring at core Near Work Zone Area , Core Zone area & Buffer Zone area of mining lease area is being carried out on by NABL approved lab on quarterly basis. Annexure -4
--	--	--

In-house Ambient Noise Level monitoring data for Mines Core zone as well as Buffer zone during period from Oct-2022 to March, 2023 are as given below:


Location →		Core Zone				Buffer Zone			
		Near Mines Office	Near Limestone Crusher	Near Mines Haul Road	Near Mines Face	Near Village Jodhpura	Near Village-Kansli	Near Village Gordhanpura	Near Village Ajitpura
		Noise Level (dB (A) Leq)							
Day Time	Min.	54.3	63.1	60.9	58.9	46.5	49.1	45.6	42.1
	Max.	63.3	69.7	69.1	69.1	52.1	53.3	52.3	50.5
	Avg.	58.4	66.78	65.83	65.23	49.7	51.2	49.2	47.6
Night Time	Min.	50.8	57.1	59.1	55.5	37.9	39.3	38.2	36.2
	Max.	59.2	62.8	62.1	62.7	42.8	43.3	42.5	40.8
	Avg.	54.2	60.15	60.13	59.65	40.2	41.2	39.9	38.5

Note : Prescribed Limits for Ambient Noise Level in Mine Core Zone Day Time :75 dB (A) and Night Time 65 dB (A)
Prescribed Limits for Ambient Noise Level in Buffer Zone/Areas Day Time :55 dB (A) and Night Time 45 dB (A)

Noise Level Core Zone



Noise Level Buffer Zone



Ambient Noise Level monitoring data for Mines Core zone as well as Buffer zone by approved NABL Lab during period from Oct-2022 to March, 2023 are as given below:

Location →		Core Zone				Buffer Zone			
		Near Mines Office	Near Limestone Crusher	Near Mines Haul Road	Near Mines Face	Near Village Jodhpura	Near Village-Kansli	Near Village Gordhanpura	Near Village Ajitpura
		Noise Level (dB (A) Leq)							
Day Time	Min.	57.30	68.30	58.90	58.70	50.8	53.5	54.2	51.6
	Max.	61.60	72.40	65.90	61.80	51.7	53.8	54.6	51.9
	Avg.	59.72	70.58	62.78	59.80	51.25	53.65	54.4	51.75
Night Time	Min.	51.30	61.3	52.80	47.80	42.4	41.9	43.6	43.8
	Max.	56.20	65.2	58.20	54.90	43.9	42.2	44.1	44.1
	Avg.	53.42	62.75	54.37	51.67	43.15	42.05	43.85	43.95

Annexure -4



Noise proof/AC operator cabinet in HEMM

(viii)

Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.

Oil & Grease trap tank/ up flow filter has been provided at mines workshop for separation of oil/grease from workshop waste water and this water is being re-utilized for washing of mines vehicles/machineries.

We are maintaining zero discharge of waste water from mine premises.

The quality of treated waste water of Mines Workshop Oil and grease trap as well as Sewage Treatment Plant is being checked by Gazette notified laboratory on quarterly basis as per the parameters prescribed by RSPCB & are observed well within the prescribed limits.



Photographs of oil grease trap system at washing ramp at mines Oil grease trap system layout with SOP for maintenance

(ix)	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Persons working in mining area are provided with protective respiratory devices like nose mask. The training and information on safety and health aspects are being given to employees / workers on regular basis. Occupational health surveillance of the workers/employees engaged in the mining operation is being carried out as per the prescribed schedule in Mines Rules and the records of the same are maintained properly. As per the reports, no occupational ailment has been observed, so far.
(x)	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Environmental management cell has been established under the control of senior executives having suitable qualified personnels & all the facilities to carry out overall environmental monitoring & measurement activities to look after the implementation of environment protection & conservation measures in accordance to consent conditions/ environment rules.


(xi)	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry of Environment and Forests and its Regional Office located at Lucknow.	We are taking utmost care for the overall environmental protection measures. Year-wise expenditure is being reported to the Ministry of Environment and Forests and its Regional Office. In year 2022-23, we have spent approx. Rs 305.46 Lakh towards following environment management & protection activities & measures: <table border="1" data-bbox="804 331 1535 1285"> <thead> <tr> <th data-bbox="804 331 874 465">S.N.</th><th data-bbox="874 331 1315 465">Expenditure incurred on Environment Management Activities</th><th data-bbox="1315 331 1535 465">Expenditure Incurred 2022-23 (Rs in Lakh)</th></tr> </thead> <tbody> <tr> <td data-bbox="804 465 874 573">1</td><td data-bbox="874 465 1315 573">Dust suppression at mines - Water tanker, in drill machine, road maintenance, etc.</td><td data-bbox="1315 465 1535 573">70.21</td></tr> <tr> <td data-bbox="804 573 874 680">2</td><td data-bbox="874 573 1315 680">Dust suppression at crushing & screening plant- APCEs operation (energy) & maintenance</td><td data-bbox="1315 573 1535 680">19.93</td></tr> <tr> <td data-bbox="804 680 874 745">3</td><td data-bbox="874 680 1315 745">Greenbelt/ plantation In & around mines area</td><td data-bbox="1315 680 1535 745">63.32</td></tr> <tr> <td data-bbox="804 745 874 822">4</td><td data-bbox="874 745 1315 822">Conservation of water & Ground water recharging</td><td data-bbox="1315 745 1535 822">20.52</td></tr> <tr> <td data-bbox="804 822 874 893">5</td><td data-bbox="874 822 1315 893">Dump management- Retaining wall, garland drain, siltation ponds, etc.</td><td data-bbox="1315 822 1535 893">6.30</td></tr> <tr> <td data-bbox="804 893 874 996">6</td><td data-bbox="874 893 1315 996">Controlled blasting for minimizing ground vibration, fly rock, air pressure/ noise, etc.</td><td data-bbox="1315 893 1535 996">33.21</td></tr> <tr> <td data-bbox="804 996 874 1043">7</td><td data-bbox="874 996 1315 1043">Environmental Monitoring work</td><td data-bbox="1315 996 1535 1043">79.54</td></tr> <tr> <td data-bbox="804 1043 874 1178">8</td><td data-bbox="874 1043 1315 1178">Awareness programs/celebrations: World Environment day, Mines Environment & Mineral Conservation Week, Swachhata Pakhwara, etc.</td><td data-bbox="1315 1043 1535 1178">2.55</td></tr> <tr> <td data-bbox="804 1178 874 1220">9</td><td data-bbox="874 1178 1315 1220">Environmental studies</td><td data-bbox="1315 1178 1535 1220">9.88</td></tr> <tr> <td colspan="2" data-bbox="804 1220 1315 1285">Total Expenditure (Rs. in Lakh)</td><td data-bbox="1315 1220 1535 1285">305.46</td></tr> </tbody> </table>	S.N.	Expenditure incurred on Environment Management Activities	Expenditure Incurred 2022-23 (Rs in Lakh)	1	Dust suppression at mines - Water tanker, in drill machine, road maintenance, etc.	70.21	2	Dust suppression at crushing & screening plant- APCEs operation (energy) & maintenance	19.93	3	Greenbelt/ plantation In & around mines area	63.32	4	Conservation of water & Ground water recharging	20.52	5	Dump management- Retaining wall, garland drain, siltation ponds, etc.	6.30	6	Controlled blasting for minimizing ground vibration, fly rock, air pressure/ noise, etc.	33.21	7	Environmental Monitoring work	79.54	8	Awareness programs/celebrations: World Environment day, Mines Environment & Mineral Conservation Week, Swachhata Pakhwara, etc.	2.55	9	Environmental studies	9.88	Total Expenditure (Rs. in Lakh)		305.46
S.N.	Expenditure incurred on Environment Management Activities	Expenditure Incurred 2022-23 (Rs in Lakh)																																	
1	Dust suppression at mines - Water tanker, in drill machine, road maintenance, etc.	70.21																																	
2	Dust suppression at crushing & screening plant- APCEs operation (energy) & maintenance	19.93																																	
3	Greenbelt/ plantation In & around mines area	63.32																																	
4	Conservation of water & Ground water recharging	20.52																																	
5	Dump management- Retaining wall, garland drain, siltation ponds, etc.	6.30																																	
6	Controlled blasting for minimizing ground vibration, fly rock, air pressure/ noise, etc.	33.21																																	
7	Environmental Monitoring work	79.54																																	
8	Awareness programs/celebrations: World Environment day, Mines Environment & Mineral Conservation Week, Swachhata Pakhwara, etc.	2.55																																	
9	Environmental studies	9.88																																	
Total Expenditure (Rs. in Lakh)		305.46																																	
(xii)	The project authorities should inform to the Regional Office located at Lucknow regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	The mine was commissioned on 1.11.2007 and for expansion of the mining project, mining plan was approved by IBM, necessary permissions were obtained from DGMS, EC has been obtained from MoEFCC, CTE & CTO have been obtained from RSPCB.																																	
(xiii)	The Regional Office of this Ministry located at Lucknow shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Data / information / monitoring reports are furnished to officer (s) of the Regional Office as per their requirement during visit to our mine. MoEF & CC integrated Regional Officer- Jaipur (Deputy Director (S) -MoEFCCs, Central Regional) visited / inspected our site on 06.01.2021. and we have obtained Certified EC compliance of the office.																																	

(xiv)	The project proponent shall submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the Ministry of Environment and Forests, its Regional Office, Lucknow, the respective Zonal Office of Central Pollution Control Board the State Pollution Control Board. The project proponent shall upload the status of compliance of the EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the Ministry of Environment and Forest, Lucknow, the respective Zonal Office of Central Pollution Control Board and the State Pollution Control Board.	The Environmental clearance compliance report along with monitoring data is being submitted regularly to MoEFCC, CPCB and RSPCB offices both in hard copies as well as by e-mail. It is also uploaded on our company website www.ultratechcement.com & is updated regularly. The previous six monthly compliance report for the period from April, 2022 to September- 2022 has been submitted vide our letter no. UTCL/KCW/ENV (MINE-548.78 hect)/ MoEF/2022-23/488 dated 16/11/2022 to MoEFCC -Integrated Regional Office, Jaipur , MoEFCC –Head Office, New Delhi ; CPCB-Zonal Office, Bhopal; RPCB –Head Office & Regional Office Jaipur in hard copy as well as soft copy of the same has been sent by e-mail on 19/11/2022. Deputy Director (S) MoEF&CC, Integrated Regional Office, Jaipur visited / inspected our site on 06.01.2021. During visit, the compliance of existing environmental clearance issued vide F.No.J-11015/350/2008-IA-II (I) dated 30th April, 2010 (for 6.0 MMTPA in M.L. area of 548.78 Hac.) was inspected and we have obtained certified EC compliance from Integrated Regional Office, Jaipur.
(xv)	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad /Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.	A copy of the environmental clearance letter was handed over to the “Sarpanch, Gram Panchayat- Mohanpura” on dated 07/05/2010. The Environmental clearance has also been put on our company website www.ultratechcement.com
(xvi)	The State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and the Collector’s office/ Tehsildar’s Office for 30 days.	It’s Boards jurisdiction.
(xvii)	The environmental statement for each financial year ending 31st March in Form – V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986 as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the regional office of the Ministry of Environment and Forest, Lucknow by e-mail.	The Environmental Statement Report in Form-V for the Financial year 2021-22 has been submitted to RSPCB – Head office & Regional office vide our office letter no. UTCL/ENV/ Mine/ES/2021-22/443, dated 16/09/2022. The Environmental Statement has also been uploaded on company website www.ultratechcement.com along with the status of compliance of EC conditions & monitored data.

(xviii)	The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located at Lucknow.	Information/ advertisement regarding grant of Environmental clearance letter has been advertised in two local newspapers namely "Dainik Navjyoti & Mahka Bharat" dated 07/05/2010, that the project has been accorded the Environmental Clearance by the MoEFCC, Govt. of India. The copy of the same has been submitted to MoEFCC - New Delhi, MoEFCC- Lucknow and RSPCB-Jaipur vide our letter no. GIL/GCK/MoEF/2010-11/92 dated 16/05/2010.
---------	---	---

	
--	---

Information of grant of EC in News Paper





UltraTech Cement Limited									
(Unit- Kotputli Cement Works)									
Treated Domestic Waste Water Analysis (Average Vaules)									
(Period from Oct ; 2022 to Mar; 2023)									
Location :	Outlet of STP	Parameters	Prescribed Standards	Results (Month Average)					
S/N				Oct-22	Nov-22	Dec-22	Jan-23	Feb-23	Mar-23
1	pH		Between 5.5 to 9.0	7.70	7.03	7.90	8.09	8.01	7.98
2	Oil & Grease		Not to exceed 10 mg/l	0.04	0.02	0.03	Nil	Nil	Nil
3	Total Suspended Solids (TSS)		Not to exceed 100 mg/l	30.35	30.85	31.03	33.83	35.32	36.48
4	Total Ammonical Nitrogen (as N)		Not to exceed 50 mg/l	9.46	9.22	9.69	10.01	10.03	10.38
5	Bio-Chemical Oxygen Demand (BOD) (3 Days at 27°C)		Not to exceed 30 mg/l	9.50	9.20	9.53	10.06	10.14	10.24
6	Chemical Oxygen Demand (COD)		Not to exceed 250 mg/l	97.1	90.88	98.41	103.66	103.18	105.75



25 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number	JME/KCW/WW/01	Report No.:	JME/WW/230329007
Name & Address of Unit	M/s. UltraTech Cement Ltd. (Unit- Kotputali Cement Works) Mohanpura, Tehsil-Kotputali District- Jaipur Rajasthan	Format No. :	7.5 F-01
Sample Description	WASTE WATER	Party Reference:	Nil
Sampling Location	STP (Outlet)	Reporting Date:	01/04/2023
Client Representative (Name & Designation)	Mr. Pravin Pandya (AGM - Environment)	Receipt Date:	29/03/2023
Sample collected by	JEMPL Team	Sampling Date:	28/03/2023
Latitude	27° 40' 28" N	Sampling Type	Grab
Longitude	79° 08' 22" E	Preservation	Refrigerated
Sampling & Analysis Protocol	IS 3025, APHA 23 rd Edition 2017	Sample Quantity	2.0 Litre
		Parameter Required	As per work order


TEST RESULTS

S. No.	Parameter	Test Method	Result	Unit	Limit as Per CPCB
1.	pH (at 25°C)	IS : 3025 (Part-11), 2017	7.76	mg/l	6.5-9.0
2.	Total Suspended Solids	IS : 3025 (Part-17), 2017	5.6	mg/l	100
3.	Chemical Oxygen Demand	IS : 3025 (Part-58), 2017	24.0	mg/l	250
4.	Biochemical Oxygen Demand (3 Days at 27°C)	IS : 3025 (Part-44), 2019	5.2	mg/l	30
5.	Residual free Chlorine	IS : 3025 (Part-26), 2019	BDL (DL 0.2)	mg/l	1.0
6.	Total Kjeldhal Nitrogen as N	IS : 3025 (Part-34), 2019	6.12	mg/l	100
7.	Ammonical Nitrogen	IS 3025 (Part 34): 2019	3.82	mg/l	50
8.	Sulphide	IS : 3025 (Part-29), 2019	BDL (DL 0.1)	mg/l	2
9.	Oil & Grease	IS 3025 (Part 39): 2019	BDL (DL 0.4)	mg/l	10

Note-BDL- Below Detection Limit, DL- Detection Limit

End of Report


Kirti Sharma
Tested by


Abhishek Tiwari
Checked by


Rajkumar Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No.: U74220HR2011PTC085755

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018**TEST REPORT**

Sample Number **JME/KCW/WW/01** Report No. **JME/WW/221226016**
 Name & Address of Unit **M/s. UltraTech Cement Ltd.
 (Unit- Kotputali Cement Works)
 Mohanpura, Tehsil-Kotputali
 District- Jaipur Rajasthan** Format No. **7.5 F-01**

Sample Description **WASTE WATER** Party Reference: **Nil**
 Reporting Date: **30/12/2022**

Sampling Location **STP (Outlet)** Receipt Date: **26/12/2022**
 Client Representative **Mr. Pravin Pandiya (AGM-Env.)** Sampling Date: **26/12/2022**
 (Name & Designation)
 Sample collected by **JEMPL Team** Sampling Type **Grab**
 Preservation **Refrigerated**
 Sample Quantity **2.0 Litre**
 Parameter Required **As per work order**

Latitude **27° 40' 28"**
 Longitude **79° 08' 22"**
 Sampling & Analysis **IS 3025, APHA 23rd Edition 2017**
 Protocol

TEST RESULTS

S. No.	Parameter	Test Method	Result	Unit	Limit as Per CPCB
1.	pH (at 25°C)	IS : 3025 (Part-11), 2017	7.45	mg/l	6.5-9.0
2.	Total Suspended Solids	IS : 3025 (Part-17), 2017	6.3	mg/l	100
3.	Chemical Oxygen Demand	IS : 3025 (Part-58), 2017	26.0	mg/l	250
4.	Biochemical Oxygen Demand (3 Days at 27°C)	IS : 3025 (Part-44), 2019	5.45	mg/l	30
5.	Residual free Chlorine	IS : 3025 (Part-26), 2019	BDL (DL 0.2)	mg/l	1.0
6.	Total Kjeldhal Nitrogen as N	IS : 3025 (Part-34), 2019	6.12	mg/l	100
7.	Ammonical Nitrogen	IS 3025 (Part 34), 2019	4.23	mg/l	50
8.	Sulphide	IS : 3025 (Part-29), 2019	BDL (DL 0.1)	mg/l	2
9.	Oil & Grease	IS 3025 (Part 39), 2019	BDL (DL 0.4)	mg/l	10

Note-BDL- Below Detection Limit, DL- Detection Limit

End of Report

Kirti Sharma
Tested by

Rajat Tandon
Checked by

Raj Kumar Yadav
Authorized Signatory
Note

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvironlab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011 (Haryana)

Ann-2

CIN No. U74320HR2011PTC005756



25 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number JME/KCW/WW/04 **Report No.:** JME/WW/230329009
Name & Address of Unit M/s. UltraTech Cement Ltd.
 (Unit- Kotputali Cement Works)
 Mohanpura, Tehsil-Kotputali
 District- Jaipur Rajasthan **Format No.:** 7.5 F-01

Sample Description WASTE WATER **Party Reference:** Nil
Reporting Date: 01/04/2023
Sampling Location Mine Workshop **Receipt Date:** 29/03/2023
Client Representative Mr. Pravin Pandya (AGM - Environment) **Sampling Date:** 28/03/2023
(Name & Designation)
Sample collected by JEMPL Team **Sampling Type** Grab
Preservation Refrigerated
Sample Quantity 2.0 Litre
Parameter Required As per work order

Latitude 27° 40' 07" N
Longitude 76° 07' 28" E
Sampling & Analysis Protocol IS 3025, APHA 23rd Edition 2017

TEST RESULTS

S. No.	Parameter	Test Method	Result	Unit	Limit as Per CPCB
1.	pH (at 25°C)	IS : 3025 (Part-11). 2017	7.16	mg/l	6.5-9.0
2.	Total Suspended Solids	IS : 3025 (Part-17). 2017	7.2	mg/l	100
3.	Chemical Oxygen Demand	IS : 3025 (Part-58). 2017	56.0	mg/l	250
4.	Biochemical Oxygen Demand (3 Days at 27°C)	IS : 3025 (Part-44). 2019	16.0	mg/l	30
5.	Oil & Grease	IS 3025 (Part 39): 2019	BDL (DL 0.4)	mg/l	10

Note-BDL - Below Detection Limit. DL - Detection Limit

End of Report

Kirti Sharma
Tested by

Abhishek Tiwari
Checked by

Rajkumar Yadav
Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither intended nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvironlab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CN No. 074220HR2011PTC085756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number	JME/KCW/WW/04	Report No.	JME/WW/221226019
Name & Address of Unit	M/s. UltraTech Cement Ltd. (Unit- Kotputali Cement Works) Mohanpura, Tehsil-Kotputali District- Jaipur Rajasthan	Format No.	7.5 F-01
Sample Description	WASTE WATER	Party Reference:	Nil
Sampling Location	Mine Workshop	Reporting Date:	30/12/2022
Client Representative (Name & Designation)	Mr. Pravin Pandiya (AGM-Env.)	Receipt Date:	26/12/2022
Sample collected by	JEMPL Team	Sampling Date:	26/12/2022
Latitude	27° 40' 07"	Sampling Type	Grab
Longitude	76° 07' 28"	Preservation	Refrigerated
Sampling & Analysis Protocol	IS 3025, APHA 23 rd Edition 2017	Sample Quantity	2.0 Litre
		Parameter Required	As per work order

TEST RESULTS

S. No.	Parameter	Test Method	Result	Unit	Limit as Per CPCB
1.	pH (at 25°C)	IS : 3025 (Part-11), 2017	7.24	mg/l	6.5-9.0
2.	Total Suspended Solids	IS : 3025 (Part-17), 2017	8.7	mg/l	100
3.	Chemical Oxygen Demand	IS : 3025 (Part-58), 2017	61.0	mg/l	250
4.	Biochemical Oxygen Demand (3 Days at 27°C)	IS : 3025 (Part-44), 2019	18.0	mg/l	30
5.	Oil & Grease	IS 3025 (Part 39): 2019	BDL (DL 0.4)	mg/l	10

Note-BDL- Below Detection Limit, DL- Detection Limit

End of Report

Kirti Sharma

Tested by

Rajat Tandon

Checked by

Raj Kumar Yadav

Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)

5	10	15
---	----	----

Grasim Cement Limestone Mine
Known as Mohanpura-Jodhpura Limestone Mine
(A Captive Limestone Mine of M/s UltraTech Cement Ltd, Unit- Kotputli Cement Works)
Ambient Air Quality Monitoring Data Report
(For the Period from Oct-2022 to Dec -2022)

Mines Core Zone Monitoring Locations (value in µg/m3)																					
Month	Locations Parameters	Near Mines Office					Near Mines Crusher					Near Mines Haulage Road					Near Mines Face				
		SPM	PM10	PM2.5	SO2	NO2	SPM	PM10	PM2.5	SO2	NO2	SPM	PM10	PM2.5	SO2	NO2	SPM	PM10	PM2.5	SO2	NO2
Oct-22	Min	261.2	47.8	34.2	6.9	20.7	290.5	56.6	40.5	9.1	28.6	279.3	51.2	36.2	8.7	28.1	278.9	54.6	38.1	8.3	25.2
	Max	271.1	52.1	39.2	8.2	23.7	296.8	59.7	46.3	9.4	29.4	280.6	56.2	42.3	9.1	28.1	282.2	54.9	40.8	9.0	27.5
	Avg.	266.2	50.0	36.7	7.6	22.2	293.7	58.2	43.4	9.3	29.0	280.0	53.7	39.3	8.9	28.1	280.6	54.8	39.5	8.7	26.4
	Min	305.8	42.3	37.3	6.5	17.3	345.7	56.1	44.2	8.2	24.1	310.4	48.3	40.1	8.3	22.7	329.2	50.2	42.5	7.3	20.1
Nov-22	Max	319.2	52.4	47.2	7.1	20.1	376.8	70.2	55.3	8.4	26.7	342.4	60.1	49.2	8.7	28.9	358.8	65.6	51.9	9.1	28.1
	Avg.	312.5	47.4	42.3	6.8	18.7	361.3	63.2	49.8	8.3	25.4	326.4	54.2	44.7	8.5	25.8	344.0	57.9	47.2	8.2	24.1
	Min	258.7	56.3	40.3	6.8	17.7	379.9	81.7	56.3	8.3	24.6	342.1	73.5	46.3	8.7	26.1	353.2	77.8	52.1	8.2	24.3
	Max	325.8	68.2	53.2	8.2	25.4	394.8	91.2	58.8	8.4	26.1	342.3	83.2	51.1	8.8	27.2	360.7	87.6	56.6	8.4	24.4
Dec-22	Avg.	292.3	62.3	46.8	7.5	21.6	387.4	86.5	57.6	8.4	25.4	342.2	78.4	48.7	8.8	26.7	357.0	82.7	54.4	8.3	24.4
Mines Buffer Zone Monitoring Locations (value in µg/m3)																					
Month	Locations Parameters	Near Village- Jodhpura					Near Village- Kansli					Near Village- Gordhanpura					Near Village- Ajitpura				
		SPM	PM10	PM2.5	SO2	NO2	SPM	PM10	PM2.5	SO2	NO2	SPM	PM10	PM2.5	SO2	NO2	SPM	PM10	PM2.5	SO2	NO2
Oct-22	Min	158.4	43.1	29.1	8.3	19.3	169.3	40.4	24.3	9.2	21.7	146.4	38.2	26.8	8.6	20.1	136.1	36.5	22.7	6.6	15.4
	Max	181.5	52.6	40.2	8.4	20.8	188.9	55.7	43.2	9.5	27.9	191.4	57.4	46.7	8.6	25.7	163.6	50.1	36.1	7.3	17.6
	Avg.	170.0	47.9	34.7	8.4	20.1	179.1	48.1	33.8	9.4	24.8	168.9	47.8	36.8	8.6	22.9	149.9	43.3	29.4	7.0	16.5
	Min	180.1	45.38	40.1	7.1	20.7	186.3	52.7	43.2	7.9	24.1	192.1	60.2	46.7	8.3	26.4	166.4	41.1	37.8	7.1	20.9
Nov-22	Max	183.9	56.3	43.2	7.6	21.1	191.2	58.4	46.3	8.4	24.5	197.3	63.2	49.1	8.9	26.7	169.5	50.1	41.1	7.3	22.2
	Avg.	182.0	50.8	41.7	7.35	20.9	188.8	55.6	44.8	8.2	24.3	194.7	61.7	47.9	8.6	26.6	168.0	45.6	39.5	7.2	21.6
	Min	174.8	56.3	32.5	6.9	19.7	184.3	67.7	40.1	8.3	23.3	161.1	50.3	32.8	7.2	21.6	154.1	45.3	30.1	6.4	16.8
	Max	186.6	64.2	36.7	7.9	20.7	189.3	69.1	42.2	8.4	23.5	162.2	75.5	49.8	8.1	22.8	156.4	58.7	34.8	6.8	18.8
Dec-22	Avg.	180.7	60.3	34.6	7.4	20.2	186.8	68.4	41.2	8.4	23.4	161.7	62.9	41.3	7.7	22.2	155.3	52.0	32.5	6.6	17.8



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/A/08** Report No.: **JME/A/230325098**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd. (Unit- Kotputli Cement Works) At Kotputli, Rajasthan (Mine Site)** Format No.: **7.6 F-02** Party Ref. No.: **Nil**
 Sample Description: **AMBIENT AIR QUALITY MONITORING** Reporting Date: **31/03/2023** Receipt Date: **25/03/2023**

General Information

Client Representative (Name & Designation) : **Mr. Pravin Pandya (AGM - Environment)**
 Sample collected by : **Mr. Kamlesh Yadav (Asst. Manager)**
 Sampling Location : **Near Mine's Office**
 Latitude : **27° 40' 09.00" N**
 Longitude : **76° 07' 29.00" E**
 Instrument used : **RDS, FPS & BS**
 Instrument code : **JME/RDS/01/12, JME/FPS/01/12 & JME/BS/01/08**
 Instrument calibration status : **Calibrated**
 Meteorological condition during monitoring : **Cloudy Sky**
 Date of Monitoring : **23/03/2023 to 24/03/2023**
 Time of Monitoring : **10:20 to 10:20 hrs.**
 Actual duration of Monitoring, (minutes) : **1174.0**
 Ambient Temperature (°C) : **Max 29°C Min 20°C**
 Surrounding activity : **Mining, Human and Vehicular Activities**
 Control measure if Any : **--**
 Sampling & Analysis Protocol : **IS-5182**
 Parameter Required : **As per work order**

TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Ammonia	Method of Air Sampling & Analysis (3rd edition- 1988)	18.28	µg/m ³	400
2.	Arsenic	IS: 5182 (Part-22) 2019	BDL (DL 0.5)	ng/m ³	6
3.	Benzene	IS:5182, (P-11): 2017	BDL (DL 1.0)	µg/m ³	5
4.	Benzo (a) Pyrene	IS:5182, (P-12): 2019	BDL (DL 0.5)	ng/m ³	1
5.	Carbon Mono Oxide	IS: 5182, (P-10), 2019	0.75	mg/m ³	4
6.	Lead	IS: 5182(Part-22) 2019	0.12	mg/m ³	1
7.	Nickel	IS: 5182 (Part-26) 2020	3.04	ng/m ³	20

Page No 1 of 2

Kumari Aparna
Kumari Aparna

Tested by

Sita Ram Yadav
Sita Ram Yadav
Checked by

ENVIROLAB PVT. LTD.
 Authorized Signatory
Rajkumar Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in this test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab

424, Ground Floor, Durgam Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011 (Haryana)



J.M. ENVIROLAB Pvt. Ltd.

CEN No. - 1274222/H/2011/PTC/06/574

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number **JME/KCW/A/08**

Report No. **JME/A/230325096**

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
8.	Nitrogen Dioxide	IS: 5182, (P-6), 2017	24.26	µg/m ³	80
9.	Ozone	IS 5182 (Part-9) 2019	26.84	µg/m ³	180
10.	PM 10	IS 5182, (P-23): 2017	56.13	µg/m ³	100
11.	PM 2.5	IS.5182 : P-24 : 2019	35.52	µg/m ³	60
12.	Sulphur Dioxide	IS: 5182, (P-2), 2017	11.75	µg/m ³	80

Note: NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

End of Report

Page No. 2 of 2

Nisha Datta
Tested by

Sita Ram Yadav
Checked by

Raj Kumar Yadav
Authorized Signatory

Note


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. This sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No:1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC045756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/05 Report No.: JME/A/230325093
 Name & Address of Unit: M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site) Format No.: 7.5 F-02
 Party Ref. No.: Nil
 Reporting Date: 31/03/2023
 Sample Description: AMBIENT AIR QUALITY MONITORING Receipt Date: 26/03/2023

General Information

Client Representative (Name & Designation) : Mr. Pravin Pandya (AGM - Environment)
 Sample collected by : Mr. Nirmal Singh (Field Assistant)
 Sampling Location : Near Limestone Crusher
 Latitude : 27° 40' 22.00" N
 Longitude : 76° 07' 31.00" E
 Instrument used : RDS, FPS & BS
 Instrument code : JME/RDS/01/44, JME/FPS/01/48 & JME/BS/01/05
 Instrument calibration status : Calibrated
 Meteorological condition during monitoring : Cloudy Sky
 Date of Monitoring : 23/03/2023 to 24/03/2023
 Time of Monitoring : 08:40 to 08:40 hrs.
 Actual duration of Monitoring, (minutes) : 1040.0
 Ambient Temperature (°C) : Max 29°C Min 20°C
 Surrounding activity : Mining, LS Crusher Operation and Vehicular Activities
 Control measure if Any : -
 Sampling & Analysis Protocol : IS-5182
 Parameter Required : As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Ammonia	Method of Air Sampling & Analysis (3rd edition- 1988)	9.82	µg/m ³	400
2.	Arsenic	IS: 5182 (Part-22) 2019	BDL (DL 0.5)	ng/m ³	6
3.	Benzene	IS:5182, (P-11): 2017	BDL (DL 1.0)	µg/m ³	5
4.	Benzo (a) Pyrene	IS:5182, (P-12): 2019	BDL (DL 0.5)	ng/m ³	1
5.	Carbon Mono Oxide	IS: 5182, (P-10), 2019	0.69	mg/m ³	4
6.	Lead	IS: 5182(Part-22) 2019	0.22	mg/m ³	1
7.	Nickel	IS: 5182 (Part-26) 2020	3.83	ng/m ³	20

Page No. 1 of 2

Raj Kumar
Tested by

Sita Ram Yadav
Checked by

Raj Kumar Yadav
Authorized Signatory

Note:


- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither offered nor implied.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram- 122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Embar Digital Greens, Tower-B, Unit No.1517,



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. U74209HR2011PTC045734

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/05

Report No.: JME/A/230325093

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
8.	Nitrogen Dioxide	IS: 5182, (P-8), 2017	21.02	µg/m ³	80
9.	Ozone	IS: 5182 (Part-9) 2019	23.14	µg/m ³	180
10.	PM 10	IS:5182, (P-23): 2017	60.29	µg/m ³	100
11.	PM 2.5	IS:5182 : P-24 : 2019	32.71	µg/m ³	60
12.	Sulphur Dioxide	IS: 5182, (P-2), 2017	11.34	µg/m ³	80

Note: NAAQS-National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (3B)] [Part-II sec.-3(i)] 16.11 2009

End of Report

Page No. 2 of 2

Kumar Aparna
Kumar Aparna
Tested by

Sita Ram Yadav
Sita Ram Yadav
Checked by

Raj Kumar Yadav
Raj Kumar Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified separately.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced or copied in full without approval of the laboratory.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. : U74220HR2011PTC085756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/06
 Name & Address of Unit: M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)
 Sample Description: AMBIENT AIR QUALITY MONITORING

Report No. JME/A/230325094
 Format No. 7.6 F-02
 Party Ref. No. Nil
 Reporting Date: 31/03/2023
 Receipt Date: 25/03/2023

General Information

Client Representative (Name & Designation) : Mr. Pravin Pandya (AGM - Environment)
 Sample collected by : Mr. Sandeep Kumar (Field Assistant)
 Sampling Location : Near Mine's Haulage Road
 Latitude : 27° 40' 20.00" N
 Longitude : 76° 07' 15.00" E
 Instrument used : RDS, FPS & BS
 Instrument code : JME/RDS/01/03, JME/FPS/01/28 & JME/BS/01/06
 Instrument calibration status : Calibrated
 Meteorological condition during monitoring : Cloudy Sky
 Date of Monitoring : 23/03/2023 to 24/03/2023
 Time of Monitoring : 08:15 to 08:15 hrs.
 Actual duration of Monitoring, (minutes) : 870.0
 Ambient Temperature (°C) : Max 29°C Min 20°C
 Surrounding activity : Mining, Human and Vehicular Activities
 Control measure if Any : --
 Sampling & Analysis Protocol : IS-5182
 Parameter Required : As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Ammonia	Method of Air Sampling & Analysis (3rd edition- 1988)	6.12	µg/m ³	400
2.	Arsenic	IS: 5182 (Part-22) 2019	BDL (DL 0.6)	ng/m ³	6
3.	Benzene	IS:5182, (P-11): 2017	BDL (DL 1.0)	µg/m ³	5
4.	Benzo (a) Pyrene	IS:5182, (P-12): 2019	BDL (DL 0.5)	ng/m ³	1
5.	Carbon Mono Oxide	IS: 5182, (P-10), 2019	0.57	mg/m ³	4
6.	Lead	IS: 5182(Part-22) 2019	0.21	mg/m ³	1
7.	Nickel	IS: 5182 (Part-26) 2020	3.82	ng/m ³	20

Page No. 1 of 2

Kumari Aparna
Kumari Aparna
 Tested by

Sita Ram Yadav
Sita Ram Yadav
 Checked by

Sandeep Kumar
Sandeep Kumar
 Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, U-ling Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122013 (Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/06

Report No.: JME/A/230325094

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
8.	Nitrogen Dioxide	IS: 5182, (P-6), 2017	21.09	µg/m ³	80
9.	Ozone	IS: 5182 (Part-9) 2019	26.36	µg/m ³	180
10.	PM 10	IS.5182, (P-23): 2017	66.38	µg/m ³	100
11.	PM 2.5	IS.5182 : P-24 . 2019	35 16	µg/m ³	60
12.	Sulphur Dioxide	IS 5182. (P-2) 2017	10 45	µg/m ³	80

Note: NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16 11 2009

End of Report

Page No. 2 of 2

[Signature]
Kumari Anshika
Tested by

[Signature]
Sita Ram Yadav
Checked by

[Signature]
Rajku Tripathi
Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No 1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC0045754

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/A/07**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)**
 Sample Description: **AMBIENT AIR QUALITY MONITORING**

Report No.: **JME/A/230325085**
 Format No.: **7.5 F-02**
 Party Ref. No.: **Nil**
 Reporting Date: **31/03/2023**
 Receipt Date: **26/03/2023**

General Information

Client Representative (Name & Designation) : **Mr. Pravin Pandya (AGM - Environment)**
 Sample collected by : **Mr. Kamlesh Yadav (Asst. Manager)**
 Sampling Location : **Near Mine's Face**
 Latitude : **27° 40' 21.00" N**
 Longitude : **76° 07' 26.00" E**
 Instrument used : **RDS, FPS & BS**
 Instrument code : **JME/RDS/01/26, JME/FPS/01/26 & JME/BS/01/07**
 Instrument calibration status : **Calibrated**
 Meteorological condition during monitoring : **Cloudy Sky**
 Date of Monitoring : **23/03/2023 to 24/03/2023**
 Time of Monitoring : **09:00 to 09:00 hrs.**
 Actual duration of Monitoring, (minutes) : **956.0**
 Ambient Temperature (°C) : **Max 29°C Min 20°C**
 Surrounding activity : **Mining, Human and Vehicular Activities**
 Control measure if Any : **--**
 Sampling & Analysis Protocol : **IS-5182**
 Parameter Required : **As per work order**

TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Ammonia	Method of Air Sampling & Analysis (3rd edition- 1988)	6.86	µg/m ³	400
2.	Arsenic	IS: 5182 (Part-22) 2019	BDL (DL 0.5)	ng/m ³	6
3.	Benzene	IS:5182, (P-11): 2017	BDL (DL 1.0)	µg/m ³	5
4.	Benzo (a) Pyrene	IS:5182, (P-12): 2019	BDL (DL 0.5)	ng/m ³	1
5.	Carbon Mono Oxide	IS: 5182, (P-10), 2019	0.63	mg/m ³	4
6.	Lead	IS: 5182(Part-22) 2019	0.18	mg/m ³	1
7.	Nickel	IS: 5182 (Part-26) 2020	3.24	ng/m ³	20

Page No. 1 of 2

Kamlesh Yadav
Tested by

Sita Ram Yadav
Checked by

Kamlesh Yadav
Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

QIN No: 3074320H/P3011PTG085756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/07

Report No: JME/A/230325095

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
8.	Nitrogen Dioxide	IS: 5182, (P-6), 2017	22.59	µg/m ³	80
9.	Ozone	IS: 5182 (Part-9) 2019	20.27	µg/m ³	180
10.	PM 10	IS 5182, (P-23): 2017	57.95	µg/m ³	100
11.	PM 2.5	IS-5182 P-24 : 2019	36.08	µg/m ³	60
12.	Sulphur Dioxide	IS: 5182, (P-2), 2017	10.71	µg/m ³	80

Note: NAAQS-National Ambient Air Quality Standards Schedule-VII,[Rule 3 (3B)] (Part-II sec.-3(i)) 16.11.2009

End of Report

Page No. 2 of 2

Kunal Yadav

Tested by

Sita Rani Yadav

Checked by

Kunal Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. U14220HR2011PTC085754

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/14
Name & Address of Unit: M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)

Report No.: JME/A/230329081
Format No.: 7.5 F-02
Party Ref. No.: Nil

Reporting Date: 01/04/2023

Receipt Date: 25/03/2023

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information

Client Representative (Name & Designation): Mr. Pravin Pandya (AGM - Environment)
Sample collected by: Mr. Nirmal Singh (Field Assistant)
Sampling Location: Village Jodhpura
Latitude: 27° 40' 39.00" N
Longitude: 76° 07' 47.00" E
Instrument used: RDS, FPS & BS
Instrument code: JME/RDS/01/32, JME/FPS/01/42 & JME/BS/01/03
Instrument calibration status: Calibrated
Meteorological condition during monitoring: Cloudy Sky
Date of Monitoring: 25/03/2023 to 26/03/2023
Time of Monitoring: 14:50 to 14:50 hrs.
Actual duration of Monitoring, (minutes): 1060.0
Ambient Temperature (°C): Max 29°C, Min 20°C
Surrounding activity: Human and Vehicular Activities
Control measure if Any: --
Sampling & Analysis Protocol: IS-5182
Parameter Required: As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Ammonia	Method of Air Sampling & Analysis (3rd edition- 1988)	15.65	µg/m ³	400
2.	Arsenic	IS: 5182 (Part-22) 2019	BDL (DL 0.5)	ng/m ³	6
3.	Benzene	IS: 5182, (P-11): 2017	BDL (DL 1.0)	µg/m ³	5
4.	Benzo (a) Pyrene	IS: 5182, (P-12) 2019	BDL (DL 0.5)	ng/m ³	1
5.	Carbon Mono Oxide	IS: 5182, (P-10), 2019	0.71	mg/m ³	4
6.	Lead	IS: 5182(Part-22) 2019	BDL (DL 0.02)	mg/m ³	1
7.	Nickel	IS: 5182 (Part-26) 2020	1.94	ng/m ³	20

Page No. 1 of 2

Kumari
Kumari Arpna
Tested by

Sita Kail Yadav
Sita Kail Yadav

Checked by

Raj Kumar Yadav
Raj Kumar Yadav
Authorized Signatory

Note


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/14

Report No.: JME/A/230329081

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
8.	Nitrogen Dioxide	IS: 5182, (P-6), 2017	24.28	µg/m ³	80
9.	Ozone	IS: 5182 (Part-9) 2019	22.93	µg/m ³	180
10.	PM 10	IS:5182, (P-23), 2017	65.41	µg/m ³	100
11.	PM 2.5	IS:5182 : P-24 : 2019	37.10	µg/m ³	60
12.	Sulphur Dioxide	IS: 5182, (P-2), 2017	10.17	µg/m ³	80

Note: NAAQS-National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

End of Report

Page No. 2 of 2

Kurnali Aparna
Tested by

Sita Ram Yadav
Checked by

Rajkumar Yadav
Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/A/15**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)**
 Sample Description: **AMBIENT AIR QUALITY MONITORING**

Report No.: **JME/A/230329082**
 Format No.: **7.5 F-02**
 Party Ref. No.: **Nil**
 Reporting Date: **01/04/2023**
 Receipt Date: **25/03/2023**

General Information

Client Representative (Name & Designation): **Mr. Pravin Pandya (AGM - Environment)**
 Sample collected by: **Mr. Shakti Singh (Field Assistant)**
 Sampling Location: **Village Gordhanpura**
 Latitude: **27° 39' 09.00" N**
 Longitude: **76° 08' 09.00" E**
 Instrument used: **RDS, FPS & BS**
 Instrument code: **JME/RDS/01/12, JME/FPS/01/19 & JME/BS/01/04**
 Instrument calibration status: **Calibrated**
 Meteorological condition during monitoring: **Cloudy Sky**
 Date of Monitoring: **25/03/2023 to 26/03/2023**
 Time of Monitoring: **15:30 to 16:30 hrs.**
 Actual duration of Monitoring, (minutes): **1272.0**
 Ambient Temperature (°C): **Max 29°C, Min 20°C**
 Surrounding activity: **Human and Vehicular Activities**
 Control measure if Any: **-**
 Sampling & Analysis Protocol: **IS-5182**
 Parameter Required: **As per work order**

TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Ammonia	Method of Air Sampling & Analysis (3rd edition- 1988)	23.22	µg/m ³	400
2.	Arsenic	IS: 5182 (Part-22) 2019	BDL (DL 0.5)	ng/m ³	6
3.	Benzene	IS:5182, (P-11): 2017	BDL (DL 1.0)	µg/m ³	5
4.	Benzo (a) Pyrene	IS:5182, (P-12): 2019	BDL (DL 0.5)	ng/m ³	1
5.	Carbon Mono Oxide	IS: 5182, (P-10), 2019	0.76	mg/m ³	4
6.	Lead	IS: 5182(Part-22) 2019	BDL (DL 0.02)	mg/m ³	1
7.	Nickel	IS: 5182 (Part-26) 2020	2.84	ng/m ³	20

Page No. 1 of 2

Kuman Aparna
 Tested by

Raj Kumar Yadav
 Checked by

Raj Kumar Yadav
 Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CEI No. 1274220492011/PTC/085724

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/15

Report No: JME/A/230329082

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
8.	Nitrogen Dioxide	IS: 5182 (P-6), 2017	26.59	µg/m ³	80
9.	Ozone	IS: 5182 (Part-9) 2019	24.64	µg/m ³	180
10.	PM 10	IS 5182, (P-23): 2017	79.43	µg/m ³	100
11.	PM 2.5	IS:5182 : P-24 : 2019	44.25	µg/m ³	60
12.	Sulphur Dioxide	IS: 5182, (P-2), 2017	11.92	µg/m ³	80

Note: NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec. 3(i)] 16.11.2009

End of Report

Page No. 2 of 2


Kumari Aparna
Tested by


Sita Ram Yadav
Checked by


Raj Kumar Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085156

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/A/12**
Name & Address of Unit: **M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)**
Sample Description: **AMBIENT AIR QUALITY MONITORING**

Report No.: **JME/A/230329079**
Format No.: **7.5 F-02**
Party Ref. No.: **Nil**
Reporting Date: **01/04/2023**
Receipt Date: **29/03/2023**

General Information

Client Representative (Name & Designation) : **Mr. Pravin Pandya (AGM - Environment)**
Sample collected by : **Mr. Nirmal Singh (Field Assistant)**
Sampling Location : **Village Kansli**
Latitude : **27° 41' 21.00" N**
Longitude : **76° 07' 56.00" E**
Instrument used : **RDS, FPS & BS**
Instrument code : **JME/RDS/01/03, JME/FPS/01/28 & JME/BS/01/01**
Instrument calibration status : **Calibrated**
Meteorological condition during monitoring : **Cloudy Sky**
Date of Monitoring : **25/03/2023 to 26/03/2023**
Time of Monitoring : **12:20 to 12:20 hrs.**
Actual duration of Monitoring, (minutes) : **1108.0**
Ambient Temperature (°C) : **Max 29°C, Min 20°C**
Surrounding activity : **Human and Vehicular Activities**
Control measure if Any : **-**
Sampling & Analysis Protocol : **IS-5182**
Parameter Required : **As per work order**

TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Ammonia	Method of Air Sampling & Analysis (3rd edition- 1988)	15.05	µg/m ³	400
2.	Arsenic	IS: 5182 (Part-22) 2019	BDL (DL 0.5)	ng/m ³	6
3.	Benzene	IS:5182, (P-11): 2017	BDL (DL 1.0)	µg/m ³	5
4.	Benzo (a) Pyrene	IS:5182, (P-12): 2019	BDL (DL 0.5)	ng/m ³	1
5.	Carbon Mono Oxide	IS: 5182, (P-10), 2019	0.64	mg/m ³	4
6.	Lead	IS: 5182(Part-22) 2019	BDL (DL 0.02)	mg/m ³	1
7.	Nickel	IS: 5182 (Part-26) 2020	1.27	ng/m ³	20

Page No. 1 of 2

Kumari Apama
Tested by

Sita Ram Yadav
Checked by

Raj Kumar Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results, shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither implied nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

Lab No. U742209R2011PTC005729

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/12

Report No: JME/A/230329079

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
8.	Nitrogen Dioxide	IS: 5182, (P-6), 2017	22.04	µg/m ³	80
9.	Ozone	IS: 5182 (Part-9) 2019	17.45	µg/m ³	180
10.	PM 10	IS:5182, (P-23): 2017	57.72	µg/m ³	100
11.	PM 2.5	IS:5182 : P-24 : 2019	34.64	µg/m ³	60
12.	Sulphur Dioxide	IS: 5182, (P-2), 2017	10.38	µg/m ³	80

Note: NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (38)] [Part-II sec -3(i)] 16.11.2009

***End of Report**

Page No. 2 of 2

Kumari Aparna
Tested by

Sila Ram Yadav
Checked by

Rajkumar Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in this test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PT005794

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/13
Name & Address of Unit: M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)
Sample Description: AMBIENT AIR QUALITY MONITORING

Report No.: JME/A/230329080
Format No.: 7.5 F-02
Party Ref. No.: Nil
Reporting Date: 01/04/2023
Receipt Date: 25/03/2023

General Information

Client Representative (Name & Designation) : Mr. Pravin Pandya (AGM - Environment)
Sample collected by : Mr. Sandeep Kumar (Field Assistant)
Sampling Location : Village Ajitpura
Latitude : 27° 39' 58.00" N
Longitude : 76° 06' 19.00" E
Instrument used : RDS, FPS & BS
Instrument code : JME/RDS/01/44, JME/FPS/01/48 & JME/BS/01/02
Instrument calibration status : Calibrated
Meteorological condition during monitoring : Cloudy Sky
Date of Monitoring : 25/03/2023 to 26/03/2023
Time of Monitoring : 13:55 to 14:00 hrs.
Actual duration of Monitoring, (minutes) : 1238.0
Ambient Temperature (°C) : Max 29°C, Min 20°C
Surrounding activity : Human and Vehicular Activities
Control measure if Any : --
Sampling & Analysis Protocol : IS-5182
Parameter Required : As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Ammonia	Method of Air Sampling & Analysis (3rd edition- 1988)	11.16	µg/m ³	400
2.	Arsenic	IS: 5182 (Part-22) 2019	BDL (DL 0.5)	ng/m ³	6
3.	Benzene	IS:5182, (P-11): 2017	BDL (DL 1.0)	µg/m ³	6
4.	Benzo (a) Pyrene	IS:5182, (P-12): 2019	BDL (DL 0.5)	ng/m ³	1
5.	Carbon Mono Oxide	IS: 5182, (P-10), 2019	0.59	mg/m ³	4
6.	Lead	IS: 5182(Part-22) 2019	BDL (DL 0.02)	mg/m ³	1
7.	Nickel	IS: 5182 (Part-26) 2020	BDL (DL 1.0)	ng/m ³	20

Page No. 1 of 2

Kumari Aparna
Tested by

Sita Ram Yadav
Checked by

Raj Kumar Yadav
Authorized Signatory

Note:


- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. U74320HR2011PTC085766

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/A/13**

Report No.: **JME/A/230329080**

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
8.	Nitrogen Dioxide	IS: 5182, (P-6), 2017	18.34	µg/m ³	80
9.	Ozone	IS: 5182 (Part-9) 2019	22.58	µg/m ³	180
10.	PM 10	IS:5182, (P-23): 2017	73.06	µg/m ³	100
11.	PM 2.5	IS:5182 : P-24 : 2019	40.52	µg/m ³	60
12.	Sulphur Dioxide	IS: 5182, (P-2), 2017	9.46	µg/m ³	80

Note: NAAQS-National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

End of Report

Page No. 2 of 2

Kumari Aparna
Tested by

Sita Ram Yadav
Checked by

Rajkumar Yadav
Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. U74720HR2011PTC015739

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/08
 Name & Address of Unit: M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)
 Sample Description: AMBIENT AIR QUALITY MONITORING

Report No.: JME/A/221226098
 Format No.: 7.5 F-02
 Party Ref. No.: Nil
 Reporting Date: 30/12/2022
 Receipt Date: 26/12/2022

General Information

Client Representative (Name & Designation) : Mr. Pravin Pandiya (AGM - Environment)
 Sample collected by : Mr. Kamlesh Yadav (Asst. Manager)
 Sampling Location : Near Mine's Office
 Latitude : 27° 40' 09.00" N
 Longitude : 76° 07' 29.00" E
 Instrument used : RDS, FPS & BS
 Instrument code : JME/RDS/01/26, JME/FPS/01/26 & JME/BS/01/06
 Instrument calibration status : Calibrated
 Meteorological condition during monitoring : Clear Sky
 Date of Monitoring : 22/12/2022 to 23/12/2022
 Time of Monitoring : 09:30 to 09:00 hrs.
 Actual duration of Monitoring, (minutes) : 1270.8
 Ambient Temperature (°C) : Max 24°C Min 6°C
 Surrounding activity : Mining, Human and Vehicular Activities
 Control measure if Any : --
 Sampling & Analysis Protocol : IS-5182
 Parameter Required : As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Ammonia	Method of Air Sampling & Analysis (3rd edition- 1988)	20.56	µg/m ³	400
2.	Arsenic	IS: 5182 (Part-22) 2019	BDL (DL 0.5)	ng/m ³	6
3.	Benzene	IS:5182, (P-11): 2017	BDL (DL 1.0)	µg/m ³	5
4.	Benzo (a) Pyrene	IS:5182, (P-12): 2019	BDL (DL 0.5)	ng/m ³	1
5.	Carbon Mono Oxide	IS: 5182, (P-10), 2019	0.78	mg/m ³	4
6.	Lead	IS: 5182(Part-22) 2019	0.14	µg/m ³	1
7.	Nickel	IS: 5182 (Part-26) 2020	3.45	µg/m ³	20

Rajendra
 Tested by

Rajendra
 Checked by

Rajendra
 Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

25 years of success

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/08

Report No.: JME/A/221226098

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
8.	Nitrogen Dioxide	IS: 5182, (P-6), 2017	27.56	µg/m ³	80
9.	Ozone	IS: 5182 (Part-9) 2019	29.34	µg/m ³	180
10.	PM 10	IS:5182, (P-23) 2017	59.86	µg/m ³	100
11.	PM 2.5	IS:5182 : P-24 : 2019	38.34	µg/m ³	60
12.	Sulphur Dioxide	IS: 5182, (P-2), 2017	13.54	µg/m ³	80

Note: NAAQS-National Ambient Air Quality Standards; Schedule VII, [Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

End of Report

Page No. 2 of 2

Ritika Saini
Ritika Saini
Tested by

Rajal Tandon
Rajal Tandon
Checked by

Rajkumar Yadav
Rajkumar Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB Pvt. Ltd.

CN No. 1742/2019/2011PTC085756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/05
 Name & Address of Unit: M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)
 Sample Description: AMBIENT AIR QUALITY MONITORING

Report No.: JME/A/221226095
 Format No.: 7.5 F-02
 Party Ref. No.: Nil
 Reporting Date: 30/12/2022
 Receipt Date: 26/12/2022

General Information

Client Representative (Name & Designation) : Mr. Pravin Pandiya (AGM - Environment)
 Sample collected by : Mr. Nirmal Singh (Field Asst.)
 Sampling Location : Near Limestone Crusher
 Latitude : 27° 40' 22.00" N
 Longitude : 76° 07' 31.00" E
 Instrument used : RDS, FPS & BS
 Instrument code : JME/RDS/01/44, JME/FPS/01/48 & JME/BS/01/07
 Instrument calibration status : Calibrated
 Meteorological condition during monitoring : Clear Sky
 Date of Monitoring : 22/12/2022 to 23/12/2022
 Time of Monitoring : 09:50 to 09:20 hrs.
 Actual duration of Monitoring, (minutes) : 998.4
 Ambient Temperature (°C) : Max 24°C Min 6°C
 Surrounding activity : Mining, LS Crusher Operation, Human and Vehicular Activities
 Control measure if Any : --
 Sampling & Analysis Protocol : IS-5182
 Parameter Required : As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Ammonia	Method of Air Sampling & Analysis (3rd edition- 1988)	10.12	µg/m ³	400
2.	Arsenic	IS: 5182 (Part-22) 2019	BDL (DL 0.5)	ng/m ³	6
3.	Benzene	IS:5182, (P-11): 2017	BDL (DL 1.0)	µg/m ³	5
4.	Benzo (a) Pyrene	IS:5182, (P-12): 2019	BDL (DL 0.5)	ng/m ³	1
5.	Carbon Mono Oxide	IS: 5182, (P-10), 2019	0.72	mg/m ³	4
6.	Lead	IS: 5182(Part-22) 2019	0.24	µg/m ³	1
7.	Nickel	IS: 5182 (Part-26) 2020	4.04	µg/m ³	20

Ritika Saini
 Tested by

Rajal Tandon
 Checked by

Authorized Signatory
 Rajkumar Yadav

Note

1. This test report has been in your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

Lab No. : J742204R2/11PFC0857

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORTSample Number: **JME/KCW/A/05**Report No.: **JME/A/221226095**

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
8.	Nitrogen Dioxide	IS: 5182, (P-6), 2017	23.56	µg/m ³	80
9.	Ozone	IS: 5182 (Part-9) 2019	24.78	µg/m ³	180
10.	PM 10	IS:5182, (P-23): 2017	63.10	µg/m ³	100
11.	PM 2.5	IS:5182 : P-24 : 2019	34.68	µg/m ³	60
12.	Sulphur Dioxide	IS: 5182, (P-2), 2017	12.45	µg/m ³	80

Note: NAAQS-National Ambient Air Quality Standards: Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

End of Report

Page No. 2 of 2

Ritika Saini
Tested by

Rajat Tandon
Checked by

Raj Kumar Yadav
Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither offered nor accepted.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCWI/A/06
 Name & Address of Unit: M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)
 Sample Description: AMBIENT AIR QUALITY MONITORING

Report No.: JME/A/221226096
 Format No.: 7.5 F-02
 Party Ref. No.: Nil
 Reporting Date: 30/12/2022
 Receipt Date: 26/12/2022

General Information

Client Representative (Name & Designation) : Mr. Pravin Pandiya (AGM - Environment)
 Sample collected by : Mr. Subhash Choudhary (Field Asst.)
 Sampling Location : Near Mine's Haulage Road
 Latitude : 27° 40' 20.00" N
 Longitude : 76° 07' 15.00" E
 Instrument used : RDS, FPS & BS
 Instrument code : JME/RDS/01/03, JME/FPS/01/28 & JME/BS/01/06
 Instrument calibration status : Calibrated
 Meteorological condition during monitoring : Clear Sky
 Date of Monitoring : 22/01/2022 to 23/12/2022
 Time of Monitoring : 10:15 to 10:00 hrs.
 Actual duration of Monitoring, (minutes) : 421.2
 Ambient Temperature (°C) : Max 21°C Min 6°C
 Surrounding activity : Mining, Human and Vehicular Activities
 Control measure if Any : --
 Sampling & Analysis Protocol : IS-5182
 Parameter Required : As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Ammonia	Method of Air Sampling & Analysis (3rd edition- 1988)	7.21	µg/m ³	400
2.	Arsenic	IS: 5182 (Part-22) 2019	BDL (DL 0.5)	ng/m ³	6
3.	Benzene	IS:5182, (P-11) 2017	BDL (DL 1.0)	µg/m ³	5
4.	Benzo (a) Pyrene	IS:5182, (P-12): 2019	BDL (DL 0.5)	ng/m ³	1
5.	Carbon Mono Oxide	IS: 5182, (P-10). 2019	0.61	mg/m ³	4
6.	Lead	IS: 5182(Part-22) 2019	0.21	µg/m ³	1
7.	Nickel	IS: 5182 (Part-26) 2020	4.11	ng/m ³	20

Tested by
 Rajendra Saini

Checked by
 Rajendra Pandey

Authorized Signatory
 Page No. 1 of 2
 Rajendra Yadav

- Note:
- This test report has been at your request and test results pertain to the tested sample received.
 - This report is for your reference only and not to be used for any legal purpose.
 - Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
 - Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
 - The sample will be destroyed after retention time unless otherwise specified specially.
 - Enforcement of the product tested by the laboratory is neither inferred nor implied.
 - Report shall not be reproduced except in full without approval of the laboratory.
 - All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab:
 424, Ground Floor, Udyog vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office
 Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122013 (Haryana)



25 YEARS OF SUCCESS

J.M. ENVIROLAB PVT. LTD.

EN No. LT4226HQ21PTC085736

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORTSample Number: **JME/KCWIA/06**Report No.: **JME/A/221226096**

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
8.	Nitrogen Dioxide	IS: 5182, (P-6), 2017	22.34	µg/m ³	80
9.	Ozone	IS: 5182 (Part-9) 2019	25.78	µg/m ³	180
10.	PM 10	IS:5182, (P-23): 2017	68.21	µg/m ³	100
11.	PM 2.5	IS:5182 : P-24 : 2019	37.34	µg/m ³	60
12.	Sulphur Dioxide	IS: 5182, (P-2), 2017	11.34	µg/m ³	80

Note: NAAQS-National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

End of Report

Page No. 2 of 2

Rajika Saini
Tested by

Rajal Tandon
Checked by

Raj Kumar Yadav
Authorized Signatory

Note

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB Pvt. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/A/07**
Name & Address of Unit: **M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)**
Sample Description: **AMBIENT AIR QUALITY MONITORING**

Report No.: **JME/A/221226097**
Format No.: **7.5 F-02**
Party Ref. No.: **NIL**
Reporting Date: **30/12/2022**
Receipt Date: **26/12/2022**

General Information

Client Representative (Name & Designation) : **Mr. Pravin Pandiya (AGM - Environment)**
Sample collected by : **Mr. Kamlesh Yadav (Asst. Manager)**
Sampling Location : **Near Mine's Face**
Latitude : **27° 40' 21.00" N**
Longitude : **76° 07' 26.00" E**
Instrument used : **RDS, FPS & BS**
Instrument code : **JME/RDS/01/26, JME/FPS/01/26 & JME/BS/01/07**
Instrument calibration status : **Calibrated**
Meteorological condition during monitoring : **Clear Sky**
Date of Monitoring : **23/12/2022 to 24/12/2022**
Time of Monitoring : **09:15 to 09:00 hrs.**
Actual duration of Monitoring, (minutes) : **523.4**
Ambient Temperature (°C) : **Max 24°C Min 6°C**
Surrounding activity : **Mining, Human and Vehicular Activities**
Control measure if Any : **--**
Sampling & Analysis Protocol : **IS-5182**
Parameter Required : **As per work order**

TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Ammonia	Method of Air Sampling & Analysis (3rd edition- 1988)	7.23	µg/m ³	400
2.	Arsenic	IS: 5182 (Part-22) 2019	BDL (DL 0.5)	ng/m ³	6
3.	Benzene	IS: 5182, (P-11): 2017	BDL (DL 1.0)	µg/m ³	5
4.	Benzo (a) Pyrene	IS: 5182, (P-12): 2019	BDL (DL 0.5)	ng/m ³	1
5.	Carbon Mono Oxide	IS: 5182, (P-10), 2019	0.61	mg/m ³	4
6.	Lead	IS: 5182(Part-22) 2019	0.17	µg/m ³	1
7.	Nickel	IS: 5182 (Part-26) 2020	3.56		20

Tested by

Checked by

Authorized Signatory

Note


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results, shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC090156

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/07

Report No.: JME/A/221226097

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
8.	Nitrogen Dioxide	IS: 5182, (P-6), 2017	20.45	µg/m ³	80
9.	Ozone	IS: 5182 (Part-9) 2019	18.67	µg/m ³	180
10.	PM 10	IS: 5182, (P-23): 2017	60.23	µg/m ³	100
11.	PM 2.5	IS: 5182 : P-24 : 2019	39.23	µg/m ³	60
12.	Sulphur Dioxide	IS: 5182, (P-2), 2017	12.11	µg/m ³	80

Note: NAAQS-National Ambient Air Quality Standards: Schedule-VII,[Rule 3 (3B)] [Part-II sec -3(i)] 16 11.2009

End of Report

Page No. 2 of 2

Ritika Saini
Ritika Saini
Tested by

Rajat Tandon
Rajat Tandon
Checked by

Raj Kumar Yadav
Raj Kumar Yadav
Authorized Signatory

Note


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB Pvt. Ltd.

QR NO. U74220HR2011PTC085756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/14
 Name & Address of Unit: M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)

Report No.: JME/A/221227088
 Format No.: 7.5 F-02
 Party Ref. No.: Nil

Sample Description: AMBIENT AIR QUALITY MONITORING

Reporting Date: 31/12/2022
 Receipt Date: 27/12/2022

General Information

Client Representative (Name & Designation) : Mr. Pravin Pandiya (AGM - Environment)
 Sample collected by : Mr. Subhash Choudhary (Field Asst.)
 Sampling Location : Village Jodhpura
 Latitude : 27° 40' 39.00" N
 Longitude : 76° 07' 47.00" E
 Instrument used : RDS, FPS & BS
 Instrument code : JME/RDS/01/26, JME/FPS/01/26 & JME/BS/01/07
 Instrument calibration status : Calibrated
 Meteorological condition during monitoring : Clear Sky
 Date of Monitoring : 24/12/2022 to 25/12/2022
 Time of Monitoring : 09:40 to 09:15 hrs.
 Actual duration of Monitoring, (minutes) : 420.8
 Ambient Temperature (°C) : Max 24°C Min 6°C
 Surrounding activity : Human and Vehicular Activities
 Control measure if Any : --
 Sampling & Analysis Protocol : IS-5182
 Parameter Required : As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Ammonia	Method of Air Sampling & Analysis (3rd edition- 1988)	14.37	µg/m ³	400
2.	Arsenic	IS: 5182 (Part-22) 2019	BDL (DL 0.5)	ng/m ³	6
3.	Benzene	IS:5182, (P-11): 2017	BDL (DL 1.0)	µg/m ³	5
4.	Benzo (a) Pyrene	IS:5182, (P-12): 2019	BDL (DL 0.5)	ng/m ³	1
5.	Carbon Mono Oxide	IS: 5182, (P-10), 2019	0.68	mg/m ³	4
6.	Lead	IS: 5182(Part-22) 2019	BDL (DL 0.02)	µg/m ³	1
7.	Nickel	IS: 5182 (Part-26) 2020	2.21	ng/m ³	20

Rajeev Saini
 Tested by

Rajeev Tandon
 Checked by

Page No. 1 of 2
Rajeshwar Yadav
 Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither warranted nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase IV, Gurugram-122015 (Haryana)
 E mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

CIN No. U74300HR2011PTC085756

25 years of success

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/14

Report No.: JME/A/221227088

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
8.	Nitrogen Dioxide	IS: 5182, (P-6), 2017	23.23	µg/m ³	80
9.	Ozone	IS: 5182 (Part-9) 2019	20.13	µg/m ³	180
10.	PM 10	IS:5182, (P-23): 2017	62.10	µg/m ³	100
11.	PM 2.5	IS.5182 : P-24 : 2019	35.36	µg/m ³	60
12.	Sulphur Dioxide	IS. 5182, (P-2), 2017	10.25	µg/m ³	80

Note: NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(ii)] 16.11.2009

End of Report

Page No. 2 of 2

Ritika Saini
Ritika Saini

Tested by

Rajat Tandon
Rajat Tandon
Checked by

Raj Kumar Yadav
Raj Kumar Yadav
Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

25 years of success

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCWA/15
 Name & Address of Unit: M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)
 Sample Description: AMBIENT AIR QUALITY MONITORING

Report No.: JME/A/221227089
 Format No.: 7.5 F-02
 Party Ref. No.: Nil
 Reporting Date: 31/12/2022
 Receipt Date: 27/12/2022

General Information

Client Representative (Name & Designation): Mr. Pravin Pandiya (AGM - Environment)
 Sample collected by: Mr. Subhash Choudhary (Field Asst.)
 Sampling Location: Village Gordhanpura
 Latitude: 27° 39' 09.00" N
 Longitude: 76° 08' 09.00" E
 Instrument used: RDS, FPS & BS
 Instrument code: JME/RDS/01/03, JME/FPS/01/28 & JME/BS/01/07
 Instrument calibration status: Calibrated
 Meteorological condition during monitoring: Clear Sky
 Date of Monitoring: 25/12/2022 to 26/12/2022
 Time of Monitoring: 10:10 to 09:10 hrs.
 Actual duration of Monitoring, (minutes): 595.2
 Ambient Temperature (°C): Max 24°C Min 6°C
 Surrounding activity: Human and Vehicular Activities
 Control measure if Any: --
 Sampling & Analysis Protocol: IS-5182
 Parameter Required: As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Ammonia	Method of Air Sampling & Analysis (3rd edition- 1988)	21.56	µg/m ³	400
2.	Arsenic	IS: 5182 (Part-22) 2019	BDL (DL 0.5)	ng/m ³	6
3.	Benzene	IS:5182, (P-11): 2017	BDL (DL 1.0)	µg/m ³	5
4.	Benzo (a) Pyrene	IS:5182, (P-12): 2019	BDL (DL 0.5)	ng/m ³	1
5.	Carbon Mono Oxide	IS: 5182, (P-10), 2019	0.80	mg/m ³	4
6.	Lead	IS: 5182(Part-22) 2019	BDL (DL 0.02)	µg/m ³	1
7.	Nickel	IS: 5182 (Part-26) 2020	2.53	ng/m ³	20

Rajat Tandon
 Tested by

Rajat Tandon
 Checked by

Page No. 1 of 2
Rajat Tandon
 Authorized Signatory

Note:


- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability of any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC005756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/15

Report No.: JME/A/221227089

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
8	Nitrogen Dioxide	IS: 5182, (P-6), 2017	24.28	µg/m ³	80
9.	Ozone	IS: 5182 (Part-9) 2019	26.47	µg/m ³	180
10.	PM 10	IS 5182, (P-23): 2017	84.28	µg/m ³	100
11.	PM 2.5	IS:5182 : P-24 : 2019	42.78	µg/m ³	60
12.	Sulphur Dioxide	IS: 5182, (P-2), 2017	12.86	µg/m ³	80

Note: NAAQS-National Ambient Air Quality Standards; Schedule-VII,[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

End of Report

Page No. 2 of 2

Ritika Saini
Ritika Saini
Tested by

Rajal Tandon
Rajal Tandon
Checked by

Raj Kumar Yadav
Raj Kumar Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability at any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. - U74320-RG2011PTC085756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/A/12**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)**

Report No.: **JME/A/221227086**
 Format No.: **7.5 F-02**
 Party Ref. No.: **Nil**

Reporting Date: **31/12/2022**Sample Description: **AMBIENT AIR QUALITY MONITORING**Receipt Date: **27/12/2022**

General information

Client Representative (Name & Designation) : **Mr. Pravin Pandiya (AGM - Environment)**
 Sample collected by : **Mr. Kamlesh Yadav (Asst. Manager)**
 Sampling Location : **Village Kansli**
 Latitude : **27° 41' 21.00" N**
 Longitude : **76° 07' 56.00" E**
 Instrument used : **RDS, FPS & BS**
 Instrument code : **JME/RDS/01/03, JME/FPS/01/28 & JME/BS/01/08**
 Instrument calibration status : **Calibrated**
 Meteorological condition during monitoring : **Clear Sky**
 Date of Monitoring : **24/12/2022 to 25/12/2022**
 Time of Monitoring : **10:20 to 09:30 hrs.**
 Actual duration of Monitoring, (minutes) : **407.4**
 Ambient Temperature (°C) : **Max 24°C Min 6°C**
 Surrounding activity : **Human and Vehicular Activities**
 Control measure if Any : **--**
 Sampling & Analysis Protocol : **IS-5182**
 Parameter Required : **As per work order**

TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Ammonia	Method of Air Sampling & Analysis (3rd edition- 1988)	13.34	µg/m ³	400
2.	Arsenic	IS: 5182 (Part-22) 2019	BDL (DL 0.5)	ng/m ³	6
3.	Benzene	IS:5182, (P-11): 2017	BDL (DL 1.0)	µg/m ³	5
4.	Benzo (a) Pyrene	IS:5182, (P-12): 2019	BDL (DL 0.5)	ng/m ³	1
5.	Carbon Mono Oxide	IS: 5182, (P-10): 2019	0.72	mg/m ³	4
6.	Lead	IS: 5182(Part-22) 2019	BDL (DL 0.02)	µg/m ³	1
7.	Nickel	IS: 5182 (Part-26) 2020	1.45	ng/m ³	20

Rajesh Saini
Tested by

Rajesh Tandon
Checked by

Rajesh Yadav
Authorized Signatory

Note


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085755

25 years of success

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/12

Report No.: JME/A/221227086

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
8.	Nitrogen Dioxide	IS: 5182, (P-6), 2017	23.01	µg/m ³	80
9	Ozone	IS: 5182 (Part-9) 2019	15.67	µg/m ³	180
10.	PM 10	IS:5182, (P-23): 2017	64.57	µg/m ³	100
11.	PM 2.5	IS:5182 : P-24 : 2019	33.54	µg/m ³	60
12.	Sulphur Dioxide	IS: 5182, (P-2), 2017	11.23	µg/m ³	80

Note. NAAQS-National Ambient Air Quality Standards; Schedule-VII [Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

End of Report

Page No. 2 of 2

Ritika Saini
Ritika Saini
 Tested by

Rajal Tandon
Rajal Tandon
 Checked by

Rakumar Yadav
Rakumar Yadav
 Authorized Signatory

Note

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur courts only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

25 years of success

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/13
 Name & Address of Unit: M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)

Report No.: JME/A/221227087
 Format No.: 7.5 F-02
 Party Ref. No: Nil
 Reporting Date: 31/12/2022
 Receipt Date: 27/12/2022

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information

Client Representative (Name & Designation) : Mr. Pravin Pandiya (AGM - Environment)
 Sample collected by : Mr. Nirmal Singh (Field Asst.)
 Sampling Location : Village Ajitpura
 Latitude : 27° 39' 58.00" N
 Longitude : 76° 06' 19.00" E
 Instrument used : RDS, FPS & BS
 Instrument code : JME/RDS/01/26, JME/FPS/01/26 & JME/BS/01/08
 Instrument calibration status : Calibrated
 Meteorological condition during monitoring : Clear Sky
 Date of Monitoring : 25/12/2022 to 26/12/2022
 Time of Monitoring : 10:20 to 09:10 hrs.
 Actual duration of Monitoring, (minutes) : 845.2
 Ambient Temperature (°C) : Max 24°C Min 6°C
 Surrounding activity : Human and Vehicular Activities
 Control measure if Any : --
 Sampling & Analysis Protocol : IS-5182
 Parameter Required : As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
1.	Ammonia	Method of Air Sampling & Analysis (3rd edition- 1988)	12.59	µg/m ³	400
2.	Arsenic	IS: 5182 (Part-22) 2019	BDL (DL 0.5)	ng/m ³	6
3.	Benzene	IS:5182, (P-11): 2017	BDL (DL 1.0)	µg/m ³	5
4.	Benzo (a) Pyrene	IS:5182, (P-12): 2019	BDL (DL 0.5)	ng/m ³	1
5.	Carbon Mono Oxide	IS: 5182, (P-10), 2019	0.57	mg/m ³	4
6.	Lead	IS: 5182(Part-22) 2019	BDL (DL 0.02)	µg/m ³	1
7.	Nickel	IS: 5182 (Part-26) 2020	BDL (DL 1.0)	ng/m ³	20

Tested by
Tested by

Checked by
Checked by

Authorized Signatory
Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results, shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of disputes is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvironlab@hotmail.com | www.jmenvironet.org

Corporate Office

Emar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

Lab No. U742204R2011PTC001525

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/A/13

Report No.: JME/A/221227087

S. No.	Parameters	Testing Protocol	Result	Unit	NAAQS
8.	Nitrogen Dioxide	IS: 5182, (P-6), 2017	19.23	µg/m ³	80
9.	Ozone	IS: 5182 (Part-9) 2019	21.29	µg/m ³	180
10.	PM 10	IS:5182, (P-23): 2017	70.27	µg/m ³	100
11.	PM 2.5	IS:5182 : P-24 : 2019	39.29	µg/m ³	60
12.	Sulphur Dioxide	IS: 5182, (P-2), 2017	9.79	µg/m ³	80

Note: NAAQS-National Ambient Air Quality Standards: Schedule-VII.[Rule 3 (3B)] [Part-II sec.-3(i)] 16.11.2009

End of Report

Page No. 2 of 2

Ritika Saini
Ritika Saini
Tested by

Rajat Tandon
Rajat Tandon
Checked by

Raj Kumar Yadav
Raj Kumar Yadav
Authorized Signatory

- Note:
1. This test report has been at your request and test results pertain to the tested sample received.
 2. This report is for your reference only and not to be used for any legal purpose.
 3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
 4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
 5. The sample will be destroyed after retention time unless otherwise specified specially.
 6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
 7. Report shall not be reproduced except in full without approval of the laboratory.
 8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.
424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office
Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)


Grasim Cement Limestone Mine
Known as Mohanpura-Jodhpura Limestone Mine
(A Captive Limestone Mine of M/s UltraTech Cement Ltd, Unit- Kotputli Cement Works)
Noise Level Monitoring Data
(For the Period from Jan-2023 to Mar-2023)

Locations of Monitoring (Monthly Noise Level Results in dB(A) Leq)																
Month	Core Zone						Buffer Zone									
	Near Mines Office		Near Limestone Crusher		Near Mines Haulage Road		Near Mines Face		Near Vill: Jodhpura		Near Vill: Kansli		Near Vill: Gordhanpura		Near Vill: Aitpura	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
Jan-23	58.7	54.2	63.1	59.8	60.9	59.1	58.9	55.5	50.1	40.2	52.5	40.8	46.2	38.2	45.5	38.1
Feb-23	60.4	55.7	68.2	57.1	69.1	59.2	66.7	57.9	50.1	38.4	50.4	40.2	52.3	42.5	48.3	36.2
Mar-23	63.3	59.2	67.2	62.4	65.6	60.2	65.8	60.9	52.1	39.5	52.4	40.8	50.9	38.4	50.1	38.2

Ann-4

Grasim Cement Limestone Mine
Known as Mohanpura-Jodhpura Limestone Mine
(A Captive Limestone Mine of M/s UltraTech Cement Ltd. Unit- Korputhi Cement Works)
Noise Level Monitoring Data
(For the Period from Oct -2022 to Dec -2022)

Locations of Monitoring (Monthly Noise Level Results in dB(A) Leq)																
Month	Core Zone						Buffer Zone									
	Near Mines Office		Near Limestone Crusher		Near Mines Haulage Road		Near Mines Face		Near Vill: Jodhpura		Near Vill: Kansli		Near Vill: Gordhanpura		Near Vill: A/Itipura	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
Oct-22	55.4	51.2	68.3	62.8	66.7	62.1	64.1	60.5	47.3	42.8	49.5	43.3	45.6	40.2	42.1	39.8
Nov-22	58.3	54.1	64.2	57.1	66.3	60.1	66.8	62.7	52.1	42.1	53.3	42.5	50.7	40.1	48.8	38.1
Dec-22	54.3	50.8	69.7	61.7	66.4	60.1	69.1	60.4	46.5	37.9	49.1	39.3	49.5	40.2	50.5	40.8



25 years of success

J.M. ENVIROLAB PVT. LTD.

CRN No.: 1/74220-R2011PTC065156

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/01
Name & Address of Unit: M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)
Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/230329059
Format No.: 7.5 F-04
Party Ref. No.: Nil
Reporting Date: 01/04/2023
Receipt Date: 29/03/2023

General Information

Client Representative (Name & Designation)
Sample collected by
Sampling Location
Date of Monitoring
Time of Monitoring
Latitude
Longitude
Instrument used
Instrument code
Instrument calibration status
Meteorological condition during monitoring
Ambient Temperature (°C)
Surrounding activity
Scope of Monitoring
Control measure if any
Sampling & Analysis Protocol
Actual duration of Monitoring, (minutes)
Parameter Required

Mr. Pravin Pandya (AGM – Environment)
JME/LPL Team
Near Mines Office
27/03/2023 To 28/03/2023
06:00 AM to 06:00 AM
27°40'09.00"N
76°07'26.00"E
Sound Level Meter
JME/SLM/01/25
Calibrated
Cloudy Sky
Max 28°C Min 20°C
Mines and Vehicular Activities
Regulatory Requirement
--
IS-9989
24 Hrs.
As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:00 AM to 10:00 PM)	Night Time (10:00 PM to 09:00 AM)	
1.	Lmax	IS-9989: 2014	68.2	60.9	dB(A)
2.	Lmin	IS-9989: 2014	46.4	42.7	dB(A)
3.	Leq	IS-9989: 2014	61.3	56.2	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

End of Report

Kumari Anarna
Kumari Anarna
Tested by

Sh. Ram Yadav
Sh. Ram Yadav
Checked by

Sh. Ram Yadav
Sh. Ram Yadav
Authorized Signatory

Note:
1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inference nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab:
424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org
Corporate Office
Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011 (Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/02
Name & Address of Unit: M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)
Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/230329060
Format No.: 7.5 F-04
Party Ref. No.: Nil
Reporting Date: 01/04/2023
Receipt Date: 29/03/2023

General Information

Client Representative (Name & Designation)

Sample collected by

Sampling Location

Date of Monitoring

Time of Monitoring

Latitude

Longitude

Instrument used

Instrument code

Instrument calibration status

Meteorological condition during monitoring

Ambient Temperature (°C)

Surrounding activity

Scope of Monitoring

Control measure if any

Sampling & Analysis Protocol

Actual duration of Monitoring, (minutes)

Parameter Required

Mr. Pravin Pandya (AGM – Environment)

JMELPL Team

Near Limestone Crusher

27/03/2023 To 28/03/2023

06:00 AM to 06:00 AM

27°40'22.00"N

76°07'30.00"E

Sound Level Meter

JME/SLM/01/24

Calibrated

Cloudy Sky

Max 28°C Min 20°C

Plant and Vehicular Activities

Regulatory Requirement

--

IS-9989

24 Hrs.

As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	74.7	68.0	dB(A)
2.	Lmin	IS-9989: 2014	64.5	44.8	dB(A)
3.	Leq	IS-9989: 2014	72.3	61.6	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

End of Report

Kumari Aparna
Tested by

Sita Ram Yadav
Checked by

Rajkumar Yadav
Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CEN No. U74220HR2011PTC085258

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/AN/03**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)**
 Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/230329061**
 Format No.: **7.5 F-04**
 Party Ref. No.: **NIL**
 Reporting Date: **01/04/2023**
 Receipt Date: **29/03/2023**

General Information

Client Representative (Name & Designation)
 Sample collected by
 Sampling Location
 Date of Monitoring
 Time of Monitoring
 Latitude
 Longitude
 Instrument used
 Instrument code
 Instrument calibration status
 Meteorological condition during monitoring
 Ambient Temperature (°C)
 Surrounding activity
 Scope of Monitoring
 Control measure if any
 Sampling & Analysis Protocol
 Actual duration of Monitoring, (minutes)
 Parameter Required

Mr. Pravin Pandya (AGM – Environment)
JMELPL Team
Near Mine's Haulage Road
27/03/2023 To 28/03/2023
06:00 AM to 06:00 AM
27°40'21.00"N
76°07'15.00"E
Sound Level Meter
JME/SLM/01/01
Calibrated
Cloudy Sky
Max 28°C Min 20°C
Mines and haulage Road Vehicular Activities
Regulatory Requirement
--
IS-9989
24 Hrs.
As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	69.4	64.6	dB(A)
2.	Lmin	IS-9989: 2014	52.8	43.2	dB(A)
3.	Leq	IS-9989: 2014	65.9	52.8	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

****End of Repot****

Kumari Aparna
Kumari Aparna
Tested by

Sita Ram Yadav
Sita Ram Yadav
Checked by

Raj Kumar Yadav
Raj Kumar Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase IV, Gurugram-122015 (Haryana)
 E mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



25 years of success

J. M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC045754

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/04
 Name & Address of Unit: M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)
 Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/230329062
 Format No.: 7.5 F-04
 Party Ref. No.: Nil
 Reporting Date: 01/04/2023
 Receipt Date: 29/03/2023

General Information

Client Representative (Name & Designation)

Sample collected by

Sampling Location

Date of Monitoring

Time of Monitoring

Latitude

Longitude

Instrument used

Instrument code

Instrument calibration status

Meteorological condition during monitoring

Ambient Temperature (°C)

Surrounding activity

Scope of Monitoring

Control measure if any

Sampling & Analysis Protocol

Actual duration of Monitoring, (minutes)

Parameter Required

Mr. Pravin Pandya (AGM – Environment)

JMELPL Team

Near Mine's Face

27/03/2023 To 28/03/2023

06:00 AM to 06:00 AM

27°40'21.00"N

76°07'26.00"E

Sound Level Meter

JME/SLM/01/08

Calibrated

Cloudy Sky

Max 28°C Min 20°C

Mines and Vehicular Activities

Regulatory Requirement

--

IS-9989

24 Hrs.

As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	71.2	64.2	dB(A)
2.	Lmin	IS-9989: 2014	56.3	43.6	dB(A)
3.	Leq	IS-9989: 2014	59.4	48.5	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

End of Report

[Signature]
 Kumari Arpita
 Tested by

[Signature]
 Sita Ram Yadav
 Checked by

[Signature]
 Raj Kumar Yadav
 Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

CIN No. U74200HR2011PTC005756

25 years of success

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/03
Name & Address of Unit: M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)
Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/230329081
Format No.: 7.5 F-04
Party Ref. No.: Nil
Reporting Date: 01/04/2023
Receipt Date: 29/03/2023

General Information

Client Representative (Name & Designation)

Sample collected by

Sampling Location

Date of Monitoring

Time of Monitoring

Latitude

Longitude

Instrument used

Instrument code

Instrument calibration status

Meteorological condition during monitoring

Ambient Temperature (°C)

Surrounding activity

Scope of Monitoring

Control measure if any

Sampling & Analysis Protocol

Actual duration of Monitoring. (minutes)

Parameter Required

Mr. Pravin Pandya (AGM - Environment)

JMELPL Team

Village- Jodhpura

25/03/2023 to 26/03/2023

06:00 AM to 06:00 AM

27°40'37.00"N

76°07'44.00"E

Sound Level Meter

JME/SLM/01/07

Calibrated

Cloudy Sky

Max 29°C, Min 20°C

Village and Vehicular Activities

Regulatory Requirement

--

IS-9989

24 Hrs.

As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	63.6	54.4	dB(A)
2.	Lmin	IS-9989: 2014	41.1	39.5	dB(A)
3.	Leq	IS-9989: 2014	51.7	43.9	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)

End of Report

Aparna
Kumari Aparna
Tested by

Sita Ram
Sita Ram Yadav
Checked by

Rajkumar
Rajkumar Yadav
Authorized Signatory

Note:


- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. 174220HR2011PTC085731

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/04
Name & Address of Unit: M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)
Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/230329082
Format No.: 7.5 F-04
Party Ref. No.: Nil
Reporting Date: 01/04/2023
Receipt Date: 29/03/2023

General Information

Client Representative (Name & Designation)
Sample collected by
Sampling Location
Date of Monitoring
Time of Monitoring
Latitude
Longitude
Instrument used
Instrument code
Instrument calibration status
Meteorological condition during monitoring
Ambient Temperature (°C)
Surrounding activity
Scope of Monitoring
Control measure if any
Sampling & Analysis Protocol
Actual duration of Monitoring, (minutes)
Parameter Required

Mr. Pravin Pandya (AGM - Environment)
JME/PL Team
Village- Gordhanpura
25/03/2023 to 26/03/2023
06:00 AM to 06:00 AM
27°39'09.00"N
76°08'09.00"E
Sound Level Meter
JME/SLM/01/25
Calibrated
Cloudy Sky
Max 29°C, Min 20°C
NH, Human and Vehicular Activities
Regulatory Requirement
--
IS-9989
24 Hrs.
As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	71.2	63.5	dB(A)
2.	Lmin	IS-9989: 2014	44.8	39.3	dB(A)
3.	Leq	IS-9989: 2014	54.6	44.1	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)

End of Report

Kumari Aparna
Tested by

Sita Ram Yadav
Checked by

Rajkumar Yadav
Authorized Signatory

Note:


- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com; | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/01
 Name & Address of Unit: M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)
 Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/230329079
 Format No.: 7.5 F-04
 Party Ref. No.: Nil
 Reporting Date: 01/04/2023
 Receipt Date: 29/03/2023

General Information

Client Representative (Name & Designation)
 Sample collected by
 Sampling Location
 Date of Monitoring
 Time of Monitoring
 Latitude
 Longitude
 Instrument used
 Instrument code
 Instrument calibration status
 Meteorological condition during monitoring
 Ambient Temperature (°C)
 Surrounding activity
 Scope of Monitoring
 Control measure if any
 Sampling & Analysis Protocol
 Actual duration of Monitoring, (minutes)
 Parameter Required

Mr. Pravin Pandya (AGM - Environment)

JMELPL Team
 Village- Kansli
 25/03/2023 to 26/03/2023
 06:00 AM to 06:00 AM
 27°41'15.00"N
 76°07'04.00"E
 Sound Level Meter
 JME/SLM/01/12
 Calibrated
 Cloudy Sky
 Max 28°C, Min 20°C
 Human and Vehicular Activities
 Regulatory Requirement
 --
 IS-9989
 24 Hrs.
 As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:00 AM to 10:00 PM)	Night Time (10:00 PM to 09:00 AM)	
1.	Lmax	IS-9989: 2014	63.1	53.4	dB(A)
2.	Lmin	IS-9989: 2014	44.4	39.6	dB(A)
3.	Leq	IS-9989: 2014	53.8	42.2	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)

End of Report

Kumari Aparna
 Tested by

Sita Ram Yadav
 Checked by

Rajkumar Yadav
 Authorized Signatory

Note:


- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced or kept in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. U74300HR2011PTC085756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/02
Name & Address of Unit: M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)
Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/230329080
Format No.: 7.5 F-04
Party Ref. No.: Nil
Reporting Date: 01/04/2023
Receipt Date: 29/03/2023

General Information

Client Representative (Name & Designation)

Sample collected by

Sampling Location

Date of Monitoring

Time of Monitoring

Latitude

Longitude

Instrument used

Instrument code

Instrument calibration status

Meteorological condition during monitoring

Ambient Temperature (°C)

Surrounding activity

Scope of Monitoring

Control measure if any

Sampling & Analysis Protocol

Actual duration of Monitoring. (minutes)

Parameter Required

Mr. Pravin Pandya (AGM - Environment)

JMELPL Team

Village- Ajitpura

25/03/2023 to 26/03/2023

06:00 AM to 06:00 AM

27°39'58.00"N

76°06'19.00"E

Sound Level Meter

JME/SLM/01/15

Calibrated

Cloudy Sky

Max 29°C, Min 20°C

Village and Vehicular Activities

Regulatory Requirement

--

IS-9989

24 Hrs.

As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	62.4	58.9	dB(A)
2.	Lmin	IS-9989: 2014	45.2	38.8	dB(A)
3.	Leq	IS-9989: 2014	51.9	44.1	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)

End of Report

Kumari Aparna
Kumari Aparna
Tested by

Rajkumar Yadav
Rajkumar Yadav
Checked by

Rajkumar Yadav
Rajkumar Yadav
Authorized Signatory

Note


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought in our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emar Digital Greens, Tower-8, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011 (Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/01
Name & Address of Unit: M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)
Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/230225013
Format No.: 7.5 F-04
Party Ref. No.: Nil
Reporting Date: 01/03/2023
Receipt Date: 25/02/2023

General Information

Client Representative (Name & Designation)	Mr. Pravin Pandya (AGM – Environment)
Sample collected by	JMELPL Team
Sampling Location	Near Mines Office
Date of Monitoring	20/02/2023 To 21/02/2023
Time of Monitoring	06:00 AM to 06:00 AM
Latitude	27°40'09.00"N
Longitude	76°07'28.00"E
Instrument used	Sound Level Meter
Instrument code	JME/SLM/01/15
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Ambient Temperature (°C)	Max 34°C, Min 17°C
Surrounding activity	Mines and Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if any	--
Sampling & Analysis Protocol	IS-9989
Actual duration of Monitoring, (minutes)	24 Hrs.
Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:00 AM to 10:00 PM)	Night Time (10:00 PM to 09:00 AM)	
1.	Lmax	IS-9989: 2014	67.9	61.9	dB(A)
2.	Lmin	IS-9989: 2014	48.1	42.1	dB(A)
3.	Leq	IS-9989: 2014	57.6	51.6	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

End of Report

Sita Ram Yadav
Tested by

Rajat Pandey
Checked by

Rajat Pandey
Authorized Signatory

Note

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.
424, Ground floor, Udyog Vihar,
Phase IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office
Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/02
Name & Address of Unit: M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)
Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/230225014
Format No.: 7.5 F-04
Party Ref. No.: Nil
Reporting Date: 01/03/2023
Receipt Date: 25/02/2023

General Information

Client Representative (Name & Designation)

Mr. Pravin Pandya (AGM – Environment)

Sample collected by

JMELPL Team

Sampling Location

Near Limestone Crusher

Date of Monitoring

20/02/2023 To 21/02/2023

Time of Monitoring

06:00 AM to 06:00 AM

Latitude

27°40'22.00"N

Longitude

76°07'30.00"E

Instrument used

Sound Level Meter

Instrument code

JME/SLM/01/12

Instrument calibration status

Calibrated

Meteorological condition during monitoring

Clear Sky

Ambient Temperature (°C)

Max 34°C, Min 17°C

Surrounding activity

Plant and Vehicular Activities

Scope of Monitoring

Regulatory Requirement

Control measure if any

Sampling & Analysis Protocol

IS-9989

Actual duration of Monitoring, (minutes)

24 Hrs.

Parameter Required

As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	74.9	72.7	dB(A)
2.	Lmin	IS-9989: 2014	64.6	56.0	dB(A)
3.	Leq	IS-9989: 2014	68.3	63.4	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

End of Report

Sita Ram Yadav

Tested by

Rajat Pandey

Checked by

Rajkumar Singh

Authorized Signatory

*Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the amount raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/03
Name & Address of Unit: M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)
Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/230225015
Format No.: 7.5 F-04
Party Ref. No.: Nil
Reporting Date: 01/03/2023
Receipt Date: 25/02/2023

General Information

Client Representative (Name & Designation)
Sample collected by
Sampling Location
Date of Monitoring
Time of Monitoring
Latitude
Longitude
Instrument used
Instrument code
Instrument calibration status
Meteorological condition during monitoring
Ambient Temperature (°C)
Surrounding activity
Scope of Monitoring
Control measure if any
Sampling & Analysis Protocol
Actual duration of Monitoring, (minutes)
Parameter Required

Mr. Pravin Pandya (AGM – Environment)
JMEPL Team
Near Mine's Haulage Road
21/02/2023 To 22/02/2023
06:00 AM to 06:00 AM
27°40'21.00"N
76°07'15.00"E
Sound Level Meter
JME/SLM/01/16
Calibrated
Clear Sky
Max 32°C, Min 19°C
Mines and haulage Road Vehicular Activities
Regulatory Requirement
--
IS-9989
24 Hrs.
As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	72.4	66.5	dB(A)
2.	Lmin	IS-9989: 2014	53.0	44.8	dB(A)
3.	Leq	IS-9989: 2014	62.3	54.5	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

End of Report

Sita Ram Yadav
Tested by

Rajat Pandey
Checked by

Rajat Pandey
Authorized Signatory

Note

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any concerns regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is not inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/04
Name & Address of Unit: M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)
Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/230225016
Format No.: 7.5 F-04
Party Ref. No.: Nil
Reporting Date: 01/03/2023
Receipt Date: 25/02/2023

General Information

Client Representative (Name & Designation)
Sample collected by
Sampling Location
Date of Monitoring
Time of Monitoring
Latitude
Longitude
Instrument used
Instrument code
Instrument calibration status
Meteorological condition during monitoring
Ambient Temperature (°C)
Surrounding activity
Scope of Monitoring
Control measure if any
Sampling & Analysis Protocol
Actual duration of Monitoring, (minutes)
Parameter Required

Mr. Pravin Pandya (AGM – Environment)
JME/LPL Team
Near Mine's Face
21/02/2023 To 22/02/2023
06:00 AM to 06:00 AM
27°40'21.00"N
76°07'26.00"E
Sound Level Meter
JME/SLM/01/18
Calibrated
Clear Sky
Max 32°C, Min 19°C
Mines and Vehicular Activities
Regulatory Requirement
--
IS-9989
24 Hrs.
As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	72.1	66.4	dB(A)
2.	Lmin	IS-9989: 2014	51.6	45.2	dB(A)
3.	Leq	IS-9989: 2014	60.4	53.6	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

End of Report

Sita Ram Yadav
Tested by

Rajat Tandon
Checked by

Rajat Tandon
Authorized Signatory

Note


- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. U74220HR2011PTC085733

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/AN/01**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)**
 Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/230120022**
 Format No.: **7.6 F-04**
 Party Ref. No.: **NIL**
 Reporting Date: **25/01/2023**
 Receipt Date: **20/01/2023**

General Information

Client Representative (Name & Designation)

Mr. Pravin Pandiya (AGM – Environment)

Sample collected by

JMELPL Team

Sampling Location

Near Mines Office

Date of Monitoring

17/01/2023 To 18/01/2023

Time of Monitoring

06:00 AM to 06:00 AM

Latitude

27°40'09.00"N

Longitude

76°07'28.00"E

Instrument used

Sound Level Meter

Instrument code

JME/SLM/01/15

Instrument calibration status

Calibrated

Meteorological condition during monitoring

Clear Sky

Ambient Temperature (°C)

Max 21°C, Min 6°C

Surrounding activity

Mines and Vehicular Activities

Scope of Monitoring

Regulatory Requirement

Control measure if any

--

Sampling & Analysis Protocol

IS-9989

Actual duration of Monitoring, (minutes)

24 Hrs.

Parameter Required

As per work order**TEST RESULTS**

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:00 AM to 10:00 PM)	Night Time (10:00 PM to 09:00 AM)	
1.	Lmax	IS-9989: 2014	68.4	63.2	dB(A)
2.	Lmin	IS-9989: 2014	49.3	42.5	dB(A)
3.	Leq	IS-9989: 2014	57.3	51.3	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

****End of Report****

Kirti Sharma

Tested by

Sita Ram Yadav

Checked by

Rakumir Yadav
Authorized Signatory

Note

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither intended nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Extn. Road, Sector-61,
 Gurugram-122011 (Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. :U74220HR2011PTC085756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/AN/02**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)**
 Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/230120023**
 Format No.: **7.5 F-04**
 Party Ref. No.: **NII**
 Reporting Date: **25/01/2023**
 Receipt Date: **20/01/2023**

General Information

Client Representative (Name & Designation)

Mr. Pravin Pandiya (AGM – Environment)

Sample collected by

JMELPL Team

Sampling Location

Near Limestone Crusher

Date of Monitoring

17/01/2023 To 18/01/2023

Time of Monitoring

06:00 AM to 06:00 AM

Latitude

27°40'22.00"N

Longitude

76°07'30.00"E

Instrument used

Sound Level Meter

Instrument code

JME/SLM/01/12

Instrument calibration status

Calibrated

Meteorological condition during monitoring

Clear Sky

Ambient Temperature (°C)

Max 21°C, Min 6°C

Surrounding activity

Plant and Vehicular Activities

Scope of Monitoring

Regulatory Requirement

Control measure if any

--

Sampling & Analysis Protocol

IS-9989

Actual duration of Monitoring. (minutes)

24 Hrs.

Parameter Required

As per work order**TEST RESULTS**

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	77.9	75.4	dB(A)
2.	Lmin	IS-9989: 2014	66.2	58.9	dB(A)
3.	Leq	IS-9989: 2014	71.4	65.2	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

****End of Report******Kirti Sharma****Tested by****Sita Ram Yadav****Checked by****Sita Ram Yadav**
Authorized Signatory**Notes**


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the date of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

25 years of success

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/AN/03**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)**
 Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/230120024**
 Format No.: **7.5 F-04**
 Party Ref. No.: **Nil**
 Reporting Date: **25/01/2023**
 Receipt Date: **20/01/2023**

General Information

Client Representative (Name & Designation)

Mr. Pravin Pandiya (AGM -- Environment)

Sample collected by

JMELPL Team

Sampling Location

Near Mine's Haulage Road

Date of Monitoring

16/01/2023 To 17/01/2023

Time of Monitoring

06:00 AM to 06:00 AM

Latitude

27°40'21.00"N

Longitude

76°07'15.00"E

Instrument used

Sound Level Meter

Instrument code

JME/SLM/01/16

Instrument calibration status

Calibrated

Meteorological condition during monitoring

Clear Sky

Ambient Temperature (°C)

Max 20°C, Min 5°C

Surrounding activity

Mines and haulage Road Vehicular Activities

Scope of Monitoring

Regulatory Requirement

Control measure if any

--

Sampling & Analysis Protocol

IS-9989

Actual duration of Monitoring, (minutes)

24 Hrs.

Parameter Required

As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	71.0	67.4	dB(A)
2.	Lmin	IS-9989: 2014	50.6	46.9	dB(A)
3.	Leq	IS-9989: 2014	58.9	58.2	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

****End of Report****

Kirti Sharma

Tested by

Sila Sant Yadav

Checked by

Raj Kumar Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No 1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. - U74200HR2011PTC045754

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/04
Name & Address of Unit: M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)
Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/230120025
Format No.: 7.5 F-04
Party Ref. No.: Nil
Reporting Date: 25/01/2023
Receipt Date: 20/01/2023

General Information

Client Representative (Name & Designation)

Mr. Pravin Pandiya (AGM – Environment)

Sample collected by

JMELPL Team

Sampling Location

Near Mine's Face

Date of Monitoring

16/01/2023 To 17/01/2023

Time of Monitoring

06:00 AM to 06:00 AM

Latitude

27°40'21.00"N

Longitude

76°07'26.00"E

Instrument used

Sound Level Meter

Instrument code

JME/SLM/01/18

Instrument calibration status

Calibrated

Meteorological condition during monitoring

Clear Sky

Ambient Temperature (°C)

Max 20°C, Min 5°C

Surrounding activity

Mines and Vehicular Activities

Scope of Monitoring

Regulatory Requirement

Control measure if any

--

Sampling & Analysis Protocol

IS-9989

Actual duration of Monitoring, (minutes)

24 Hrs.

Parameter Required

As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	73.6	67.5	dB(A)
2.	Lmin	IS-9989: 2014	53.2	46.3	dB(A)
3.	Leq	IS-9989: 2014	61.8	54.9	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

End of Report

Kirti Sharma
Tested by

Sita Ram Yadav
Checked by

Ravi Kumar Yadav
Authorized Signatory

Note


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/AN/01**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)**
 Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/221226043**
 Format No.: **7.5 F-04**
 Party Ref. No.: **NII**
 Reporting Date: **30/12/2022**
 Receipt Date: **26/12/2022**

General Information

Client Representative (Name & Designation)
 Sample collected by
 Sampling Location
 Date of Monitoring
 Time of Monitoring
 Latitude
 Longitude
 Instrument used
 Instrument code
 Instrument calibration status
 Meteorological condition during monitoring
 Ambient Temperature (°C)
 Surrounding activity
 Scope of Monitoring
 Control measure if any
 Sampling & Analysis Protocol
 Actual duration of Monitoring, (minutes)
 Parameter Required

Mr. Pravin Pandiya (AGM – Environment)
JMELPL Team
Near Mines Office
19/12/2022 To 20/12/2022
10:00 AM to 10:00 AM
27°40'09.00"N
76°07'28.00"E
Sound Level Meter
JME/SLM/01/25
Calibrated
Clear Sky
Max 26°C, Min 8°C
Mines and Vehicular Activities
Regulatory Requirement
--
IS-9989
24 Hrs.
As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:00 AM to 10:00 PM)	Night Time (10:00 PM to 09:00 AM)	
1.	Lmax	IS-9989: 2014			
2.	Lmin	IS-9989: 2014	67.3	60.3	dB(A)
3.	Leq	IS-9989: 2014	45.9	43.5	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	60.7	55.6	dB(A)
			75	70	dB(A)

End of Report

Kirti Sharma
 Tested by

Rajat Tandon
 Checked by

Rajkumar Yadav
 Authorized Signatory


This test report has been at your request and test results pertain to the tested sample received.
 This report is for your reference only and not to be used for any legal purpose.
 Any discrepancy in the test report or any remarks regarding the test results shall be brought to our
 knowledge within 7 days of the issue of this report.
 Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
 The sample will be destroyed after retention time unless otherwise specified specially.
 Endorsement of the product tested by the laboratory is neither inferred nor implied.
 Report shall not be reproduced except in full without approval of the laboratory.
 All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/AN/02**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)**
 Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/221226044**
 Format No.: **7.5 F-04**
 Party Ref. No.: **Nil**
 Reporting Date: **30/12/2022**
 Receipt Date: **26/12/2022**

General Information

Client Representative (Name & Designation)
 Sample collected by
 Sampling Location
 Date of Monitoring
 Time of Monitoring
 Latitude
 Longitude
 Instrument used
 Instrument code
 Instrument calibration status
 Meteorological condition during monitoring
 Ambient Temperature (°C)
 Surrounding activity
 Scope of Monitoring
 Control measure if any
 Sampling & Analysis Protocol
 Actual duration of Monitoring, (minutes)
 Parameter Required

Mr. Pravin Pandiya (AGM – Environment)
JMELPL Team
Near Limestone Crusher
19/12/2022 To 20/12/2022
10:10 AM to 10:10 AM
27°40'22.00"N
76°07'30.00"E
Sound Level Meter
JME/SLM/01/24
Calibrated
Clear Sky
Max 26°C, Min 8°C
Plant and Vehicular Activities
Regulatory Requirement
--
IS-9989
24 Hrs.
As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	75.2	68.3	dB(A)
2.	Lmin	IS-9989: 2014	65.2	45.1	dB(A)
3.	Leq	IS-9989: 2014	72.4	61.3	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

****End of Report****


Kirti Sharma
 Tested by


Rajat Tandon
 Checked by


Raj Kumar Yadav
 Authorized Signatory

Notes:
 1. This test report has been at your request and test results pertain to the tested sample received.
 2. This report is for your reference only and not to be used for any legal purpose.
 3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
 4. Total liability on any claim in case of dispute is limited to the amount raised by the laboratory.
 5. The sample will be destroyed after retention time unless otherwise specified specially.
 6. Endorsement of this product tested by the laboratory is neither informed nor implied.
 7. Report shall not be reproduced except in full without approval of the laboratory.
 8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.
 424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org
Corporate Office
 Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011 (Haryana)



J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/AN/03**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)**
 Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/221226045**
 Format No.: **7.5 F-04**
 Party Ref. No.: **Nil**
 Reporting Date: **30/12/2022**
 Receipt Date: **26/12/2022**

General Information

Client Representative (Name & Designation)	Mr. Pravin Pandiya (AGM – Environment)
Sample collected by	JMELPL Team
Sampling Location	Near Mine's Haulage Road
Date of Monitoring	20/12/2022 To 21/12/2022
Time of Monitoring	10:10 AM to 10:10 AM
Latitude	27°40'21.00"N
Longitude	76°07'15.00"E
Instrument used	Sound Level Meter
Instrument code	JME/SLM/01/24
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Ambient Temperature (°C)	Max 25°C, Min 7°C
Surrounding activity	Mines and haulage Road Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if any	--
Sampling & Analysis Protocol	IS-9989
Actual duration of Monitoring, (minutes)	24 Hrs.
Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	68.9	63.8	dB(A)
2.	Lmin	IS-9989: 2014	52.1	43.6	dB(A)
3.	Leq	IS-9989: 2014	65.1	53.1	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

****End of Report****

Kirti Sharma
 Tested by

Rajat Tandon
 Checked by

Raj Kumar Yadav
 Authorized Signatory

Note


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability on any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-G1,
 Gurugram-122011 (Haryana)



J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/AN/04**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)**
 Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/221226046**
 Format No.: **7.5 F-04**
 Party Ref. No.: **Nil**
 Reporting Date: **30/12/2022**
 Receipt Date: **26/12/2022**

General Information

Client Representative (Name & Designation)	Mr. Pravin Pandiya (AGM – Environment)
Sample collected by	JMELPL Team
Sampling Location	Near Mine's Face
Date of Monitoring	20/12/2022 To 21/12/2022
Time of Monitoring	10:20 AM to 10:20 AM
Latitude	27°40'21.00"N
Longitude	76°07'26.00"E
Instrument used	Sound Level Meter
Instrument code	JME/SLM/01/25
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Ambient Temperature (°C)	Max 25°C, Min 7°C
Surrounding activity	Mines and Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if any	--
Sampling & Analysis Protocol	IS-9989
Actual duration of Monitoring, (minutes)	24 Hrs.
Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	70.6	63.3	dB(A)
2.	Lmin	IS-9989: 2014	55.7	43.2	dB(A)
3.	Leq	IS-9989: 2014	58.7	47.8	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	—	75	70	dB(A)

****End of Report****


Kirti Sharma
 Tested by



Rajat Tandon
 Checked by


Rajkumar Yadav
 Authorized Signatory

Note:
 1. This test report has been at your request and test results pertain to the tested sample received.
 2. This report is for your reference only and not to be used for any legal purpose.
 3. Any discrepancy in the test report or any comments regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
 4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
 5. The sample will be destroyed after retention time unless otherwise specified specially.
 6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
 7. Report shall not be reproduced except in full without approval of the laboratory.
 8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.
 424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office
 Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/AN/03**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)**
 Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/221227094**
 Format No.: **7.5 F-04**
 Party Ref. No.: **Nil**
 Reporting Date: **31/12/2022**
 Receipt Date: **27/12/2022**

General Information

Client Representative (Name & Designation)	Mr. Pravin Pandiya (AGM – Environment)
Sample collected by	JMELPL Team
Sampling Location	Village-Jodhpura
Date of Monitoring	24/12/2022 To 25/12/2022
Time of Monitoring	10:30 AM to 10:30 AM
Latitude	27°40'37.00"N
Longitude	76°07'44.00"E
Instrument used	Sound Level Meter
Instrument code	JME/SLM/01/24
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Ambient Temperature (°C)	Max 24°C, Min 6°C
Surrounding activity	Village and Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if any	--
Sampling & Analysis Protocol	IS-9989
Actual duration of Monitoring, (minutes)	24 Hrs.
Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	62.5	53.4	dB(A)
2.	Lmin	IS-9989: 2014	40.7	39.7	dB(A)
3.	Leq	IS-9989: 2014	50.8	42.4	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)

****End of Report****

Kiran Sharma
 Tested by

Rajat Tandon
 Checked by

Raj Kumar Yadav
 Authorized Signatory


Note:
 1. This test report has been at your request and test results pertain to the tested sample received.
 2. This report is for your reference only and not to be used for any legal purpose.
 3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
 4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
 5. The sample will be destroyed after retention time unless otherwise specified specially.
 6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
 7. Report shall not be reproduced except in full without approval of the laboratory.
 8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/AN/04**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)**
 Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/221227095**
 Format No.: **7.5 F-04**
 Party Ref. No.: **Nil**
 Reporting Date: **31/12/2022**
 Receipt Date: **27/12/2022**

General Information

Client Representative (Name & Designation)	Mr. Pravin Pandiya (AGM – Environment)
Sample collected by	JMELPL Team
Sampling Location	Village-Gordhanpura
Date of Monitoring	25/12/2022 To 26/12/2022
Time of Monitoring	10:20 AM to 10:20 AM
Latitude	27°39'09.00"N
Longitude	76°08'09.00"E
Instrument used	Sound Level Meter
Instrument code	JME/SLM/01/25
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Ambient Temperature (°C)	Max 24°C, Min 6°C
Surrounding activity	NH, Human and Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if any	--
Sampling & Analysis Protocol	IS-9989
Actual duration of Monitoring, (minutes)	24 Hrs.
Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	70.1	62.0	dB(A)
2.	Lmin	IS-9989: 2014	44.5	39.1	dB(A)
3.	Leq	IS-9989: 2014	54.2	43.6	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)

End of Report


Kirti Sharma
 Tested by

Rajat Tandon
 Checked by

Raj Kumar Yadav
 Authorized Signatory

Note:
 1. This test report has been at your request and test results pertain to the tested sample received.
 2. This report is for your reference only and not to be used for any legal purpose.
 3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
 4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
 5. The sample will be destroyed after retention time unless otherwise specified specially.
 6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
 7. Report shall not be reproduced except in full without approval of the laboratory.
 8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.
 424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org
Corporate Office
 Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/01
 Name & Address of Unit: M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)
 Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/221227092
 Format No.: 7.5 F-04
 Party Ref. No.: Nil
 Reporting Date: 31/12/2022
 Receipt Date: 27/12/2022

General Information

Client Representative (Name & Designation)	Mr. Pravin Pandiya (AGM – Environment)
Sample collected by	JMELPL Team
Sampling Location	Village –Kansli
Date of Monitoring	24/12/2022 To 25/12/2022
Time of Monitoring	10:00 AM to 10:00 AM
Latitude	27°41'15.00"N
Longitude	76°07'04.00"E
Instrument used	Sound Level Meter
Instrument code	JME/SLM/01/25
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Ambient Temperature (°C)	Max 24°C, Min 6°C
Surrounding activity	Human and Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if any	--
Sampling & Analysis Protocol	IS-9989
Actual duration of Monitoring, (minutes)	24 Hrs.
Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:00 AM to 10:00 PM)	Night Time (10:00 PM to 09:00 AM)	
1.	Lmax	IS-9989: 2014	62.4	52.5	dB(A)
2.	Lmin	IS-9989: 2014	44.1	39.1	dB(A)
3.	Leq	IS-9989: 2014	53.5	41.9	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)

End of Report

Kirti Sharma
 Tested by

Rajat Tandon
 Checked by

Rajat Tandon
 Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither informed nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/02
Name & Address of Unit: M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)
Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/221227093
Format No.: 7.5 F-04
Party Ref. No.: Nil
Reporting Date: 31/12/2022
Receipt Date: 27/12/2022

General Information

Client Representative (Name & Designation)

Sample collected by

Sampling Location

Date of Monitoring

Time of Monitoring

Latitude

Longitude

Instrument used

Instrument code

Instrument calibration status

Meteorological condition during monitoring

Ambient Temperature (°C)

Surrounding activity

Scope of Monitoring

Control measure if any

Sampling & Analysis Protocol

Actual duration of Monitoring, (minutes)

Parameter Required

Mr. Prajin Pandiya (AGM - Environment)

JMELPL Team

Village-Ajitpura

25/12/2022 To 26/12/2022

10:10 AM to 10:10 AM

27°39'58.00"N

76°06'19.00"E

Sound Level Meter

JME/SLM/01/24

Calibrated

Clear Sky

Max 24°C, Min 6°C

Village and Vehicular Activities

Regulatory Requirement

--

IS-9989

24 Hrs.

As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	61.7	58.2	dB(A)
2.	Lmin	IS-9989: 2014	45.8	39.1	dB(A)
3.	Leq	IS-9989: 2014	51.6	43.8	dB(A)
4.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)

End of Report

Kiran Sharma
Tested by

Rajat Tandon
Checked by

Raj Kumar Yadav
Authorized Signatory

Note:


- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only, and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability of any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is not inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. 1/742204/2011/PTC085795

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/AN/01**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)**
 Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/221122035**
 Format No.: **7.5 F-04**
 Party Ref. No.: **Nil**
 Reporting Date: **22/11/2022**
 Receipt Date: **18/11/2022**

General Information

Client Representative (Name & Designation)	Mr. Pravin Pandiya (AGM – Environment)
Sample collected by	JMELPL Team
Sampling Location	Near Mines Office
Date of Monitoring	15/11/2022 To 16/11/2022
Time of Monitoring	06:00 AM to 06:00 AM
Latitude	27°40'09.00"N
Longitude	76°07'28.00"E
Instrument used	Sound Level Meter
Instrument code	JME/SLM/01/15
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Clear Sky
Ambient Temperature (°C)	Max 29°C, Min 15°C
Surrounding activity	Mines and Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if any	--
Sampling & Analysis Protocol	IS-9989
Actual duration of Monitoring, (minutes)	24 Hrs.
Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:00 AM to 10:00 PM)	Night Time (10:00 PM to 09:00 AM)	
1.	Lmax	IS-9989: 2014	67.4	61.9	dB(A)
2.	Lmin	IS-9989: 2014	47.9	41.7	dB(A)
3.	Leq	IS-9989: 2014	60.7	53.0	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

End of Report

Kumari Aparna
Tested by

Sita Ram Yadav
Checked by

Rajat Tandon
Authorized Signatory

Note:
 This test report has been at your request and test results pertain to the tested sample received.
 This report is for your reference only and not to be used for any legal purpose.
 Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
 Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
 The sample will be destroyed after retention time unless otherwise specified specially.
 Endorsement of the product tested by the laboratory is neither inferred nor implied.
 Report shall not be reproduced except in full without approval of the laboratory.
 All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.
 424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org
Corporate Office
 Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. : U74220HR2011PTC009728

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/02
Name & Address of Unit: M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)

Report No.: JME/AN/221122036
Format No.: 7.5 F-04
Party Ref. No.: Nil
Reporting Date: 22/11/2022
Receipt Date: 18/11/2022

Sample Description: AMBIENT NOISE LEVEL MONITORING

General Information

Client Representative (Name & Designation)

Mr. Pravin Pandiya (AGM – Environment)

Sample collected by

JMELPL Team

Sampling Location

Near Limestone Crusher

Date of Monitoring

15/11/2022 To 16/11/2022

Time of Monitoring

06:00 AM to 06:00 AM

Latitude

27° 40' 22.00"N

Longitude

76° 07' 30.00"E

Instrument used

Sound Level Meter

Instrument code

JME/SLM/01/12

Instrument calibration status

Calibrated

Meteorological condition during monitoring

Clear Sky

Ambient Temperature (°C)

Max 29°C, Min 15°C

Surrounding activity

Plant and Vehicular Activities

Scope of Monitoring

Regulatory Requirement

Control measure if any

--

Sampling & Analysis Protocol

IS-9989

Actual duration of Monitoring, (minutes)

24 Hrs.

Parameter Required

As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	75.4	73.7	dB(A)
2.	Lmin	IS-9989: 2014	65.9	57.5	dB(A)
3.	Leq	IS-9989: 2014	69.7	62.6	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

End of Report

Kumari Aparna
Tested by

Sita Ram Yadav
Checked by

Rajendra Tandon
Authorized Signatory

note:

This test report has been at your request and test results pertain to the tested sample received.
This report is for your reference only and not to be used for any legal purpose.
Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
The sample will be destroyed after retention time unless otherwise specified specially.
Endorsement of the product tested by the laboratory is neither inferred nor implied.
Report shall not be reproduced except in full without approval of the laboratory.
All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

25 years of success

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/AN/03**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)**
 Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/221122037**
 Format No.: **7.5 F-04**
 Party Ref. No.: **Nil**
 Reporting Date: **22/11/2022**
 Receipt Date: **18/11/2022**

General Information

Client Representative (Name & Designation)

Sample collected by

Sampling Location

Date of Monitoring

Time of Monitoring

Latitude

Longitude

Instrument used

Instrument code

Instrument calibration status

Meteorological condition during monitoring

Ambient Temperature (°C)

Surrounding activity

Scope of Monitoring

Control measure if any

Sampling & Analysis Protocol

Actual duration of Monitoring, (minutes)

Parameter Required

Mr. Pravin Pandiya (AGM – Environment)

JMELPL Team

Near Mine's Haulage Road

14/11/2022 To 15/11/2022

06:00 AM to 06:00 AM

27°40'21.00"N

76°07'15.00"E

Sound Level Meter

JME/SLM/01/16

Calibrated

Clear Sky

Max 30°C, Min 15°C

Mines and haulage Road Vehicular Activities

Regulatory Requirement

--

IS-9989

24 Hrs.

As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	69.9	65.1	dB(A)
2.	Lmin	IS-9989: 2014	48.5	45.5	dB(A)
3.	Leq	IS-9989: 2014	62.4	53.9	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

End of Report

Pravin
Kumari Pravin
Tested by

Sh. Ram Yadav
Checked by

Pravin
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

25 years of success

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/KCW/AN/04**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)**
 Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/221122038**
 Format No.: **7.5 F-04**
 Party Ref. No.: **Nil**
 Reporting Date: **22/11/2022**
 Receipt Date: **18/11/2022**

General Information

Client Representative (Name & Designation)

Sample collected by

Sampling Location

Date of Monitoring

Time of Monitoring

Latitude

Longitude

Instrument used

Instrument code

Instrument calibration status

Meteorological condition during monitoring

Ambient Temperature (°C)

Surrounding activity

Scope of Monitoring

Control measure if any

Sampling & Analysis Protocol

Actual duration of Monitoring, (minutes)

Parameter Required

Mr. Pravin Pandiya (AGM – Environment)

JMELPL Team

Near Mine's Face

14/11/2022 To 15/11/2022

06:00 AM to 06:00 AM

27°40'21.00"N

76°07'26.00"E

Sound Level Meter

JME/SLM/01/18

Calibrated

Clear Sky

Max 30°C, Min 15°C

Mines and Vehicular Activities

Regulatory Requirement

-

IS-9989

24 Hrs.

As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	69.1	65.0	dB(A)
2.	Lmin	IS-9989: 2014	50.3	44.2	dB(A)
3.	Leq	IS-9989: 2014	59.4	52.7	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

End of Report

Pravina
Kumari Pravina
Tested by

Sita Ram Yadav
Checked by

Rajesh Pandey
Authorized Signatory

Note:


- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB Pvt. Ltd.

CIN No. : U74220HR2011PTC06756

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/01
 Name & Address of Unit: M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)
 Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/221014015
 Format No.: 7.5 F-04
 Party Ref. No.: Nil
 Reporting Date: 17/10/2022
 Receipt Date: 14/10/2022

General Information

Client Representative (Name & Designation)
 Sample collected by
 Sampling Location
 Date of Monitoring
 Time of Monitoring
 Latitude
 Longitude
 Instrument used
 Instrument code
 Instrument calibration status
 Meteorological condition during monitoring
 Ambient Temperature (°C)
 Surrounding activity
 Scope of Monitoring
 Control measure if any
 Sampling & Analysis Protocol
 Actual duration of Monitoring, (minutes)
 Parameter Required

Mr. Pravin Pandiya (AGM – Environment)
 JMELPL Team
 Near Mines Office
 09/10/2022 To 10/10/2022
 06:00 AM to 06:00 AM
 27°40'09.00"N
 76°07'28.00"E
 Sound Level Meter
 JME/SLM/01/15
 Calibrated
 Cloudy Sky
 Max 27°C, Min 22°C
 Mines and Vehicular Activities
 Regulatory Requirement
 --
 IS-9989
 24 Hrs.
 As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:00 AM to 10:00 PM)	Night Time (10:00 PM to 09:00 AM)	
1.	L _{max}	IS-9989: 2014	66.7	60.7	dB(A)
2.	L _{min}	IS-9989: 2014	48.1	41.4	dB(A)
3.	L _{eq}	IS-9989: 2014	60.4	52.8	dB(A)
4.	CPCB Limits in dB(A) L _{eq} (Industrial area)	--	75	70	dB(A)

****End of Report****

Pravina
Kumari Pravina
Tested by

Shri Rant Yadav
Checked by

**Authorized Signatory****Note:**

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.
 J24, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org
Corporate Office
 Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



25 years of success

J. M. ENVIROLAB PVT. LTD.

QIN No. 3/742264R2011PTC085754

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018**TEST REPORT**

Sample Number: **JME/KCW/AN/02**
 Name & Address of Unit: **M/s. UltraTech Cement Ltd.
 (Unit- Kotputli Cement Works)
 At Kotputli, Rajasthan
 (Mine Site)**
 Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Report No.: **JME/AN/221014016**
 Format No.: **7.5 F-04**
 Party Ref. No.: **Nil**
 Reporting Date: **17/10/2022**
 Receipt Date: **14/10/2022**

General Information

Client Representative (Name & Designation)

Mr. Pravin Pandiya (AGM – Environment)

Sample collected by

JMELPL Team

Sampling Location

Near Limestone Crusher

Date of Monitoring

09/10/2022 To 10/10/2022

Time of Monitoring

06:00 AM to 06:00 AM

Latitude

27° 40' 22.00"N

Longitude

76° 07' 30.00"E

Instrument used

Sound Level Meter

Instrument code

JME/SLM/01/12

Instrument calibration status

Calibrated

Meteorological condition during monitoring

Cloudy Sky

Ambient Temperature (°C)

Max 27°C, Min 22°C

Surrounding activity

Plant and Vehicular Activities

Scope of Monitoring

Regulatory Requirement

Control measure if any

--

Sampling & Analysis Protocol

IS-9989

Actual duration of Monitoring, (minutes)

24 Hrs.

Parameter Required

As per work order**TEST RESULTS**

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	74.7	72.3	dB(A)
2.	Lmin	IS-9989: 2014	66.2	57.0	dB(A)
3.	Leq	IS-9989: 2014	69.4	62.4	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

****End of Report****

Kemari Sharma
Tested by

Sita Ram Yadav
Checked by

Rajat Mander
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Enhancement of the product tested by the laboratory is neither admitted nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/03
Name & Address of Unit: M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)
Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/221014017
Format No.: 7.5 F-04
Party Ref. No.: Nil
Reporting Date: 17/10/2022
Receipt Date: 14/10/2022

General information

Client Representative (Name & Designation)	Mr. Pravin Pandiya (AGM – Environment)
Sample collected by	JMELPL Team
Sampling Location	Near Mine's Haulage Road
Date of Monitoring	12/10/2022 To 13/10/2022
Time of Monitoring	06:00 AM to 06:00 AM
Latitude	27°40'21.00"N
Longitude	76°07'15.00"E
Instrument used	Sound Level Meter
Instrument code	JME/SLM/01/16
Instrument calibration status	Calibrated
Meteorological condition during monitoring	Cloudy Sky
Ambient Temperature (°C)	Max 32°C, Min 21°C
Surrounding activity	Mines and haulage Road Vehicular Activities
Scope of Monitoring	Regulatory Requirement
Control measure if any	--
Sampling & Analysis Protocol	IS-9989
Actual duration of Monitoring, (minutes)	24 Hrs.
Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	69.2	63.8	dB(A)
2.	Lmin	IS-9989: 2014	48.7	45.1	dB(A)
3.	Leq	IS-9989: 2014	62.1	53.7	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)

End of Report

Pravina
Kumari Pravina
Tested by

Sita Ram Yadav
Sita Ram Yadav
Checked by

Rajni Tandon
Rajni Tandon
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Liability for any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-51,
Gurugram-122011(Haryana)



25 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/KCW/AN/04
Name & Address of Unit: M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)
Sample Description: AMBIENT NOISE LEVEL MONITORING

Report No.: JME/AN/221014018
Format No.: 7.5 F-04
Party Ref. No.: Nil
Reporting Date: 17/10/2022
Receipt Date: 14/10/2022

General Information

Client Representative (Name & Designation)

Sample collected by

Sampling Location

Date of Monitoring

Time of Monitoring

Latitude

Longitude

Instrument used

Instrument code

Instrument calibration status

Meteorological condition during monitoring

Ambient Temperature (°C)

Surrounding activity

Scope of Monitoring

Control measure if any

Sampling & Analysis Protocol

Actual duration of Monitoring, (minutes)

Parameter Required

Mr. Pravin Pandiya (AGM – Environment)

JMELPL Team

Near Mine's Face

12/10/2022 To 13/10/2022

06:00 AM to 06:00 AM

27°40'21.00"N

76°07'26.00"E

Sound Level Meter

JME/SLM/01/18

Calibrated

Cloudy Sky

Max 32°C, Min 21°C

Mines and Vehicular Activities

Regulatory Requirement

–

IS-9989

24 Hrs.

As per work order

TEST RESULTS

S. No.	Parameters	Testing Protocol	Test Results dB (A)		Unit
			Day Time (09:10 AM to 10:00 PM)	Night Time (10:00 PM to 09:10 AM)	
1.	Lmax	IS-9989: 2014	68.4	63.7	dB(A)
2.	Lmin	IS-9989: 2014	50.6	43.8	dB(A)
3.	Leq	IS-9989: 2014	59.1	52.5	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	–	75	70	dB(A)

End of Report

Kumari Aparna
Tested by

Gita Ram Yadav
Checked by

Rajal Tandon
Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified in writing.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.


424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011 (Haryana)

Ann-4

CIN No. U74220RJ2011PTC085734



J.M. ENVIROLAB PVT. LTD.

25 years of success

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number **JME/KCW/WN/01**

Name & Address of Unit:
M/s. UltraTech Cement Ltd.
(Unit- Kotputli Cement Works)
At Kotputli, Rajasthan
(Mine Site)

Report No.: **JME/WN/230329054**Format No. **7.50 F-02**Party Reference No. **NIL**Sample Description: **WORKZONE NOISE LEVEL MONITORING**Sample Collected by: **JMELPL TEAM**Client Representative: **Mr. Pravin Pandya (AGM - Environment)**Meteorological Condition: **Cloudy Sky**Equipment Used: **Sound Level Meter**Protocol Used: **IS-9989 - 2014**Reporting Date: **01/04/2023**Receiving Date: **29/03/2023**

TEST RESULTS

S. No.	Locations	Date of Monitoring	GPS Coordinates	Parameter			Standard Limits dB(A)
				LMin dB(A)	Lmax dB(A)	Leq dB(A)	
1.	Drilling Area	28/03/2023	Longitude : 27° 40' 47.00" N Latitude : 76° 07' 18.00" E	81.1	88.1	84.9	90
2.	Excavator Area	28/03/2023	Longitude : 27° 40' 44.00" N Latitude : 76° 07' 13.00" E	69.4	84.1	75.7	
3.	Dumping Area	28/03/2023	Longitude : 27° 40' 22.00" N Latitude : 76° 07' 30.00" E	75.4	87.9	80.9	
4.	Dozer Area	28/03/2023	Longitude : 27° 40' 45.00" N Latitude : 76° 07' 14.00" E	71.4	83.0	77.6	

Standard Limits As Per Factory Act 1948 For Operational & Work Place Area (Unit: dB(A))

End of Report

Anarna
Kumari Anarna
Tested by

Sita Ram Yadav
Sita Ram Yadav
Checked by

Raj Kumar Yadav
Raj Kumar Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvironlab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011 (Haryana)