

F. No. J-11011/10/2012- IA II (I)
Government of India
Ministry of Environment, Forests and Climate Change
(I.A. Division)

Indira Paryavaran Bhawan
Aliganj, Jorbagh Road,
New Delhi -110003

E-mail : lk.bokolia@nic.in
Telefax : 011: 2469 5401
Dated 30th January, 2015

To,
Shri Jasvanthbhai A. Patel (Director)
M/s Hi –Tech Board Pvt. Ltd.
202, Vaibhav Apartment, Ambedkar Chowk,
Nagpur- 440 008.

E-mail : hitechboardninat@yahoo.com ; Fax No: 0712-2764655

Subject : Manufacturing Unit of Captive Resin at Plot No. 48/P1, Sarbhon Puni road, Ninat, Taluka Bardoli, District Surat, Gujarat by M/s Hi-Tech Board Pvt. Ltd, Gujarat - Environmental Clearance reg.
Ref. : Your letter no. nil dated 22nd August, 2014.

Sir,

This has reference to your letter dated 22nd August, 2014 alongwith project documents including Form I, Terms of References, Pre-feasibility Report, EIA/EMP Report alongwith Public Hearing Report regarding above mentioned subject.

2.0 The Ministry of Environment, Forests and Climate Change has examined the application. It is noted that the proposal is for Manufacturing Unit of Captive Resin at Plot No. 48/P1, Sarbhon Puni road, Ninat, Taluka Bardoli, District Surat, Gujarat by M/s Hi-Tech Board Pvt. Ltd. Total land area available is 47450.0 m². Land requirement for the proposed resin unit is 1512 m² in the existing plot. Total cost of project is Rs. 29.30 Lakhs. Mindhola River and Purna River are flowing at a distance of 2.2 Km and 7.0 Km respectively. It is reported that no national parks & reserve forests are located within 10 Km distance. Following product will be manufactured:

S.N.	Product	Production Capacity (MTPM)
1	Melamine Urea Formaldehyde Resin (MUF)	1500 MTPM

3.0 Bag filter alongwith stack of adequate height should be installed to coal/white coal fired boiler& Thermic fluid heater to control particulate emissions. Total fresh water requirement from ground water source will be 15.5 m³/day. Industrial effluent will be treated in effluent treatment plant (ETP). Treated effluent shall be used for gardening after achieving water quality as per the standards. No effluent will be discharged outside the plant premises. ETP sludge will be sent to treatment storage and disposal facility for hazardous waste (TSDF). Spent oil will be sent to authorized recyclers/re-processor.

4.0 Public hearing/public consultation meeting was conducted on 14th March, 2014.

5.0 Synthetic Organic Chemicals Industry located outside the notified industrial area/estate are listed at S.N. 5(f) under category 'A' and appraised at Central level.

6.0 The proposal was considered by the Expert Appraisal Committee (Industry) in its meetings held during 30th September, 2013-1st October, 2013 and 29th-30th October, 2014 respectively. Project Proponent and the EIA Consultant namely M/s Enkay Enviro Services Pvt. Ltd. have presented EIA / EMP report as per the TOR. EAC has found the EIA / EMP Report and additional information to be adequate and in full consonance with the presented TORs. The Committee recommended the proposal for environmental clearance.

7.0 Based on the information submitted by the project proponent, the Ministry of Environment, Forests and Climate Change hereby accords environmental clearance to above project under the provisions of EIA Notification dated 14th September 2006, subject to the compliance of the following Specific and General Conditions:

A. SPECIFIC CONDITIONS:

- i) National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended time to time shall be followed by the unit.
- ii) Bag filter along with stack of adequate height should be installed to coal/white coal fired boiler & Thermic fluid heater to control particulate emissions.
- iii) In plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Adequate dust suppression systems with water spray shall be provided for storage yard, junction houses. Raw materials loading and unloading area shall be covered and also provided with water spraying system. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored and records maintained. Wet scrubber shall be provided to control process emissions. The emissions shall conform to the limits stipulated by the GPCB.
- iv) The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.
- v) The company shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MOEF, the respective Zonal office of CPCB and the Gujarat Pollution Control Board. The levels of PM₁₀, PM_{2.5}, SO₂, NO_x, CO and VOCs in ambient air shall be monitored and displayed at a convenient location near the main gate of the company and at important public places.
- vi) Total fresh water requirement from ground water source should not exceed 15.5 m³/day and prior permission should be obtained from the CGWA/SGWA.
- vii) Industrial effluent will be treated in ETP. Treated effluent shall be used for gardening after achieving water quality as per the standards. Water quality of treated effluent shall meet the norms prescribed by CPCB/SPCB. Domestic wastewater shall be disposed through septic tank and soak pit.
- viii) No effluent from the plant shall be discharged outside the factory premises and 'Zero' effluent discharge concept shall be followed.
- ix) Process effluent/any wastewater shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.
- x) The company shall obtain Authorization for collection, storage and disposal of hazardous waste under the Hazardous Waste (Management, Handling and Trans-

Boundary Movement) Rules, 2008 and amended as on date for management of Hazardous wastes and prior permission from GPCB shall be obtained for disposal of solid / hazardous waste in the TSDF. Measures shall be taken for firefighting facilities in case of emergency. Disposal of wastes will be as per HW Rules.

- xi) The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All Transportation of Hazardous Chemicals shall be as *per* the Motor Vehicle Act (MVA), 1989.
- xii) All the commitments made to the public during the Public Hearing/Public Consultation meeting held on 14th March, 2014 should be satisfactorily implemented and a separate budget for implementing the same should be allocated and information submitted to the Ministry's Regional Office at Bhopal.
- xiii) At least 2.5 % of the total cost of the project should be earmarked towards the corporate social responsibility and item-wise details along with time bound action plan should be prepared and submitted to the Ministry's Regional Office at Bhopal. Implementation of such program should be ensured accordingly in a time bound manner.
- xiv) The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per norms. Risk Assessment in view that workers' quarters are within premises. Formaldehyde Storage Leakage Prevention Plan shall be submitted to Regional Office within 3 months from the issue of letter.
- xv) Occupational health surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act.
- xvi) As proposed, green belt over 33 % of the total project area should be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area, in downward direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.
- xvii) Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.

B. GENERAL CONDITIONS:

- i. The project authorities shall strictly adhere to the stipulations made by the Gujarat Pollution Control Board.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- iii. Ambient air quality data should be collected as per NAAQES standards notified by the Ministry on 16th November, 2009.
- iv. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.

- v. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- vi. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
- vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- viii. Usage of Personnel Protection Equipments (PPEs) by all employees/ workers shall be ensured.
- ix. The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.
- x. The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.
- xi. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- xii. A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- xiii. The company shall earmark sufficient funds toward capital cost and recurring cost/annum to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- xiv. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, ZilaParisad/Municipal Corporation, Urban local Body and the local NGO, if any, from who suggestions/ representations, if any, were received while processing the proposal.
- xv. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the Gujarat Pollution Control Board. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- xvi. The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

- xvii. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://envfor.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- xviii. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

8.0 The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.

9.0 The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.

10.0 The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 alongwith their amendments and rules.

11.0 Environmental Clearance is issued for manufacturing Unit of Captive Resin at Plot No. 48/P1, Sarbhon Puni road, Ninat, Taluka Bardoli, District Surat, Gujarat to M/s Hi-Tech Board Pvt. Ltd, Gujarat

(Lalit Bokolia)
Additional Director

Copy to:-

1. The Principal Secretary, Forests & Environment Department, Government of Gujarat, Sachivalaya, 8th Floor, Gandhi Nagar - 382 010, Gujarat.
2. The Chief Conservator of Forests (Western Zone), Ministry of Environment & Forests, Regional Office, E-5, Arera Colony, Link Road -3, Bhopal -462 016, M.P.
3. The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
4. The Chairman, Gujarat State Pollution Control Board, Paryavaran Bhawan, Sector 10 A, Gandhi Nagar-382 043, Gujarat.
5. Monitoring Cell, Ministry of Environment and Forests, Paryavaran Bhavan, CGO Complex, New Delhi.
6. Joint Secretary, IA II(I), Ministry of Environment, Forests and Climate Change, Indira Paryavaran Bhavan, , New Delhi.
7. Guard File/Monitoring File/Record File.

(Lalit Bokolia)
Additional Director

