



Demo: Ultralytics (Object Detection Models)

No Code Version : [Ultralytics Platform](#)

Signup Manual (Login with Google or Create your own one) : [Here](#)

Register / Login :

<https://platform.ultralytics.com/>

You will receive free credits after signing up.

Free

For personal, research, or open-source projects

\$0 per month

📁 \$25 one-time credits* ⓘ

What's

*\$5 at sign-up. Verify a work email to unlock an additional \$20 in credits.



P prommin.vuti@gmail.com

You're all set!

Your account is ready to use

Welcome to Ultralytics Platform! You can now start creating datasets, training models, and deploying to production.

Promo Code (optional)

PARTNER-123

Apply

Your profile:

Username: platform.ultralytics.com/prommin-vutivatchai

Data region: Asia Pacific

Welcome Bonus

You've received **\$5** in free training credits!

Quick Start

📁 Create your first project

< Back

Get Started >

Download Datasets: [Here](#)

Download raw file

New Dataset

Create a new dataset to store your training images and annotations

[Upload from device](#) [Import from URL](#)

Drop images, videos, or datasets here
or click to browse — supports YOLO, COCO, and Ultralytics NDJSON datasets

Images <50 MB — AVIF, BMP, DNG, HEIC, JP2, JPG, MPQ, PNG, TIFF, WEBP
Videos <1 GB — MP4, WEBM, MOV, AVI, MKV, M4V
Datasets <10 GB — ZIP, TAR, NDJSON

Dataset Name

polyp-detect

URL

/prommin-vutivatchai/datasets/ polyp-detect ✓

Lowercase letters, numbers, and hyphens
URL is available

Description (optional)

Describe your dataset...

Task Type **License (optional)** **Visibility**

Other

polyp_detect.zip

New Dataset

Create a new dataset to store your training images and annotations

[Upload from device](#) [Import from URL](#)

1 file ready to upload
1 archives
polyp_detect.zip

Dataset Name

polyp detect

URL

/prommin-vutivatchai/datasets/ polyp-detect ✓

Lowercase letters, numbers, and hyphens
URL is available

Description (optional)

Describe your dataset...

Task Type **License (optional)** **Visibility**

Visibility

Private

Create & Upload

Datasets

Upload images, videos, and datasets

1 Datasets 8 Images 30 Annotations

Welcome back, Prommin Free
@prommin-vutivatchai · prommin.vuti@gmail.co

Create a new dataset
+ New Dataset

Detection ✓
Locate objects with bounding boxes

Segmentation
Pixel-level object masks

Semantic Segmentation
Per-class regions



Classification
Whole-image classification

Pose
Keypoint detection for bodies

OBB
Rotated bounding boxes

Detect No license

FYI: Dataset Details (No Action Needed)



1. Train/Val/Test Split (Data Input)

3.YAML file → tells YOLOv8 where the dataset is and what the classes are.

2. Bounding Box Coordinates (Labels)

Ultralytics parses the bounding box labels (coordinates) and loads the training, validation, and test sets based on the directory paths defined in the YAML file.

UI interface for the Ultralytics model 'polyp detect 3'.

Header: Prommin Vutivivitchai > Datasets > polyp detect 3 Private \$5.00

Model Name: polyp detect 3

Buttons: Detect, Add license, Ready, + New Model, Share, Download, Star, Refresh, Delete

Metadata: 500 images · 500 labeled · 537 annotations · 26.6 MB · Updated 1 minute ago








Add a description...

Navigation: Images, Classes¹, Charts, Models

Legend: All 500, Train 300, Val 100, Test 100

Grid of 18 images showing polyps with bounding boxes.

Bottom right button: Ask AI



Train a Model (YOLOv8)

+ New Model

1. Select YOLOv8 -> yolo8s

Base Model Dataset

yolo26n polyp detect

Search models...

Official 85 My Models 1

YOLO26 30 Detect

YOLO11 25 yolo8n 6 MB

YOLOv8 25 **yolo8s** 22 MB

2. Select GPU: RTX 4090

RTX A6000 Unavailable 48 GB · \$0.49/hr

RTX PRO 4500 Unavailable 32 GB · \$0.64/hr

RTX 4090 24 GB · \$0.69/hr

RTX 6000 Ada Unavailable 48 GB · \$0.77/hr

L40S Unavailable 48 GB · \$0.86/hr

RTX 5090 New 32 GB · \$0.99/hr

L40 Unavailable 48 GB · \$0.99/hr

A100 PCIe 80 GB · \$1.39/hr

A100 SXM 80 GB · \$1.49/hr

RTX PRO 6000 New 96 GB · \$1.89/hr

RTX PRO 6000 New 96 GB · \$1.89/hr

3. Configure Training Parameters

Epochs Batch Size Image Size Run Name (optional)

50 8 320 test1

Estimated Cost

~1 min at \$0.69/hr
~0.9s/epoch · 500 images

\$0.02

RTX 4090 · 24 GB

Estimate only — actual training time and cost may vary. You are billed for actual GPU time used.

Then, click `Start Training`



Detect

AGPL 3.0

Updated just now



training started
test1 · 50 epochs · RTX 4090

View



mAP50

69.1%

mAP50-95

42.7%

Precision

65.3%

Recall

63.5%



Overview

Train

Predict

Export

Deploy

Run Information

Training timing and environment details

Training

Training in progress

Epoch 9 / 50

Cancel

Elapsed: 22s

ETA: 1m

\$0.00

RTX 4090

Start Time

Jun 15, 2026, 09:21 AM UTC

Runtime

22s (running)

Compute Cost

\$0.00 (running)
RTX 4090 · \$0.69/hr

Ultralytics

8.4.67

Hostname

lambda-scalar

Environment

Docker

OS

Linux-5.15.0-173-generic-x86_64-with-glibc2.39

Python Version

3.12.3

CPU

384
AMD EPYC 9655 96-Core Processor

GPU

RTX 4090

Parent Model

yolov8s

Git

<https://github.com/ultralytics/ultralytics>
main · 5ed793530fc4

Ask AI






Trained !

[+ Deploy](#)

☐ Detect ☐ AGPL 3.0 ☐ Updated just now



Reported Performance

[Overview](#) [Train](#) [Predict](#) [Export](#) [Deploy](#)

Run Information

Training timing and environment details

Completed

Start Time
Jun 15, 2026, 09:21 AM UTC

Runtime
1m

Compute Cost
\$0.02
RTX 4090 - \$0.69/hr

Ultralytics
[8.4.67](#)

Hostname
lambda-scalar

Environment
Docker

OS
Linux-5.15.0-173-generic-x86_64-with-glibc2.39

Python Version
3.12.3

CPU 384
AMD EPYC 9655 96-Core Processor


GPU
RTX 4090

Parent Model
 [yolov8s](#)

Git
<https://github.com/ultralytics/ultralytics>
main · 5ed793530fc4

Command. Requires [ultralytics>=8.4.67](#)

```
yolo train device=0 model=ul://ultralytics/yolov8/yolov8s data=ul://prommin-vutivatchai/datasets/polyp-detect-3 project=prommin-vutivatchai/example-project name=test1 epochs=50 batch=
```



Download the trained model. (Optional)

Model	Status	Task	Epochs	mAP50	mAP50-95	Created
test1	Completed	Detect	40/50	0.924	0.721	3 minutes ago




Rows per page 20

Page 1 of 1

Metrics and Loss Curves During Training




▼ Metrics (3/4)

...



▼ Loss (3/3)

...



Overview Train **Predict** Export Deploy

Input Image

Upload an image or select an example to test test1. [Predict Docs](#) >



Drop an image here
or click to browse

Supports JPEG, PNG, WebP, AVIF, HEIC, JP2, TIFF, BMP & more (max 10MB)

Or try an example





Parameters

API Docs

Deploy your model to get a dedicated inference endpoint with API key authentication — then replace the placeholder URL and key below with your deployment values. [Deploy docs](#) >

Note: This is example code. Deploy your model first to get your endpoint URL and API key.

Python JavaScript cURL

+ Deploy

```
import requests

# Replace with your deployment URL and API key
url = "https://your-deployment-url.run.app/predict"
api_key = "YOUR_API_KEY"

# Optional inference parameters (conf, iou, imgs)
args = {"conf": 0.25, "iou": 0.7, "imgs": 640}

with open("image.jpg", "rb") as f:
    response = requests.post(
        url,
        headers={"Authorization": f"Bearer {api_key}"},
        data=args,
        files={"file": f},
    )


print(response.json())
```

Ask AI

Overview Train **Predict** Export Deploy

Input Image

Upload an image or select an example to test test1. [Predict Docs](#) >



Results

1 detection found - 605x547px

201

2.1 ms Preprocess	198.2 ms Inference	0.7 ms Postprocess	172.7 ms Network
Detections			
polyp			
Ultralytics 8.0.47, Python 3.10.11			
40.2%			

Response

Raw JSON response from the API

```
{
  "images": [
    {
      "caption": [
        547,
        529
      ],
      "speed": {
        "preprocess": 2.09796,
        "inference": 198.20863,
        "postprocess": 0.73445
      }
    }
  ]
}
```

For UltraVision Deploy docs. A for more details.

API Docs

Deploy your model to get a dedicated inference endpoint with API key authentication — then replace the placeholder URL and key below with your deployment values. [Deploy docs](#) >

Note: This is example code. Deploy your model first to get your endpoint URL and API key.

Test the detection with an image in your test set.



Try the Food Defects Dataset.

images

14

You need to consider the YOLO version when choosing a dataset because **different YOLO versions may require different dataset formats.**


v1 2025-11-18 7:49pm

Generated on Nov 19, 2025

Notes: version 1

We have prepared one for you (YOLOv8) : [Download Here](#)

Popular Download Formats




food
defects....lov8.zip
3.9 MB




No action needed — just FYI about the YOLOv8 dataset format.

1. Train/Val/Test Split



2. Bounding Box Coordinates (Labels)



3. data.yaml → tells YOLOv8 where the dataset is and what the classes are.

Upload the dataset: Follow the same steps as before.

Welcome back, Prommin Free
@prommin-vutivatchai · prommin.vuti@gmail.co

1 Datasets 8 Images 30 Annotations

Datasets
Upload images, videos, and datasets

Create a new dataset
+ New Dataset

New Dataset
Create a new dataset to store your training images and annotations

Upload from device Import from URL

Drop images, videos, or datasets here
or click to browse — supports YOLO, COCO, and Ultralytics NDJSON datasets
Images <50 MB — AVIF, BMP, DNG, HEIC, JP2, JPG, MPQ, PNG, TIFF, WEBP
Videos <1 GB — MP4, WEBM, MOV, AVI, MKV, M4V
Datasets <10 GB — ZIP, TAR, NDJSON

Dataset Name
polyp-detect

URL
/prommin-vutivatchai/datasets/ polyp-detect ✓
Lowercase letters, numbers, and hyphens
URL is available

Description (optional)
Describe your dataset...

Task Type **License (optional)** **Visibility**

Cancel Create Dataset

ZIP
food defects....lov8.zip
3.9 MB

New Dataset
Create a new dataset to store your training images and annotations

Upload from device Import from URL

1 file ready to upload
1 archives
polyp_detect.zip Clear

Dataset Name
polyp detect

URL
/prommin-vutivatchai/datasets/ polyp-detect ✓
Lowercase letters, numbers, and hyphens
URL is available

Description (optional)
Describe your dataset...

Task Type **License (optional)** **Visibility**

Detect No license Public

Cancel Create & Upload

Visibility
Private

Cancel Create & Upload

Search...

K

Home

Explore

My Projects

Annotate

F

food defects.v1i.yolo...

polyp detect 3

500

Example Dataset

8

Train

E

Example Project

2

Deploy

No active deployments

New Dataset

Processing

Trash

Settings

Help

P

Prommin Vutivivatchai

prommin.vuti@gmail.com

P

Prommin Vutivivatchai

Datasets

F

food defects.v1i.yolov8

Private

\$4.98

6

F

food defects.v1i.yolov8

Detect

Add license

Processing

0 images

Add a description...

Dataset Upload

Processing

X

Transferring

Sending files to cloud storage

3.7 MB / 3.7 MB · 11s

Done

Processing

Preparing your dataset for training

4s

31%

Images: AVIF, BMP, DNG, HEIC, JP2, JPG, MPO, PNG, TIFF, WEBP (up to 50 MB each)

Videos: MP4, WEBM, MOV, AVI, MKV, M4V (up to 1 GB)

Datasets: ZIP, TAR, NDJSON (up to 50 GB, varies by plan)

Annotations: YOLO, COCO JSON, Ultralytics NDJSON

Ask AI

Apple 1

Apple 2

Apple 3

Apple 4

Apple 5

Apple 6



food defects.v1.yolov8

Detect

Add license

Ready

+ New Model

180 images · 180 labeled · 182 annotations · 5.2 MB · Updated just now

Add a description...

Images

Classes 7

Charts


Models

All 180

Train 144

Val 36


Test



1



1




1




1




1




1



1



1




1




1



1



1




1




1




1



1



1



1

Ask AI

19

1. Select YOLOv8 -> yolo8s

Train New Model

Choose cloud training for GPU resources or train locally with metrics streaming.

Base Model: yolo8s

Dataset: food defects.v1.yolov8

food defects.v1.yolov8

180 imgs · 7 cls · 144 · 36

2. Configure Training Parameters

Epochs: 50

Batch Size: 8

Image Size: 320

Run Name (optional): test2

Advanced Settings Modified

Cloud Training Local Training

GPU Type: RTX 3090 24 GB · \$0.46/hr

RTX 3090 24 GB · \$0.46/hr

Estimated Cost: \$0.01

~1 min at \$0.46/hr

~0.6s/epoch · 180 images

RTX 3090 · 24 GB


Estimate only — actual training time and cost may vary. You are billed for actual GPU time used.

Close Start Training


Changing to another GPU may cause a "no worker available" error.

3. Select GPU: RTX 4090

Example of Output



Then, click `Start Training`



OverviewTrainPredictExportDeploy

Input Image

Upload an image or select an example to test test2 2. [Predict Docs](#)

Drop an image here

or click to browse

Supports JPEG, PNG, WebP, AVIF, HEIC, JP2, TIFF, BMP & more (max 10MB)

Or try an example



rotated_by_15_Screen-Shot-2018
11_25_16-
PM_png.rf.b2b17c5b2dbc34ba50d9b1



b_r037_png.rf.108e862cfd4e17e8a77f

Webcam

Parameters

Input Image

Upload an image or select an example to test test2 2. [Predict Docs](#)



Results

215 ms

5 detections found - 512x512px

	2.0 ms Preprocess	212.4 ms Inference	0.9 ms Postprocess	445.6 ms Network
Detections				
● rotten banana				81.0%
● rotten banana				55.1%
● rotten banana				50.2%
● rotten banana				32.5%

Ultralytics 8.4.67 - Python 3.10.0rcp

Response

Raw JSON response from the API

```
{  
  "images": [  
    {  
      "shape": [  
        512,  
        512  
      ],  
      "speed": {  
        "preprocess": 1.99692,  
        "inference": 212.35209,  
        "postprocess": 0.88947  
      }  
    }  
  ]  
}
```

See Ultralytics Deploy docs for more details.

Ask AI

Test the detection with an image in your test set.



Thank You