

N8N Deployment


Outline

- Goal and Use Case
 - What Has Changed from the Lab?
 - Webhook node --> Test Webhook
 - Publish the N8N pipeline
-
- LINE Chatbot Integration
 - LINE Developer Console (Provider, Messaging API, LINE OA)
 - Register Webhook (Enable Message API & Toggle Webhook)
 - Issue Channel Access Token
 - Use the Access Token in N8N to link them together

Goal and Use Case

In the labs, we used n8n's built-in Chat UI. In production, we typically connect the same logic to a real messaging channel such as LINE.


Use case example: A LINE chatbot for (1) PubMed Q&A and (2) document-based RAG over uploaded files.



What Has Changed from the Lab?

The core workflow logic (retrieve, embed, store, answer) **stays the same**.

Replace Chat Trigger + Respond to Chat with **Webhook input + LINE Reply/Push output**.



Webhook

Parameters

Settings

Listen for test event

Webhook URLs

Test URL

Production URL

GET

http://localhost:5678/webhook-test/chat

HTTP Method

GET

Path

chat

Authentication

Basic Auth

Credential for Basic Auth

Unnamed credential

Respond

Using 'Respond to Webhook' Node

Connection

Sharing

Details

Need help filling out these fields? [Open docs](#)

User

Password

Allowed HTTP Request Domains

All

Enterprise plan users can pull in credentials from external vaults. [More info](#)

You can set User and Password for Webhook authentication.

Test Webhook

 Execute workflow

```
(base) theerapatkangsilalai@Super-computer GitHub % curl -G 'http://localhost:5678/webhook-test/chat' \  
-u 'theerapat:124578963' \  
--data-urlencode 'chatInput=Search PubMed for "depression" and return 3 relevant studies.' \  
--data-urlencode 'sessionId=test-session-001'
```

- 1) PMID: 35216520
Title: Major Depression and Its Recurrences: Life Course Matters.
Journal: Annual review of clinical psychology
Year: 2022
- 2) PMID: 34351273
Title: Depression's Problem With Men.
Journal: AMA journal of ethics
Year: 2021
- 3) PMID: 26357876
Title: Inflammation: depression fans the flames and feasts on the heat.
Journal: The American journal of psychiatry
Year: 2015

Publish the N8N pipeline



Webhook URLs


Test URL

Production URL

GET

<http://localhost:5678/webhook/chat>

LINE Chatbot Integration



Line Developer Console

1. Go to [Line Developer Console](#)
2. Create Provider
3. Create a Messaging API channel
4. Create a LINE OA

Create a LINE Official Account 

(Go to the external site)

Providers (3)

Create



Create a Messaging API channel

Register Webhook

Go to **the Chat tab**

1. Enable Messaging API
2. Paste Webhook URL (N8N)
3. Toggle Response Turn on Webhooks
4. Send message to Line OA
5. Webhook URL get called

Settings

- Account settings
- Manage permissions
- Response settings
- Messaging API**
- Registered info
- Activity and billing
- Dashboard
- Monthly plan
- OA Chat package
- Premium ID
- Billing history

Messaging API

Messaging API is an advanced feature for developers. It allows accounts to promote more interactive communication by sending and receiving messages and actions via the API.

[What is Messaging API?](#)
[LINE Developers API documentation](#)

Status	Enabled
Channel info	Channel ID 20[REDACTED] Copy
	Channel secret 04a[REDACTED] Copy
Webhook URL	https://tkangsilalai.app.n8n.cloud/webhook/line Save

OUTPUT [Schema](#) [Table](#) [JSON](#)

1 item

headers	
host	tkangsilalai.app.n8n.cloud
user-agent	LineBotWebhook/2.0

Toggle responses


Chat ☒ [Open chat screen](#)
Talk directly to your account friends through chat.

Greeting message ☒ [Greeting message settings](#)
Send a greeting in chat when someone first friends your account.

Webhooks ☒ [Messaging API settings](#)
Send a webhook event from the LINE platform to the webhook URL when an account sends a message.

Issue Channel Access Token

1. go to <https://developers.line.biz/console/>
2. Select Provider -> messaging-api tab
3. BELOW Issue “**Channel Access Token**”



Channel access token


Channel access token (long-lived) ?

Issue

N8N settings

1. Webhook wait for Line OA

3. Call API send
respond body to Line



2. LLM input from line, response
with text

4. Tell line the webhook
process is complete

3. API Body + Header (N8N -> Line)

1. Post: <https://api.line.me/v2/bot/message/reply>

2. Header {
 a. Content-Type "replyToken": "{{ \$('Webhook').item.json.body.events[0].replyToken",
 i. application/json }},
 b. Authorization "messages": [
 i. Bearer <Channel Access Token>

3. Response JSON Body {
 "type": "text",
 "text": "{{ JSON.stringify(\$json.output).slice(1, -1) }}"
}
]
}