Demo: Ultralytics (Object Detection Models)

No-Code Version : Ultralytics Platform
Signup Manual (Login with Google or Create a New Account) : Here

Register / Login : https://platform.ultralytics.com/

You will receive free credits after signing up.





Download Datasets: Here







FYI: Dataset Details (No Action Needed)



Ultralytics parses the bounding box labels (coordinates) and loads the training, validation, and test sets based on the directory paths defined in the YAML file.




Images
Browse your dataset images here. Click any image to view details, annotations, and edit labels. Docs →
1 of 7
← Previous
Next →


Classes
Charts
Models
Classes
View and manage all classes in your dataset. See class distribution and rename labels.
3 of 7
← Previous
Next →


New Model
Train a Model
Train a model on this dataset. Choose a project and configure training parameters. Docs →
5 of 7
← Previous
Next →


All 300
Train 240
Val 60
Test
Dataset Splits
Filter images by split: Train, Val, or Test. Drag and drop images between splits to reorganize your data.
2 of 7
← Previous
Next →


Charts
Models
All 300
Charts
Analyze class distribution, split ratios, and annotation quality across your dataset.
4 of 7
← Previous
Next →


Upload Images
Add more images via drag & drop or click to browse. Supports images, videos, ZIP, and TAR files.
6 of 7
← Previous
Next →


Download Dataset
Export your dataset in NDJSON format for local training or backup.
7 of 7
← Previous
Done

Train a Model (YOLOv8)

1. Select YOLOv8 -> yolo8s



2. Select GPU: RTX 4090



3. Configure Training Parameters



Then, click `Start Training`

Estimated Time: ~ 1 min



test1

Trained !

Detect | AGPL 3.0 | Updated just now

+ Deploy

mAP50 **92.4%**

mAP50-95 **72.1%**

Precision **94.1%**

Recall **76.3%**



Reported Performance

Overview | Train | Predict | Export | Deploy

Run Information

Training timing and environment details

Completed

Start Time Jun 15, 2026, 09:21 AM UTC	Runtime 1m	Compute Cost $0.02 RTX 4090 · $0.69/hr
Ultralytics 8.4.67 ↗	Hostname lambda-scalar	Environment Docker
OS Linux-5.15.0-173-generic-x86_64-with-glibc2.39	Python Version 3.12.3	CPU 384 AMD EPYC 9655 96-Core Processor
GPU RTX 4090	Parent Model yolov8s	Git https://github.com/ultralytics/ultralytics ↗ main ↗ · 5ed793530fc4 ↗

Command. Requires ultralytics>=8.4.67

```
yolo train device=0 model=ul://ultralytics/yolov8/yolov8s data=ul://prommin-vutivivatchai/datasets/polyp-detect-3 project=prommin-vutivivatchai/example-project name=test1 epochs=50 batch=
```



Download the trained model. (Optional)

Model	Status	Task	Epochs	mAP50	mAP50-95	Created
test1	Completed	Detect	40/50	0.924	0.721	3 minutes ago

Rows per page 20

Page 1 of 1

Metrics and Loss Curves During Training







Test the detection with an image in your test set.

Try the Food Defects Dataset.

Source (No action needed here)

Source Data : https://universe.roboflow.com/fooddefects/food-defects-ouetf/dataset/1#





You need to consider the YOLO version when choosing a dataset because **different YOLO versions may require different dataset formats.**



We have prepared one for you (YOLOv8) : [Download Here]

No action needed — just FYI about the YOLOv8 dataset format.



1.Train/Val/Test Split





2.Bounding Box Coordinates (Labels)




```yaml
train: ../train/images
val: ../valid/images
test: ../test/images

nc: 7
names: ['damaged banana', 'fresh apple', 'fresh banana', 'fresh orange', 'rotten apple', 'rotten banana', 'rotten orange']

roboflow:
  workspace: fooddefects
  project: food-defects-ouetf
  version: 1
  license: CC BY 4.0
  url: https://universe.roboflow.com/fooddefects/food-defects-ouetf/dataset/1
```

Upload the dataset: Follow the same steps as before.






ultralytics
Search... ⌘K
Home
Explore
My Projects
Annotate
food defects.v1i.yolo...
polyp detect 3 500
Example Dataset 8
Train
Example Project 2
Deploy
No active deployments
New Dataset Processing
Trash
Settings
Help
Prommin Vutivivatchai
prommin.vuti@gmail.com
Prommin Vutivivatchai > Datasets > food defects.v1i.yolov8 Private
$4.98
food defects.v1i.yolov8
Detect
Add license
Processing
0 images
Add a description...
Dataset Upload
Processing
Transferring
Sending files to cloud storage
Done
3.7 MB / 3.7 MB · 11s
Processing
Preparing your dataset for training
31%
4s
Images: AVIF, BMP, DNG, HEIC, JP2, JPG, MPO, PNG, TIFF, WEBP (up to 50 MB each)
Videos: MP4, WEBM, MOV, AVI, MKV, M4V (up to 1 GB)
Datasets: ZIP, TAR, NDJSON (up to 50 GB, varies by plan)
Annotations: YOLO, COCO JSON, Ultralytics NDJSON
Ask AI



food defects.v1i.yolov8
Detect
Add license
Ready
+ New Model
180 images · 180 labeled · 182 annotations · 5.2 MB
Updated just now
Add a description...
Images
Classes 7
Charts
Models
All 180
Train 144
Val 36
Test
Ask AI

1. Select YOLOv8 -> yolo8s

2. Configure Training Parameters

Changing to another GPU may cause a “no worker available” error.

3. Select GPU: RTX 4090



Then, click `Start Training`

Example of Output



Metrics and Loss Curves During Training







Test the detection with an image in your test set.

Thank You