

2 3D View

DEPARTMENT OF THE BUILT ENVIRONMENT

www.lit.ie

Cround Floor

Educational
Exercise
Not for
Construction

Your Name

Revit MEP

**HVAC** Overview

Project number Project Number


Date Issue Date

Drawn by Author


Checked by Checker

A101

Scale As indicated



Supply Duct S	Schedule			
Family and Type	Height	Width	Length	Flow
Rectangular Duct: Flanged Radius Bend / Shoe Branch	150	150	745	100.0 L/s
Rectangular Duct: Flanged Radius Bend / Shoe Branch	350	350	1267	600.0 L/s
Rectangular Duct: Flanged Radius Bend / Shoe Branch	150	150	1866	100.0 L/s
Rectangular Duct: Flanged Radius Bend / Shoe Branch	150	150	1149	100.0 L/s
Rectangular Duct: Flanged Radius Bend / Shoe Branch	150	150	2226	100.0 L/s
Rectangular Duct: Flanged Radius Bend / Shoe Branch	150	150	2263	100.0 L/s
Rectangular Duct: Flanged Radius Bend / Shoe Branch	150	150	1187	100.0 L/s
Rectangular Duct: Flanged Radius Bend / Shoe Branch	150	150	2288	100.0 L/s
Rectangular Duct: Flanged Radius Bend / Shoe Branch	325	325	6551	500.0 L/s
Rectangular Duct: Flanged Radius Bend / Shoe Branch	250	250	3196	300.0 L/s



Supply Duct Fitting Schedu	ile	
Family and Type	Size	Count
	1.50 1.50 1.00	
Rectangular - Round Transformation - Flanged: Standard	150x150-160ø	6
Rectangular - Round Transformation - Flanged: Standard	300x300-160ø	6
Rectangular Concentric Taper - Flanged: Standard	150x350-150x150	1
Rectangular Concentric Taper - Flanged: Standard	250x250-150x150	1
Rectangular Concentric Taper - Flanged: Standard	325x325-250x250	1
Rectangular Concentric Taper - Flanged: Standard	325x350-325x325	1
Rectangular Medium Radius Bend - Flanged: Standard	150x150-150x150	1
Rectangular Shoe Branch - Flanged: Standard	150x150-150x150	4
Rectangular Square Tee - Flanged: Standard	350x350-150x350- 325x350	1



www.lit.ie

Educational
Exercise
Not for
Construction

Your Name


Revit MEP

## Supply System


Project number	Project Number
Date	Issue Date
Drawn by	Author
Checked by	Checker
<i>F</i>	<b>A</b> 102

Scale

1 : 50



Return Duct S	Schedule			
Family and Type	Height	Width	Length	Flow
Rectangular Duct: Flanged Radius Bend / Shoe Branch	325	325	8692	480.0 L/s
Rectangular Duct: Flanged Radius Bend / Shoe Branch	200	425	1697	480.0 L/s
Rectangular Duct: Flanged Radius Bend / Shoe Branch	140	140	358	80.0 L/s
Rectangular Duct: Flanged Radius Bend / Shoe Branch	140	140	358	80.0 L/s
Rectangular Duct: Flanged Radius Bend / Shoe Branch	140	140	595	80.0 L/s
Rectangular Duct: Flanged Radius Bend / Shoe Branch	140	140	58	80.0 L/s
Rectangular Duct: Flanged Radius Bend / Shoe Branch	140	140	1858	80.0 L/s
Rectangular Duct: Flanged Radius Bend / Shoe Branch	140	140	1698	80.0 L/s



Return Duct Fitting Schedu	ıle	
Family and Type	Size	Count
Rectangular - Round Transformation - Flanged: Standard	140x140-150ø	6
Rectangular - Round Transformation - Flanged: Standard	300x300-150ø	6
Rectangular Concentric Taper - Flanged: Standard	325x325-140x140	1
Rectangular Concentric Taper - Flanged: Standard	325x325-425x200	1
Rectangular Medium Radius Bend - Flanged: Standard	140x140-140x140	1
Rectangular Medium Radius Bend - Flanged: Standard	325x325-325x325	1
Rectangular Shoe Branch - Flanged: Standard	140x140-140x140	5



www.lit.ie

Educational
Exercise
Not for
Construction

Your Name

Revit MEP

## Return System

Project number	Project Number
Date	Issue Date
Drawn by	Author
Checked by	Checker
	4103

Scale 1:50